NJ Occupational Health Indicators



OHI #9: Hospitalizations from or with Pneumoconiosis

Hospitalizations from or with Pneumoconiosis by Race and Ethnicity, New Jersey, 2017

Race	No.	Percent
White	764	91.64
Black or African American	41	4.92
Other Race	13	1.56
Unknown / Unavailable	9	1.08
Declined to Answer	4	0.48
Asian Indian	1	0.12
Korean	1	0.12
Multiracial: Black or African American and American Indian or Alaskan Native	1	0.12
Ethnicity	No.	Percent
Not Spanish / Hispanic / Latino	No. 771	Percent 92.45
-		
Not Spanish / Hispanic / Latino	771	92.45
Not Spanish / Hispanic / Latino Unknown / Unavailable	771 40	92.45 4.80
Not Spanish / Hispanic / Latino Unknown / Unavailable Other Spanish / Hispanic / Latino	771 40 10	92.45 4.80 1.20
Not Spanish / Hispanic / Latino Unknown / Unavailable Other Spanish / Hispanic / Latino Declined to Answer	771 40 10 5	92.45 4.80 1.20 0.60
Not Spanish / Hispanic / Latino Unknown / Unavailable Other Spanish / Hispanic / Latino Declined to Answer Puerto Rican	771 40 10 5 3	92.45 4.80 1.20 0.60 0.36

Data Source: New Jersey Department of Health inpatient hospital discharge data.