

Return & Repair Form

Customer Information:

Company Name: MR. EPHRAIM PD B: _____ S: _____
 Date Received: 4-30-08 Date Given to Service: _____
 Carrier: FedEx UPS - DHL - USPS Method: GRD - NDA - 2DY - 3DY - Other

Product Information:

Product: 7410 - 7110 - 6510 - 6810 Serial #: AR ULM - 0047
 Description: A - B - Plus - Screener - Demo Printer Ser #: AR -
 Whole Instrument Top 1/2 Sim Ser #: _____
 Other _____ Probe Ser # DD P -
ACCESSORIES:
 110 V A/C Adapter Regulator Mag Card Rdr# _____
 Printer Paper Printer Ribbon Casio # _____
 Mouthpieces Carrying Case Dry Gas
 Other (Please Specify) _____ Warranty Exp. Date _____

Repair Information:

Test #

Reason for Return: LOW IR RESULTS AFTER CAL

Part Number	Description	Qty	Total Cost
<u>8312820</u>	<u>PUMP</u>	<u>1</u>	<u>N/C WARR</u>
<u>6808455</u>	<u>FC</u>	<u>1</u>	<u>N/C WARR</u>
<u>6809500</u>	<u>CUVETTE</u>	<u>1</u>	<u>N/C WARR</u>
<u>6809512</u>	<u>HOSE BARB</u>	<u>1</u>	<u>N/C WARR</u>
<u>MPCAL71</u>	<u>7110 CAL</u>	<u>1</u>	<u>N/C WARR</u>
<u>MPLABOR</u>	<u>LABOR</u>	<u>2 HR</u>	<u>N/C WARR</u>

Repair Notes:

REPLACE FC
JUMP IN IR RESULTS NOTED - REPLACED PUMP, CUVETTE, HOSE BARB
CAL W/ QC & OPS CHECKS = OK

Service Technician: _____

Date: 05-07-08