

PHILIP D. MURPHY Governor

SHEILA Y. OLIVER Lt. Governor

OFFICE OF THE ATTORNEY GENERAL DEPARTMENT OF LAW AND PUBLIC SAFETY DIVISION OF STATE POLICE POST OFFICE BOX 7068 WEST TRENTON, NJ 08628-0068 (609) 882-2000

MATTHEW J. PLATKIN Acting Attorney General

COLONEL PATRICK J. CALLAHAN Superintendent

August 12, 2024 NOTICE OF JOB VACANCY #ADMIN 03-21P

Opportunities currently exist within the Department of Law and Public Safety, Division of State Police, for applicants who meet the requirements listed below:

TITLE: Boiler Operator Repairer

\$48,824.17 - \$59,979.97 (40 ww) SALARY:

LOCATION: Division of State Police

Administration Section

Facility and Asset Control Bureau

Maintenance Unit

Hamilton Technology Complex

Hamilton, NJ 08691

NUMBER OF VACANCIES: Three (3)

DUTIES: Under direction in a state department, agency or institution, operates and makes repairs to stationary steam boilers or steam generators and auxiliary boiler equipment serving: (1) a building of public assembly and having the safety valve set at fifteen pounds per square inch gauge or less and having 499 square feet of heating surface or (2) having safety valves set higher than fifteen pounds per square inch gauge and rated over six boiler horsepower but not over 500 boiler horsepower or (3) having safety valves set higher than fifteen pounds per square inch gauge and rated over 500 boiler horsepower but not over 1,000 boiler horsepower on a shift under the general supervision of a properly licensed engineer or (4) having safety valves set higher than 15 pounds per square inch gauge and rated over 1,000 boiler horsepower on a shift under the immediate direction of, and responsible to, a properly licensed engineer in charge of the shift; performs basic work involved in varied types of building maintenance and repair tasks; does related work as required.

REQUIREMENTS

EXPERIENCE: One (1) year of experience in general maintenance repair work and work involving the operation of stationary steam boilers and auxiliary equipment of a power plant or low-pressure heating plant.

LICENSE: Applicants must possess a current, valid Black Seal Boiler Operator License of the appropriate type (high or low pressure) issued by the New Jersey Department of Labor and Workforce Development.

Appointees will be required to possess a driver's license valid in New Jersey only if the operation of a vehicle, rather than employee mobility, is necessary to perform the essential duties of the position.

RESUME NOTE: Eligibility determinations will be based upon information presented in the resume only. Applicants who possess foreign degrees (degrees earned outside of the U.S.) are required to provide an evaluation indicating the U.S. equivalency prior to the closing date. Failure to do so will result in your ineligibility.

If interested, please send a cover letter indicating job vacancy number, black seal boiler license and a current resume to: NJSPResumes@njsp.gov

This announcement will remain open until the vacancy has been filled.



