THE 36-MONTH STUDY REPORT ON 65 MPH SPEED LIMIT IN NEW JERSEY

PREPARED BY:

NEW JERSEY DEPARTMENT OF TRANSPORTATION

JAMES WEINSTEIN, COMMISSIONER

AUGUST, 2001

TABLE OF CONTENTS

I.	Intro	duction	Page No 1
II.	Initia	ation of New Maximum Speed Limit	2
	Α.	Establishment of Task Force	2
	В.	Selection of Roadways for 65 MPH	2
	C.	Initiation of 65 MPH Speed Limit	3
III.	Resu	ılts	4
	A .	Travel Speeds	4
	B.	Environmental Impacts	5
	C.	Safety	6
	D.	Enforcement	7
IV.	Cone	clusions/Recommendations	7
		: Designated 65 MPH Roadway Segments and Proposed Ne	ew 65 MPH
App	endix B	: 65 MPH Speed Monitoring Reports on State Highways	
App	endix C	: Toll Authorities' Speed Surveys	
	endix D nents	: Fatal Accidents, Total Accidents, and Accidents on Individ	dual Roadway
Appe	endix E	: New Jersey Department of Transportation Annual Safety F	Report
Appe	endix F	65 MPH Summonses	
Appe	endix G	: Frequently Asked Questions About the 65 MPH Speed Lin	nit

I. INTRODUCTION

In 1995, the United States Congress repealed the National Maximum Speed Limit of 55 MPH (in effect since 1974 when it was started as a fuel-saving measure) and returned to the states the responsibility for setting speed limits on major highways. While Congress allowed states to increase speed limits on rural interstates to 65 MPH in 1987, New Jersey did not change the 55 MPH speed limit, as very little mileage qualified as rural interstate. The federal government lifted the rural interstate restrictions in 1995.

In late 1997, the New Jersey Legislature acted to raise the 55 MPH speed limit to 65 MPH on portions of the state highway system including, but not limited to, interstate highways and highways of similar design and access control. The legislation also established the 65 MPH speed limit as prima facie on the New Jersey Turnpike, the Garden State Parkway and the Atlantic City Expressway. Through negotiations, the Legislature and the Administration agreed to an 18-month Study test period on "approximately 400 miles" of highway statewide. The new law, approved January 19, 1998, gave the Department of Transportation (DOT), in consultation with the Attorney General and the toll authorities, four months to establish the designated network, and the DOT took the lead in implementing the 65 MPH Speed Limit for the 18-month Study period. The list of these designated roadway segments is detailed in Appendix A.

An integral enforcement aspect of the new law was inclusion of safety-related traffic offenses, such as reckless driving, changing lanes without signaling, and speeding at 10 miles per hour or more over the 65 MPH limit, for which the fines were doubled if committed in the 65 MPH zone. The list included what are often characterized as aggressive driving offenses. Fines were also doubled for offenses committed while speeding at 20 miles per hour or more in the non-65 MPH zones. While the maximum speed limit was increased, a more stringent enforcement regimen was established to deter excessive speed and other unsafe driving practices.

On May 19, 1998, the Commissioner of Transportation designated 475.49 miles of roadway for the 65 MPH Speed Limit in New Jersey, pursuant to Public Law 1997, Chapter 415, for a study period of 18 months. At the end of this study period, the Department of Transportation, through a statewide task force, had three months to submit a study to the Governor and the Legislature. The legislation provides that the Commissioner of Transportation, in consultation with the Attorney General and the New Jersey Turnpike Authority (NJTA), the New Jersey Highway Authority (NJHA), and the South Jersey Transportation Authority (SJTA), shall recommend speed limit modifications, and whether 65 MPH roadway mileage should be increased, decreased or stay the same.

During the 18-month study period following implementation of the 65 MPH, the statewide task force (consisting of representatives from NJDOT, NJTPA, NJHA, SJTA and the New Jersey State Police) looked at overall impacts on factors such as public safety, environmental and cost issues, speed, accident rates, fatalities, enforcement, and air quality.

The Task Force delivered its findings and data collected during the 18-month study period in a report to the Governor and the Legislature on February 22, 2000. The report contained four significant findings:

- Actual travel speeds increased on average only one mile-per-hour, with the exception
 of the New Jersey Turnpike where travel speeds increased three to four miles-perhour on average.
- Fatalities decreased nearly 10 percent and fatal accidents decreased nearly eight percent in the 65 MPH zones over a similar 18-month period prior to the study period.
- Total accidents in the 65 MPH zones increased 18 percent over a similar 18-month period prior to the study.
- Impacts to air quality and noise were affected minimally due to the nominal change in travel speeds.

While the data showed some positive trends, an understanding as to why total reported accidents increased was needed to draw better conclusions. Therefore, an additional 18 months to collect data and evaluate the program was recommended. This gave state transportation engineers a full three years worth of information (a professionally accepted minimum time frame) to conduct a traffic safety study. The extended time period would also allow the Department to conduct an analysis of similar highway sections that remained at 55 MPH Speed Limit.

II. INITIATION OF NEW MAXIMUM SPEED LIMIT

A. Establishment of Task Force

A Task Force was established of representatives within the DOT to develop an Implementation Plan, and an 18-month Study Plan. Representatives include the following divisions/bureaus: Traffic Engineering and Safety Programs, Operations, Capital Program Management/Design Services, Division of Transportation Systems Planning, Transportation Data Development, Legislative Analysis, Motor Vehicles, Communications and Deputy Attorney General for DOT. Representatives of other non-DOT agencies include: Toll Authorities, State Police, Highway Safety, Attorney General, and Administrative Office of the Courts. The Task Force met throughout the initial 18-month study period, and continued during the subsequent 18-month study period.

B. Selection of Roadways for 65 MPH

To initially determine the approximately 400 miles of roadway segments to be posted at 65 MPH, the Task Force used criteria that would help identify for the public the different environments between 55 MPH and 65 MPH. The roadway segments selected for 65 MPH were based on the following criteria:

Segments must be at least 10 miles in length - This is an informal national standard intended to prevent driver confusion from seeing too much variance in posted speed limits on the same roadway. This eliminates the short freeway segments on State Routes

including: Routes 1, 3, 4, 15, 21, 29, 33, 42, 440, and 495.

Spacing of access ramps must not be too short - When there are closely spaced ramps, it leads to significant roadside friction, with all the weaving and merging movements occurring, making travel at higher speeds less safe. This tends to be common in the inner urban areas.

Roadway Segment must be designed for 65 MPH - This tends to be a problem in the inner urban areas with significant developments and high population densities. In order to accommodate the heavier traffic volumes, design characteristics of the roadway may not be favorable to higher speeds. These design characteristics include acceleration and deceleration lanes to and from low speed ramps, vertical curves crossing over surface streets, narrow shoulder widths, etc. Again this tends to be most common in the inner urban areas.

Roadway Segment must not experience significant recurring congestion - Roads that experience significant congestion over several hours of the day create an environment that can be unsafe for higher speeds. Although these roads may experience light traffic at late night and early morning hours, the periods of congestion experience significant weaving and higher numbers of accidents.

In summary, the roadway segments selected for the 65 MPH Speed Limit tended to be in rural and suburban settings, while the 55 MPH Speed Limit remained in the more urban areas.

C. Initiation of 65 MPH Speed Limit

The Task Force identified necessary signing and safety measures to implement the 65 MPH speed limit. Where appropriate, this included change of 55 MPH Speed Limit signs to 65 MPH speed limit signs, installation of "Reduce Speed Ahead" signs at the end of the 65 MPH zones, and "fines doubled" signs at intermittent points along the 65 MPH zones.

An 18-month Study Plan was developed to assess impacts to travel speeds, safety records, enforcement, and the environment (air and noise). This required taking field measurements and accumulating data from agency record-keeping systems.

Due to the change in the fine schedule, efforts to develop, print and distribute fine schedules through the Administrative Office of the Courts for new police summons were expedited prior to initiation of the 65 MPH speed limit.

To make comparisons of the 55 and 65 MPH speed limits, a compilation of "before" data was required for the Study Plan by the Task Force.

When the 65 MPH speed limit began on May 19, 1998 all these requirements were completed and in place.

Travel speeds were measured at least once every three months at various points along

New Jersey highways posted at 65 MPH and 55 MPH through the use of detector stations. The type of detector station used on the state highways is an in-ground inductive loop detector that measures the speed of each vehicle which passes over the detection zone. This data is collected and processed to analyze the travel speeds and volumes. Attached is a Monitoring Report of measurements made on the state highways (Appendix B). At various locations, "before" measurements were taken prior to May 19, 1998 (when 65 MPH went into effect), with "after" measurements taken and presented for comparison. The volume of vehicles for each 24-hour period is presented. Travel speeds are presented in terms of "average" "median" and "85th-percentile."

Average speed is the most commonly used speed statistic and is the summation of all individual speed measurements divided by the total number of vehicles.

Median speed is the speed which is exceeded or equaled by exactly half the vehicles from which the data was collected.

85th-percentile speed is sometimes referred to as the critical speed as it is commonly used as a guide in establishing reasonable speed limits. This represents the speed which 85% of the vehicles are traveling under.

The last three columns of the tables in Appendix B reflect the percentage of motorists exceeding 65 MPH, 70 MPH and 75 MPH.

Environmental impacts were measured by the DOT for both air and noise levels. Air quality and noise level measurements were made by models based on field measurements of travel speeds and volumes. Actual field measurements would not be useful as they would be subject to undetermined factors influencing readings.

Throughout the study period, the State Police collected data on accidents and violations.

III. RESULTS

A. Travel Speeds

Changes in the measured average travel speeds in the 65 MPH zones under DOT jurisdiction were found to experience nominal differences compared to prior 65 MPH conditions, as some locations increased and some decreased, generally less than two mph. Appendix B identifies the travel speeds taken at various time intervals for different sections of the state highway system.

The measured travel speeds did more noticeably increase on the New Jersey Turnpike and Garden State Parkway, where the "before" and "after" travel speeds are within three to four mph. The "after" speeds on the Turnpike and Parkway are comparable to the other highways in the study. There were different measuring techniques between the DOT and the three toll authorities, however, the measuring techniques used were consistent during the "before" and "after" time periods. Appendix C contains the speed surveys from the toll authorities.

In conclusion, the reasons for the nominal differences in the travel speeds could be due to many factors, including enforcement, public outreach, respect for the speed limit, uniformity in traffic flows, and increased fines. The change to the 65 MPH speed limit during the study period appears to have had a relatively minor impact on actual travel speeds, when considering the fears many had that actual speeds would increase in a manner similar to the increase in the speed limit.

B. Environmental Impacts

Environmental impacts were studied by the DOT for both air and noise levels. Air quality and noise levels were determined by models based on field measurements of travel speeds and volumes. Increases in speed tend to mean increases in emissions, however, changes in routes by motorists could affect the emissions too.

In order to estimate the impact on air quality, the analysis was conducted to investigate potential travel speed changes and traffic diversions to the higher-speed facilities. Because the speed limit change affected facilities throughout New Jersey, the New Jersey Statewide Model was utilized. In order to estimate the change in emissions resulting from the higher-speed facilities, speeds for the modeled traffic volumes were calculated using the network Post Processor for Air Quality (PPAQ). Emission estimates were calculated within PPAQ using the MOBILE5 emission program developed by the US EPA.

The air quality study was conducted based upon a set of observed speed and volume data collected over the initial 18-month study period. The emissions were calculated for the "before" condition using data collected prior to the speed limit increase and the "after" condition using data collected after the increase. The results of these conditions were compared to determine air quality impacts.

Changes in travel speed can potentially affect many aspects related to travel, which in turn could affect the rate of emissions. The observed data indicate that the speed changes on most of the 65 MPII facilities increased an average of one mph, except for some of the Turnpike facilities which increased by an average of four mph. Therefore, the speed changes from the observed data are reflected in the air quality analysis.

Another aspect is the potential for traffic diversion to the higher speed facilities, as the increased speed would provide potential travel timesavings over the nearby parallel routes. However, the small amount of traffic diversion observed directly from the data was inconclusive. The changes reflected are within the margins of error associated with the data collection equipment and technique.

Considering that the observed aggregate speed changes listed above and that the levels of potential diversion for the increased speed are relatively minor, the emission analysis assumed that diversion would not be significant. The air emission analysis indicated nominal increases of 0.20%, 0.90%, and 1.15% for Volatile Organic Compounds (VOC), Nitrous Oxides (NO_{x)}, and Carbon Monoxides (CO) emissions, respectively. An analysis for the 36-month study period was not performed, as results were expected to still show insignificant changes. Even a doubling of the numbers found for the 18-month study would have nominal effects, but if such a study is

requested, it can be performed by using the new MOBILE6 emission program expected to be available later in 2001.

It is generally accepted that it requires a change in noise level of three decibels or more to be perceived by the general public. The change in average travel speeds reported in this study are at most four mph. This small change in travel speed would not generate an increase in noise levels of three decibels and therefore would not be a perceptible change in the noise environment adjacent to the highways.

C. Safety

Accidents on sections of highways with 65 MPH speed limits increased 27.0 percent during the 36-month study period. An analysis of 65 MPH zones and several adjacent 55 MPH zones were made for comparison basis with accidents from the 36-month period before 65 MPH was implemented, to the 36-month period after 65 MPH was implemented. The findings showed that while reported accidents increased in the 65 MPH zones by 27.0%, they increased in the 55 MPH zones by 30%.¹

While it may seem alarming that the overall number of reported accidents increased as much as it did, it has been found that accident rates fluctuate over time. In periods between 1984 and 1996, rates vary as much as 12 percent per year². This is why there is a need to compare numbers to similar facilities that are not 65 MPH zones. These numbers are found to be similar to the 65 MPH zones.

The reason for the increase in reported accidents does not seem to be directly caused by the 65 MPH speed limit, as similar increases occurred in non-65 MPH zones. Contributing reasons for the overall increases include: the \$500 damages threshold for reporting accidents has not changed for many years and minor damages are now exceeding that limit; a relatively strong economy is leading to continual increases in the total vehicle miles traveled in New Jersey; insurance pressures and "road rage" effects leading to more public desire to report accidents; and increased number of cell phones on the road lead to more likelihood of reporting accidents.

The rate of fatal accidents and fatalities in 65 MPH zones have remained about the same since the implementation of the 65 MPH speed limit and are comparable to the findings in the 55 MPH zones.

Appendix D identifies overall fatal accidents and total accidents in 65 MPH roadway segments, and some adjacent similar designed 55 MPH roadway segments, for each roadway segment selected for the test period.

¹ Accident data was compiled by the State Police and NJDOT. For comparison purposes, the base period captures information on sections of highway now designated as 65 MPH zones and some adjacent sections of highway that remain 55 MPH zones from June, 1995 to May, 2001.

² 1998 New Jersey Department of Transportation's Annual Safety Report (See Appendix E).

D. Enforcement

Appendix F provides information on State Police enforcement efforts beginning with the implementation of the 65 MPH speed limit on May 18, 1998 through November 3, 2000. The table summarizes the number of speeding summonses (broken down incrementally by the number of miles over the speed limit), accident data (broken down by accident type), and "aggressive driver" violations (broken down by specific statutory violations). The number of summonses issued exemplifies the continuing commitment of the State Police in enforcement of the 65 MPH speed limit. Approximately 52 percent of all speeding summonses were issued for speeding 1-14 miles over the posted speed limit with approximately 30 percent of all speeding summonses issued for speeding 1-9 miles over the posted speed limit.

IV. CONCLUSIONS/RECOMMENDATIONS

The following summarizes the findings of the 36-month study period effort:

- Average travel speeds increased 1 mph on the various roadway sections in the 65 MPH
 zones, with the exception of the Turnpike and Parkway which increased 3-4 mph on various
 segments. The "after" speeds on the Turnpike and Parkway ranged from 63 to 68 MPH,
 falling in line with the "after" speeds on the other state highways.
- Environmental impacts regarding air quality and noise were only nominally affected due to the nominal change in the travel speeds and patterns.
- Fatal accidents and fatalities remained about the same as a similar 36-month period prior to the study period.
- Reported accidents increased 27.0% in the 65 MPH zones over a similar 36-month period prior to the study period. Adjacent 55 MPH zones had slightly higher increases in the number of reported accidents than the 65 MPH zones during a similar time period.

The findings above lead to the conclusion that the 65 MPH speed limit did not adversely affect travel. Furthermore, it is believed that the criteria used by the Task Force to select the initial 65 MPH zones was validated by the results.

It is recommended that the 65 MPH speed limit be retained and expanded to other limited access roadways that have similar characteristics to those initially zoned for 65 MPH. Those criteria consider the roadway geometrics, volumes and accident histories. The criteria that a section of highway must be at least 10 miles long to be considered for a higher speed limit is being reduced to five miles upon review.

It should be noted that the changes to higher speed limits require more equipment for work zone safety control. Whether transportation agency staff or contractors are performing work on the highways, traffic control devices are placed to provide for optimal safety for travelers and the workers. With higher speed limits, greater taper lengths are required for safe transitions through the work zones. This will mean additional expenses for this type of work, but will ensure safer conditions.

The following recommendations for new 65 MPH speed limit zones to the limited access


highways in New Jersey are identified below with approximate distances included, and need to be more exactly defined upon field investigations by professional staff:

- Rt. 18: extend 65 MPH zone to eastern terminus at Rt. 138. (9 miles)
- Rt. 24: create 65 MPH zone from I-287 to east of I-78. (8 miles)
- Rt. 55: extend 65 MPH zone north, closer to Rt. 42. (4 miles)
- Rt. 78: extend 65 MPH zone east of current 65 MPH zone to NJTPK. (11 miles)
- Rt. 80: extend 65 zone in section east of current 65 MPH zone (near Rt. 287) to near Rt. 280. (11 miles)
- Rt. 95; create 65 MPH from Route 1 to PA border. (9 miles)
- Rt. 195: extend 65 MPH zone further west to I-295. (4 miles)
- Rt. 280: create 65 MPH zone from I-80 to Eisenhower Parkway. (3 miles)
- Rt. 287: maintain 55 MPH zone from I-80 to Rt. 124, but create 65 MPH zone from Rt. 124 south to east of Rt. 1. (35 miles)
- Rt. 295: extend 65 MPH zones closer to Rt. 76/676 Interchange. (6 miles)
- GSP: create 65 MPH zone from South of Great Egg Harbor Bridge to southern end excluding section with three traffic signals. (23 miles)

As it is understood that the intent of the legislation was to allow the transportation agencies to designate speed limits that are appropriate based on professional criteria, it is strongly recommended that these and any future speed limit changes be made by the professional staffs at each agency through their standard procedures.

APPENDIX A

SELECTED ROADWAYS 65 MPH



APPENDIX A-1

Designated 65 MPH Roadway Segments

Route	Begin/End Municipality, County (Approximate Mile Post)	Section Length (Miles)
NJ Rt. 18 from approximately US Route 9 to NJ Route 36.	Tinton Falls Borough, Monmouth Co. (MP 14.79) to Marlboro Twp., Monmouth Co. (MP 29.88)	15.09
NJ Rt. 55 from north of the southern most NJ Route 47 intersection to south of the northern most NJ Route 47 intersection	Maurice Twp., Cumberland Co. (MP 21.49) to Deptford Twp., Gloucester Co. (MP 55.98)	34.49
I-78 (State Jurisdiction) from east of the Delaware River to west of NJ Route 24. Note: Delaware River to Rt. US 22 (MP 0.0-4.16) is Delaware River Joint Toll Bridge Commission jurisdiction.	Pohatcong Twp., Warren Co. (MP 0.45) to Springfield Twp., Union Co. (MP 48.12)	47.67
I-80 from east of NJ Rt. 94 to west of I-287.	Knowlton Twp., Warren Co. (MP 5.10) to Parsippany- Troy Hills Twp., Morris Co. (MP 41.87)	36.77
I-195 from west of US 130 to west of NJ Rt. 34.	Hamilton Twp., Mercer Co. (MP 3.73) to Wall Twp., Monmouth Co. (MP 33.81)	30.08
I-287 from north of Rt. US 46 to the vicinity of the New York State line.	Parsippany-Troy Hills Twp., Morris Co. (MP 43.11) to Mahwah Twp., Bergen Co. (MP 66.30)	23.19
I-295 from south of NJ Rt. 48 to south of Little Mantua Creek	Carney's Point Twp., Salem Co. (MP 4.0) to West Deptford Twp., Gloucester Co. (MP 20.0)	16.00
I-295 from north of NJ Rt. 70 to south of US Rt. 1	Cherry Hill Twp., Camden Co. (MP 35.26) to Lawrence Twp., Mercer Co. (MP 67.10)	31.84
Atlantic City Expressway from the vicinity of the Garden State Parkway to the vicinity of NJ Rt. 42	Egg Harbor Twp., Atlantic Co. (MP 8.0) to Washington Twp., Gloucester Co. (MP 44.19)	36.19
Garden State Parkway from north of the Great Egg Harbor Bridge to south of the Raritan Toll	Somers Point City, Atlantic Co. (MP 29.0) to Sayreville Boro., Middlesex Co. (MP 123.5)	94.50
Garden State Parkway from north of NJ Rt. 17 to south of the New York State line	Paramus Boro., Bergen Co. (MP 163.3) to Montvale Boro., Bergen Co. (MP 172.0)	8.70
NJ Turnpike from north of Interchange 1 to south of Interchange 13	Carney's Point Twp., Salem Co. (MP 1.5) to Linden City, Union Co. (MP 97.2)	95.7
NJ Turnpike (PA Tpk. Ext.) from east of the Delaware River to the New Jersey Turnpike mainline	Florence Twp., Burlington Co. (MP 1.3) to Mansfield Twp., Burlington co. (MP 6.57)	5.27
TOTAL		475.49

APPENDIX A-2

Proposed New 65 MPH Roadway Segments

Route	Begin/End Municipality, County (Approximate Mile Post)	Section Length (Miles)
NJ Rt. 18 from north of NJ Route 138 to NJ Route 36.	Wall Twp., Monmouth Co. (MP 5.60) to Tinton Falls Borough, Monmouth Co. (MP 14.79)	9.19
NJ Rt. 24 from east of I-287 to west of I-78.	Morris Twp., Morris Co. (MP 1.00) to Summit, Union Co. (MP 9.00)	8.00
NJ Rt. 55 south of the northern most NJ Route 47 intersection to south of NJ Route 42.	Deptford Twp., Gloucester Co. (MP 55.98) to (MP 60.49)	4.51
I-78 from west of NJ Route 24 to NJ Turnpike.	Springfield Twp., Union Co. (MP 48.12) to Newark City, Essex Co. (MP 58.93)	10.81
1-80 from west of 1-287 to west of NJ Route 23.	Parsippany-Troy Hills Twp., Morris Co. (MP 41.87) to Wayne Twp., Passaic Co. (MP 53.00)	11.13
I-195 from I-295 to west of Rt. US 130.	Hamilton Twp., Mercer Co. (MP 0.00) to (MP 3.73).	3.73
I-280 from I-80 to west of Eisenhower Parkway.	Parsippany-Troy Hills Twp., Morris Co. (MP 0.00) to Roseland Borough, Essex Co. (MP 3.50)	3.50
I-287 from north of Rt. US 1 to south of NJ Rt. 124.	Edison Twp., Middlesex Co. (MP 1.00) to Morristown Twp., Morris Co. (MP 35.70)	34.70
I-295 from Little Mantua Creek to NJ Rt. 47.	West Deptford Twp., Gloucester Co. (MP 20.0) to Westville Borough, Gloucester Co. (MP 25.18)	5.18
1-295 from south of US Rt. 1 to 1-95.	Lawrence Twp., Mercer Co. (MP 67.10) to (68.06)	0.96
I-95 from Delaware River to I-295.	Ewing Twp., Mercer Co. (MP 0.00) to Lawrence Twp., Mercer Co. (MP 8.77)	8.77
Garden State Parkway from southern terminus to north of NJ Rt. 147 – vicinity prior to traffic signals.	Lower Twp., Cape May Co. (MP 0.0) to Middle Twp., Cape May Co. (MP 8.0)	8.00
Garden State Parkway from vicinity north of traffic signals to south of the Great Egg Harbor Bridge.	Middle Twp., Cape May Co. (MP 11.5) to Upper Twp., Cape May Co. (MP 27.0)	15.5
TOTAL		123.98

Bd 3: AppendixA.doc

APPENDIX B

MONTHLY AVERAGE SPEED DATA

LOCATION: I-195 (EB/WB), MP 9.5, Upper Freehold Twp., Monmouth Co.

F.C.= 01

MONTH	AADT		SPEED (MP	H)	% O	F VEHICLE	S EXCEE	DING
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH
JAN 2000	31,635	64	66	71	94	45	14	2
FEB 2000	33,505	65	67	72	97	53	17	3
MAR 2000	32,348	65	67	72	97	52	18	3
APR 2000	35,254	65	67	72	97	51	17	3
MAY 2000	40,872	65	66	72	96	49	16	3
JUN 2000	48,952	65	66	72	96	49	16	3
JUL 2000	47,256	65	66	71	96	46	14	2
AUG 2000	52,824	64	66	71	94	45	14	3
SEP 2000	39,548	65	67	72	96	51	17	3
OCT 2000	42,732	66	67	72	97	55	20	4
NOV 2000	36,602	66	67	73	98	59	22	5
DEC 2000	34,686	66	67	73	97	57	22	5
JAN 2001	31,625	66	68	72	97	56	20	4
FEB 2001	33,063	66	68	73	98	58	22	4
MAR 2001	34,485	66	67	73	96	56	22	4
APR 2000	42,643	66	68	73	98	56	22	4
MAY 2001	43,762	66	68	73	98	55	21	4
AVERAGE	38,929	65	67	72	97	53	18	3

MONTHLY AVERAGE SPEED DATA

LOCATION: I-295 (NB), MP 2.9, Carneys Point, Salem Co.

F.C.= 11

MONTH	AADT	\$	SPEED (MP	H)	% OF VEHICLES EXCEEDING				
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH	
JAN 2000	11,800	57	61	68	63	23	6	1	
FEB 2000	14,097	59	63	69	73	30	9	2	
MAR 2000	14,199	61	64	70	83	33	8	2	
APR 2000	15,151	62	84	71	89	33	6	3	
MAY 2000	15,163	62	64	71	89	35	7	3	
JUN 2000	15,807	60	64	71	74	35	12	2	
JUL 2000	16,168	62	64	71	79	37	12	2	
AUG 2000		an Çiri		No data	available				
SEP 2000				No data	available			•	
OCT 2000	15,180	60	64	7:1	78	36	11	2	
NOV 2000	15,462	60	64	71	79	38	12	2	
DEC 2000	15,013	60	64	71	77	36	11	2	
JAN 2001	12,583	56	58	66	57	15	5	2	
FEB 2001	13,219	55	58	67	53	19	5	1	
MAR 2001	13,433	58	63	69	71	29	9	3	
APR 2000	14,885	59	63	71	72	33	11	2	
MAY 2001	15,512	61	64	71	82	36	12	3	
AVERAGE	14,511	59	63	70	75	31	9	2	

MONTHLY AVERAGE SPEED DATA

LOCATION: I-295 (SB), MP 2.9, Carneys Point, Salem Co.

F.C.= 11

MONTH	AADT	•	SPEED (MP	H)	% 0	F VEHICLE	S EXCEE	DING
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH
JAN 2000	12,766	63	66	72	90	44	15	1
FEB 2000	14,020	64	66	72	93	48	17	3
MAR 2000	14,334	65	66	72	95	50	17	3
APR 2000	14,932	65	67	72	93	51	17	4
MAY 2000	15,483	65	67	72	94	53	19	4
JUN 2000	16,354	65	67	72	95	55	21	4
JUL 2000	15,791	65	67	73	95	57	22	5
AUG 2000	16,071	66	67	73	95	57	22	5
SEP 2000	14,933	65	67	73	95	55	22	5
OCT 2000	15,101	66	67	73	96	57	23	5
NOV 2000	15,428	66	67	73	96	58	24	55
DEC 2000	15,135	66	67	73	95	57	23	5
JAN 2001	12,849	65	67	72	94	54	21	3
FEB 2001	12,965	66	67	73	95	56	22	5
MAR 2001	13,872	66	67	73	95	56	23	5
APR 2000	15,191	66	67	73	95	57	24	5
MAY 2001		65	67	73	94	54	22	5
AVERAGE	14,702	65	67	73	94	54	21	4

MONTHLY AVERAGE SPEED DATA

LOCATION: I-295 (NB), MP 39.6, Mount Laurel Twp., Burlington Co.

F.C.= 11

MONTH	AADT		SPEED (MP	H)	% OF VEHICLES EXCEEDING				
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH	
JAN 2000	39,689	62	64	69	92	33	7	1	
FEB 2000	41,487	64	56	70	95	39	10	2	
MAR 2000	42,660	64	66	71	95	42	13	3	
APR 2000	41,840	64	66	71	94	42	14	3	
MAY 2000	42,425	64	65	71	93	40	14	6	
JUN 2000	45,813	61	61	67	94	18	6	3	
JUL 2000				No data	available				
AUG 2000	44,629	61	59	69	94	25	5	1	
SEP 2000	43,241	61	59	69	95	26	4	1	
OCT 2000	44,838	61	59	69	96	25	5		
NOV 2000	44,344	62	59	72	97	30	15	4	
DEC 2000	42,856	60	59	67	96	17	3	0	
JAN 2001	42,183	63	60	69	92	39	5	1	
FEB 2001	41,178	61	59	69	97	27	3	1	
MAR 2001	42,980	61	59	69	96	26	3	1	
APR 2000	45,635	64	60	69	95	51	4	1	
MAY 2001	45,636	61	60	69	96	31	4	0	
AVERAGE	43,215	62	61	69	95	32	7	2	

MONTHLY AVERAGE SPEED DATA

LOCATION: I-295 (SB), MP 39.6, Mount Laurel Twp., Burlington Co.

F.C.= 11

MONTH	AADT	SPEED (MPH)			% OF VEHICLES EXCEEDING				
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH	
JÁN 2000	40,570	65	67	72	94	53	19	1	
FEB 2000	41,930	66	87	73	97	59	22		
MAR 2000	43,309	66	68	73	98	62	24	5	
APR 2000	42,065	67	66	74	98	63	25	6	
MAY 2000	42,714	65	67	72	96	50	18	4	
JUN 2000	46,372	65	67	72	96	51	18	4	
JUL 2000	44.968	64	66	71	93	43	14	3	
AUG 2000	44,348	65	66	72	95	50	19	4	
SEP 2000	45,024	65	67	72	96	50	19	4	
OCT 2000	45,673	66	67	73	96	53	21	5	
NOV 2000	44,824	66	67	73	96	53	21	5	
DEC 2000	44,778	65	67	73	96	51	21	5	
JAN 2001	42,960	65	67	73	95	52	20	5	
FEB 2001	42,959	65	67	73	95	51	21	5	
MAR 2001	43,211	65	67	73	95	52	21	5	
APR 2000	46,394	66	67	73	97	54	22	5	
MAY 2001	47,151	65	67	73	95	53	22	5	
AVERAGE	44,074	65	67	73	96	53	20	4	

MONTHLY AVERAGE SPEED DATA

LOCATION: NJ-55 (NB/SB), Vineland Twp., Cumberland Co.

F.C.= 12

MONTH	AADT	\$	SPEED (MP	H)	% OF VEHICLES EXCEEDING				
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH	
JAN 2000	20,850	62	64	70	78	34	9	2	
FEB 2000	23,757	62	64	71	76	37	11	2	
MAR 2000	26,050	61	63	71	61	33	11	2	
APR 2000				No data	available				
MAY 2000	ļ	PATA++++++++		No data a	available				
JUN 2000				No data	evallable				
JUL 2000		***************************************		No data :	available				
AUG 2000			KURTE:	No data a	available				
SEP 2000				No data a	available				
OCT 2000				No data :	available				
NOV 2000	<u> </u>			No data a	available				
DEC 2000				No data a	vailable				
JAN 2001				No data a	vailable				
FEB 2001				No data a	rvailable				
MAR 2001				No data a	vailable				
APR 2000				No data a	vailable			***********	
MAY 2001				No data a	vailable				
AVERAGE	23,552	62	64	71	72	35	10	2	

MONTHLY AVERAGE SPEED DATA

LOCATION: I-78 (EB), MP 14.5, Union Twp., Hunterdon Co.

F.C.= 01

MONTH	AADT		SPEED (MP	H)	% OF VEHICLES EXCEEDING				
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH	
JAN 2000		**************************************		No data	available				
FEB 2000	33,444	63	65	71	83	40	13	2	
MAR 2000	36,888	64	66	72	92	49	17	3	
APR 2000	36,011	65	67	72	94	52	19	3	
MAY 2000	41,251	65	66	72	94	48	17	4	
JUN 2000	40,757	66	68	73	97	65	25		
JUL 2000	39.962	67	68	73	97	6 5	25	5	
AUG 2000				No data :	vallable				
SEP 2000				No data :	available				
OCT 2000				No data	wallable				
NOV 2000				No data a	vailable				
DEC 2000				No data a	vailable				
JAN 2001		***************************************		No data a	vailable				
FEB 2001				No data a	vailabie				
MAR 2001				No data a	vailable				
APR 2000				No data a	vailable				
MAY 2001				No data a	vailable				
AVERAGE	38,052	65	67	72	93	53	19	3	

MONTHLY AVERAGE SPEED DATA

LOCATION: I-78 (WB), MP 14.5, Union Twp., Hunterdon Co.

F.C.= 01

MONTH	AADT	SPEED (MPH)			% O	F VEHICLE	S EXCEE	DING
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH
JAN 2000				No data	available			
FEB 2000				No deta	available			
MAR 2000	36,954	65	67	72	96	51	15	2
APR 2000	36,793	66	67	72	97	56	19	3
MAY 2000	40,047	66	67	72	97	56	19	3
JUN 2000	42,654	66	67	72	97	55	18	3
JUL 2000	40,050	66	67	72	97	57	19	3
AUG 2000				No data	evailabie			
SEP 2000				No data a	available			
OCT 2000				No data a	vallable			
NOV 2000				No data a	vailable			
DEC 2000				No data a	vailable			
JAN 2001				No data a	vailable			
FEB 2001				No data s	vailable			
MAR 2001				No data a	vailable			
APR 2000				No data a	vailable			
MAY 2001				No data a	vailable			
AVERAGE	39,300	66	67	72	97	55	18	3

MONTHLY AVERAGE SPEED DATA

LOCATION: 1-78 (WB), MP 34.5, Bernards Twp., Somerset Co.

F.C.= 01

MONTH	AADT	SPEED (MPH)			% OF VEHICLES EXCEEDING				
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH	
JAN 2000		************		No data	available				
FEB 2000				No data	avallable				
MAR 2000			~~~~~	No data	available				
APR 2000	31,398	65	67	72	93	53	20	4	
MAY 2000	33,656	65	67	72	93	51	19	3	
JUN 2000	35,364	65	67	72	93	52	19	3	
JUL 2000	32,844	65	67	72	93	53	20	4	
AUG 2000	34,854	65	67	72	92	52	20	4	
SEP 2000	33,581	65	67	72	93	53	20	4	
OCT 2000	34,499	65	67	72	93	53	20	4	
NOV 2000	33,491	64	66	72	92	49	18	3	
DEC 2000	31,871	64	66	72	89	46	17	3	
JAN 2001	30,354	64	66	72	88	44	16	3	
FEB 2001	30,690	62	64	71	78	39	14	3	
MAR 2001	32,629	63	65	70	89	36	9	2	
APR 2000	33,453	62	64	70	78	36	8	1	
MAY 2001	33,939	63	66	71	91	43	12	2	
AVERAGE	33,045	64	66	72	90	47	17	3	

MONTHLY AVERAGE SPEED DATA

LOCATION: I-80 (EB), MP 8.5, Knowlton Twp., Warren Co.

F.C.= 01

MONTH	AADT		SPEED (MP	H)	% O	F VEHICLE	S EXCEE	DING
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH
JAN 2000				No data	available			
FEB 2000				No data	available			
MAR 2000	21,007	64	· 67	76	76	52	32	11
APR 2000				No data	available .			
MAY 2000	<u> </u>			No data	available			
JUN 2000				No data	available			
JUL 2000				No data :	available			
AUG 2000				No data	waiiable			
SEP 2000	23,413	67	69	77	87	61	40	15
OCT 2000	24,183	66	69	77	84	60	42	17
NOV 2000	21,915	66	69	78	79	56	42	21
DEC 2000	19,404	66	68	77	78	5 5	40	17
JAN 2001	19,548	66	69	77	80	57	42	19
FEB 2001	21,168	65	68	77	77	55	41	19
MAR 2001	20,633	65	67	77	75	52	38	17
APR 2000	22,214	66	69	77	81	58	42	18
MAY 2001	24,496	66	69	76	84	59	39	15
AVERAGE	21,798	66	68	77	80	57	40	17

MONTHLY AVERAGE SPEED DATA

LOCATION: 1-80 (WB), MP 8.5, Knowiton Twp., Warren Co.

F.C.= 01

MONTH	AADT		SPEED (MP	H)	% O	F VEHICLE	S EXCEE	DING
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH
JAN 2000				No data	available			
FEB 2000				No data	avallable			
MAR 2000	20,944	60	62	70	60	28	11	3
APR 2000	19,904	62	64	71	67	.36	14	4
MAY 2000	18,301	63	66	72	73	45	19	5
JUN 2000				No data	avaliable			
JUL 2000				No data	available			
AUG 2000				No data	available			
SEP 2000	22,345	65	67	74	84	54	24	7
OCT 2000	20,693	62	65	72	75	40	15	4
NOV 2000	22,709	63	64	70	85	34	11	2
DEC 2000	19,747	63	65	70	84	33	9	2
JAN 2001	19,677	59	60	67	58	22	6	11
FEB 2001	19,865	59	61	69	59	24	9	2
MAR 2001	20,237	62	64	71	75	38	14	3
APR 2000	21,767	62	65	72	76	41	17	5
MAY 2001	21,733	62	64	70	72	31	10	2
AVERAGE	20,660	62	64	71	72	36	13	3

MONTHLY AVERAGE SPEED DATA

LOCATION: I-80 (EB), MP 32.4, Roxbury Twp., Morris Co.

F.C.= 11

MONTH	AADT		SPEED (MP	H)	% O	F VEHICLE	S EXCEE	DING
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH
JAN 2000	48,313	65	67	74	87	55	24	6
FEB 2000	52,540	66	69	74	92	64	29	7
MAR 2000	49,288	66	69	74	92	69	32	8
APR 2000	50,923	67	69	74	97	6 6	28	6
MAY 2000	54,517	66	69	74	95	65	28	7
JUN 2000	52,819	66	59	74	95	65	29	7
JUL 2000	53,156	67	69	74	96	67	31	8
AUG 2000	58,028	67	69	74	96	67	30	7
SEP 2000	53,643	66	69	74	91	65	31	8
OCT 2000	54,160	66	69	74	91	65	31	8
NOV 2000	52,470	66	69	74	92	65	32	9
DEC 2000	52,951	66	69	74	93	64	30	8
JAN 2001	47,543	65	68	74	90	60	28	8
FEB 2001	49,049	63	66	73	68	47	22	6
MAR 2001	48,574	65	68	74	88	61	29	8
APR 2000	53,350	66	69	74	92	66	32	8
MAY 2001	54,258	66	69	74	91	62	29	8
AVERAGE	52,093	66	69	74	91	63	29	7

MONTHLY AVERAGE SPEED DATA

LOCATION: 1-80 (WB), MP 32.4, Roxbury Twp., Morris Co.

F.C.= 11

	7	7			T	Posted S	peed Limit	(MPH): 6
MONTH	AADT		SPEED (MP	H)	% O	F VEHICLE	S EXCEE	DING
		AVE.	MEDIAN	85TH - %	55 MPH	65 MPH	70 MPH	75 MPH
JAN 2000	<u> </u>			No data	available			
FEB 2000				No data	evallable			
MAR 2000	52,039	64	66	71	94	50	13	2
APR 2000	53,271	63	67	73	87	51	20	5
MAY 2000	55,576	63	66	72	85	48	19	4
JUN 2000	55,951	64	67	72	90	51	20	
JUL 2000	55,913	65	67	73	89	53	21	5
AUG 2000	57,983	65	68	73	91	59	24	5
SEP 2000	54,652	65	68	74	91	60	25	6
OCT 2000	54,637	64	67	74	85	56	24	6
NOV 2000	53,345	64	67	74	84	55	24	6
DEC 2000	53,478	64	67	74	88	56	24	6
JAN 2001	48,373	64	67	74	87	55	24	6
FEB 2001	49,285	62	65	73	65	43	18	5
MAR 2001	50,484	62	65	74	66	43	18	5
APR 2000	53,350	65	68	74	90	62	28	7
MAY 2001	54,258	64	68	74	88	59	26	6
AVERAGE	53,506	64	67	73	85	53	22	5

APPENDIX C

NJ TURNPIKE SPEED SURVEY "BEFORE" AND "AFTER" IMPLEMENTING 65 MPH SPEED LIMIT ON 5/19/98 SEPTEMBER 15, 1998 - SEPTEMBER 18, 1998

Location	Day 4	Time of	a of Frae	Average	Average	Difference	468	Partient	Marcoll	Porcent
	2	å	Howing Veh.	Peeds	Peeds	fin Average	percentific	Tarde	Š	7870
			Measured	Feb-61	84p-88	Speed	Sec.		H4H 50	1 1 a 2
MP 26.5 58 (65)	8/16/88	12:25 pm 2:55 pm	009	63.57 MPH	87.17 MPK	HAM OD.C	72 MPH	ž	%Y 98	18.9%
MP 44.8 NB (15)	W17/88	10:06 em-12:25 pm	900	82.11 MPH	96.47 MPH	4.36 APH	70 MPM	23.8	85.4%	20%
MP 4.4 WB Ps. Est (85)	RESIL	8:25 am-11:35 am	600	63.41 MPH	SC. ST MPH	6.43 MPH	JO MPM	į	X7 91	2.52
MP 75.4 ENO (65)	98/23/8	1:40 pm-2:55 pm	400	HAW PC 99	63.62 MPH	6.58 MPH	M-W S	340	35.0%	22
MP 78.8 SNI(65)	16/11/3	10:15 am-11:50 am	900	64.69 MPH	67.35 MPH	2.66 NPH	T2 MPH	£	7.0%	17.0%
MP 113.8 SNE (55)	BANKS	10:35 em.12:25 pm	95	80.34 MPH	H4W 97 78	4.14 MPH	70 MPH	25.	40.2%	8.0%

NJ TURNPIKE SPEED SURVEY "BEFORE" AND "AFTER" IMPLEMENTING 65 MPH SPEED LIMIT ON 5/19/98 APRIL 21, 1999 - APRIL 26, 1999

Location	Day 4	Time of	and Jose	Avarage	Avenue	O!Warner	488			
	20	à	Flowing Van.	200	Perce	th Average	percentitie	Trucks	8	56
			Massured	Feb-20	Apral	Breed	Pass (V		H-12 53	70 MP.
MP 26.6 58 (85)	4/21/00	2.45 pm.4:20 pm	900	H4M 72.53	66.34 MPH	2.77 MPH	70 MPH	34%	62.6%	6.2%
MP 44.E NB (BS)	4/26/98	2:00 pm3:16 pm	900	62.11 MPH	67.00 MPH	A.S.S. MPK	70 MPH	10%	72.4%	10.2%
MP 4.4 WB 76. Ext (65)	4/23/80	8:30 am-11:10 am	905	63.41 MPH	65.14 MPH	2.43 MPH	70 MPH	20%	57.5%	6.2%
MP 76.4 SNO (65)	4/22/86	11:40 em-1.05 pm	900	BE.34 MPM	H4W 81.C9	5.34 MPH	HAW 99	76%	33.6%	%90
MP 78.8 SNI(65)	4/22/88	1:55 pm3:15 pm	\$00	44.89 MPH	67.72 MPH	HAM CO.C	72 MPH	ž	78.97	15.4%
MP 113.8 SME (55)	4/2 (/86	10:35 em 12:15 pm	. 600	60.34 MPH	80.18 MPH	2.64 MPH	68 MPH	20%	22.0%	5.1%

NJ TURNPIKE SPEED SURVEY "BEFORE" AND "AFTER" IMPLEMENTING 65 MPM SPEED LIMIT DN 5/19/96 OCTOBER 5, 1999 - OCTOBER 16, 1999

Locaben	04 £	Time of	ed free	Average	Areange	Ofference	47.074	Percent	Portsort	Pertur
	2	Ā	Flowing Veh.	peeds.	Speed.	Average	percentife	Triste	8	6
			Messured	Feb-18	Oct.39	Speed	3		2 2	70 MPH
MP 26.5 58 (65)	10/6/09	11:50 am-1:20 pm	009	HAW 25.CB	67.42 MPH	2.05 MPK	70 MPH	21%	20.2	16.7%
MP 44.6 NB (65)	10/5/90	2:40 pm-3:45 pm	009	62.11 MPH	H-#4 LE'50	3.70 MPK	70 MPH	24%	2 2	707
MP 4.4 WB Ps. Est (85)	10/15/86	9:45 em 11:20 sm	- 005	63 41 MPH)	3.78 MPK	70 MPH	27%	**************************************	44 BK
MP 78.4 SNO (85)	10/B/BP	2.45 pm-4:15 pm	960	HAN YC'T	SO.88 ACPH	1.54 MPK	HEND'S	¥/6		900
MP 78.8 SNI(65)	10/15/19	12:05 pm-1:15 pm	201	H4% 90.49	70.47 MPH	6.30 MPH	74 MPH	É	40 40	41 8%
MP 113.8 SHE (56)	10/2/88	1:35 pm-3:00 pm	900	HAW YC'08	62.10 MPH	1.85 MPH	MPK Se	22%	X X	2 84
		. 4.5.12							2.0	

NJTA, Operations Department, 5/16/01

Feb 98 = "before" period

NJ TURNPIKE SPEED SURVEY "BEFORE" AND "AFTER" IMPLEMENTING 65 MPH SPEED LIMIT ON 5/19/98 APRIL 9, 2001 - APRIL 19, 2001

Louding	9 60	Time of	NOT Free	Average	Avenge	Cilimenes	5	Percent	Percent	Percent
	Dede	600	Flowing Veh.	2000	1	In Average	percentile	Trucks	ž	36
			Moneum	F+b-18	Aprat	Boods	Speed			70 MPK
MAP 28.5 SE (85)	441,03	10:20 am-12:20 pm	410	63.57 MPH	HAN CE 29	4.06 MPH	72 MPH	154	77.5%	18.8%
MP 44 8 N3 (85)	4/14/01	1:10 pm-2:45 pm	510	62.11 MPH	HdM 62.79	5.12 MPH	TO MPH	Š	7.8×	×9.0
MP 4.4 WIP. EM (65)	4/17/01	10:15 em-11:56 em	2005	HAN 17'CS	66.76 MPH	4.35 MPH	72 MPM	14%	AC.18	4× CL
MP 75.4 SKO (65)	4/19/01	10;00 sm-11:50 am	805	SB.34 NPH	61.12 MPH	2.88 MPH	Z MPH	ķ	7.0.0	*60
MP 78.8 SHI (85)	4/19/01	9:45 am-11:15 am	90\$	H4M 45'79	66.10 MPH	4,41 MPH	74 MPH	£	#5.0%	20.1%
MP 113.8 SME (SS)	4/8/01	2:25 pm-3:50 pm	950	60.34 MPH	HAM CG C9	J.4B MPH	HAW DO	*8	\$ 8	¥6.4

NJ TURNPIKE SPEED SURVEY "BEFORE" AND "AFTER" IMPLEMENTING 65 MPH SPEED LIMIT ON 5/19/98

Location	Avenge"	Average	Avenge	Avenge	Arenage	Av smgg'	Difference	Percent	Persent	Difference in
	Pased 8	Posed	P	I d	2000	Speed N/M	In Average	Over	. Jee	Percent over
	744	# da	April	06/30	10-101	443, 10/38 4 4/91	Speed from	ES MIT	SE MPHS78	E MPH Tam
	("Belone")	("Atar")	("AND	("After")	("APLEY")	-Attent	Belone Period	Feb-W	478, 10/18 & 4/01	Before Punted
MP 26.5 SB (65)	63.57 MPH	67.17 MPH	86.34 MPH	87 42 MPH	67.63 MPH	H6M F1'28	Ham 25°C	31.4%	7.5	127.4%
MP 44.6 NB (65)	62.11 MPH	HGM LV:98	87.00 MPN	85.61 MPH	67.23 MPH	MgW C9'90	Ham 23'y	18.6%	#.73	250.6%
MP 4.4 WB Ps. Est. (85)	63.41 MPH	· HOM MIN	66.84 MPH	86.81 MPH	64.75 MPH	MdW 07 49	3.66 MPH	31.8%	72.5%	128.7%
MP 75.4 SNO (69)	58.24 MPt	65.92 MPH	ECT. BO MPH	59.84 MPH	61.32 MPH	MdW 52.29	Hem ter	2.4%	27.75	783.3%
MP 78.8 SNI (65)	PA. GB NATH	67.35 MPH	67.72 MPH	70.47 MPH	68.10 MPH	H4W 99'89	Hd# 45'5	45.2%	15.3%	44.7%
113.8 ENE (55)	BC.34 NAPH	64.48 MPH	60.18 MPH	62.10 MPH	63.63 MPK	Haim of Co	HAM SOL	10.5%	30.5%	180.9%

NEW JERSEY TURNPIKE AUTHORITY

New Jersey Turnpike 65 MPH Volume and Accident Data 6/95 - 5/98 and 6/98 - 5/01

	Before Periou 6/95 - 5/96	After Period 6/98 - 6/01	Parcent Change
Entira Naw Jersey Turnpika			Astatiana kanalagai Ana intensa metak
Total Volume	600,079,496	653,028,982	6.8%
Total Mileage	14,652,227,902	16,334,116,069	11.5%
Total Accidente	15,094	19,861	31.6%
Total Fatal Accidents	68	56	-2.9%
Total Fatalities	74	77	4.1%
Total Injury Accidents	4,022	4,602	14.4%
Total injuries	6,703	7,489	11.7%
Total Accident Rate	103.0	121.6	18.0%
Total Fatal Accident Rate	0.46	0.40	-12.9%
Total Fatality Rate	0.51	0.47	-6.7%
Total injury Accident Rate	27.4	28.2	2.7%
Total injury Rate	45.7	45.8	0.1%
Mainline			
Mainline Accidents	9,660	12,155	25.8%
Mainline Accident Rate	73.3	82.7	12.9%
Interchanges and Service Areas			isticki englistikularigi, i April iz istokationisi i
Accidents at Interchanges and Service Areas	5,434	7,696	41.6%
65 MPH Zone			
Mainline Accidents	4,757	6,004	26.2%
Fatal Accidents	36	39	8.3%
Fatalities	39	44	12.8%
Injury Accidents	1452	1,715	18.1%
Injuries	2,637	2,954	12.0%
Mainline Accident Rate	55.9	63.3	13.2% -2.2%
Mainline Fatal Accident Rate	0.42	0.41 0.47	1.9%
Mainline Fatality Rate	0.46	18.1	5.0%
Mainline injury Accident Rate	17,1	31.2	0.6%
Mainline Injury Rate	31.0	31. 2	0.0%
GOSS MPH Zone		6,151	33.7%
Mainline Accidents	4,602	20	5.3%
Fatal Accidents	19	25	25.0%
Fatalities	20	117.9	19.9%
Mainilne Accident Rate	98.3	0.38	-5.6%
Mainline Fatal Accident Rate	0.41 0.43	0.38	12.1%
Mainline Fatality Rate	0.43	0,40	12.170

NEW JERSEY HIGHWAY AUTHORITY TRAFFIC DIVISION CURRENT SPEED - 55 MPH 1998 - 2001 AVERAGE SPEED DATA

Left Lane SESSION AADT DIRECTION DATES Left Lane DATES DATES 11090 North 11,870 South South South North South August Pebruary Pebruary Pebruary 11,450 North South March March South H2,120 South H2,120 South H2,120 South North May Z6000 February 11,230 North 12,120 South North North May North South May	GSP - MP 14.8 NB/	SB,	fiddle T	wsp., Cap	Middle Twsp., Cape May Co.							
SESSION AADT DATES 3/1/98 11090 11,870 June October February 11,450 March May August	Left Lane			Left Lane			SPEED DATA	DAT,				
August	٠	SESSION	AADT	DIRECTION	VEHICLES	SPE	SPEED (MPH)		/EHICLE	S EXCE	VEHICLES EXCEEDING (%)	
3/1/98 11090 June 11,870 August 71,450 March 11,670 March 11,670 May May 11,230 Cotober Cotober 12,120 May 112,30		DATES			MEASURED	AVERAGE MEDIAN 85TH %	MEDIAN	85TH %	65MPH	70MPH	75MPH	
June August August Coctober February 11,450 March May July October Coctober August August TEbruary 11,230 February 11,230 May		3/1/98	11090	North	15,217	65.3	67.3	73.2				
August October March May August Aug			11,870	South	11,224	68.7	68.6	74.1				
August Cotober March May July August Cotober Cotober May		June		North	29,537	64.1	65.5	6.69	40	12	2	-
August October Tebruary 11,450 March May July July October Coctober Tebruary 11,230 May				South	23,346	6.99	67	72	45	19	3	
October February 11,450 March May July August October Cotober Nay May May May		August		North	39,203	67.5	67.5	72.8	44	24	4	
February 11,450 11,670 11,670 11,670				South	30,166	69	69	74.1	41	33	7	:
February 11,450 March May July August October February 11,230 12,120 May		October		North	13,139	67.9	67.9	73.2	43	27	5	:
Hebruary 11,450 March May July August October Cottober Nay May May				South	10,215	689	69	74.3	40	31	• ••	
March May July August October Cother May May	1999	February	11,450	North	9,541	67.9	89	73.2	44	27	9	
May July August October Cotober Tebruary 11230 May		:	11,670	South	7,909	68.7	68.7	74.2	41	30	8	
May July August October February 11,230 12,120 May		March		North	11,691	68.5	68.5	73.8	40	30	9	
July August October February 11,230 May				South	10,255	69.7	69.7	75	38	33		!
July August October February 11,230 12,120 May		May		North	46,382	61.1	66.5	72.7	34	20	5	
August October February 11,230 May				South	15,778	9.69	69.9	75	36	64	11	•
August October February 11,230 May		July		North	Bad Count							
August October February 11,230 12,120 May				South	45,958	9.69	8.69	74.6	37	36	6	
October February 11,230 May May		August		North	41,189	89	68.1	73.4	42	27	5	
October February 11,230 12,120 May				South	35,367	70.5	70.8	75.4	33	40	13	
February 11,230 12,120 May		October		North	11,445	69	69.1	74.4	37	32	8	
February 11,230 12,120 May				South	9,853	6.69	70.2	75.4	33	35	13	
12,120	2000	February	11,230	North	9'9	69	69.1	74.3	39	32	∞	
			12,120	South	5,753	69.1	69.5	74.7	36	33	10	
- (May		North	20,472	68.4	68.5	73.9	39	30	7	
South				South	8,421	71.1	71.3	76.5	29	41	15	

N.J. Highway Authority

NEW JERSEY HIGHWAY AUTHORITY TRAFFIC DIVISION CURRENT SPEED - 55 MPH 1998 - 2001 AVERAGE SPEED DATA

		1					
9	12	3.3	14.5	9:01	13.4	Ξ	13.6
28	37	12.5	35.2	35.5	36.3	35.2	35.3
40	35	33	33	35	313	37.1	307
73.6	75	76.3	75.4	74.9	76.1	74.9	9/
68.1	70.2	70.5	70.5	70	70.6	6.69	70.4
2.79	70	70.4	70.5	2.69	70.4	69.7	70.1
44,839	40,848	8,755	7,373	9,100	7,935	10,426	9,005
North	South	North	South	North	South	North	South
		ie					
August		November		January		Aprl	
				2001			-

NEW JERSEY HIGHWAY AUTHORITY TRAFFIC DIVISION CURRENT SPEED - 65 MPH 1998 - 2001 AVERAGE SPEED DATA

	-							m military is a series of the							1					and a second management of	:				
		VEHICLES EXCEEDING (%)	75MPH			9	5	5	4	5	5	7	9	6	8	7	6		5	9	5	1	8	6	6
		S EXCE	70MPH			31	26	30	27	30	27	34	33	35	35	34	36		31	35	31	35	36	. 37	38
	A	VEHICLE	65MPH			20	51	45	47	48	46	47	46	38	41	44	41		43	41	42	38	04	40.5	38
Ço.	SPEED DATA	G	% HIS8	74.1	74.2	73.7	73.2	73.5	73.1	73.6	73.2	73.9	73.9	74.6	74.3	74	74.5		73.6	74	73.6	74.2	74.2	74.5	74.5
tlantic	SPEEI	SPEED (MPH)	MEDIAN	69.1	69	8.89	68.3	68.5	68.1	9.89	68.1	69.1	69	9.69	69.5	69.1	2.69		9.89	69.1	68.5	69.3	69.5	69.8	6.69
arbor, A		SPI	AVERAGE MEDIAN 85TH %	69.1	6.89	69	68.3	67.1	68	68.7	67.6	69.2	69	67.9	69.4	69.1	69.6		68.4	68.7	68.1	69	69.3	69.8	9:69
B, Egg H		VEHICLES	MEASURED	34,383	26,211	51,653	40,348	61,752	47,427	48,557	34,127	39,062	33,306	18,200	35,455	52,469	16,781	Bad Count	61,150	63,145	51,928	42,270	31,265	32,138	23,227
GSP - MP 39.2 NB/SB, Egg Harbor, Atlantic Co.		DIRECTION		North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South
P-MP		AADT		11,090	11.870							21,160	21,620											11290	21640
CS		SESSION	DATES	3/1/98		June		August		October		February		March		May		July		August		October		February	
	Left Lane			PRIOR TO INCREASE	55 MPH	BEGIN 65	May 19, 1998					1999									·			2000	

N.J. Highway Authority

NEW JERSEY HIGHWAY AUTHORITY TRAFFIC DIVISION CURRENT SPEED - 65 MPH 1998 - 2001 AVERAGE SPEED DATA

	May	North	45,710	69.7	6.69	4.47	39	39	8	
		South	39,468	70.1	70.4	74.8	36	40	=	
	August	North	62'036	69	2.69	74.4	36	37	8	
		South								
	November	North	14,085	9.07	6.07	75	34	43	12	
		South	28,183	71.2	71.4	76.3	30	43	91	
2001	January	North	45,110	70.3	9.07	74.9	34.1	41.1	11.3	
		South	35,669	8.07	7.1	75.3	32.3	42.9	13.2	•
	April	North	42,926	71.3	71.5	26.3	29.7	1.44	16.1	
		South	32,287	71.4	71.7	8.92	29	42.9	17.5	

	Ð	SP - MP	GSP - MP 62 NB/SB, Stafford Twsp. Ocean Co.	, Stafford	Twsp. C	cean C	0.				
Left Lane						SPEEL	SPEED DATA	 			
	SESSION	AADT	DIRECTION	VEHICLES	SPF	SPEED (MPH)		/EHICLE	S EXCEE	VEHICLES EXCEEDING (%)	
	DATES			MEASURED	AVERAGE MEDIAN	MEDIAN	85TH %	65МРН	70MPH	75MPH	
PRIOR TO INCREASE	3/1/98	22,550	North	31,483	9.69	69.4	74.5				
55 MPH		21,750	South	32,611	70.5	70.5	75				
BEGIN 65	June		North	42,354	68.7	68.5	73.5	51	28	9	
May 19, 1998			South	45,508	2.79	2.79	72.4	53	21	4	•
	August		North	55,370	70	70.1	74.6	39	39	01	
			South	56,194	69.5	69.5	74.1	43	37	7	
	October		North	40,825	70.2	70.1	74.7	40	38	=	
			South	43,653	70.9	71	75.1	35	44	13	
1999	February	22,730	North	37,563	70.8	70.8	75	37	72	12	
		22,200	South	36,786	71.1	71.3	75.4	33	45	13	
	March		North	41,870	7.07	71.1	75.6	30	42	14	
			South								
	May		North	696'29	65.1	69	74.5	35	31	10	
			South	44,711	71.9	72	8.92	27	47	17	
	July		North	68,726	70.1	70.4	74.9	35	39	12	
			South	Bad Count							
	August		North	Bad Count							
٠			South	61,516	69.3	9.69	74.4	39	36	6	
	October		North	36,782	70.6	71.2	76.1	28	41	15	
			South	36,528	71.4	71.6	76.2	29	45	15	
2000	February	19,790	North	26,473	71.9	71.9	77.2	29	43	61	
		22,670	South	28,997	72.4	72.4	9.77	24	46	20	
	May		North	40,265	72.2	72.4	77.8	23	45	21	
			South	40,797	72.8	72.9	78.1	20	47	23	

N.J. Highway Authority

	August	North								
		South	090'89	70.4	8.02	75.2	32	41	13	
	November	North	33,874	73.3	73.2	9.87	19.4	43.9	25.7	
		South	34,888	73.5	73.4	78.8	16.4	45.9	26.2	
01	January	North	26,691	67.3	70.5	7.97	26.4	33	15.7	
		South	41,309	73.4	73.4	78.7	17.1	45.6	26.6	
	April	North	38,320	73.5	73.4	78.9	16.9	44.5	26.1	
		South	41,769	73.7	73.6	6/	15.2	44.7	27.3	

	5	SP - MF	GSP - MP 87 NB/SB, Dover Twsp., Ocean Co	3, Dover T	wsp., Oc	ean Co				
						SPEED DATA	DAT.	-		
SESSION AADT DIRECTION		DIREC	TION	VEHICLES	SPE	SPEED (MPH)		/EHICLE	S EXCEI	VEHICLES EXCEEDING (%)
DATES			; ;	MEASURED	AVERAGE MEDIAN	MEDIAN	н дм 59 % нт88	65МРН	70MPH	75MPH
3/1/98 40,920 North		Nort	h	49,250	72	72.2	77.2			
39,260 South		Sou	ıth	32,968	68.7	8.69	74.3			
June	Nor	Nor	th	73,873	67.9	6.79	72.8	20	34	9
South	Sou	Sou	Ŧ	66,019	69.3	69.1	73.8	. 51	24	4
August North	Nor	Nor	th	98,570	69	69.1	73.7	45	36	5
South	Sou	Sou	ŧ	72,452	7.07	6.07	74.7	36	47	. 10
October North	Nort	Nort	h	59,749	70.3	70.5	74.6	37	43	10
South	Sou	Sou	£	53,025	69.3	7.1	74.9	30	45	12
February 41,480 North		Nor	뜌	50212	71.1	71.4	75.2	31	48	13
40,730 South		Sout	4							
March North	North	North	_	926,950	71.3	71.5	75.2	31	46	14
South	Sout	Sout	ے	48,095	72.2	72.3	6.97	24	52	61
May North	North	North	_	73,325	71.5	71.9	76.3	25	49	16
South	Sout	Sout	ے	64,672	72.7	72.7	9'22	20	51	22
July North	North	North	_	75,058	70.8	71.1	75.2	33	44	13
South	South	South		65,949	71.9	72.1	76.4	25.6	51.4	17
August	Nort	Nort	_	100,003	9.07	6.07	74.8	33	46	11
South	South	South	_	93,347	7.07	71.5	75.2	30	49	13
October North	North	Nort	_	92,657	69.5	70.2	74.6	35	40	10
South	South	South		76,845	64.8	70.8	7.5	24	41	12
February 43,520 North		Nort	_	60,479	71.1	71.5	75.8	59	46	14
41,540 South		Sou	£	77,942	71.9	72.1	76.6	25	50	17
May North	Nor	No	ے	62,619	72.3	72.5	77.3	21	50	20
South	noS	Sou	£							

N.J. Highway Authority

75.9 27 45 19		76 27 43 15	75 23 37 13	76.7 26.4 33 15.7	78.7 17.1 45.6 26.6	78.9 16.9 44.5 26.1	79 15.2 44.7 27.3
71.9		71.3	70.3	70.5	73.4	73.4	73.6
71.6		9.07	62.3	67.3	73.4	73.5	73.7
75,707		111,424	79,980	26,691	41,309	38,320	41,769
North	South	North	South	North	South	North	South
August		November		January		April	
				2001			

CLES EXCEEN PH TOMPH TOM	Ü	GSP - MP	107.5 E	- MP 107.5 EXPRESS NB/SB. Tinton Falls, Monmouth Co.	VB/SB, Tir	nton Fall	s. Mon	mouth	Co.			
SESSION AADT DIRECTION VEHICLES SPEED (MPH) RSTH % DATES MARCH 27,520 North 64,600 70.2 69.8 74.3 June 26,840 South 71,889 65.6 66.5 77.0 August North 71,889 65.6 66.5 77.1 August North 72,858 65.6 66.5 77.1 August North 46,065 73.9 73.7 73.0 February 28,270 North 40,804 73.7 73.6 73.9 May North 40,804 73.7 73.6 73.7 73.0 May North 40,804 73.7 73.6 73.9 73.2 May North 40,804 73.7 73.6 73.2 73.5 August North 42,415 72.8 74.5 73.8 74.5 August North 51,635 65.6 66.4 74.	Left Lane						SPEEL	DAT	4			
DATES MEASURED AVERAGE MEDIAN 65TH % 65MPH 70MPH 70MPH <th></th> <th>SESSION</th> <th>AADT</th> <th>DIRECTION</th> <th>VEHICLES</th> <th>SPI</th> <th>EED (MPH</th> <th></th> <th>/EHICLE</th> <th>S EXCE</th> <th>EDING (%)</th> <th>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</th>		SESSION	AADT	DIRECTION	VEHICLES	SPI	EED (MPH		/EHICLE	S EXCE	EDING (%)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
March 27,520 North 64,600 70.2 69.8 74.3 PR June South 55,784 67.1 64.3 70.9 7 <t< th=""><th></th><th>DATES</th><th></th><th></th><th>MEASURED</th><th>AVERAGE</th><th>MEDIAN</th><th>85ТН %</th><th>65МРН</th><th>70MPH</th><th>75MPH</th><th></th></t<>		DATES			MEASURED	AVERAGE	MEDIAN	85ТН %	65МРН	70MPH	75MPH	
June 26,840 South 55,784 67.1 64.3 70.9 R June June North 71,889 69 69.1 74 44 33 August South 72,868 65.6 66.5 71 45 16 August North 46,065 73.9 73.7 79 15 46 February 28,270 North 46,065 73.9 73.6 73.9 43 27 March South 66,868 67.8 68 73.7 73.6 45 45 March North 40,804 73.7 73.6 73.9 45 77 May North 42,415 72.8 73.6 73.6 73 45 77 July North 77,777 69 69.4 74.2 38 10 80 August North 72,081 73.5 74.5 73.6 73 73	PRIOR TO INCREASE	March	27,520	North	64,600	70.2	8.69	74.3				
June North 71,889 69 69.1 74 44 33 August South 72,868 65.6 771 45 16 August North 102,986 66.5 73.7 79 15 16 October South 46,063 73.9 73.7 79 15 46 February 28,270 North 40,804 73.7 73.6 73.9 43 27 March South 66,868 67.5 67.9 73.1 44 28 March North 42,415 72.8 67.5 67.9 73.1 44 28 May North 42,415 72.8 73.1 73.2 73.1 73.2 73.1 73.2 73.1 73.2 73.1 73.2 73.1 73.2 73.1 73.2 73.1 73.2 73.2 73.2 73.2 73.2 73.2 73.2 73.2 73.2 73.2	55 MPH		26,840	South	55,784	67.1	64.3	6.07				
August North 72,858 65.6 65.5 71 45 16 August North 102,986 66.2 66.8 71.7 43 19 October North 46,065 73.9 73.7 79 15 46 February 28,270 North 46,065 73.7 73.6 78 46 8 March North 40,804 73.7 73.6 78.9 16 45 March North 42,415 72.8 72.8 73.3 43 27 March North 42,415 72.8 72.8 72.8 73.3 77 May North 51,332 72.5 73.1 74.2 38 17 August North 77,777 69 69.4 74.2 38 19 August North 72,081 73.5 74.5 79.8 10 1 February 29,210 <td< th=""><th>BEGIN 65</th><th>June</th><th></th><th>North</th><th>71,889</th><th>69</th><th>69.1</th><th>74</th><th>44</th><th>33</th><th>1-</th><th></th></td<>	BEGIN 65	June		North	71,889	69	69.1	74	44	33	1-	
August North 46.065 73.9 73.7 43 19 October North 46.065 73.9 73.7 79 15 46 February 20.20th 66.868 67.8 68.8 73.1 44 28 February 227.590 South 57.635 67.5 67.9 73 46 45 March North 42,415 72.8 72.8 73.1 43 27 76 46 45 46 46 46 46 46 47 46 46 47 46 47 47 47 46 47 46 47 46 47 46 47 47 46 47 <	May 19, 1998			South	72,858	65.6	66.5	7.1	45	16	2	
October South 102,986 66.2 66.8 71.7 43 19 February South 46,065 73.9 73.7 79 15 46 February 27,590 South 66,868 67.8 68.9 73.7 79 15 46 March North 40,804 73.7 73.6 78.9 16 45 March North 42,415 72.8 72.8 78.2 20 46 May North 42,415 72.8 72.8 78.7 16 42 July North 77,777 69 69.4 74.2 38 17 August North 72,081 74.5 74.5 38 10 16 August North 85,044 73.5 74.5 79.8 10 10 February 29,210 North 78,921 75 80.1 9 39 February <td< th=""><th></th><th>August</th><th></th><th>North</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></td<>		August		North								
October North 46,063 73.9 73.7 79 15 46 February South 66,868 67.8 68 73.1 44 28 March 27,590 South 57,635 67.5 67.9 73.6 43 27 March North 42,415 72.8 72.8 78.2 20 46 May North 42,415 72.8 72.8 73.1 38 17 July North 51,332 72.5 66.9 74.2 38 36 August North 51,332 72.5 73.1 78.2 40 August North 77,777 69 69.4 74.2 38 36 August North 85.044 73.5 74.5 80.2 106 40 South 16,609 65.8 66.4 71.9 39 19 February 29,210 North 78,921				South	102,986	66.2	8.99	71.7	43	19	2	
February South 66,868 67.8 68.7 73.6 78.9 16 45 March 27,590 South 57,635 67.5 67.9 73.6 73.9 16 45 March North 42,415 72.8 72.8 73.8 17 46 42 May North 64,620 65.5 66 71.3 38 17 July North 77,777 69 69.4 74.2 38 36 August North 72,081 74.5 74.5 38 36 19 August North 85,044 73.5 74.5 79.8 10.6 40 August North 85,044 73.5 74.5 79.8 10 71 February 29,210 North 40,895 66.1 67.3 73.5 36 21 May North 59,875 75 75 80 9 40		October		North	46,063	73.9	73.7	62	15	46	28	
February 28,270 North 40,804 73.7 73.6 73.6 16 45 March South 57,635 67.5 67.9 73. 43 27 May North 42,415 72.8 72.8 72.8 78.2 20 46 July North 51,332 72.5 73.1 78.7 16 42 August North 77,777 69 69.4 74.2 38 36 August North 72,081 74.7 80.2 10.6 40 August North 85,044 73.5 74.5 78.8 10 38 October South 116,609 65.8 66.4 71.9 39 19 February 29,210 North 76,921 75.1 75 80.1 9 40 May 27,720 South 40,895 66.1 67.3 73.4 39 27 <t< th=""><th></th><th></th><th></th><th>South</th><th>898'99</th><th>67.8</th><th>89</th><th>73.1</th><th>44</th><th>28</th><th>4</th><th></th></t<>				South	898'99	67.8	89	73.1	44	28	4	
March North 42,415 72.8 67.9 73 43 27 May North 42,415 72.8 72.8 72.8 72.8 72.9 46 May North 51,332 72.5 66.5 66.4 71.3 38 17 July North 77,777 69 69.4 74.2 38 36 August North 72,081 74.9 74.7 80.2 10.6 40 August North 85,044 73.5 74.5 79.8 10 8 October North 78,921 75.1 75.1 75.3 39 19 February 29,210 North 78,921 75.1 75.3 73.5 36 21 May Ang North 40,895 66.1 67.3 73.5 36 21 May North 59,875 75 75 80 9 40	1999	February	28,270	North	40,804	73.7	73.6	78.9	16	45	28	
March North 42,415 72.8 72.8 72.8 72.9 46 May South 64,620 65.5 66 71.3 38 17 July North 51,332 72.5 73.1 78.7 16 42 July North 77,777 69 69.4 74.2 38 36 South 72,081 74.9 74.7 80.2 10.6 40 7 August North 85,044 73.5 74.5 79.8 10 8 October South 116,609 65.8 66.4 71.9 39 19 February 29,210 North 40,893 66.1 67.3 73.5 36 21 May North 40,893 66.1 67.3 73.5 36 21 May North 59,875 75 80 9 40 May North 81,070 75			27,590	South	57,635	67.5	67.9	73	43	27	4	
May North 64,620 65.5 66 71.3 38 17 July North 51,332 72.5 73.1 78.7 16 42 July North 77,777 69 69.4 74.2 38 36 August North 72,081 74.9 74.7 80.2 10.6 40 August North 85,044 73.5 74.5 79.8 10 38 October South 116,609 65.8 66.4 71.9 39 19 February 29,210 North 78,921 75.1 75.5 36.1 9 39 May North 40,895 66.1 67.3 73.5 36 21 May North 59,875 75 75 80 9 40 May North 81,070 75 75 80 9 40		March		North	42,415	72.8	72.8	78.2	20	46	24	
May North 51,332 72.5 73.1 78.7 16 42 July South 77,777 69 69.4 74.2 38 36 July North 72,081 74.9 74.7 80.2 10.6 40 August South 116,609 65.8 66.4 71.9 39 19 October South 78,921 75.1 75 80.1 9 39 February 29,210 North 40,895 66.1 67.3 73.5 36 21 May North 59,875 75 80 9 40 May North 67.3 75 80 9 40 May South 81,070 67.3 75 80 9 40				South	64,620	65.5	99	71.3	38	17	2	
July North 77,777 69 69.4 74.2 38 36 July North 72,081 74.9 74.7 80.2 10.6 40 August South 72,081 74.9 74.7 80.2 10.6 40 August North 85,044 73.5 74.5 79.8 10 38 October South 116,609 65.8 66.4 71.9 39 19 February 29,210 North 40,895 66.1 67.3 73.5 36 21 May North 59,875 75 80 9 40 May North 59,875 75 80 9 40 May South 81,070 67.3 75 75 80 9 40		May		North	51,332	72.5	73.1	78.7	16	42	26	
July North 72,081 74.9 74.7 80.2 10.6 40 August South 85,044 73.5 74.5 79.8 10 38 October South 116,609 65.8 66.4 71.9 39 19 February 29,210 North 40,895 66.1 67.3 73.5 36 21 May North 59,875 75 80 9 40 South 59,875 75 80 9 40 May North 59,875 75 80 9 40 South 81,070 67.3 75 80 9 40				South	11.77	69	69.4	74.2	38	36	8	
August South 85,044 73.5 74.5 79.8 10 38 October South 116,609 65.8 66.4 71.9 39 19 February South 40,893 66.1 67.3 73.5 36 21 May North 59,875 75 80 9 40 South 40,893 66.1 67.3 73.5 36 21 May North 59,875 75 80 9 40 South 59,875 75 80 9 40		July		North	72,081	74.9	74.7	80.2	10.6	40	32	:
August North 85,044 73.5 74.5 79.8 10 38 October South 116,609 65.8 66.4 71.9 39 19 February South 78,921 75.1 75.1 75.8 80.1 9 39 February 29,210 North 40,895 66.1 67.3 73.5 36 21 7 May North 59,875 75 75 80 9 40 8 South South 81,070 67.3 75 75 80 9 40				South						-		
October South 116,609 65.8 66.4 71.9 39 19 19 Pebruary South 40,895 66.1 67.3 73.5 36 21 May North 59,875 75 80.9 75 80 9 40 South 81,070 66.1 67.3 75 80 9 40 8		August		North	85,044	73.5	74.5	79.8	10	38	32	
October North 78,921 75.1 75.8 80.1 9 39 73 February 29,210 North 40,895 66.1 67.3 73.5 36 21 7 May North 59,875 75 75 80 9 40 40 South 81,070 67.3 67.9 73.4 38 27 7				South	116,609	65.8	66.4	11.9	39	19	ю.	
February 29,210 North 40,895 66.1 67.3 73.5 36 21 May North 59,875 75 75 80 9 40 South South 81,070 67.3 67.9 73.4 38 27		October		North	78,921	75.1	75	1.08	6	39	35	
February 29,210 North North North North 59,875 75 75 80 9 40 May North 81,070 67.3 67.9 73.4 38 27	-			South	40,895	66.1	67.3	73.5	36	21	9	
27,720 South 59,875 75 80 9 40 South 81,070 67.3 67.9 73.4 38 27	2000	February	29,210	North								
North 59,875 75 75 80 9 40 South 81,070 67.3 67.9 73.4 38 27			27,720	South								
81,070 67.3 67.9 73.4 38 27		May		North	59,875	75	75	80	6	40	35	
				South	81,070	67.3	6.79	73.4	38	27	5	

N.J. Highway Authority

			i i i		1		
32	3	15	13	15.7	26.6	26.1	27.3
39	20	43	37	33	45.6	44.5	44.7
12	37	27	23	26.4	17.1	16.9	15.2
79.8	72.3	92	75	7.97	78.7	78.9	79
74.5	6.53	71.3	70.3	70.5	73.4	73.4	73.6
74.5	65.8	9.07	62.3	67.3	73.4	73.5	73.7
77,482	64,035	111,424	79,980	26,691	41,309	38,320	41,769
North	South	North	South	North	South	North	South
August		lovember		January		April	
A		Nov		2001		,	

	GSP - MP	114.6 L	MP 114.6 LOCAL NB/SB. Holmdel Twsn. Monmouth Co.	/SB. Holm	del Tws	Mor	mouth	ر ای			
						SPEEL	SPEED DATA	 			
Right Lane	SESSION	AADT	DIRECTION	VEHICLES	SPE	SPEED (MPH)		/EHICLE	S EXCE	VEHICLES EXCEEDING (%)	:
	DATES		:	MEASURED	AVERAGE MEDIAN	MEDIAN	85TH %	65МРН	70MPH	75MPH	
PRIOR TO INCREASE	March	40,360	North	86,691	63.5						
55 MPH			South	107,624	62.3						
BEGIN 65	June		North	72,995	64	64.2	69	32	6	2	
May 19, 1998			South	69,812	62.2	62.8	68.4	25	9	-	
	August		North	78,032	63.6	63.5	69.3	27	6	2	
			South	Bad Count							
	October		North	54,906	65.1	65.1	70.4	34	13	3	
			South	68,250	65.5	65.6	71	36	14	3	
1999	February	41,050	North		65.2						
		51,780	South		64.6						-
-	March		North	60,093	63.9	63.9	9.69	59	10	2	
			South	39,945	61.7	62.1	68.4	23	9	-	
-	May		North	129,654	63.1	64	2.69	30	10	2	
			South	93,015	65.6	65.7	71.3	36	15	3	
	ylul	-	North	67,854	64.8	64.7	70.4	31.3	13	3	
			· South	85,376	64.9	92	71.1	32	14	3	
	August		North	669'68	63.4	63.9	6.69	28	=	3	
			South	990'86	65.1	99	71.1	32	14	3	
	October		North	286'62	63.7	64.3	9.69	31	=	3	
			South	94,409	64.3	64.2	20	30	12	2	i : : :
2000	February	43,610	North	81,584	65.4	65.4	71.6	33	15	4	
		53,970	South	102,464	65	65.2	71.1	33	14	3	
	May		North	65,047	64.5	64.5	70.1	31	12	3	
			South	74,962	65.4	65.7	72.1	33	17	4	

N.J. Highway Authority

٥	3	9			7	5	
22	13	61			21	20	
30	30	38			31	36	
74.5	9.07	72.9			73.5	73	
67.5	64.5	66.5			66.7	2'99	
66.5	64.5	66.7			66.1	66.7	
41,084	78,308	38,069			59,953	58,432	
North	South	North	South	North	South	North	South
		ı					
August		November		January		April	
				2001			

					1		:				:											1					
		VEHICLES EXCEEDING (%)	75MPH				9	6	5	6	6	=	6	14	13	01	10	17	10	14	8	15	12	15	12	20	13
		ES EXCEI	70MPH				36	39	37	40	42	43	41	40	44	30	41	38	43	43	40	42	43	42	43	47	41
th Co.	Ą	VEHICLI	65МРН				45	98.	44	35	36	34	38	26	33	32	33	24	36	32	37	27	32	27	32	24	31
nomuc	SPEED DATA	Н)	85TH %	75.2	75.6	COUNT	73.9	74.4	73.8	74.5	74.5	74.8	74.5	75.4	75	74.5	74.7	8.92	74.6	75.2	74.3	9/	74.9	92	74.9	77.2	75
sp., Mc	SPEE	SPEED (MPH)	MEDIAN	71.1	71.3	BAD	69.3	02	69.2	70.2	70.3	7.07	70.2	7.07	7.1	68.8	70.4	71.3	70.5	71.1	20	71.3	8.07	71.3	70.8	72.2	70.8
deen Tw		SP	AVERAGE MEDIAN 85TH %	70.8	6.07		69.3	9.69	69.1	68.8	70.1	70	70	69	70.5	66.3	9.89	9.69	20	9.07	68.6	70.2	70.3	70.2	70.3	72.1	6.69
SB, Abero		VEHICLES	MEASURED	68,195	35,638		72,119	107,783	69,455	90,527	60,279	59,570	38,575	53,203	35,773	55,109	44,845	78,389	61,297	102,438	72,284	56,741	48,881	56,741	48,881	77,998	50,013
MP 119 EXPRESS NB/SB, Aberdeen Twsp., Monmouth Co.		DIRECTION		North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South
19 EXP		AADT		40810	33 190							42440	33540											43 190	34370		
		SESSION	DATES	March		June		August		October		February		March		May		July		August		October		February		May	
- GSP		Left Lane		PRIOR TO INCREASE	55 MPH	BEGIN 65	May 19, 1998					1999												2000			

N.J. Highway Authority

August North 92,996 71.6 77.3 26 41 19 November South 80,222 70 70.6 76.6 29 33 16 2001 January North 66,272 71.4 72.2 77.8 23 39 24 2001 January North 51,061 72.5 72.7 78.2 21 43 24 April North 75,966 73.3 73.4 79 17 41 27 April North 75,966 73.3 73.4 79 77 41 27											
November North 80,222 70 70.6 76.6 29 33 January North 51,061 72.5 77.8 23 39 April North 51,061 72.5 72.7 78.2 21 43 April North 75,966 73.3 73.4 79 17 41 South South 75,966 73.3 73.4 79 17 41 South South South 73.3 73.4 79 17 41		August	North	95,996	71.6	71.8	77.3	26		61	
November North 80,222 70 70.6 76.6 29 33 January South 66,272 71.4 72.2 77.8 23 39 South 51,061 72.5 72.7 78.2 21 43 April North 75,966 73.3 73.4 79 17 41 South South South 33 73.4 79 17 41			South								:
January North 66,272 71.4 72.2 77.8 23 39 April North 51,061 72.5 72.7 78.2 21 43 April North 75,966 73.3 73.4 79 17 41 South South South 33.3 73.4 79 17 41		November	North	80,222	70	9.07	9.92	29	33	91	:
January North 51,061 72.5 72.7 78.2 21 43 South South 75,966 73.3 73.4 79 17 41 South South South 17 41 17 41			South	66,272	71.4		77.8	23	39	22	
South 75,966 73.3 73.4 79 17 41 South South	2001	January	North	51,061	72.5	72.7	78.2	21	43	24	***
South 75,966 73.3 73.4 79 17 41			South								
South		April	North	25,966	73.3	73.4	62	17	41	27	
			South								

	GSP - N	AP 133.2	GSP - MP 133.2 NB/SB, Woodbridge Twsp. Middlesex Co.	Voodbridg	e Twsp.	Middle	sex Co				
Left Lane						SPEED DATA	DAT.	4			
	SESSION	AADT	DIRECTION	VEHICLES	SPE	SPEED (MPH)		/EHICLE	S EXCE	VEHICLES EXCEEDING (%)	
	DATES			MEASURED	AVERAGE MEDIAN 85TH % 65MPH	MEDIAN	85ТН %	65MPH	70MPH	75MPH	
PRIOR TO INCREASE	March	103,110	North	99,124	69.2	70.2	74				
55 MPH		102,940	South	119,206	66.7	68.3	73.7				
	June		North	112,553	69	69.4	74.2	36	37	8	T
			South	119,412	99	67.4	72.6	42	24	4	
	August		North	120,983	8.69	70.1	74.5	36	40	6	
			South	120,747	67.5	68.3	73.5	42	30	5	
	October		North	62,294	69.5	70.5	75	31	39	13	The second secon
			South	83,525	68.7	69.4	74.5	33	35	10	
1999	February	105,090	North	83,213	66.5	67.5	73.2	36	56	3	
		104,760	South	92,194	64.7	66.5	73	30	23	5	
	March		North	68,116	70.2	71.2	9/	26	42	15	
			South	74,534	68.9	70	74.8	32	36	12	
:	May		North	113,818	70.2	70.8	75	32	41	12	
			South	90,784	67.2	68.3	73.8	36	30	7	
	July		North	56,141	9:89	70.3	74.8	31	38	12	
			South	108,448	68.4	69	74	39	33	7	
	August		North	104,092	70.4	71.4	75.5	27	46	14	,
			South	117,622	99	67.3	72.8	40	23	4	
	October		North	43,157	70.8	71.9	76.8	23	45	18	
			South	89,600	66.7	68.2	73.7	36	. 6 2	7	
2000	February	100,330	North	84,004	70.8	71.7	76.7	26	44	18	
		101,710	South	97,051	68.3	69.2	74.2	35	34	6	1
	May		North	100,521	69.2	69.4	74.5	41	34	01	
			South	97,307	70.6	72.1	77.4	23	42	21	

N.J. Highway Authority

		1					,
15	7	25	<u>8</u>	81		24	13
40	28	46	37	35		42	37
27	29	19	25	23		22	32
75.9	73.9	78.1	77	77.2		6.77	75
71	2.79	7.3	71.3	71.2		72.5	70.3
9.89	64.9	72.9	20	70.3		72.1	68.7
110,072	101,671	82,989	85,811	67,614		93,011	91,990
North	South	North	South	North	South	North	South
August		November		January		April	
				2001			

	CS	P - MP	GSP - MP 155 NB/SB, City of Clifton, Passaic Co.	City of C	Hifton. F	assaic	Co.				
Left Lane						SPEED DATA	DAT	\delta \			
	SESSION	AADT	DIRECTION	VEHICLES	SPF	SPEED (MPH)		/EHICLE	S EXCEE	VEHICLES EXCEEDING (%)	
	DATES			MEASURED	AVERAGE MEDIAN	MEDIAN	85TH %	ӨБМРН	70MPH	75MPH	
PRIOR TO INCREASE	March	65,420	North	112,319	9/99	67.3	73.2				
55 MPH		088'99	South	158,289	61.6	63.7	69.4				
	June		North	135,179	6.99	67.2	72.8	41	22	-	
			South	138,325	61.8	63.4	68.9	29	&	-	1
	August		North	149,029	67.2	67.5	73	40	24		1
			South	153,216	63	63.9	69.4	31	01	-	
	October		North	115,134	66.4	29	72.8	36	23	-	
			South	115,805	62.5	63.6	69.4	30	01	-	:
1999	February	67,320	North	125,447	62.9	63.4	8.69	27	12	2	
		67,800	South	125,103	58.9	61	67.7	19	2	_	
	March		North	87,842	66.3	67.2	73.2	35	24	9	
			South	108,955	63.1	64.2	69.7	31	=	2	
	Мау		North	152,468	66.8	67.3	73.2	36.1	23.9.	9	1
			South	82,618	63.1	64.5	6.69	33	12	2	
	July		North	131,253	66.4	67.2	73.1	37	23	~	1
			South	129,400	60.4	63.4	69.4	59	10	_	
	August		North	128,027	2'.29	89	73.7	38	27	7	
			South	135,009	61.6	62.7	9.89	56	7	_	
	October		North	120,576	66.2	57.2	73.3	33	24	9	
			South	123,011	61.1	63	69.3	56	6	-	
2000	February	026'69	North	149,025	65.4	9999	72.8	33	22	~	
		70,030	South	155,477	9.09	53.4	69.4	28	10		

N.J. Highway Authority

	North	130,409	8.99	67.6	73.6	34	26	9
- 1	South							
	North	130,414	66.4	67.1	73.3	34	24	9
	South	134,204	61.7	64.2	70.4	30	14	2
1 1	North	119,615	67.8	68.4	74.4	31	28	6
	South	120,005	63.6	99	72.4	32	20	4
Ì	North	93,460	99	8.99	73.4	30	23	9
-	South	62,820	63.7	65.2	71.9	30	17	Þ
	North							
	South	118,299	65.1	66.5	72.2	38	20	4

							- A												The second secon	The second secon					
		VEHICLES EXCEEDING (%	75MPH			-	6	_	_	77	=	2	=		9	3	11	60	21	2		6.	6	8	=
		ES EXCE	70MPH			12	37	13	13	61	40	17	39	6	28	18	35	23	42	16		21	38	22	39
	Ą	VEHICL	65MPH			43	\$	44	4	46	36	43	34	37	37	46	25	45	34	44		47	36	후	33
Çi.	SPEED DATA	£	85TH %	72		8.69	74.3	20	6	71.7	7.4.7	71.4	7.4.7	69.4	73.7	71.5	78.9	72.6	74.9	71.1		72.3	74.5	73.1	74.8
3ergen	SPEE	SPEED (MPH)	MEDIAN	29	TNI	65.7	69.7	99	99	29	70.3	66.5	70.3	64.7	68.1	8.99	7.2	67.5	8.07	66.4		67.3	6.69	67.3	70.3
Boro, I		SPI	AVERAGE MEDIAN 85TH % 65MPH 70MPH	66.6	BAD COUNT	65.4	9.69	65.7	. 65.7	66.7	69.9	99	70	64.4	67.5	66.4	71.3	67.3	70.5	66.1		67.2	9.69	2.99	9.69
, Hillsdal		VEHICLES	MEASURED	99,813		98,556	93,297	101,716	101,716	59,542	62,322	126,889	121,954	75,809	76,406	15,494	51,705	90,872	93,580	83,934	Bad Count	50,278	74,092	54,800	76,135
GSP - MP 168 NB/SB, Hillsdale Boro, Bergen Co.		DIRECTION		North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South	North	South
P - MP		AADT		31,710	31,970							31,930	32,050											32,980	33,140
CS		SESSION	DATES	March		June		August		October		February		March		May		July		August		October		February	
	Left Lane	:		PRIOR TO INCREASE	55 MPH	BEGIN 65	May 19, 1998					1999												2000	

	Max	Morth	75 256	0 0%	74.0	75.0			٩	
	Ividy	MOLILI	007'07	6.0	7.1.	7.0/	32	44	7	
		South								
	August	North	808'88	63.6	64.9	6.69	35	13	2	
		South								
	November	North								
		South	74,065	70.8	71.3	9/	29	42	15	
2001	January	North								
		South								
	April	North								
		South	70,804	71.4	7.17	76.5	29	45	17	
									1	

APPENDIX D

TABLE 1 ROADWAY CHANGED TO 55MPH

% CHANGE			34%	10%	32%	24%	24%	%6-	13%	26%	22%	41%		27%				
		TOTAL	2727	2885	1460	732	345	644	403	6004	949	7382		23,531				
RIOD	1/1/01 to	5/31/01	427	446	277	150	55	118	88		114	1065						
- AFTER PE	1/1/00 to	12/31/00	1108	1011	539	203	131	205	125		351	2738						
TOTAL ACCIDENTS - AFTER PERIOD	1/1/99 to	12/31/99	755	919	426	261	100	200	120		301	2302				_		
TOTAL /	6/1/98 to	12/31/98	437	209	218	118	69	121	69		183	1277						
	L	TOTAL	2030	2626	1108	588	278	704	356	4757	9//	5249		18,472				
ERIOD	1/1/98 to	5/31/98	304	364	156	85	41	87	49		98	206						
CCIDENTS - BEFORE PERIOD	1/1/97 to	12/31/97	688	822	387	174	106	235	115		338	1774						
CCIDENTS	1/1/96 to	12/31/96	617	826	351	193	09	223	98		144	1790						
TOTAL AC	6/1/95 to	12/31/95	421	205	214	136	7.1	159	106		208	1179						
	MP to MP		.45 - 48.12	5.10 - 41.87	35.26 - 67.10	43.11 - 66.30	4.00 - 20.00	3.73 - 33.81	21.49 - 55.98	1.50 - 97.20 & PA. EXT.	8.00 - 44.19	29.00 - 123.5 &	163.30 - 172.00					
	ROUTE		1-78	l - 80	1 - 295	1 - 287	1 - 295	1 - 195		NJTPK 1	ACE	GSP		TOTAL				

GSP DATA SUPPLIED BY NJHA

NJTPK DATA SUPPLIED BY NJTPKA

1996, 1997, 2001 DATA SUPPLIED BY NJ STATE POLICE

TABLE 2 ROADWAY CHANGED TO 65MPH

% CHANGE			46%	-45%	20%	20%	%	%0	100%	8%	31%	-14%		2%				
\$ \$					l													
		TOTAL	19	7	6	3	3	3	9	39	11	51		157				
PERIOD	1/1/01 to	5/31/01	2	-	2	-	0	F	0		က	10						
ITS - AFTER	1/1/00 to		2	4	2	0	2	-	3		3	15						
TOTAL FATAL ACCIDENTS - AFTER PERIOD	1/1/99 to	12/31/98 12/31/99	6	2	2	1	-	-	-		2	17						
TOTAL FAT	6/1/98 to	12/31/98	3	0	3	+	0	0	2		6	6						
		TOTAL	13	12	9	2	3	3	6	36	13	59		150				
RE PERIO	1/1/98 to	5/31/98	-	2	-	0	-	0	0		2	4						
AL ACCIDENTS - BEFORE PERIO	1/1/97 to	12/31/97	9	4	-	0	0	0	-		4	22						
AL ACCIDE	1/1/96 to	12/31/96	ဇ	5	2	-	2	2	-		7	21						
TOTAL FAT/	6/1/95 to	12/31/95	ဇ	-	2	-	0	1	1		0	12			i			
	MP to MP		.45 - 48.12	5.10 - 41.87	35.26 - 67.10	43.11-66.30	4.00 - 20.00	3.73 - 33.81	21.49 - 55.98	1.50 - 97.20 & PA. EXT.	8.00 - 44.19	29.00 - 123.5 &	163.00 - 172.00					,
	ROUTE		1 - 78	1 - 80	1 - 295	1 - 287	- 295	1- 195		Ì	ACE	GSP		TOTAL				

NJTPK DATA SUPPLIED BY NJTPKA

ALL DATA FOR INTERSTATES AND RT. 55 SUPPLIED BY NJ STATE POLICE

TABLE 3 ROADWAY CHANGED TO 55MPH

% CHANGE			72%	-47%	72%	20%	-20%	%0	100%	13%	27%	2%		%2				
		TOTAL	20	8	10	6	3	8	9	4	19	49		180				
RIOD	1/1/01 to	5/31/01	2	-	2	-	0	1	0		4	12						
- AFTER PE	1/1/00 to	12/31/00	5	4	3	0	2	-	6		4	19						
TOTAL FATALITIES - AFTER PERIOD	1/1/99 to	12/31/99	10	3	2	-	-	-	-		2	20						-
TOTAL F	6/1/98 to	12/31/98 12/31/99 12/31/00	3	0	8	-	0	0	2		o	13						
	l	TOTAL	16	15	æ	7	9	m	e	39	15	19		168				
ERIOD	1/1/98 to	5/31/98	-	e	-	0	-	0	0		2	4						
TALITIES - BEFORE PERIOD		12/31/97	6	2	~	0	0	0	-		5	24		-				
	1/1/96 to	12/31/96	6	9	2	-	5	2	-		80	21						
TOTAL FA	6/1/95 to	12/31/95	က	-	4	-	0	-	+		0	12						
	MP to MP		45 - 48 12	5.10-41.87	35.26 - 67.10	43.11 - 66.30	4.00 - 20.00	3.73-33.81	21.49-55.98	1.50 - 97.2) & PA. EXT.	8.00 - 44.19	29.00 - 123.50 &	163.30 - 172.00					
	ROUTE		1-78	1-80	1 - 295	1 - 287	1 - 295	1 - 195		NJTPK	ACE	GSP		TOTAL				

NJTPK DATA SUPPLIED BY NJTPKA

ALL DATA FOR INTERSTATES AND RT. 55 SUPPLIED BY NJ STATE POLICE

TABLE 4 ROADWAY REMAINED 5&MPH

uı	Т	I	<u>%</u>	1%	1%	100	120	1%	120	1	1%	Т	Т	Г	T	T-	Т	ī	T	T	Т
% CHANGE			22%	22%	39%	41%	75%	32%	78%		30%										
_	1	TOTAL	1894	5328	986	5364	439	19881	10444		44336										
RIOD	1/1/01 to	5/31/01	334	802	163	813	72		1434												
- AFTER PE	1/1/00 to	12/31/00	745	2017	338	1938	155		3794												
TOTAL ACCIDENTS - AFTER PERIOD	1/1/99 to	12/31/99	575	1651	288	1660	146		3322												
TOTAL	6/1/98 to	12/31/98	240	858	197	953	99		1894												
	<u> </u>	TOTAL	1547	4377	708	3792	341	15094	8190		34049										
ERIOD	1/1/98 to	5/31/98	172	613	142	089	45		812												
BEFORE P	1/1/97 to	12/31/97	501	1396	281	962	146		2723												
TOTAL ACCIDENTS - BEFORE PERIOD	1/1/96 to	12/31/96	543	1382	128	1143	51		2830			-									
TOTAL /	6/1/95 to	12/31/95	331	986	157	1007	66		1825												
	MP to MP		48.12 - 58.45	41.87 - 68.00	27.70 - 35.26	0.00 - 43.11	20.00 - 26.80	1.50 - 123.30 & NBHC EXT.	123.5 - 163.30												
	ROUTE		1-78	1-80	1 - 295	1 - 287	_	NJTPK 1	GSP		TOTAL										

NJTPK DATA SUPPLIED BY NJTPKA

1996,1997, 2001, DATA SUPPLIED BY NJ STATE POLICE

TABLE 5 ROADWAY REMAINED 55MPH

	,	_	T	l	T	1	1		1 -	_	_		 _	 _	 _	_	,	,	_
% CHANGE			-43%	%0	700%	.33%	-100%	-3%	8%			-5%							
	L	TOTAL	80	16	80	10	0	99	72			135					i		
PERIOD	1/1/01 to	5/31/01	0	6	3	-	0		6										
ITS - AFTER	1/1/00 to	12/31/00	5	က	က	2	0		6										
TOTAL FATAL ACCIDENTS - AFTER PERIOD	1/1/99 to 1/1/00 to 1/1/01 to	12/31/99	8	9	F	4	0		10										
TOTAL FAT	├-	12/31/98	0	4	-	3	0		5										
	L	TOTAL	14	16	1	15	3	89	52			142							
E PERIOD	1/1/98 to	5/31/98	U	ਲ	-	ਲ	-		(V				-						
ACCIDENTS - BEFORE PERIOD	1/1/97 to	12/31/97	9	က	0	5	1		6										
	/1'96 to	12/31/96	80	9	0	4	0		5										
TOTAL FATAL	6/1/96 to	12/31/95	-	4	0	3	1		6										
	MP to MP		48.12 - 58.45	41.87 - 68.00	27.70 - 35.26	0.00 - 43.11	20.00 - 26.80	1.50 - 123.30 & NBHC EXT.	123.5 - 163.30										
	ROUTE		- 78	- 80	I- 295	1- 287	I- 295	NJTPK 1	3SP			TOTAL							

NJTPK DATA SUPPLIED BY NJTPKA

ALLINTERSTATE DATA SUPPLIED BY NJ STATE POLICE

TABLE 6 ROADWAY REMAINED 55MPH

% CHANGE			-40%	.5%	800%	.19%	-100%	4%	24%		%8					
		TOTAL	6	18	6	13	0	22	43		169					
RIOD	1/1/01 to	5/31/01	0	8	4	-	0		8							
- AFTER PE	_	12/31/00	5	3	3	2	0		10	-						
TOTAL FATALITIES - AFTER PERIOD	6/1/98 to 1/1/99 to	12/31/99	4	9	1	9	0		13							
TOTAL	6/1/98 to	12/31/98	0	9	-	4	0		17							
		TOTAL	15	19	1	16	3	47	78		156					
ERIOD	1/1/98 to	5/31/98	0	4	-	3	-		2							
TOTAL FATALITIES - BEFORE PERIOD	1/1/97 to	12/31/97 5/31/98	5	4	0	2	-		6							
ATALITIES	1/1/96 to	12/31/96	6	9	0	5	ō		5							
TOTAL F	6/1/95 to	12/31/95	F	5	0	ဇ	F		12							
	MP to MP		48.12 - 58.45	41.87 - 68.00	27.70 - 35.26	0.00 - 43.11	20.00 - 26.80	1.50 - 123.30 & NBHC EXT.	123.50 - 163.30							
	ROUTE		1.78	- 80	1-295	1 - 287	1-295	NJTPK	GSP		TOTAL					

NJTPK DATA SUPPLIED BY NJTPKA

ALL INTERSTATE DATA SUPPLIED BY NJ STATE POLICE

TABLE 7
ROADWAY CHANGED TO 65MPH

		TOTAL ACCIDENTS INJ	URIES FOR TH	IE YEAR 1999
ROUTE	MP to MP	FROM 01/01/99 - 12/31/99	TOTAL	PERCENTAGE
			ACCIDENTS	OF INJURIES
GS Prky.	29.00 - 123.5	2117	621	29%
I-78	.45 - 48.12	755	194	26%
Rt. 80	5.10 - 41.87	919	215	23%
Rt. 295	35.26 - 67.10	426	112	26%
Rt. 287	43.11 - 66.30	261	62	24%
Rt. 295	4.00 - 20.00	100	29	29%
Rt. 195	3.73 - 33.81	200	47	24%
Rt. 55	21.49 - 55.98	120	28	23%
GS Prky.	163.00 - 172	185	48	26%
NJ Turnpk.	1.50 - 97.20	N/A	N/A	N/A
AC Express.	8.00 - 44.19	301	88	29%

TABLE 8 ROADWAY REMAINED 55MPH

	PERCENT	AGE OF INJURY ACCIDENTS	FOR 1999	
ROUTE	MP to MP	FROM 01/01/99 - 12/31/99	TOTAL	PERCENTAGE
		TOTAL ACCIDENTS	INJ. ACC.	OF INJ. ACC.
GSP	123.5 - 163.3	3322	1047	32%
I - 78	48.12 - 58.45	575	143	25%
1 - 80	41.87 - 68.0	1651	463	28%
i - 295	27.70 - 35.26	288	64	22%
1 - 287	0.0 - 43.11	1660	357	22%
l - 295	20.00 - 26.80	146	35	24%

APPENDIX E

Appendix E

NEW JERSEY ACCIDENT STATISTICS Municipal, County, State, Interstate & Toll Roadways (CALENDAR YEARS 1985 THRU 2000)

ACCIDENT RATES

YEAR	FATAL/100mvm	INJURY/mvm	PROPERTY DAMAGE/MVM	ACCIDENT RATE/MVM
1985	1.71	1.72	2.86	4.60
1986	1.75	1.73	2.99	4.74
1987	1.63	1.74	3.17	4.92
1988	1.65	1.68	3.09	4.79
1989	1.36	1.56	2.89	4.47
1990	N/A	N/A	N/A	N/A
1991	1.19	1.35	2.36	3.72
1992	1.16	N/A	N/A	4.13
1993	1.20	1.36	2.31	3.68
1994	1.14	1.36	2.41	3.78
1995	1.26	1.55	2.66	4.20
1996	1.21	1.30	2.39	3.70
1997*	-	-	-	-
1998	1.04	1.14	2.71	3.86
1999	1.01	1.11	2.87	3.99
2000	.98	1.24	3.02	4.27

NUMBER OF ACCIDENTS

	FATAL	INJURY	PROPERTY DAMAGE	
YEAR	ACCIDENTS	ACCIDENTS	ACCIDENTS	TOTAL ACCIDENTS
1985	908	91,356	151,976	244,240
1986	975	96,770	166,987	264,732
1987	929	99,047	181,042	281,018
1988	966	98,512	180,780	280,258
1989	814	93,396	173,377	267,888
1990	-	•	<u>-</u>	-
1991	704	80,112	139,928	220,774
1992	689	N/A	N/A	245,680
1993	719	81,368	137,885	219,972
1994	690	82,025	145,976	228,691
1995	773	94,367	162,064	256,431
1996	754	80,730	148,413	229,897
1997*	-	-	-	•
1998	671	73,537	174,722	248,930
1999	664	73,172	189,402	263,238
2000	655	83,094	202,951	268,700

-	
	MILES TRAVELLED
<u>Year</u>	<u>VMT x 10</u>
1985	53,108
1986	55,844
1987	57,071
1988	58,512
1989	59,899
1990	58,922
1991	59,288
1992	59,410
1993	59,726
1994	60,466
1995	61,013
1996	62,162
1997*	•
1998	64,510
1999	65,920
2000	67,172

^{* 1997} STATISTICS BEING COMPILED

APPENDIX F

65MPH STATISTICS 5/18/98 - 11/3/00 SPEEDING SUMMONSES

WI CALL	, 138135
Oyer 28 mph	4150
25=28 mph	6016
20*24 mph	15280
its is a line.	39801
HOEAT MIDE	31685
1-9 mph	40664

ACCIDENT DATA 5/18/98 - 11/3/00

TOTAL	18292
RESIDUAL XOCIDENTS	1272
Seinnyayai)	124
MANIS.	. 108
MOTOR COACH	77
HEA VEH	1655
anins ams	3744
RAN CORR	4300
REAR	7503
UNSARE	704

AGGRESSIVE DRIVER VIOLATIONS 5/18/98 - 11/3/00

T-0-1	
WARNINGS	155772
TOTALS	70631
39:3-76.2F	48002
₩39:4-85	2297
39:4-144	674
39.4-81	255
1.39:4974	11602
39:4-88B	6164
39;3-89	1640

- Data Collection was terminated 11/3/00 by stations.
- Residual accidents are those occurring within five (5) miles after leaving the posted 65 mph zone.
- Enforcement data was not tracked in these specific areas prior to this event. ** Data possibly may be available from Automated Traffic Summons Data Base.

APPENDIX G

Appendix G

FREQUENTLY ASKED QUESTIONS ABOUT THE 65 MPH SPEED LIMIT

As many comments and concerns were sent from various constituencies throughout the state to both the Governor and the Transportation Commissioner's offices during the study period, reflecting varying views on the 65 MPH Speed Limit, the following section attempts to address several of the most common.

How are Speed Limits determined?

In order to determine the proper numerical value for a speed zone on the basis of an engineering and traffic investigation, the following factors are considered: 85th-percentile speed and pace speed of traffic, road surface characteristics, shoulder conditions, grade, alignment and sight distance, roadside development and friction, specific hazardous locations, lane drops, significant merging maneuvers, volumes, percentage truck traffic, weaving patterns, and reported accident experience.

Should the Speed Limit be the same for all segments of all similar limited access-controlled highways (Interstates, freeways, toll roads)?

Although these roads do have some common characteristics, roadway segments do have differences too. As noted in the previous answer, roadway characteristics can vary greatly, especially in more urban areas. This practice of different Speed Limits on similar roadway segments is common in all other States of the Union. It is believed that no other contiguous state practices a uniform speed limit. In fact, New Jersey's application of the 65 MPH Speed Limit is much more liberal than any of its neighboring states.

Are not all of these highways designed for 70 MPH or faster?

This may be a desired goal for highways of interstate standards; however, circumstances exist in some areas that create design limitations, making this difficult to achieve. This is most common in very urban areas, and areas with older infrastructures. If speed limits are set too high in these areas, a potentially hazardous situation exists.

Do higher Speed Limits adversely affect safety?

Many advocates for a lower speed limit use the argument that the faster a vehicle is traveling, the greater its potential for an accident, as the distance required to stop is greater. This is only looking at safety from a microscopic view. Highway safety must be viewed from the entire, stream of traffic flow. The ultimate goal is to achieve more uniform speed in the traffic stream, which reduces the need for passing and tendency to follow another vehicle too closely. Therefore, a "reasonable" speed limit, which has credibility with the motoring public leads to a "smoother" traffic flow and benefits safety most, provided enforcement is present.

Since an argument can be made that most motorists drive in a reasonable and prudent manner, why not leave it up to the individual driver to determine what speed is appropriate?

The primary reason for regulating individual choices is the significant risks drivers can impose on others because of inappropriate speed choices. Another reason derives from the inability of some drivers to correctly judge the capabilities of their vehicles (e.g. stopping, handling) and to anticipate roadway geometry and roadside conditions sufficiently to determine appropriate driving speeds. Related to this reason is the tendency of some drivers to underestimate or misjudge the effects of speed on crash probability and severity. It is noted that one state (Montana) had set no speed limit on some of its miles of roadway and has since repealed it with a speed limit.