MAR 15 2004 09:26 FR LAND USE REGULATION 609 292 0115 TO 917323350939

P. 82/97



### STATE OF NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION (See Israng Division below)



The New Jersey Department of Environmental Protection grants this permit in accordance with your application, angelments

Permit No 2113-03-0005.1 FHA030001 2113-03-0005.1 FWW030001 GP#10B  Issuance Date MAR 1 2 2004  Name and Address of Applicant New Jersey Department of Transportation 1035 Parkway Avenue Trenton, New Jersey 08625	The New Jersey Depo recompanying same a ripulations enumerate	soulication, and a	outieable.	lugger both swe.	alions.	This perm	nd is als	io subject to	s the lu	irther the pi	conditions a timel.	ın <b>d</b>
Name and Address of Applicant New Jersey Department of Transportation 1035 Parkway Avenue	Permit No 2113-03-0	Application No.										
Name and Address of Applicant New Jersey Department of Transportation 1035 Parkway Avenue					1 2	2004	Ёхра	pration Date MAR 1 2 2				
	Name and Address of New Jersey Transportation 1035 Parkway Trenton, New	of Applicant y Departmen n y Avenue y Jersey 08625				· ·				ess of	Оректинос	
Location of Activity/Facility (Street Address)  Lot. 3, 4, 5; 29, 30, 31; 7  Block: 57; 61; 68  Twy: Knowlton County: Warren  Issuing Division  Land Use Regulation Program  NJSA 13:9B-1  NJSA 13:1D-1  NJSA 58:10A-1  NJSA 58:16A-50, ct. seq.	Lot. 3, 4, 5; 29, 30, 31; 7 Block: 57; 61; 68 Twy: Knowlton County: Warren			Land Use Regulation Program				NJSA 13:9B-1 NJSA 13:1D-1 NJSA 58:10A-1 NJSA 58:16A-50, et. seq.				
Type of Permit Stream Encrosohment Maximum Approved Capacity,  Freshwater Wetlands GP#10B	**		l if analisable									
construct a three sided 20' by 4' culvert on a unnamed tributary to the Delaware River and construct a three sided 20' by 5.5' culvert on another unnamed tributary to the Delaware River, with Lot Nos. 3, 4 and 5 of Block No. 57, Lot Nos. 29, 30 and 31 of Block No. 61 and Lot No. 7 of Block No. 68, located on U.S. Route 46 and approximately 580 feet northerly of the intersection of Knowlton, New Jersey. This permit also authorizes the disturbance of a maximum of 0.13 acres of State open waters and freshwater wetlands for the construction of the culverts under a General Permit No. 10B.  Prepared By:    Approved by the Department of Equipment of Projection	construct: River and tributary t Nos. 29, 3 U.S. Rou Knowlton County, N of 0.13 at of the cul-	t a three sided od construct a to the Delawa 30 and 31 of oute 46 and a normal and to New Jersey. The acres of State of the state of th	20' by 4 three : are River Block N pproxim U.S. Ror this perr open was General General General Chief's	sided 20' b r, with Lot I lo. 61 and L lately 580 f ute 46, in t mit also authors and free Permit No.  Davis signature.)	y 5.5 Nos. I not No feet in the T norize shwai 10B.	culverti, 4 and 5 7 of Bloortherly ownship s the distrer wetlan	on a 5 of B ock N of the of Kr urband ds for	nother wilcock No. io. 68, loce intersect nowiton, the cons	nname 57, Leated ( ction Warr aximu	ed of of en		
Revised Date   Approved by the Department of Environmental Protection   Name (Print or Type) Title	· · · · · · · · · · · · · · · · · · ·											
Signature Title	· · · · · · · · · · · · · · · · · · ·	ł										

993656-0901

# Stream Encroachment Permit No. 2113-03-0005.1 FHA 030001 Terms And Conditions 2113-03-0005.1 FWW 030001 GP#10B

PAGE 2

#### This permit is subject to the following terms and conditions:

- This permit is revocable, or subject to modification or change at any time, pursuant to the
  applicable regulations, when in the judgement of the Department of Environmental
  Protection of the State of New Jersey such revocation, modification or change shall be
  necessary.
- The issuance of the permit shall not be deemed to affect in any way action by the Department of Environmental Protection of the State of New Jersey on any future application.
- 3. The works, facilities, and/or activities shown by plans and/or other engineering data, which are this day approved, subject to the conditions herewith established, shall be constructed and/or executed in conformity with such plans and/or engineering data and the said conditions.
- No change in plans or specifications shall be made except with the prior written permission
  of the Department of Environmental Protection of the State of New Jersey.
- 5. The granting of this permit shall not be construed to in any way affect the title or ownership of property, and shall not make the Department of Environmental Protection or the State a party in any suit or question of ownership.
- 6. This permit does not waive the obtaining of Federal or other State or local government consent when necessary. This permit is not valid and no work shall be undertaken until such time as all other required approvals and permits have been obtained.
- A copy of this permit shall be kept at the work site, and shall be exhibited upon request of any person.
- 8. In cases of conflict, the conditions of this permit shall supersede the plans and/or engineering data.

#### Limit and Extent of Approval

- a. This approval grants permission to the applicant and/or its agents to undertake an activity regulated by the State of New Jersey as described by the text of this permit and as detailed by the herein approved plans. Any construction, grading, removal of vegetation, or other activity at this site within or affecting a regulated flood plain, other than specifically approved by this permit or as detailed by the approved drawings, shall require additional approvals from the Department. The commencement of such regulated activities without the appropriate approvals shall be in violation of State law.
- b. All activities authorized by this permit shall be completed within five years of the issuance date as listed on the first page of this document. At that time, this approval, if not previously revoked, shall automatically become null and void, and none of the activities referenced herein may commence or continue until a new approval has been granted by the Department.

#### 10. Method of Construction

a. All activities approved by this permit shall be performed under the supervision and direction of a Professional Engineer licensed in the State of New Jersey, and shall be undertaken using the best management practices available. Furthermore, the site shall be subject to inspection at any time by representatives of the Department to ensure the

Stream Encroachment Permit No. 2113-03-0005.1 FHA 030001
Terms And Conditions 2113-03-0005.1 FWW 030001 GP#10B

PAGE 3

continuous application of the provisions of this permit.

- b. During the course of construction, neither the applicant nor its agents shall cause or permit any unreasonable interference with the free flow of the stream by placing or dumping any materials, equipment, debris or structures within or adjacent to the stream corridor. Upon completion or abandonment of the work, the applicant and/or its agents shall remove and dispose of in a lawful manner all excess materials, equipment and debris from the stream corridor and adjacent lands.
- c. All activities authorized by this permit shall be stabilized in accordance with the Standards for Soil Erosion and Sediment Control in New Jersey (obtainable from local Soil Conservation District offices), or equal engineering specifications, to prevent eroded soil and sediment from entering adjacent waterways and wetlands at any time during and subsequent to construction. The Department reserves the right to order the suspension of any activity if unacceptable levels of erosion or turbidity result from the same. Furthermore, the applicant shall maintain the stream corridor as shown on the approved drawing/s for either such time as is required for the channel and/or banks to become reasonably stabilized, or for one year after completion of the project (as evidenced by a Certificate of Completion), whichever period of time is longer.

## 11. Responsibilities of Applicant

- a. The granting of this permit does not in any way relieve the applicant and/or its agents from the responsibility for damages caused by any construction or activities hereby approved, nor does the Department accept responsibility for any structural designs.
- b. No construction authorized by this permit may begin until the enclosed permit acceptance form has been signed by the applicant and is returned to the Department. By signing and submitting this form, the applicant accepts this permit in its entirety and agrees to adhere to all of its terms and conditions. Please be advised that this permit may be declared null and void should it be determined that adequate measures had not been taken by the applicant and/or its agents to ensure the continuous implementation of these terms and conditions.
- c. Within ten (10) days of the receipt of this permit by the applicant, this permit shall be recorded in its entirety in the office of the County Clerk or the Registrar of Deeds and Mortgages for each county where this permit is located. Verified notice of this action shall be forwarded to the Department immediately thereafter.
- d. The enclosed construction notice shall be completed by the applicant or its agent and submitted to the Department at least fourteen (14) days prior to the commencement of the herein approved activities.
- e. The enclosed completion report shall be completed by a Professional Engineer licensed in the State of New Iersey and submitted to the Department within thirty (30) days after completion of the herein approved activities.
- 12. All excavated material and dredged spotts must be disposed of in a lawful manner outside of any regulated flood plain, open water, freshwater wetlands or adjacent transition areas, and in such a way as to not interfere with the positive drainage of the receiving area.

PAGE 4

Provisions of the Freshwater Wetlands General Permit No. 10B.

This Freshwater Wetlands General Permit 10B authorizes the disturbance of a maximum of 0.13 acres of State open water and freshwater wetlands. This Freshwater Wetlands Statewide General Permit No. 10B authorizes the replacement of two culverts, a 42-inch pipe and 4' x 9' twin cell culvert to be replaced with 20' x 5.5' and a 20' x 4' three-sided structures, respectively. The roadway will be widened 12 feet to provide 10-foot wide shoulders consistent with road sections to the north and south of the construction area. The authorization of activities under this Freshwater Wetlands Statewide General Permit includes a wetland transition area waiver for disturbance which has been determined by the Department to be necessary to accomplish the authorized activities. In addition, this permit to conduct a regulated activity in a wetland or open water includes the Department's approval of a Water Quality Certificate for these activities.

- Dewatering of cofferdams must include properly sized temporary sediment basins or other filtering methods to reduce turbidity. The stream area to receive return water discharged from cofferdams must be emcompassed by turbidity barrier. The turbidity barrier must be located parallel to the stream banks and anchored to the shorehne to maintain free flow of the stream center. In order to avoid obstruction of stream flows or fish passage, turbidity barriers must not be placed across the stream channel.
- 15. Temporary disturbances to wetlands and their transition areas are to be restored to their predisturbed condition using native indigenous plant species and bioengineering.
- 16. Soil erosion controls will be installed prior to construction and maintained for the duration of the disturbance until soils have been stabilized.
- A soil erosion control plan approval must be obtained from the Soil Erosion Control District for the project.
- 18. Any discharge of dredged or fill material shall consist of clean, suitable material free from toxic pollutants (see 40 CFR 401) in toxic amounts, and shall comply with all applicable Department rules and specifications regarding use of dredged or fill materials.
- 19. This permit does not authorize the temporary use of any wetlands or transition areas beyond the limits of the proposed work other than specifically approved by this permit or as detailed by approved drawings. Such use of regulated areas applies to the storage or staging of construction materials (including debris/spoil piles), equipment, and workers' vehicles. The applicant shall direct the contractors to locate all staging and storage areas outside of wetlands and wetland buffers not approved for use by this permit.
- 20. In order to protect the trout spawning and early development of their redds, grading or construction activities within the State open waters of this or any other stream on site are prohibited between September 15 thru March 15 of each year. In addition, any activity within the 100-year floodplain or flood hazard area draining to this watercourse which could introduce sediment into said stream(s) or which could cause an increase in the natural level of turbidity is also prohibited during this period. The Department reserves the right to

MAR 16 2004 13:37 7323352939 PAGE.06

# Stream Encroachment Permit No. 2113-03-0005.1 FHA 030001 Terms And Conditions 2113-03-0005.1 FWW 030001 GP#10B

PAGE 5

suspend all regulated activities on site should it be determined that the applicant has not taken proper precautions to ensure continuous compliance with this condition.

- Any and all precautions are to be taken to prevent raw concrete, which is toxic to fish, from coming in contact with the waters of the Delaware tributary streams.
- 22. Disturbed stream banks and adjacent areas are to be restored using native plant materials to ensure stabilization of the banks of this section of the Delaware tributaries in the project area.
- 23. The channel restoration shall consist of native soil materials that match existing material to the extent practicable, and can be stable within the channel without armoring. Low-flow channel provisions shall be included that meet with existing stream bottom contours upstream and downstream to provide a continuous low-flow connection throughout the project site.
- 24. This project did not receive a comprehensive storm water management review as the project results in less than one acre of disturbance and less than a quarter acre of new impervious areas as shown on the approved drawing. Portions of the project with just the pavement milling and re-paving were not counted towards the disturbance area. Any additional increase in the area of disturbance may result in a Stormwater Management review in accordance with N.I.A.C. 7:8
- 25. The drawings hereby approved are twenty-four (24) sheets prepared by French & Parrello Associates, P.A., undated and unrevised, unless otherwise noted, entitled:

"NEW JERSEY DEPARTMENT OF TRANSPORTATION ROUTE U.S. 46"

"STREAM CROSS SECTION LOCATION" sheet no. 2 of 22

"PROPOSED STREAM PROFILE ( LOW FLOW ) sheet nos. 8, 9, 10, 11, and 12 of 22

"PROPOSED STREAM PROFILE ( HIGH FLOWS ) sheet nos. 18, 19, 20, 21 and 22 of 22

"TYPICAL SECTIONS" sheet no. 2 of 26

"CONSTRUCTION PLANS" sheet nos. 3, 4, 5 and 6 of 26

"ENVIRONMENTAL PLANS" sheet nos. 7, 8 and 9 of 26

"PROFILES" sheet no. 10 of 26

\*CROSS SECTIONS ( ROUTE US 46 B.L. STA, 66+75 - 67+00 ) sheet no. 14 of 26

FPA TRANS 7323389999 23/16/04 03:21pm P. 008
PPA 15 28/4 69:23 FR LHNU USE REJULTING 18/2 28 BIT US 11/2/2/2/2 PL67/07

Stream Encroachment Permit No. 2113-03-0005.1 FHA 030001
Terms And Conditions 2113-03-0005.1 FWW 030001 GP#10B

PAGE 6

\*CROSS SECTIONS ( ROUTE US 46 B.L. STA. 69+00 - 70-25 ) sheet no. 16 of

"GENERAL PLAN AND ELEVATION FOR STRUCTURE NO. 2107-152" sheet no. 25 of 26

"GENERAL PLAN AND ELEVATION FOR STRUCTURE @ B.L 66+86" shoot no. 26 of 26

Madhu Guru, Pl

Section Chief

FPA TRANS

Terms And Conditions

Northwest/central Engineering

Stream Encroachment Permit No. 2113-03-0005.1 FHA 030001

THE 15 2004 CHIZO FRI LIND CON MULLIN HIN HER YEAR STITS. IT HIT (\$15 SERVIN)

PAGE 6

M. COMO

00/16/04 03:01pm 9. 008

"CROSS SECTIONS ( ROUTE US 46 B.L. STA, 69+00 - 70-25 ) sheet no. 16 of 26

2113-03-0005.1 FWW 030001 GP#10B

732995@939

"GENERAL PLAN AND ELEVATION FOR STRUCTURE NO. 2107-152" sheet no. 25 of 26

\*GENERAL PLAN AND ELEVATION FOR STRUCTURE @ B.L. 66+86" sheet no. 26 of 26

Madhu Guru, PE

Section Chief

Northwest/central Engineering