



OFFICE FURNITURE SOLUTIONS

LACASSE



**WE CAN MAKE THINGS
BETTER FOR YOU... NICE.**

OFFICE FURNITURE SOLUTIONS

LACASSE

TABLE OF CONTENTS

ENVIRONMENTAL INITIATIVES	2
2009 LACASSE QUICKSHIP PROGRAM	3
GENERAL SPECIFICATIONS FOR LAMINATE FURNITURE COLLECTIONS	4
LAMINATE FURNITURE COLLECTIONS	
MORPHEO	6
QUAD	20
OPTIONS	28
ELECTRICOM	40
CONCEPT 3	46
CONCEPT 70	54
CONCEPT 400E	62
CONCEPT 2001	70
PANGRAM PANELS	75
ACCESSORIES FOR FURNITURE COLLECTIONS	80
STORAGE	
LAMINATE/STEEL LATERAL FILES	83
STEEL MULTIFUNCTION STORAGE	85
QUORUM MULTICONFERENCE	
CONFERENCE TABLES	87
MODULAR TABLES	98
TRAINING TABLES	103
COMPLEMENTARY FURNITURE	107
TECHNICAL PERFORMANCES	112
TERMS & CONDITIONS OF SALE	113

Over our 52 years in business, we have acquired an enviable reputation: Everything we do is nicely done. Because it's all about you. How you feel about your office when you get there in the morning. How you feel about the work you do there. Even how you feel when you leave. Our commitment to you starts with our own commitment to quality, attention to detail and design innovation. It includes nice ideas like creating different product lines running from the traditional to the avant-garde, priced to suit every budget. It's earned us honors like ISO 14001 and ISO 9001 certifications for our operations. And that's a nice distinction. All so that we can make things better for you... Nice.

NICER FOR THE ENVIRONMENT

It's our corporate responsibility to contribute to the preservation of natural resources and to ensure that our operations have the least possible impact on the environment. We choose suppliers who support our efforts to reduce deforestation. The majority of our products are manufactured from particleboard, made from 100% post-industrial recycled materials. We recover the cuttings from all our activities and even sawdust for power cogeneration. What's more, we sort and recycle plastic, steel and aluminum.

We're proud to say that all Lacasse products are GREENGUARD® certified. Which means that North Americans can be sure that these products will not affect the air quality of their working environments. And other groups, like architects, contractors and developers who use Lacasse products can benefit from their GREENGUARD® certification to earn points towards meeting LEED® standards.

For more information on Groupe Lacasse sustainable development practices, visit www.groupelacasse.com.



ENVIRONMENTAL TOOLS

A variety of informative tools which detail how Groupe Lacasse products help support green initiatives are available. All documents are routinely updated and placed on the Groupe Lacasse website under "**About Us > Environment**". Please check this page regularly for the most up-to-date documents.

Available documents: the corporate **Sustainability Policy**, how our products support **LEED Credits** (these documents include information on the percentage of recycled material in each product) and a listing of Groupe Lacasse products that are **GREENGUARD Certified**.

GREENGUARD CERTIFICATES

GREENGUARD Indoor Air Quality and Children and Schools certificates can be downloaded. These are found on www.greenguard.org. Search for Groupe Lacasse in the "Find Products> Search by Manufacturer" section. All GREENGUARD certifications are listed by product line.

FURTHER INFORMATION

For more information on environmental and sustainable procedures in the manufacturing of our products, contact Communications@groupelacasse.com.

2009 LACASSE QUICKSHIP PROGRAM

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse 2009 quick delivery program**.



PROGRAM CONDITIONS AND LIMITATIONS:

- Maximum of **five (5) of each item and of each color per order**, refer to each collection to see which products are available.
- Products are **ready for shipment 5 business days after reception of a ready-to-process order and delivered on next available trailer**.
- HPL finishes are not part of the QuickShip Program.

IMPORTANT:

Place QuickShip orders separately from regular Lacasse orders.

When preparing QuickShip orders, indicate the code "**QS**" in front of the QuickShip product code or the QuickShip suggested layout code; i.e.: **QSM1NC-F3672F**.

AVAILABLE OPTIONS AND FINISHES:

Make sure to complete QuickShip product codes with the options and finish codes that are part of the QuickShip program.

See below for the complete list of QuickShip options and finishes relevant to each Lacasse collection:

MORPHEO	CONCEPT 3	CONCEPT 70	CONCEPT 400E	CONCEPT 2001
EDGES N, 1, 2 DOOR INSERT T HANDLES A, C, K, W, Z LEG V LAMINATE TOPS/VERTICAL PLANS FINISHES ACA, BUC, CER, DCH, ERH, HZN, NTL, GAN, SNO, WGR One or two-tone combinations	LAMINATE TOPS/VERTICAL PLANS FINISHES ACA, BUC, CER, DCH, ERH, HZN, NTL, GAN, SNO, WGR One or two-tone combinations* *Refer to page 48 for more information on Concept 3's specific two-tone application.	EDGES 1, 2 HANDLES DA, DB, DN, KA, KB, KN LAMINATE TOP FINISHES ACA, BUC, CER, DCH, ERH, HZN, NTL LAMINATE VERTICAL PLANS FINISHES ACA, BUC, CER, DCH, ERH, HZN, NTL, GAN, SNO, WGR One or two-tone combinations	LAMINATE TOPS/VERTICAL PLANS FINISHES ACA, BUC, CER, DCH, ERH, HZN, NTL, GAN, SNO, WGR One or two-tone combinations	HANDLES QA, QS, VA, VS LEGS Q, V LAMINATE TOPS/VERTICAL PLANS FINISHES ACA, BUC, CER, DCH, ERH, HZN, NTL, GAN, SNO, WGR One or two-tone combinations
ACCESSORIES	LAMINATE LATERAL FILES	STEEL LATERAL FILES	QUORUM MULTICONFERENCE	FABRICS*
Several accessories are available in QuickShip, refer to the Accessories section on page 80.	HANDLES A, C, K, L, W, Z LAMINATE DRAWER FRONTS/ LAMINATE CASE FINISHES ACA, BUC, CER, DCH, ERH, HZN, NTL, GAN, SNO, WGR One or two-tone combinations	PULLS F, R METAL COLORS P01, P08, P17, P28	EDGES N, S, 1, 2 LAMINATE TOPS/LAMINATE VERTICAL PLANS ACA, BUC, CER, DCH, ERH, HZN, NTL, GAN, SNO, WGR	ALPHA MARQUESA AM24, AM25, AM47, AM51 CREPE CPT27, CPT71, CPT85, CPT89 SHARD SD01, SD08, SD10, SD12 SHUFFLE SF11, SF31, SF60, SF70 *For QuickShip tackboards.

GENERAL SPECIFICATIONS

	MORPHEO	QUAD	OPTIONS
CHARACTERISTICS	MORPHEO redefines the landscape of traditional office environments with contemporary, adaptable and astonishing ergonomic shapes. MORPHEO has evolved and features a unique floating top construction. Numerous choices such as top thickness, surface type, edges, handles, legs, all laminate or translucent door inserts and modesty panels are just some of the many possibilities to create distinctive work environments. Accessory rails can be mounted to the surfaces.	Award-winning QUAD collection is all about linear purity, a perfect balance of style and volumes, and numerous overhead storage capabilities translating into elegant flexible functionality. Choice of mixed materials such as perforated metal and translucent framed doors, sleek handles and a variety of open modules. QUAD structures the workspace into sumptuous executive environments in perfect equilibrium with practical modularity, adaptability and impeccable construction.	True to its name, OPTIONS meets today's aesthetic expectations and budgets with the freedom of affordable modular simplicity. Designed for traditional executive or mid-management environments, OPTIONS is surprisingly functional thanks to the breadth of its numerous solutions for organizing and optimizing any workspace, from the broad and spacious to the incredibly compact.
TOP THICKNESS	1" and 1½" (25 and 38 mm) Aluminium spacers add ⅝" (8 mm) to the overall height of the work surfaces	1½" (38 mm)	1" and 1½" (25 and 38 mm)
EDGE THICKNESS	⅝" and ⅞" (3 and 4 mm)	⅝" (3 mm)	⅝" (3 mm)
SURFACE TYPE	TFL and HPL	TFL and HPL	TFL and HPL
HUTCH CLEARANCES	Low profile: 13⅞" (333 mm) – 21½" (548 mm) 44" (1118 mm): 20½" (521 mm)	N/A	44" (1118 mm): 21⅞" (545 mm) 36" (914 mm): 18¼" (464 mm)
DESKS – MODESTY PANELS Optional modesty panel add -.3 at the end of the product code .3 = 19¼" (502 mm)	Full-height	Full-height	Full-height
AT, DT – BACK PANELS Optional back panel, add: .1, .2 or .3 at the end of the product code .1 = 9" (229 mm) .2 = 14" (356 mm) .3 = 19¼" (494 mm)	1½" (38 mm) clearance from floor	2½" (63,5 mm) clearance from floor	Full-height
CM – BACK AND SIDE PANELS Optional back panel, add: .1, .2 or .3 at the end of the product code .1 = 9" (229 mm) .2 = 14" (356 mm) .3 = 19¼" (494 mm)	Back panel: 1½" (38 mm) clearance from floor Side panel: Full-height	Back panel: 2½" (63,5 mm) clearance from floor Side panel: 2½" (63,5 mm) clearance from floor	Back panel: Full-height Side panel: Full height
UNASSEMBLED ITEMS	CM, DT, AT, BR, tables, surfaces, asymmetrical returns, return without pedestals, TDM, CDM.	D- and CB-tables, CM, DT, AT, BR, tables.	D- and P-tables, CM, DT, AT, BR, tables. CBM surfaces.
GROMMETS	Executive return, BR, CM, CM extended, DT, AT, CDM, CT, CTM, YT, YTM, RT, RTM, conference extension.	Executive return and surfaces BR, BT, CB, CM, CM extended.	Executive return and surfaces BR, BT, BTM, PT, PTM, CM, CM extended, CB, CBM, CP, CPM.

GENERAL FEATURES FOR ALL LACASSE CASEGOODS COLLECTIONS

CONSTRUCTION

- Casegoods are made of particleboard panels finished on both sides with mar-resistant high-performance thermofused laminate (45 lbs/ft³), also called TFL.
- High-pressure laminate work surfaces, also called HPL, are available for certain collections, adding ⅛" (1,6 mm) to the overall thickness of the work surface.
- All components are finished with a thermoplastic polymer edgebanding. All edges are finished.
- Levelers allow up to 1¼" (32 mm) height adjustment.
- All modesty panels are recessed 8" (211 mm) on 36" (900 mm) deep desks and 2" (61 mm) on 30" (750 mm) deep desks.
- All bridge returns (BR) are full-height except for Concept 3.
- All ready-to-assemble furniture has metal-to-metal fittings to maintain product integrity, ease of assembly and reconfiguration.

DRAWERS

All drawers are built for trouble-free performance and smooth operation:

- Shock-absorbent bumpers standard on all drawers.
- Drawer construction in black laminated particleboard.
- Pencil tray is standard in one box drawer per component.
- File drawers are mounted on full extension ball bearing suspensions: 100 lbs (45 kg) load capacity (except metal pedestals: 75 lbs (34 kg) load capacity).
- Lateral file drawers are mounted on full extension ball bearing suspensions with over-travel: 150 lbs (68 kg) load capacity (except for Concept 2001).
- Lateral file drawers come standard with top rails for folders and one lateral suspension bar for side-to-side filing. For suspension bars accommodating front-to-back filing, refer to Accessories on page 80.
- Interlock system is standard on lateral files and mixed pedestals.

LOCKS

Standard black cam locks are standard on hanging file pedestals, mobile pedestals, lateral files and cabinets (except for Concept 400E and Concept 70, Concept 3, Concept 2001 cabinets).

CONCEPT 3	CONCEPT 70	CONCEPT 400E	CONCEPT 2001
Award-winning European style CONCEPT 3 is an ingeniously simple design matrix. CONCEPT 3 features classic non-handed workstations with elegant anodized aluminium handles and legs. Doors are available in a choice of laminate or anodized aluminium frame doors with translucent acrylic insert. With no left or right-handed restrictions, CONCEPT 3 furniture can be configured exactly as wished. Unique two-tone finish combination. Easy to specify: 1 code = 1 workstation.	CONCEPT 70 combines first class traditional executive style with down to earth functionality. CONCEPT 70 furniture features upscale details and thick surfaces, a choice of two styles of moldings for surfaces and molded steel handles available in three colors.	CONCEPT 400E is the original inspired solution from Lacasse and the leader in its category. Designed for traditional, mid-management workspaces, CONCEPT 400E offers over 250 modular components and features a distinctive black polymer insertion underneath the surfaces and black extruded pulls. CONCEPT 400E offers a vast selection of workspace and storage solutions for any office size, function and layout.	CONCEPT 2001 is flexible, compact, elegant and light, perfect for SOHO style work environments. Work surfaces are pre-drilled to accommodate privacy screens, modesty panels, pedestals and legs. Many complementary components on casters are available. Two choices of molded steel handles available in two colors and two choices of legs, round or square. CONCEPT 2001 has everything for the office that's going places.
1" (25 mm)	1½" (38 mm)	1" (25 mm)	1" (25 mm)
¾" (3 mm)	¾" and ½" (3 and 4 mm)	¾" (3 mm)	¾" (3 mm)
TFL	TFL	TFL	TFL
N/A	44" (1118 mm): 21¼" (543 mm) 36" (914 mm): 17⅞" (445 mm)	44" (1118 mm): 21½" (546 mm) 36" (914 mm): 17⅞" (448 mm)	36" (914 mm): 19" (483 mm) 28" (711 mm): 17⅞" (448 mm)
Full-height on TD desks with ¾" (19 mm) clearance from floor. Half-height on Y-shape surfaces. Optional back panel are not available.	Full-height	Full-height	Full-height
N/A	1½" (38 mm) clearance from floor	1½" (38 mm) clearance from floor	N/A
N/A	Back panel: 1½" (38 mm) clearance from floor Side panel: Full-height	Back panel: 1½" (38 mm) clearance from floor Side panel: Full-height	Back panel: 1½" (38 mm) clearance from floor Side panel: Full-height
RD, TD, YTM, YUM, BR, executive return and tables.	D- and P-tables, CM, DT, AT, BR, tables.	D- and P-tables, CM, DT, AT, BR, tables.	D-tables, CM, pigeonholes, surfaces, computer and CPU stand, mobile board, tables, open and closed hutches.
RD, BR, YTM and YUM surfaces, and modesty panel of executive return.	Executive return and surfaces BR, BT, BTM, PT, PTM, CM, CM extended, DT, AT, Reception.	Executive return and surfaces BR, BT, BTM, PT, PTM, CM, CM extended, DT, AT, Reception.	Executive return, BT, CM. Mobile components (ME units), computer table and CPU stand.

HUTCHES

- All hutches are equipped at work surface height with a full-width flexible wire access extrusion.
- A grommet is also provided on the back panel of the hutch to accommodate an optional task light unit.
- Depending on the hutch model, the clearance is 17¼" to 21" (438 to 533 mm) from the work surface level.

DOORS

Hutch doors: 120° hinges.
Storage and metal framed doors: 135° hinges.
Low-profile hutch: small doors: 120° hinges – large doors: 135° hinges.
Shock-absorbent bumpers are standard on all doors (except for Concept 3).

BOOKCASE

Bookcase must be placed against a wall or back-to-back to another unit.

DIMENSIONS

Metric dimensions shown in this price book are exact; imperial dimensions are nominal (unless otherwise specified).

OPTIONAL CHANGES

- Pedestal/drawer configurations:
For any changes to pedestal configurations add 150\$.
- Locks:
Add 75\$ for first lock and 25\$ for each additional lock per product unit.
- Grommets:
For any grommet change: addition, removal or in a different location – Please contact our Quotations department.

MORPHEO

EDGEBANDING

Furniture with 1" and 1½" (25 and 38 mm) thick tops.

N Edge



Smooth, 1/8" (3 mm) thick edge.

The **N** edge is matched with the finish specified for the surface.


Textured 1 Edge




Textured, 5/32" (4 mm) thick edge.

The textured 1 and 2 edges are **available (and in matching color) ONLY** when a wood grain finish is specified for the surface.


Textured 2 Edge




HANDLES




A – Arcade, silver




C – Cubic, anodized aluminum



K – Classic, silver




Z – Straight, silver




W – Waterfall, silver

LEGS




Q – Square, silver



V – Round, silver

MODESTY PANELS / DOOR INSERTS



T – Translucent



X – Matrix

CODIFICATION

Series	Options				
	Thickness	Edgebanding	Handles	Legs	Modesty panels / Door inserts
M	1 Thermofused laminate 1"	N Smooth edge	N N/A	Q Square	T Translucent
	2 High-pressure laminate 1"	1 Textured edge	A Arcade	V Round	X Matrix
	5 Thermofused laminate 1½"	2 Textured edge	C Cubic		
	6 High-pressure laminate 1½"		K Classic		
			W Waterfall		
			Z Straight		


READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.



Double pedestal desks



2 pedestals with lock. 1 box drawer and 1 file drawer with suspension bars. Pencil tray. Recessed, full-height modesty panel.


W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29 7/8	1800 x 900 x 744	M_N_-F3672F	1,320	1,580
66 x 30 x 29 7/8	1650 x 750 x 744	M_N_-F3066F	1,215	1,460
60 x 30 x 29 7/8	1500 x 750 x 744	M_N_-F3060F	1,165	1,395

Specify the surface type (1, 2). Edge **N**. Specify the handle code.

W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29 7/8	1800 x 900 x 757	M_-_-F3672F	1,510	1,815
66 x 30 x 29 7/8	1650 x 750 x 757	M_-_-F3066F	1,405	1,690
60 x 30 x 29 7/8	1500 x 750 x 757	M_-_-F3060F	1,355	1,630

Specify the surface type (5, 6). Specify the edge (**N**, 1, 2). Specify the handle code.

Double pedestal desks – low profile



2 pedestals with lock. 2 box drawers and 3 file drawers with suspension bars. Lock controls file drawer and box drawer above. Pencil tray. Recessed, full-height modesty panel.

W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29 3/8	1800 x 900 x 744	M_N_-UF3672FF	1,630	1,890
66 x 30 x 29 3/8	1650 x 750 x 744	M_N_-UF3066FF	1,525	1,770
60 x 30 x 29 3/8	1500 x 750 x 744	M_N_-UF3060FF	1,475	1,705


Specify the surface type (1, 2). Edge **N**. Specify the handle code.

Double pedestal desks – low profile (cont'd)

W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29 7/8	1800 x 900 x 757	M_-_-UF3672FF	1,820	2,125
66 x 30 x 29 7/8	1650 x 750 x 757	M_-_-UF3066FF	1,715	2,000
60 x 30 x 29 7/8	1500 x 750 x 757	M_-_-UF3060FF	1,665	1,940

Specify the surface type (5, 6). Specify the edge (**N**, 1, 2). Specify the handle code.

Left single pedestal desks



1 pedestal on left with lock. 1 box drawer and 1 file drawer with suspension bars. Pencil tray. Recessed, full-height modesty panel.

W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29 3/8	1800 x 900 x 744	M_N_-F3672S	1,060	1,270
66 x 30 x 29 3/8	1650 x 750 x 744	M_N_-F3066S	960	1,150
60 x 30 x 29 3/8	1500 x 750 x 744	M_N_-F3060S	905	1,085

Specify the surface type (1, 2). Edge **N**. Specify the handle code.


W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29 7/8	1800 x 900 x 757	M_-_-F3672S	1,230	1,480
66 x 30 x 29 7/8	1650 x 750 x 757	M_-_-F3066S	1,130	1,355
60 x 30 x 29 7/8	1500 x 750 x 757	M_-_-F3060S	1,080	1,300

Specify the surface type (5, 6). Specify the edge (**N**, 1, 2). Specify the handle code.



All
Laminate
(\$)
HPL
Surfaces
(\$)

Right single pedestal desks



1 pedestal on right with lock. 1 box drawer and 1 file drawer with suspension bars. Pencil tray. Recessed, full-height modesty panel.


W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
72 x 36 x 29 $\frac{3}{8}$	1800 x 900 x 744	M_N_-S3672F	1,060	1,270
66 x 30 x 29 $\frac{3}{8}$	1650 x 750 x 744	M_N_-S3066F	960	1,150
60 x 30 x 29 $\frac{3}{8}$	1500 x 750 x 744	M_N_-S3060F	905	1,085

Specify the surface type (1, 2). Edge N. Specify the handle code.

72 x 36 x 29 $\frac{7}{8}$	1800 x 900 x 757	M_-_-S3672F	1,230	1,480
66 x 30 x 29 $\frac{7}{8}$	1650 x 750 x 757	M_-_-S3066F	1,130	1,355
60 x 30 x 29 $\frac{7}{8}$	1500 x 750 x 757	M_-_-S3060F	1,080	1,300

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code.

Left single pedestal desks – low profile



1 full-height pedestal with lock on left, 2 box drawers and 1 file drawer with suspension bars. Lock controls file drawer and box drawer above. Pencil tray. Recessed, full-height modesty panel.


72 x 36 x 29 $\frac{3}{8}$	1800 x 900 x 744	M_N_-UF3672S	1,215	1,425
66 x 30 x 29 $\frac{3}{8}$	1650 x 750 x 744	M_N_-UF3066S	1,110	1,305
60 x 30 x 29 $\frac{3}{8}$	1500 x 750 x 744	M_N_-UF3060S	1,060	1,240

Specify the surface type (1, 2). Edge N. Specify the handle code.

72 x 36 x 29 $\frac{7}{8}$	1800 x 900 x 757	M_-_-UF3672S	1,385	1,635
66 x 30 x 29 $\frac{7}{8}$	1650 x 750 x 757	M_-_-UF3066S	1,285	1,510
60 x 30 x 29 $\frac{7}{8}$	1500 x 750 x 757	M_-_-UF3060S	1,235	1,455

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code.

Right single pedestal desks – low profile



1 full-height pedestal with lock on right, 2 box drawers and 1 file drawer with suspension bars. Lock controls file drawer and box drawer above. Pencil tray. Recessed, full-height modesty panel.


72 x 36 x 29 $\frac{3}{8}$	1800 x 900 x 744	M_N_-S3672UF	1,215	1,425
66 x 30 x 29 $\frac{3}{8}$	1650 x 750 x 744	M_N_-S3066UF	1,110	1,305
60 x 30 x 29 $\frac{3}{8}$	1500 x 750 x 744	M_N_-S3060UF	1,060	1,240

Specify the surface type (1, 2). Edge N. Specify the handle code.

72 x 36 x 29 $\frac{7}{8}$	1800 x 900 x 757	M_-_-S3672UF	1,385	1,635
66 x 30 x 29 $\frac{7}{8}$	1650 x 750 x 757	M_-_-S3066UF	1,285	1,510
60 x 30 x 29 $\frac{7}{8}$	1500 x 750 x 757	M_-_-S3060UF	1,235	1,455

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the handle code.

Rectangular desks



Recessed, full-height modesty panel. Can accommodate 1 or 2 pedestals. Pedestals sold separately.


72 x 36 x 29 $\frac{3}{8}$	1800 x 900 x 744	M_NN-TDM3672	700	980
66 x 30 x 29 $\frac{3}{8}$	1650 x 750 x 744	M_NN-TDM3066	620	870
60 x 30 x 29 $\frac{3}{8}$	1500 x 750 x 744	M_NN-TDM3060	595	835

Specify the surface type (1, 2). Edge N.

72 x 36 x 29 $\frac{7}{8}$	1800 x 900 x 757	M_N_-TDM3672	805	1,125
66 x 30 x 29 $\frac{7}{8}$	1650 x 750 x 757	M_N_-TDM3066	725	1,015
60 x 30 x 29 $\frac{7}{8}$	1500 x 750 x 757	M_N_-TDM3060	700	980

Specify the surface type (5, 6). Specify the edge (N, 1, 2).

Left corner desks



Recessed, full-height modesty panel. Can accommodate 1 pedestal. Pedestal sold separately. 1 grommet.


72 x 48 x 29 $\frac{3}{8}$	1800 x 1200 x 744	M_NN-CDM724818	860	1,290
66 x 48 x 29 $\frac{3}{8}$	1650 x 1200 x 744	M_NN-CDM664818	810	1,210

Specify the surface type (1, 2). Edge N.

72 x 48 x 29 $\frac{7}{8}$	1800 x 1200 x 757	M_N_-CDM724818	985	1,475
66 x 48 x 29 $\frac{7}{8}$	1650 x 1200 x 757	M_N_-CDM664818	930	1,395

Specify the surface type (5, 6). Specify the edge (N, 1, 2).

Right corner desks



Recessed, full-height modesty panel. Can accommodate 1 pedestal. Pedestal sold separately. 1 grommet.


72 x 48 x 29 $\frac{3}{8}$	1800 x 1200 x 744	M_NN-CDM184872	860	1,290
66 x 48 x 29 $\frac{3}{8}$	1650 x 1200 x 744	M_NN-CDM184866	810	1,210

Specify the surface type (1, 2). Edge N.

72 x 48 x 29 $\frac{7}{8}$	1800 x 1200 x 757	M_N_-CDM184872	985	1,475
66 x 48 x 29 $\frac{7}{8}$	1650 x 1200 x 757	M_N_-CDM184866	930	1,395

Specify the surface type (5, 6). Specify the edge (N, 1, 2).

Rectangular tables



2 steel legs, silver. 1 grommet.


72 x 36 x 29 $\frac{3}{8}$	1800 x 900 x 744	M_N_-RT3672	690	970
72 x 30 x 29 $\frac{3}{8}$	1800 x 750 x 744	M_N_-RT3072	650	915
66 x 30 x 29 $\frac{3}{8}$	1650 x 750 x 744	M_N_-RT3066	630	885
60 x 30 x 29 $\frac{3}{8}$	1500 x 750 x 744	M_N_-RT3060	615	865

Specify the surface type (1, 2). Edge N. Specify the leg code.

72 x 36 x 29 $\frac{7}{8}$	1800 x 900 x 757	M_-_-RT3672	880	1,230
72 x 30 x 29 $\frac{7}{8}$	1800 x 750 x 757	M_-_-RT3072	840	1,170
66 x 30 x 29 $\frac{7}{8}$	1650 x 750 x 757	M_-_-RT3066	810	1,130
60 x 30 x 29 $\frac{7}{8}$	1500 x 750 x 757	M_-_-RT3060	780	1,095

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Rectangular tables with laminate modesty panel



Reversible half-height laminate modesty panel. 2 steel legs, silver. 1 grommet.

72 x 36 x 29 $\frac{3}{8}$	1800 x 900 x 744	M_N_-RTM3672	725	1,000
72 x 30 x 29 $\frac{3}{8}$	1800 x 750 x 744	M_N_-RTM3072	695	945
66 x 30 x 29 $\frac{3}{8}$	1650 x 750 x 744	M_N_-RTM3066	665	915
60 x 30 x 29 $\frac{3}{8}$	1500 x 750 x 744	M_N_-RTM3060	650	895

Specify the surface type (1, 2). Edge N. Specify the leg code.

72 x 36 x 29 $\frac{7}{8}$	1800 x 900 x 757	M_-_-RTM3672	915	1,265
72 x 30 x 29 $\frac{7}{8}$	1800 x 750 x 757	M_-_-RTM3072	870	1,200
66 x 30 x 29 $\frac{7}{8}$	1650 x 750 x 757	M_-_-RTM3066	840	1,160
60 x 30 x 29 $\frac{7}{8}$	1500 x 750 x 757	M_-_-RTM3060	815	1,130

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Rainbow tables



4 steel legs, silver.


72 x 36 x 29 $\frac{3}{8}$	1800 x 900 x 744	M_N_-RBT3672	855	1,195
66 x 36 x 29 $\frac{3}{8}$	1650 x 900 x 744	M_N_-RBT3666	745	1,045
60 x 30 x 29 $\frac{3}{8}$	1500 x 750 x 744	M_N_-RBT3060	715	970

Specify the surface type (1, 2). Edge N. Specify the leg code.

72 x 36 x 29 $\frac{7}{8}$	1800 x 900 x 757	M_-_-RBT3672	930	1,305
66 x 36 x 29 $\frac{7}{8}$	1650 x 900 x 757	M_-_-RBT3666	900	1,260
60 x 30 x 29 $\frac{7}{8}$	1500 x 750 x 757	M_-_-RBT3060	840	1,135

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Rainbow tables with modesty panel



Half-height laminate modesty panel. 4 steel legs, silver.

72 x 36 x 29 $\frac{3}{8}$	1800 x 900 x 744	M_N_-RBTM3672	1,010	1,350
66 x 36 x 29 $\frac{3}{8}$	1650 x 900 x 744	M_N_-RBTM3666	900	1,200
60 x 30 x 29 $\frac{3}{8}$	1500 x 750 x 744	M_N_-RBTM3060	870	1,125

Specify the surface type (1, 2). Edge N. Specify the leg code.

72 x 36 x 29 $\frac{7}{8}$	1800 x 900 x 757	M_-_-RBTM3672	1,085	1,460
66 x 36 x 29 $\frac{7}{8}$	1650 x 900 x 757	M_-_-RBTM3666	1,055	1,415
60 x 30 x 29 $\frac{7}{8}$	1500 x 750 x 757	M_-_-RBTM3060	995	1,290

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Modesty panel options, change M to:
T Translucent,
add \$250 – X Matrix,
add \$400.
NOT PART OF THE
QUICKSHIP PROGRAM



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left ellipse tables	<i>2 steel legs, silver. 1 grommet.</i>				
	72 x 48 x 29 3/8	1800 x 1200 x 744	M_N_-CT724818	1,035	1,450
	66 x 48 x 29 3/8	1650 x 1200 x 744	M_N_-CT664818	1,010	1,410
	60 x 48 x 29 3/8	1500 x 1200 x 744	M_N_-CT604818	985	1,375

Specify the surface type (1, 2). Edge N. Specify the leg code.

	72 x 48 x 29 3/8	1800 x 1200 x 757	M_-_-CT724818	1,265	1,775
	66 x 48 x 29 3/8	1650 x 1200 x 757	M_-_-CT664818	1,225	1,715
	60 x 48 x 29 3/8	1500 x 1200 x 757	M_-_-CT604818	1,185	1,660

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Right ellipse tables	<i>2 steel legs, silver. 1 grommet.</i>				
	72 x 48 x 29 3/8	1800 x 1200 x 744	M_N_-CT184872	1,035	1,450
	66 x 48 x 29 3/8	1650 x 1200 x 744	M_N_-CT184866	1,010	1,410
	60 x 48 x 29 3/8	1500 x 1200 x 744	M_N_-CT184860	985	1,375

Specify the surface type (1, 2). Edge N. Specify the leg code.

	72 x 48 x 29 3/8	1800 x 1200 x 757	M_-_-CT184872	1,265	1,775
	66 x 48 x 29 3/8	1650 x 1200 x 757	M_-_-CT184866	1,225	1,715
	60 x 48 x 29 3/8	1500 x 1200 x 757	M_-_-CT184860	1,185	1,660

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Left ellipse tables with laminate modesty panel	<i>Half-height laminate modesty panel. 2 steel legs, silver. 1 grommet.</i>				
	72 x 48 x 29 3/8	1800 x 1200 x 744	M_N_-CTM724818	1,085	1,500
	66 x 48 x 29 3/8	1650 x 1200 x 744	M_N_-CTM664818	1,060	1,465
	60 x 48 x 29 3/8	1500 x 1200 x 744	M_N_-CTM604818	1,035	1,425

Specify the surface type (1, 2). Edge N. Specify the leg code.

	72 x 48 x 29 3/8	1800 x 1200 x 757	M_-_-CTM724818	1,320	1,825
	66 x 48 x 29 3/8	1650 x 1200 x 757	M_-_-CTM664818	1,280	1,770
	60 x 48 x 29 3/8	1500 x 1200 x 757	M_-_-CTM604818	1,235	1,710

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Right ellipse tables with laminate modesty panel	<i>Half-height laminate modesty panel. 2 steel legs, silver. 1 grommet.</i>				
	72 x 48 x 29 3/8	1800 x 1200 x 744	M_N_-CTM184872	1,085	1,500
	66 x 48 x 29 3/8	1650 x 1200 x 744	M_N_-CTM184866	1,060	1,465
	60 x 48 x 29 3/8	1500 x 1200 x 744	M_N_-CTM184860	1,035	1,425

Specify the surface type (1, 2). Edge N. Specify the leg code.

	72 x 48 x 29 3/8	1800 x 1200 x 757	M_-_-CTM184872	1,320	1,825
	66 x 48 x 29 3/8	1650 x 1200 x 757	M_-_-CTM184866	1,280	1,770
	60 x 48 x 29 3/8	1500 x 1200 x 757	M_-_-CTM184860	1,235	1,710

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Y-shape tables	<i>2 steel legs, silver. 1 grommet.</i>				
	72 x 42 x 29 3/8	1800 x 1050 x 744	M_N_-YT3672	810	1,135
	66 x 42 x 29 3/8	1650 x 1050 x 744	M_N_-YT3666	785	1,100
	60 x 42 x 29 3/8	1500 x 1050 x 744	M_N_-YT3660	765	1,075

Specify the surface type (1, 2). Edge N. Specify the leg code.

	72 x 42 x 29 3/8	1800 x 1050 x 757	M_-_-YT3672	1,035	1,450
	66 x 42 x 29 3/8	1650 x 1050 x 757	M_-_-YT3666	1,005	1,405
	60 x 42 x 29 3/8	1500 x 1050 x 757	M_-_-YT3660	975	1,365

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Y-shape tables with modesty panel	<i>Reversible. Half-height laminate modesty panel. 2 steel legs, silver. 1 grommet.</i>				
	72 x 42 x 29 3/8	1800 x 1050 x 744	M_N_-YTM3672	850	1,175
	66 x 42 x 29 3/8	1650 x 1050 x 744	M_N_-YTM3666	830	1,145
	60 x 42 x 29 3/8	1500 x 1050 x 744	M_N_-YTM3660	810	1,120

Specify the surface type (1, 2). Edge N. Specify the leg code.



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Y-shape tables with modesty panel (cont'd)	<i>2 steel legs, silver. Reinforcement bar included with 72" long surfaces (1" thick top only).</i>				
	72 x 42 x 29 3/8	1800 x 1050 x 757	M_-_-YTM3672	1,075	1,490
	66 x 42 x 29 3/8	1650 x 1050 x 757	M_-_-YTM3666	1,045	1,450
	60 x 42 x 29 3/8	1500 x 1050 x 757	M_-_-YTM3660	1,015	1,405

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Rectangular surface	<i>2 steel legs, silver. Reinforcement bar included with 72" long surfaces (1" thick top only).</i>				
	72 x 36 x 29 3/8	1800 x 900 x 744	M_N_-RS3672	675	900
	72 x 30 x 29 3/8	1800 x 750 x 744	M_N_-RS3072	575	770
	66 x 30 x 29 3/8	1650 x 750 x 744	M_N_-RS3066	540	735
	60 x 30 x 29 3/8	1500 x 750 x 744	M_N_-RS3060	515	710

Specify the surface type (1, 2). Edge N. Specify the leg code.

	72 x 36 x 29 3/8	1800 x 900 x 757	M_-_-RS3672	725	1,015
	72 x 30 x 29 3/8	1800 x 750 x 757	M_-_-RS3072	675	935
	66 x 30 x 29 3/8	1650 x 750 x 757	M_-_-RS3066	660	920
	60 x 30 x 29 3/8	1500 x 750 x 757	M_-_-RS3060	630	885

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Rectangular surface with modesty panel	<i>Reversible half-height laminate modesty panel. 2 steel legs, silver. Reinforcement bar included with 72" long surfaces (1" thick top only).</i>				
	72 x 36 x 29 3/8	1800 x 900 x 744	M_N_-RSM3672	830	1,055
	72 x 30 x 29 3/8	1800 x 750 x 744	M_N_-RSM3072	730	925
	66 x 30 x 29 3/8	1650 x 750 x 744	M_N_-RSM3066	700	895
	60 x 30 x 29 3/8	1500 x 750 x 744	M_N_-RSM3060	675	870

Specify the surface type (1, 2). Edge N. Specify the leg code.

	72 x 36 x 29 3/8	1800 x 900 x 757	M_-_-RSM3672	880	1,170
	72 x 30 x 29 3/8	1800 x 750 x 757	M_-_-RSM3072	830	1,090
	66 x 30 x 29 3/8	1650 x 750 x 757	M_-_-RSM3066	815	1,075
	60 x 30 x 29 3/8	1500 x 750 x 757	M_-_-RSM3060	785	1,040

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Y-shape surfaces	<i>2 steel legs, silver.</i>				
	72 x 42 x 29 3/8	1800 x 1050 x 744	M_N_-YS3672	700	1,055
	66 x 42 x 29 3/8	1650 x 1050 x 744	M_N_-YS3666	600	845
	60 x 42 x 29 3/8	1500 x 1050 x 744	M_N_-YS3660	580	815

Specify the surface type (1, 2). Edge N. Specify the leg code.

	72 x 42 x 29 3/8	1800 x 1050 x 757	M_-_-YS3672	850	1,190
	66 x 42 x 29 3/8	1650 x 1050 x 757	M_-_-YS3666	820	1,150
	60 x 42 x 29 3/8	1500 x 1050 x 757	M_-_-YS3660	785	1,100

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Y-shape surfaces with modesty panel	<i>Reversible. Half-height laminate modesty panel. 2 steel legs, silver.</i>				
	72 x 42 x 29 3/8	1800 x 1050 x 744	M_N_-YSM3672	855	1,210
	66 x 42 x 29 3/8	1650 x 1050 x 744	M_N_-YSM3666	755	1,000
	60 x 42 x 29 3/8	1500 x 1050 x 744	M_N_-YSM3660	735	970

Specify the surface type (1, 2). Edge N. Specify the leg code.

	72 x 42 x 29 3/8	1800 x 1050 x 757	M_-_-YSM3672	1,005	1,345
	66 x 42 x 29 3/8	1650 x 1050 x 757	M_-_-YSM3666	975	1,305
	60 x 42 x 29 3/8	1500 x 1050 x 757	M_-_-YSM3660	940	1,255

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left boomerang surfaces 	<i>2 steel legs, silver.</i>				
	72 x 42 x 29 3/8	1800 x 1050 x 744	M_N_-BGS3672	 680	1,030
	66 x 42 x 29 3/8	1650 x 1050 x 744	M_N_-BGS3666	 580	815
	60 x 42 x 29 3/8	1500 x 1050 x 744	M_N_-BGS3660	 560	785

Specify the surface type (1, 2). Edge N. Specify the leg code.

72 x 42 x 29 3/8	1800 x 1050 x 757	M_--_-BGS3672	 810	1,135
66 x 42 x 29 3/8	1650 x 1050 x 757	M_--_-BGS3666	 775	1,085
60 x 42 x 29 3/8	1500 x 1050 x 757	M_--_-BGS3660	 745	1,045

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Right boomerang surfaces 	<i>2 steel legs, silver.</i>				
	72 x 42 x 29 3/8	1800 x 1050 x 744	M_N_-3672BGS	 680	1,030
	66 x 42 x 29 3/8	1650 x 1050 x 744	M_N_-3666BGS	 580	815
	60 x 42 x 29 3/8	1500 x 1050 x 744	M_N_-3660BGS	 560	785

Specify the surface type (1, 2). Edge N. Specify the leg code.

72 x 42 x 29 3/8	1800 x 1050 x 757	M_--_-3672BGS	 810	1,135
66 x 42 x 29 3/8	1650 x 1050 x 757	M_--_-3666BGS	 775	1,085
60 x 42 x 29 3/8	1500 x 1050 x 757	M_--_-3660BGS	 745	1,045

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Left boomerang surfaces with modesty panel 	<i>Half-height laminate modesty panel. 2 steel legs, silver.</i>				
	72 x 42 x 29 3/8	1800 x 1050 x 744	M_N_-BGS3672	 835	1,185
	66 x 42 x 29 3/8	1650 x 1050 x 744	M_N_-BGS3666	 735	970
	60 x 42 x 29 3/8	1500 x 1050 x 744	M_N_-BGS3660	 715	940

Specify the surface type (1, 2). Edge N. Specify the leg code.

72 x 42 x 29 3/8	1800 x 1050 x 757	M_--_-BGS3672	 965	1,290
66 x 42 x 29 3/8	1650 x 1050 x 757	M_--_-BGS3666	 930	1,240
60 x 42 x 29 3/8	1500 x 1050 x 757	M_--_-BGS3660	 900	1,200

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Modesty panel options, change M to: T Translucent, add \$250 – X Matrix, add \$400.
NOT PART OF THE QUICKSHIP PROGRAM

Right boomerang surfaces with modesty panel 	<i>Half-height laminate modesty panel. 2 steel legs, silver.</i>				
	72 x 42 x 29 3/8	1800 x 1050 x 744	M_N_-3672BGSM	 835	1,185
	66 x 42 x 29 3/8	1650 x 1050 x 744	M_N_-3666BGSM	 735	970
	60 x 42 x 29 3/8	1500 x 1050 x 744	M_N_-3660BGSM	 715	940

Specify the surface type (1, 2). Edge N. Specify the leg code.

72 x 42 x 29 3/8	1800 x 1050 x 757	M_--_-3672BGSM	 965	1,290
66 x 42 x 29 3/8	1650 x 1050 x 757	M_--_-3666BGSM	 930	1,240
60 x 42 x 29 3/8	1500 x 1050 x 757	M_--_-3660BGSM	 900	1,200

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Modesty panel options, change M to: T Translucent, add \$250 – X Matrix, add \$400.
NOT PART OF THE QUICKSHIP PROGRAM

Left conference extensions 	<i>1 steel leg, silver. 1 grommet.</i>				
	48 x 48 x 29 3/8	1200 x 1200 x 744	M_N_-CE484824	605	735
	48 x 42 x 29 3/8	1200 x 1050 x 744	M_N_-CE424824	590	705
	48 x 36 x 29 3/8	1200 x 900 x 744	M_N_-CE364824	570	685
	42 x 42 x 29 3/8	1050 x 1050 x 744	M_N_-CE424224	565	675
	42 x 36 x 29 3/8	1050 x 900 x 744	M_N_-CE364224	555	650

Specify the surface type (1, 2). Edge N. Specify the leg code.

36 x 36 x 29 3/8	900 x 900 x 744	M_N_-CE363624	535	610
------------------	-----------------	----------------------	------------	------------

Left conference extensions (cont'd)	48 x 48 x 29 3/8	1200 x 1200 x 757	M_--_-CE484824	750	865
	48 x 42 x 29 3/8	1200 x 1050 x 757	M_--_-CE424824	720	820
	48 x 36 x 29 3/8	1200 x 900 x 757	M_--_-CE364824	700	800
	42 x 42 x 29 3/8	1050 x 1050 x 757	M_--_-CE424224	690	775
	42 x 36 x 29 3/8	1050 x 900 x 757	M_--_-CE364224	665	735
	36 x 36 x 29 3/8	900 x 900 x 757	M_--_-CE363624	625	695

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Right conference extensions




<i>1 steel leg, silver. 1 grommet.</i>					
48 x 48 x 29 3/8	1200 x 1200 x 744	M_N_-CE244848	605	735	
48 x 42 x 29 3/8	1200 x 1050 x 744	M_N_-CE244842	590	705	
48 x 36 x 29 3/8	1200 x 900 x 744	M_N_-CE244836	570	685	
42 x 42 x 29 3/8	1050 x 1050 x 744	M_N_-CE244242	565	675	
42 x 36 x 29 3/8	1050 x 900 x 744	M_N_-CE244236	555	650	
36 x 36 x 29 3/8	900 x 900 x 744	M_N_-CE243636	535	610	

Specify the surface type (1, 2). Edge N. Specify the leg code.

48 x 48 x 29 3/8	1200 x 1200 x 757	M_--_-CE244848	750	865
48 x 42 x 29 3/8	1200 x 1050 x 757	M_--_-CE244842	720	820
48 x 36 x 29 3/8	1200 x 900 x 757	M_--_-CE244836	700	800
42 x 42 x 29 3/8	1050 x 1050 x 757	M_--_-CE244242	690	775
42 x 36 x 29 3/8	1050 x 900 x 757	M_--_-CE244236	665	735
36 x 36 x 29 3/8	900 x 900 x 757	M_--_-CE243636	625	695

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify the leg code.

Corner modules



Full-height modesty panel. 1 grommet.


48 x 48 x 29 3/8	1200 x 1200 x 744	M_NN-CM4824S_	720	1,010
42 x 42 x 29 3/8	1050 x 1050 x 744	M_NN-CM4224S_	630	885
36 x 36 x 29 3/8	900 x 900 x 744	M_NN-CM3618SC	615	865

Specify the surface type (1, 2). Edge N. Specify panel leg (B, C).
Diagonal wood grain: change S to D, add 10% to the price.

48 x 48 x 29 3/8	1200 x 1200 x 757	M_--_N-CM4824S_	875	1,225
42 x 42 x 29 3/8	1050 x 1050 x 757	M_--_N-CM4224S_	790	1,110
36 x 36 x 29 3/8	900 x 900 x 757	M_--_N-CM3618SC	725	1,015

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify panel leg (B, C). Diagonal wood grain: change S to D, add 10% to the price.

Left extended corner modules – 24"D





Full-height modesty panel. 1 grommet.

Straight line segment on curved surface:					
Surface	R1	R2			
72"/48"	28 3/8"	5 1/4"			
66"/48"	23"	5 1/4"			
60"/48"	17 1/16"	5 1/4"			
72"/42"	28 3/8"	0"			
66"/42"	23"	0"			
60"/42"	17 1/16"	0"			
72"/36"	17 1/16"	0"			
66"/36"	23 3/8"	0"			
60"/36"	18"	0"			

72 x 48 x 29 3/8	1800 x 1200 x 744	M_NN-CM724824_	995	1,390
66 x 48 x 29 3/8	1650 x 1200 x 744	M_NN-CM664824_	940	1,320
60 x 48 x 29 3/8	1500 x 1200 x 744	M_NN-CM604824_	890	1,245
72 x 42 x 29 3/8	1800 x 1050 x 744	M_NN-CM724224_	940	1,320
66 x 42 x 29 3/8	1650 x 1050 x 744	M_NN-CM664224_	890	1,245
60 x 42 x 29 3/8	1500 x 1050 x 744	M_NN-CM604224_	840	1,175
72 x 36 x 29 3/8	1800 x 900 x 744	M_NN-CM723624_	890	1,245
66 x 36 x 29 3/8	1650 x 900 x 744	M_NN-CM663624_	800	1,120



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left extended corner modules – 24"D (cont'd)	60 x 36 x 29 ³ / ₈	1500 x 900 x 744	M_NN-CM603624_	745	1,045
	Specify the surface type (1, 2). Edge N. Specify panel leg (A, B, C).				
	72 x 48 x 29 ³ / ₈	1800 x 1200 x 757	M_N-CM724824_	1,150	1,610
	66 x 48 x 29 ³ / ₈	1650 x 1200 x 757	M_N-CM664824_	1,095	1,535
	60 x 48 x 29 ³ / ₈	1500 x 1200 x 757	M_N-CM604824_	1,045	1,465
	72 x 42 x 29 ³ / ₈	1800 x 1050 x 757	M_N-CM724224_	1,095	1,535
	66 x 42 x 29 ³ / ₈	1650 x 1050 x 757	M_N-CM664224_	1,045	1,465
	60 x 42 x 29 ³ / ₈	1500 x 1050 x 757	M_N-CM604224_	995	1,390
	72 x 36 x 29 ³ / ₈	1800 x 900 x 757	M_N-CM723624_	965	1,350
	66 x 36 x 29 ³ / ₈	1650 x 900 x 757	M_N-CM663624_	910	1,280
	60 x 36 x 29 ³ / ₈	1500 x 900 x 757	M_N-CM603624_	855	1,195
Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify panel leg (A, B, C).					

Right extended corner modules – 24"D

Full-height modesty panel. 1 grommet.



Straight line segment on curved surface:

Surface	R1	R2
72"/48"	28 ¹ / ₈ "	5 ¹ / ₄ "
66"/48"	23"	5 ¹ / ₄ "
60"/48"	17 ¹ / ₁₆ "	5 ¹ / ₄ "
72"/42"	28 ¹ / ₈ "	0"
66"/42"	23"	0"
60"/42"	17 ¹ / ₁₆ "	0"
72"/36"	17 ¹ / ₁₆ "	0"
66"/36"	23 ¹ / ₈ "	0"
60"/36"	18"	0"

72 x 48 x 29 ³ / ₈	1800 x 1200 x 744	M_NN-CM487224_	995	1,390
66 x 48 x 29 ³ / ₈	1650 x 1200 x 744	M_NN-CM486624_	940	1,320
60 x 48 x 29 ³ / ₈	1500 x 1200 x 744	M_NN-CM486024_	890	1,245
72 x 42 x 29 ³ / ₈	1800 x 1050 x 744	M_NN-CM427224_	940	1,320
66 x 42 x 29 ³ / ₈	1650 x 1050 x 744	M_NN-CM426624_	890	1,245
60 x 42 x 29 ³ / ₈	1500 x 1050 x 744	M_NN-CM426024_	840	1,175
72 x 36 x 29 ³ / ₈	1800 x 900 x 744	M_NN-CM367224_	890	1,245
66 x 36 x 29 ³ / ₈	1650 x 900 x 744	M_NN-CM366624_	800	1,120
60 x 36 x 29 ³ / ₈	1500 x 900 x 744	M_NN-CM366024_	745	1,045

Specify the surface type (1, 2). Edge N. Specify panel leg (A, B, C).


72 x 48 x 29 ³ / ₈	1800 x 1200 x 757	M_N-CM487224_	1,150	1,610
66 x 48 x 29 ³ / ₈	1650 x 1200 x 757	M_N-CM486624_	1,095	1,535
60 x 48 x 29 ³ / ₈	1500 x 1200 x 757	M_N-CM486024_	1,045	1,465
72 x 42 x 29 ³ / ₈	1800 x 1050 x 757	M_N-CM427224_	1,095	1,535
66 x 42 x 29 ³ / ₈	1650 x 1050 x 757	M_N-CM426624_	1,045	1,465
60 x 42 x 29 ³ / ₈	1500 x 1050 x 757	M_N-CM426024_	995	1,390
72 x 36 x 29 ³ / ₈	1800 x 900 x 757	M_N-CM367224_	965	1,350
66 x 36 x 29 ³ / ₈	1650 x 900 x 757	M_N-CM366624_	910	1,280
60 x 36 x 29 ³ / ₈	1500 x 900 x 757	M_N-CM366024_	855	1,195

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify panel leg (A, B, C).
Rectangular tables – 30"D

Full-height modesty panel. 1 grommet. Pedestal sold separately.

72 x 30 x 29 ³ / ₈	1800 x 750 x 744	M_NN-DT3072_	670	935
66 x 30 x 29 ³ / ₈	1650 x 750 x 744	M_NN-DT3066_	650	905
60 x 30 x 29 ³ / ₈	1500 x 750 x 744	M_NN-DT3060_	615	865
54 x 30 x 29 ³ / ₈	1350 x 750 x 744	M_NN-DT3054_	590	830
48 x 30 x 29 ³ / ₈	1200 x 750 x 744	M_NN-DT3048_	560	675
42 x 30 x 29 ³ / ₈	1050 x 750 x 744	M_NN-DT3042_	535	645
36 x 30 x 29 ³ / ₈	900 x 750 x 744	M_NN-DT3036_	505	605
30 x 30 x 29 ³ / ₈	750 x 750 x 744	M_NN-DT3030_	475	575
24 x 30 x 29 ³ / ₈	600 x 750 x 744	M_NN-DT3024_	445	540

Specify the surface type (1, 2). Edge N. Specify panel leg (A, B, C).



			All Laminate (\$)	HPL Surfaces (\$)
W x D x H (")	W x D x H (mm)	Code		
72 x 30 x 29 ³ / ₈	1800 x 750 x 757	M_N-DT3072_	780	1,095
66 x 30 x 29 ³ / ₈	1650 x 750 x 757	M_N-DT3066_	755	1,060
60 x 30 x 29 ³ / ₈	1500 x 750 x 757	M_N-DT3060_	725	1,015
54 x 30 x 29 ³ / ₈	1350 x 750 x 757	M_N-DT3054_	700	980
48 x 30 x 29 ³ / ₈	1200 x 750 x 757	M_N-DT3048_	650	775
42 x 30 x 29 ³ / ₈	1050 x 750 x 757	M_N-DT3042_	615	740
36 x 30 x 29 ³ / ₈	900 x 750 x 757	M_N-DT3036_	590	710
30 x 30 x 29 ³ / ₈	750 x 750 x 757	M_N-DT3030_	560	675
24 x 30 x 29 ³ / ₈	600 x 750 x 757	M_N-DT3024_	535	645

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify panel leg (A, B, C).
Rectangular tables – 24"D

Full-height modesty panel. 1 grommet. Pedestal sold separately.

72 x 24 x 29 ³ / ₈	1800 x 600 x 744	M_NN-DT2472_	650	905
66 x 24 x 29 ³ / ₈	1650 x 600 x 744	M_NN-DT2466_	615	865
60 x 24 x 29 ³ / ₈	1500 x 600 x 744	M_NN-DT2460_	590	830
54 x 24 x 29 ³ / ₈	1350 x 600 x 744	M_NN-DT2454_	560	785
48 x 24 x 29 ³ / ₈	1200 x 600 x 744	M_NN-DT2448_	535	645
42 x 24 x 29 ³ / ₈	1050 x 600 x 744	M_NN-DT2442_	505	605
36 x 24 x 29 ³ / ₈	900 x 600 x 744	M_NN-DT2436_	475	575
30 x 24 x 29 ³ / ₈	750 x 600 x 744	M_NN-DT2430_	445	540
24 x 24 x 29 ³ / ₈	600 x 600 x 744	M_NN-DT2424_	425	515

Specify the surface type (1, 2). Edge N. Specify panel leg (A, B, C).

72 x 24 x 29 ³ / ₈	1800 x 600 x 757	M_N-DT2472_	725	1,015
66 x 24 x 29 ³ / ₈	1650 x 600 x 757	M_N-DT2466_	700	980
60 x 24 x 29 ³ / ₈	1500 x 600 x 757	M_N-DT2460_	670	935
54 x 24 x 29 ³ / ₈	1350 x 600 x 757	M_N-DT2454_	650	905
48 x 24 x 29 ³ / ₈	1200 x 600 x 757	M_N-DT2448_	590	710
42 x 24 x 29 ³ / ₈	1050 x 600 x 757	M_N-DT2442_	560	675
36 x 24 x 29 ³ / ₈	900 x 600 x 757	M_N-DT2436_	535	645
30 x 24 x 29 ³ / ₈	750 x 600 x 757	M_N-DT2430_	505	605
24 x 24 x 29 ³ / ₈	600 x 600 x 757	M_N-DT2424_	475	575

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify panel leg (A, B, C).
Left asymmetrical tables – 30"D

Full-height modesty panel. 1 grommet. Pedestal sold separately.

Straight line segment on curved surface:

Surface	R1
54"/30"	35 ³ / ₈ "
48"/30"	29 ¹ / ₂ "
42"/30"	23 ³ / ₈ "
36"/30"	17 ¹ / ₁₆ "
30"/30"	11 ³ / ₄ "

54 x 30 x 29 ³ / ₈	1350 x 750 x 744	M_NN-AT245430_	575	810
48 x 30 x 29 ³ / ₈	1200 x 750 x 744	M_NN-AT244830_	550	665
42 x 30 x 29 ³ / ₈	1050 x 750 x 744	M_NN-AT244230_	525	630
36 x 30 x 29 ³ / ₈	900 x 750 x 744	M_NN-AT243630_	500	600
30 x 30 x 29 ³ / ₈	750 x 750 x 744	M_NN-AT243030_	470	570

Specify the surface type (1, 2). Edge N. Specify panel leg (B, C).


54 x 30 x 29 ³ / ₈	1350 x 750 x 757	M_N-AT245430_	680	950
48 x 30 x 29 ³ / ₈	1200 x 750 x 757	M_N-AT244830_	620	745
42 x 30 x 29 ³ / ₈	1050 x 750 x 757	M_N-AT244230_	600	725
36 x 30 x 29 ³ / ₈	900 x 750 x 757	M_N-AT243630_	575	695
30 x 30 x 29 ³ / ₈	750 x 750 x 757	M_N-AT243030_	550	665

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify panel leg (B, C).




	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right asymmetrical tables – 30"D 	Full-height modesty panel. 1 grommet. Pedestal sold separately. Straight line segment on curved surface: Surface R1 54"/30" 35 3/8" 48"/30" 29 1/2" 42"/30" 23 3/8" 36"/30" 17 11/16" 30"/30" 11 3/4"				
	54 x 30 x 29 3/8	1350 x 750 x 744	M_NN-AT305424	575	810
	48 x 30 x 29 3/8	1200 x 750 x 744	M_NN-AT304824	550	665
	42 x 30 x 29 3/8	1050 x 750 x 744	M_NN-AT304224	525	630
	36 x 30 x 29 3/8	900 x 750 x 744	M_NN-AT303624	500	600
	30 x 30 x 29 3/8	750 x 750 x 744	M_NN-AT303024	470	570
	Specify the surface type (1, 2). Edge N. Specify panel leg (B, C).				
	54 x 30 x 29 3/8	1350 x 750 x 757	M_N-AT305424	680	950
	48 x 30 x 29 3/8	1200 x 750 x 757	M_N-AT304824	620	745
	42 x 30 x 29 3/8	1050 x 750 x 757	M_N-AT304224	600	725
Left asymmetrical tables – 24"D 	Full-height modesty panel. 1 grommet. Pedestal sold separately. Straight line segment on curved surface: Surface R1 54"/24" 35 3/8" 48"/24" 29 1/2" 42"/24" 23 3/8" 36"/24" 17 11/16" 30"/24" 11 3/4"				
	54 x 24 x 29 3/8	1350 x 600 x 744	M_NN-AT185424	550	770
	48 x 24 x 29 3/8	1200 x 600 x 744	M_NN-AT184824	525	630
	42 x 24 x 29 3/8	1050 x 600 x 744	M_NN-AT184224	500	600
	36 x 24 x 29 3/8	900 x 600 x 744	M_NN-AT183624	470	570
	30 x 24 x 29 3/8	750 x 600 x 744	M_NN-AT183024	445	540
	Specify the surface type (1, 2). Edge N. Specify panel leg (B, C).				
	54 x 24 x 29 3/8	1350 x 600 x 757	M_N-AT185424	655	915
	48 x 24 x 29 3/8	1200 x 600 x 757	M_N-AT184824	600	725
	42 x 24 x 29 3/8	1050 x 600 x 757	M_N-AT184224	575	695
Right asymmetrical tables – 24"D 	Full-height modesty panel. 1 grommet. Pedestal sold separately. Straight line segment on curved surface: Surface R1 54"/24" 35 3/8" 48"/24" 29 1/2" 42"/24" 23 3/8" 36"/24" 17 11/16" 30"/24" 11 3/4"				
	54 x 24 x 29 3/8	1350 x 600 x 744	M_NN-AT245418	550	770
	48 x 24 x 29 3/8	1200 x 600 x 744	M_NN-AT244818	525	630
	42 x 24 x 29 3/8	1050 x 600 x 744	M_NN-AT244218	500	600
	36 x 24 x 29 3/8	900 x 600 x 744	M_NN-AT243618	470	570
	30 x 24 x 29 3/8	750 x 600 x 744	M_NN-AT243018	445	540
	Specify the surface type (1, 2). Edge N. Specify panel leg (B, C).				
	54 x 24 x 29 3/8	1350 x 600 x 757	M_N-AT245418	655	915
	48 x 24 x 29 3/8	1200 x 600 x 757	M_N-AT244818	600	725
	42 x 24 x 29 3/8	1050 x 600 x 757	M_N-AT244218	575	695


	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right asymmetrical tables – 24"D (cont'd)	36 x 24 x 29 3/8	900 x 600 x 757	M_N-AT243618	550	665
	30 x 24 x 29 3/8	750 x 600 x 757	M_N-AT243018	525	630
Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify panel leg (B, C).					

Left lateral file credenzas



2 lateral file drawers on left with suspension bars. Grommet on back. Lock.					
72 x 24 x 29 3/8	1800 x 600 x 744	M_N-LF2472S	1,285	1,540	
60 x 24 x 29 3/8	1500 x 600 x 744	M_N-LF2460S	1,170	1,405	
72 x 20 x 29 3/8	1800 x 500 x 744	M_N-LF2072S	1,170	1,405	
60 x 20 x 29 3/8	1500 x 500 x 744	M_N-LF2060S	1,080	1,300	
Specify the surface type (1, 2). Edge N. Specify handle code.					
72 x 24 x 29 3/8	1800 x 600 x 757	M_-LF2472S	1,450	1,735	
60 x 24 x 29 3/8	1500 x 600 x 757	M_-LF2460S	1,335	1,605	
72 x 20 x 29 3/8	1800 x 500 x 757	M_-LF2072S	1,335	1,605	
60 x 20 x 29 3/8	1500 x 500 x 757	M_-LF2060S	1,245	1,500	
Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.					

Right lateral file credenzas



2 lateral file drawers on right with suspension bars. Grommet on back. Lock.					
72 x 24 x 29 3/8	1800 x 600 x 744	M_N-S2472LF	1,285	1,540	
60 x 24 x 29 3/8	1500 x 600 x 744	M_N-S2460LF	1,170	1,405	
72 x 20 x 29 3/8	1800 x 500 x 744	M_N-S2072LF	1,170	1,405	
60 x 20 x 29 3/8	1500 x 500 x 744	M_N-S2060LF	1,080	1,300	
Specify the surface type (1, 2). Edge N. Specify handle code.					
72 x 24 x 29 3/8	1800 x 600 x 757	M_-S2472LF	1,450	1,735	
60 x 24 x 29 3/8	1500 x 600 x 757	M_-S2460LF	1,335	1,605	
72 x 20 x 29 3/8	1800 x 500 x 757	M_-S2072LF	1,335	1,605	
60 x 20 x 29 3/8	1500 x 500 x 757	M_-S2060LF	1,245	1,500	
Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.					

Left single pedestal credenzas


1 pedestal on left with lock. 1 box drawer and 1 file drawer. Pencil tray. Grommet on back.					
72 x 24 x 29 3/8	1800 x 600 x 744	M_N-F2472S	945	1,140	
60 x 24 x 29 3/8	1500 x 600 x 744	M_N-F2460S	900	1,080	
72 x 20 x 29 3/8	1800 x 500 x 744	M_N-F2072S	925	1,110	
60 x 20 x 29 3/8	1500 x 500 x 744	M_N-F2060S	885	1,065	
Specify the surface type (1, 2). Edge N. Specify handle code.					
72 x 24 x 29 3/8	1800 x 600 x 757	M_-F2472S	1,090	1,315	
60 x 24 x 29 3/8	1500 x 600 x 757	M_-F2460S	1,045	1,255	
72 x 20 x 29 3/8	1800 x 500 x 757	M_-F2072S	1,065	1,285	
60 x 20 x 29 3/8	1500 x 500 x 757	M_-F2060S	1,020	1,225	
Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.					

Right single pedestal credenzas


1 pedestal on right with lock. 1 box drawer and 1 file drawer. Pencil tray. Grommet on back.					
72 x 24 x 29 3/8	1800 x 600 x 744	M_N-S2472F	945	1,140	
60 x 24 x 29 3/8	1500 x 600 x 744	M_N-S2460F	900	1,080	
72 x 20 x 29 3/8	1800 x 500 x 744	M_N-S2072F	925	1,110	
60 x 20 x 29 3/8	1500 x 500 x 744	M_N-S2060F	885	1,065	
Specify the surface type (1, 2). Edge N. Specify handle code.					
72 x 24 x 29 3/8	1800 x 600 x 757	M_-S2472F	1,090	1,315	
60 x 24 x 29 3/8	1500 x 600 x 757	M_-S2460F	1,045	1,255	
72 x 20 x 29 3/8	1800 x 500 x 757	M_-S2072F	1,065	1,285	
60 x 20 x 29 3/8	1500 x 500 x 757	M_-S2060F	1,020	1,225	
Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.					


All
Laminate
(\$)
HPL
Surfaces
(\$)**Left single pedestal credenzas – low profile***1 pedestal on left with lock. 2 box drawers and 1 file drawer. Lock controls file drawer and box drawer above. Pencil tray. Grommet on back.*

72 x 24 x 29 ³ / ₈	1800 x 600 x 744	M_N_-UF2472S	1,100	1,295
60 x 24 x 29 ³ / ₈	1500 x 600 x 744	M_N_-UF2460S	1,055	1,235
72 x 20 x 29 ³ / ₈	1800 x 500 x 744	M_N_-UF2072S	1,080	1,265
60 x 20 x 29 ³ / ₈	1500 x 500 x 744	M_N_-UF2060S	1,040	1,220

Specify the surface type (1, 2). Edge N. Specify handle code.

72 x 24 x 29 ⁷ / ₈	1800 x 600 x 757	M_-_-UF2472S	1,245	1,470
60 x 24 x 29 ⁷ / ₈	1500 x 600 x 757	M_-_-UF2460S	1,200	1,410
72 x 20 x 29 ⁷ / ₈	1800 x 500 x 757	M_-_-UF2072S	1,220	1,440
60 x 20 x 29 ⁷ / ₈	1500 x 500 x 757	M_-_-UF2060S	1,175	1,380

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.


Right single pedestal credenzas – low profile*1 pedestal on right with lock. 2 box drawers and 1 file drawer. Lock controls file drawer and box drawer above. Pencil tray. Grommet on back.*

72 x 24 x 29 ³ / ₈	1800 x 600 x 744	M_N_-S2472UF	1,100	1,295
60 x 24 x 29 ³ / ₈	1500 x 600 x 744	M_N_-S2460UF	1,055	1,235
72 x 20 x 29 ³ / ₈	1800 x 500 x 744	M_N_-S2072UF	1,080	1,265
60 x 20 x 29 ³ / ₈	1500 x 500 x 744	M_N_-S2060UF	1,040	1,220

Specify the surface type (1, 2). Edge N. Specify handle code.

72 x 24 x 29 ⁷ / ₈	1800 x 600 x 757	M_-_-S2472UF	1,245	1,470
60 x 24 x 29 ⁷ / ₈	1500 x 600 x 757	M_-_-S2460UF	1,200	1,410
72 x 20 x 29 ⁷ / ₈	1800 x 500 x 757	M_-_-S2072UF	1,220	1,440
60 x 20 x 29 ⁷ / ₈	1500 x 500 x 757	M_-_-S2060UF	1,175	1,380

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.


Lateral file credenza with open storage*Open space on top and 2 lateral file drawers on bottom. Lock. Grommet on back. Optional counterweights to meet BIFMA standards, refer to page 81.*

72 x 24 x 29 ³ / ₈	1800 x 600 x 744	M_N_-SLF2472	1,255	1,510
60 x 24 x 29 ³ / ₈	1500 x 600 x 744	M_N_-SLF2460	1,145	1,375
72 x 20 x 29 ³ / ₈	1800 x 500 x 744	M_N_-SLF2072	1,145	1,375
60 x 20 x 29 ³ / ₈	1500 x 500 x 744	M_N_-SLF2060	1,015	1,200

Specify the surface type (1, 2). Edge N. Specify handle code.

72 x 24 x 29 ⁷ / ₈	1800 x 600 x 757	M_-_-SLF2472	1,420	1,705
60 x 24 x 29 ⁷ / ₈	1500 x 600 x 757	M_-_-SLF2460	1,315	1,575
72 x 20 x 29 ⁷ / ₈	1800 x 500 x 757	M_-_-SLF2072	1,315	1,575
60 x 20 x 29 ⁷ / ₈	1500 x 500 x 757	M_-_-SLF2060	1,200	1,400

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.


Lateral file credenzas*4 lateral file drawers with suspension bars. Locks. Optional counterweights to meet BIFMA standards, refer to page 81.*

72 x 24 x 29 ³ / ₈	1800 x 600 x 744	M_N_-LF2472LF	1,670	2,005
72 x 20 x 29 ³ / ₈	1800 x 500 x 744	M_N_-LF2072LF	1,555	1,870

Specify the surface type (1, 2). Edge N. Specify handle code.

72 x 24 x 29 ⁷ / ₈	1800 x 600 x 757	M_-_-LF2472LF	1,835	2,200
72 x 20 x 29 ⁷ / ₈	1800 x 500 x 757	M_-_-LF2072LF	1,725	2,075

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.


Lateral file / bookcase credenzas*2 lateral file drawers with suspension bars. Bookcase unit with doors and adjustable shelf. Locks.*

72 x 24 x 29 ³ / ₈	1800 x 600 x 744	M_N_-LF2472B	1,505	1,810
72 x 20 x 29 ³ / ₈	1800 x 500 x 744	M_N_-LF2072B	1,390	1,670

Specify the surface type (1, 2). Edge N. Specify handle code.

72 x 24 x 29 ⁷ / ₈	1800 x 600 x 757	M_-_-LF2472B	1,670	2,005
72 x 20 x 29 ⁷ / ₈	1800 x 500 x 757	M_-_-LF2072B	1,555	1,870

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.


Bookcase credenzas*Storage unit with doors and adjustable shelves. Locks.*

72 x 24 x 29 ³ / ₈	1800 x 600 x 744	M_N_-B2472B	1,350	1,625
72 x 20 x 29 ³ / ₈	1800 x 500 x 744	M_N_-B2072B	1,240	1,490

Specify the surface type (1, 2). Edge N. Specify handle code.

72 x 24 x 29 ⁷ / ₈	1800 x 600 x 757	M_-_-B2472B	1,520	1,825
72 x 20 x 29 ⁷ / ₈	1800 x 500 x 757	M_-_-B2072B	1,405	1,690

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.


Return shells*Reversible. 1 grommet. Can accommodate 1 pedestal. Pedestal sold separately.*

48 x 24 x 29 ³ / ₈	1200 x 600 x 744	M_NN-R2448S	440	530
42 x 24 x 29 ³ / ₈	1050 x 600 x 744	M_NN-R2442S	425	515
36 x 24 x 29 ³ / ₈	900 x 600 x 744	M_NN-R2436S	405	490
30 x 24 x 29 ³ / ₈	750 x 600 x 744	M_NN-R2430S	390	465

Specify the surface type (1, 2). Edge N.

48 x 24 x 29 ⁷ / ₈	1200 x 600 x 757	M_NN-R2448S	565	680
42 x 24 x 29 ⁷ / ₈	1050 x 600 x 757	M_NN-R2442S	540	650
36 x 24 x 29 ⁷ / ₈	900 x 600 x 757	M_NN-R2436S	505	605
30 x 24 x 29 ⁷ / ₈	750 x 600 x 757	M_NN-R2430S	475	575

Specify the surface type (5, 6). Specify the edge (N, 1, 2).


Left executive returns*1 pedestal on left with lock. 1 box drawer and 1 file drawer. Pencil tray. 1 grommet.*

48 x 24 x 29 ³ / ₈	1200 x 600 x 744	M_N_-F2448R	775	930
42 x 24 x 29 ³ / ₈	1050 x 600 x 744	M_N_-F2442R	730	880
36 x 24 x 29 ³ / ₈	900 x 600 x 744	M_N_-F2436R	690	830
30 x 24 x 29 ³ / ₈	750 x 600 x 744	M_N_-F2430R	650	775

Specify the surface type (1, 2). Edge N. Specify handle code.

48 x 24 x 29 ⁷ / ₈	1200 x 600 x 757	M_-_-F2448R	875	1,050
42 x 24 x 29 ⁷ / ₈	1050 x 600 x 757	M_-_-F2442R	830	995
36 x 24 x 29 ⁷ / ₈	900 x 600 x 757	M_-_-F2436R	785	945
30 x 24 x 29 ⁷ / ₈	750 x 600 x 757	M_-_-F2430R	745	895

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.

Right executive returns*1 pedestal on right with lock. 1 box drawer and 1 file drawer. Pencil tray. 1 grommet.*

48 x 24 x 29 ³ / ₈	1200 x 600 x 744	M_N_-R2448F	775	930
42 x 24 x 29 ³ / ₈	1050 x 600 x 744	M_N_-R2442F	730	880
36 x 24 x 29 ³ / ₈	900 x 600 x 744	M_N_-R2436F	690	830
30 x 24 x 29 ³ / ₈	750 x 600 x 744	M_N_-R2430F	650	775

Specify the surface type (1, 2). Edge N. Specify handle code.

48 x 24 x 29 ⁷ / ₈	1200 x 600 x 757	M_-_-R2448F	875	1,050
42 x 24 x 29 ⁷ / ₈	1050 x 600 x 757	M_-_-R2442F	830	995
36 x 24 x 29 ⁷ / ₈	900 x 600 x 757	M_-_-R2436F	785	945
30 x 24 x 29 ⁷ / ₈	750 x 600 x 757	M_-_-R2430F	745	895

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.


Left executive returns – low profile*1 full-height pedestal on left with lock, 2 box drawers and 1 file drawer. Lock controls file drawer and box drawer above. Pencil tray. 1 grommet.*

48 x 24 x 29 ³ / ₈	1200 x 600 x 744	M_N_-UF2448R	930	1,085
42 x 24 x 29 ³ / ₈	1050 x 600 x 744	M_N_-UF2442R	885	1,035
36 x 24 x 29 ³ / ₈	900 x 600 x 744	M_N_-UF2436R	845	985
30 x 24 x 29 ³ / ₈	750 x 600 x 744	M_N_-UF2430R	805	930

Specify the surface type (1, 2). Edge N. Specify handle code.



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left executive returns — low profile (cont'd)	48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 757	M___-UF2448R	1,030	1,205
	42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 757	M___-UF2442R	985	1,150
	36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 757	M___-UF2436R	940	1,100
	30 x 24 x 29 $\frac{3}{8}$	750 x 600 x 757	M___-UF2430R	900	1,050
Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.					

**Right executive
returns — low profile**


1 full-height pedestal on right with lock, 2 box drawers and 1 file drawer. Lock controls file drawer and box drawer above. Pencil tray. 1 grommet.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 744	M_N_-R2448UF	930	1,085
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 744	M_N_-R2442UF	885	1,035
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 744	M_N_-R2436UF	845	985
30 x 24 x 29 $\frac{3}{8}$	750 x 600 x 744	M_N_-R2430UF	805	930

Specify the surface type (1, 2). Edge N. Specify handle code.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 757	M___-R2448UF	1,030	1,205
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 757	M___-R2442UF	985	1,150
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 757	M___-R2436UF	940	1,100
30 x 24 x 29 $\frac{3}{8}$	750 x 600 x 757	M___-R2430UF	900	1,050

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.

**Left asymmetrical
return shells**


Can accommodate 1 pedestal. Pedestal sold separately. 1 grommet.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 744	M_NN-S244818R	460	550
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 744	M_NN-S244218R	445	535
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 744	M_NN-S243618R	425	510

Specify the surface type (1, 2). Edge N.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 757	M_N-S244818R	585	700
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 757	M_N-S244218R	560	670
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 757	M_N-S243618R	525	625

Specify the surface type (5, 6). Specify the edge (N, 1, 2).

**Right asymmetrical
return shells**



Can accommodate 1 pedestal. Pedestal sold separately. 1 grommet.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 744	M_NN-R184824S	460	550
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 744	M_NN-R184224S	445	535
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 744	M_NN-R183624S	425	510

Specify the surface type (1, 2). Edge N.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 757	M_N-R184824S	585	700
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 757	M_N-R184224S	560	670
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 757	M_N-R183624S	525	625

Specify the surface type (5, 6). Specify the edge (N, 1, 2).

**Left asymmetrical
executive returns**


1 pedestal on left with lock. 1 box drawer and 1 file drawer. Pencil tray. 1 grommet.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 744	M_N_-F244818R	800	950
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 744	M_N_-F244218R	750	900
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 744	M_N_-F243618R	710	850

Specify the surface type (1, 2). Edge N. Specify handle code.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 757	M___-F244818R	895	1,070
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 757	M___-F244218R	850	1,015
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 757	M___-F243618R	810	970

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.

**Right asymmetrical
executive returns**


1 pedestal on right with lock. 1 box drawer and 1 file drawer. Pencil tray. 1 grommet.


48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 744	M_N_-R184824F	800	950
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 744	M_N_-R184224F	750	900
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 744	M_N_-R183624F	710	850

Specify the surface type (1, 2). Edge N. Specify handle code.

**Right asymmetrical
executive returns
(cont'd)**

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 757	M___-R184824F	895	1,070
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 757	M___-R184224F	850	1,015
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 757	M___-R183624F	810	970

Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.

Bridge-returns



Full-height modesty panel. Grommet.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 744	M_NN-BR2448	380	455
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 744	M_NN-BR2442	355	425
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 744	M_NN-BR2436	335	400
48 x 18 x 29 $\frac{3}{8}$	1200 x 450 x 744	M_NN-BR1848	295	360
42 x 18 x 29 $\frac{3}{8}$	1050 x 450 x 744	M_NN-BR1842	280	340
36 x 18 x 29 $\frac{3}{8}$	900 x 450 x 744	M_NN-BR1836	265	325

Specify the surface type (1, 2). Edge N. Specify handle code.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 757	M_NN-BR2448	460	555
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 757	M_NN-BR2442	440	530
36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 757	M_NN-BR2436	420	510
48 x 18 x 29 $\frac{3}{8}$	1200 x 450 x 757	M_N-BR1848	350	420
42 x 18 x 29 $\frac{3}{8}$	1050 x 450 x 757	M_N-BR1842	335	400
36 x 18 x 29 $\frac{3}{8}$	900 x 450 x 757	M_N-BR1836	315	385

Specify the surface type (5, 6). Specify the edge (N, 1, 2).

**Left asymmetrical
bridge-returns**



Full-height modesty panel. Grommet.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 744	M_NN-BR244818	430	520
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 744	M_NN-BR244218	405	490

Specify the surface type (1, 2). Edge N.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 757	M_N-BR244818	515	615
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 757	M_N-BR244218	495	585

Specify the surface type (5, 6). Specify the edge (N, 1, 2).

**Right asymmetrical
bridge-returns**



Full-height modesty panel. Grommet.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 744	M_NN-BR184824	430	520
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 744	M_NN-BR184224	405	490


Specify the surface type (1, 2). Edge N.

48 x 24 x 29 $\frac{3}{8}$	1200 x 600 x 757	M_N-BR184824	515	615
42 x 24 x 29 $\frac{3}{8}$	1050 x 600 x 757	M_N-BR184224	495	585

Specify the surface type (5, 6). Specify the edge (N, 1, 2).

**Hutches with laminate
doors**


72" to 60"



54" to 48"

Clearance 20 $\frac{1}{2}$ ". Adjustable shelf. Grommet. Full-width wire access. Can accommodate a tackboard. Refer to page 81.

72 x 16 x 44	1800 x 400 x 1099	M1NN-E724416P	1,100	N/A
66 x 16 x 44	1650 x 400 x 1099	M1NN-E664416P	1,055	N/A
60 x 16 x 44	1500 x 400 x 1099	M1NN-E604416P	1,010	N/A
54 x 16 x 44	1350 x 400 x 1099	M1NN-E544416P	960	N/A
48 x 16 x 44	1200 x 400 x 1099	M1NN-E484416P	910	N/A

Edge N. To be used with 1" surfaces.


72 x 16 x 44	1800 x 400 x 1099	M5_N-E724416P	1,210	N/A
66 x 16 x 44	1650 x 400 x 1099	M5_N-E664416P	1,160	N/A
60 x 16 x 44	1500 x 400 x 1099	M5_N-E604416P	1,110	N/A
54 x 16 x 44	1350 x 400 x 1099	M5_N-E544416P	1,060	N/A
48 x 16 x 44	1200 x 400 x 1099	M5_N-E484416P	995	N/A

Specify the edge (N, 1, 2). To be used with 1 $\frac{1}{2}$ " surfaces.




All
Laminate
(\$)
HPL
Surfaces
(\$)

Hutches with translucent doors




72" to 60"




54" to 48"

Door insert option, change T to: X Matrix, add \$400 (72" - 60")
— X Matrix, add \$300 (54" - 48").
NOT PART OF THE QUICKSHIP PROGRAM

Hutches with laminate doors — low profile




Hutches with translucent doors — low profile



Door insert option, change T to: X Matrix, add \$300.
NOT PART OF THE QUICKSHIP PROGRAM

Hutches with laminate sliding door



Clearance 20½". Adjustable shelf. Grommet. Full-width wire access. Can accommodate a tackboard. Refer to page 81.

72 x 16 x 44	1800 x 400 x 1099	M1NN-E724416T	1,600	N/A
66 x 16 x 44	1650 x 400 x 1099	M1NN-E664416T	1,555	N/A
60 x 16 x 44	1500 x 400 x 1099	M1NN-E604416T	1,510	N/A
54 x 16 x 44	1350 x 400 x 1099	M1NN-E544416T	1,335	N/A
48 x 16 x 44	1200 x 400 x 1099	M1NN-E484416T	1,285	N/A

Edge N. To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1099	M5_N-E724416T	1,710	N/A
66 x 16 x 44	1650 x 400 x 1099	M5_N-E664416T	1,660	N/A
60 x 16 x 44	1500 x 400 x 1099	M5_N-E604416T	1,610	N/A
54 x 16 x 44	1350 x 400 x 1099	M5_N-E544416T	1,435	N/A
48 x 16 x 44	1200 x 400 x 1099	M5_N-E484416T	1,370	N/A

Specify the edge (N, 1, 2). To be used with 1½" surfaces.

Clearance 13⅞" - 21½". 1 adjustable shelf on each low profile side. Grommet. Full-width wire access. Can accommodate a LGC-LE25. Tackboard not available.

72 x 16 x 44	1800 x 400 x 1099	M1N_-EL724416P	1,360	N/A
--------------	-------------------	----------------	-------	-----

Edge N. Specify handle code. To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1099	M5_-EL724416P	1,470	N/A
--------------	-------------------	---------------	-------	-----

Specify the edge (N, 1, 2). Specify handle code. To be used with 1½" surfaces.

Clearance 13⅞" - 21½". 1 adjustable shelf on each low profile side. Grommet. Full-width wire access. Can accommodate a LGC-LE25. Tackboard not available.

72 x 16 x 44	1800 x 400 x 1099	M1N_-EL724416T	1,660	N/A
--------------	-------------------	----------------	-------	-----

Edge N. Specify handle code. To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1099	M5_-EL724416T	1,770	N/A
--------------	-------------------	---------------	-------	-----

Specify the edge (N, 1, 2). Specify handle code. To be used with 1½" surfaces.

Clearance 20½". Adjustable shelf. Grommet. Full-width wire access. Can accommodate a tackboard.

72 x 16 x 44	1800 x 400 x 1099	M1NN-ES724416P	1,320	N/A
66 x 16 x 44	1650 x 400 x 1099	M1NN-ES664416P	1,265	N/A
60 x 16 x 44	1500 x 400 x 1099	M1NN-ES604416P	1,215	N/A
54 x 16 x 44	1350 x 400 x 1099	M1NN-ES544416P	1,165	N/A
48 x 16 x 44	1200 x 400 x 1099	M1NN-ES484416P	1,110	N/A

Edge N. To be used with 1" surfaces.


72 x 16 x 44	1800 x 400 x 1099	M5_N-ES724416P	1,445	N/A
66 x 16 x 44	1650 x 400 x 1099	M5_N-ES664416P	1,390	N/A
60 x 16 x 44	1500 x 400 x 1099	M5_N-ES604416P	1,340	N/A
54 x 16 x 44	1350 x 400 x 1099	M5_N-ES544416P	1,290	N/A
48 x 16 x 44	1200 x 400 x 1099	M5_N-ES484416P	1,235	N/A

Specify the edge (N, 1, 2). To be used with 1½" surfaces.



All
Laminate
(\$)
HPL
Surfaces
(\$)

Hutches with translucent sliding door



Door insert option, change T to: X Matrix, add \$300.

Clearance 20½". Adjustable shelf. Grommet. Full-width wire access. Can accommodate a tackboard.



72 x 16 x 44	1800 x 400 x 1099	M1NN-ES724416T	1,570	N/A
66 x 16 x 44	1650 x 400 x 1099	M1NN-ES664416T	1,515	N/A
60 x 16 x 44	1500 x 400 x 1099	M1NN-ES604416T	1,465	N/A
54 x 16 x 44	1350 x 400 x 1099	M1NN-ES544416T	1,415	N/A
48 x 16 x 44	1200 x 400 x 1099	M1NN-ES484416T	1,360	N/A

Edge N. To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1099	M5_N-ES724416T	1,695	N/A
66 x 16 x 44	1650 x 400 x 1099	M5_N-ES664416T	1,640	N/A
60 x 16 x 44	1500 x 400 x 1099	M5_N-ES604416T	1,590	N/A
54 x 16 x 44	1350 x 400 x 1099	M5_N-ES544416T	1,540	N/A
48 x 16 x 44	1200 x 400 x 1099	M5_N-ES484416T	1,485	N/A

Specify the edge (N, 1, 2). To be used with 1½" surfaces.

Open bookcase hutches



Adjustable shelves.



72 x 16 x 44	1800 x 400 x 1099	M1NN-EB724416	910	N/A
36 x 16 x 44	900 x 400 x 1099	M1NN-EB364416	580	N/A

Edge N. To be used with 1" surfaces.

72 x 16 x 44	1800 x 400 x 1099	M5_N-EB724416	1,015	N/A
36 x 16 x 44	900 x 400 x 1099	M5_N-EB364416	630	N/A

Specify the edge (N, 1, 2). To be used with 1½" surfaces.

Bookcase hutches with doors



Bookcase with doors and adjustable shelves.


72 x 16 x 44	1800 x 400 x 1099	M1N_-EB724416P	1,340	N/A
36 x 16 x 44	900 x 400 x 1099	M1N_-EB364416P	800	N/A

Edge N. To be used with 1" surfaces. Specify handle code.

72 x 16 x 44	1800 x 400 x 1099	M5_-EB724416P	1,445	N/A
36 x 16 x 44	900 x 400 x 1099	M5_-EB364416P	850	N/A

Specify the edge (N, 1, 2). To be used with 1½" surfaces. Specify handle code.

Bookcase hutches with translucent doors



Bookcase with doors and adjustable shelves.

72 x 16 x 44	1800 x 400 x 1099	M1N_-EB724416T	2,140	N/A
36 x 16 x 44	900 x 400 x 1099	M1N_-EB364416T	1,200	N/A

Edge N. To be used with 1" surfaces. Specify handle code.

72 x 16 x 44	1800 x 400 x 1099	M5_-EB724416T	2,245	N/A
36 x 16 x 44	900 x 400 x 1099	M5_-EB364416T	1,250	N/A


Specify the edge (N, 1, 2). To be used with 1½" surfaces. Specify handle code.


Door insert option, change T to: X Matrix, add \$800 for the EB724416X, add \$400 for the EB364416X.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Lateral file units 	<i>Suspension bars. Lock. Optional counterweight to meet BIFMA standards, refer to page 81.</i>				
	36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 744	M_N_-2436LF	890	1,070
	36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 744	M_N_-2036LF	865	1,040
	Specify the surface type (1, 2). Edge N. Specify handle code.				
	36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 757	M_-_-2436LF	985	1,180
	36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 757	M_-_-2036LF	950	1,145
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.				

Open lateral file units 	<i>1 file drawer. Suspension bars. Lock. Optional counterweight to meet BIFMA standards, refer to page 81.</i>				
	36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 744	M_N_-SLF2436	685	825
	36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 744	M_N_-SLF2036	660	790
	Specify the surface type (1, 2). Edge N. Specify handle code.				
	36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 757	M_-_-SLF2436	775	930
	36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 757	M_-_-SLF2036	745	895
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.				


Bookcase units 	<i>Bookcase with doors and adjustable shelf.</i>				
	36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 744	M_N_-2436B	765	920
	36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 744	M_N_-2036B	730	880
	Specify the surface type (1, 2). Edge N. Specify handle code.				
	36 x 24 x 29 $\frac{3}{8}$	900 x 600 x 757	M_-_-2436B	865	1,040
	36 x 20 x 29 $\frac{3}{8}$	900 x 500 x 757	M_-_-2036B	830	995
	Specify the surface type (5, 6). Specify the edge (N, 1, 2). Specify handle code.				

Storage / lateral file units with laminate doors 	<i>Bookcase with doors, 2 adjustable shelves. 2 lateral file drawers with suspension bars. Lock on drawers.</i>				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1844	M1N_-243673LFP	1,630	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1844	M1N_-203673LFP	1,475	N/A
	Edge N. Specify handle code. To be used with 1" surfaces.				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1856	M5_-_-243673LFP	1,760	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1856	M5_-_-203673LFP	1,605	N/A
	Specify the edge (N, 1, 2). Specify handle code. To be used with 1½" surfaces.				


Storage / lateral file units with translucent doors 	<i>Bookcase with doors, 2 adjustable shelves. 2 lateral file drawers with suspension bars. Lock on drawers.</i>				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1844	M1N_-243673LFT	2,030	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1844	M1N_-203673LFT	1,875	N/A
	Edge N. Specify handle code. To be used with 1" surfaces.				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1856	M5_-_-243673LFT	2,160	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1856	M5_-_-203673LFT	2,005	N/A
	Specify the edge (N, 1, 2). Specify handle code. To be used with 1½" surfaces.				


Door insert option, change T to: X Matrix, add \$500.
NOT PART OF THE QUICKSHIP PROGRAM

Storage / lateral file units with pigeonholes and laminate doors 	<i>Bookcase with doors, 2 adjustable shelves. 2 pigeonholes. 2 lateral file drawers with suspension bars. Lock on drawers.</i>				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1844	M1N_-243673LDP	1,730	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1844	M1N_-203673LDP	1,575	N/A
	Edge N. Specify handle code. To be used with 1" surfaces.				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1856	M5_-_-243673LDP	1,860	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1856	M5_-_-203673LDP	1,705	N/A
	Specify the edge (N, 1, 2). Specify handle code. To be used with 1½" surfaces.				

Storage / lateral file units with pigeonholes and translucent doors 	<i>Bookcase with doors, 2 adjustable shelves. 2 pigeonholes. 2 lateral file drawers with suspension bars. Lock on drawers.</i>				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1844	M1N_-243673LDT	2,130	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1844	M1N_-203673LDT	1,975	N/A
	Edge N. Specify handle code. To be used with 1" surfaces.				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1856	M5_-_-243673LDT	2,260	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1856	M5_-_-203673LDT	2,105	N/A
	Specify the edge (N, 1, 2). Specify handle code. To be used with 1½" surfaces.				

Door insert option, change T to: X Matrix, add \$500.
NOT PART OF THE QUICKSHIP PROGRAM


Storage unit with laminate doors 	<i>3 adjustable shelves. 1 full-width fixed shelf. Lock.</i>				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1844	M1N_-243673B	1,390	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1844	M1N_-203673B	1,285	N/A
	Edge N. Specify handle code. To be used with 1" surfaces.				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1856	M5_-_-243673B	1,530	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1856	M5_-_-203673B	1,415	N/A
	Specify the edge (N, 1, 2). Specify handle code. To be used with 1½" surfaces.				

Storage units with translucent doors 	<i>3 adjustable shelves. 1 full-width fixed shelf. Lock.</i>				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1844	M1N_-243673BT	2,040	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1844	M1N_-203673BT	1,935	N/A
	Edge N. Specify handle code. To be used with 1" surfaces.				
	36 x 24 x 73 $\frac{3}{8}$	900 x 600 x 1856	M5_-_-243673BT	2,180	N/A
	36 x 20 x 73 $\frac{3}{8}$	900 x 500 x 1856	M5_-_-203673BT	2,065	N/A
	Specify the edge (N, 1, 2). Specify handle code. To be used with 1½" surfaces.				

Door insert option, change T to: X Matrix, add \$800.

Personal storage tower – left 	<i>1 box drawer and 2 file drawers. Lock controls file drawers. Wardrobe with coat hanger bar. Pencil tray.</i>				
	24 x 24 x 49	600 x 600 x 1234	MNN_-PB242449	1,570	N/A
	Specify handle code.				

Personal storage tower – right 	<i>1 box drawer and 2 file drawers. Lock controls file drawers. Wardrobe with coat hanger bar. Pencil tray.</i>				
	24 x 24 x 49	600 x 600 x 1234	MNN_-P242449B	1,570	N/A
	Specify handle code.				


Open bookcases 	<i>4 adjustable shelves.</i>				
	36 x 12 x 73 $\frac{3}{8}$	900 x 300 x 1844	M1NN-B367312	725	N/A
	Edge N.				
	36 x 12 x 73 $\frac{3}{8}$	900 x 300 x 1856	M5_N-B367312	805	N/A
	Specify the edge (N, 1, 2).				



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Hanging combination pedestal 	<i>1 box drawer and 1 file drawer. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.</i>				
	15 x 17½ x 19	388 x 445 x 480	MNN_-F	 570	N/A
	Specify handle code.				
Modular pedestals 	<i>2 box drawers, 1 file drawer. Pencil tray. Lock controls file drawer and box drawer above. Must be installed under a work surface. 1 tone only. P1524UFL pedestal does not fit under a 24" deep surface.</i>				
	15 x 24 x 28	388 x 598 x 721	MNN_-P1524UFL	 740	N/A
	15 x 18 x 28	388 x 466 x 721	MNN_-P1518UFL	690	N/A
	Specify handle code.				
Modular pedestals 	<i>2 file drawers. Lock. Must be installed under a work surface. 1 tone only. P1524FFL pedestal does not fit under a 24" deep surface.</i>				
	15 x 24 x 28	388 x 598 x 721	MNN_-P1524FFL	 720	N/A
	15 x 18 x 28	388 x 466 x 721	MNN_-P1518FFL	670	N/A
	Specify handle code.				
Modular pedestal – Laptop storage 	<i>1 box drawer with space/shelf to accommodate a laptop, 1 file drawer. Pencil tray. Lock. Must be installed under a work surface. 1 tone only.</i>				
	15 x 18 x 28	388 x 466 x 721	MNN_-P1518CUFL	745	N/A
	Specify handle code.				
Modular pedestal – Recycle bin storage 	<i>1 box drawer, 1 door with space to accommodate recycling box. Space available of 15⅝" W x 17⅝" D x 17¾" H (396 W x 448 D x 451 mm H). Pencil tray. Lock. Must be installed under a work surface. 1 tone only.</i>				
	18 x 18 x 28	448 x 466 x 721	MNN_-P1818URL	670	N/A
	Specify handle code.				
Metal pedestal 	<i>2 box drawers, 1 file drawer. Pencil tray. Metal body and laminate drawer fronts. Lock controls all drawers. Must be installed under a work surface. Charcoal only.</i>				
	15 x 22 x 28	372 x 554 x 713	MNN_-PM1522UFL	455	N/A
	Specify handle code.				
Metal pedestal 	<i>2 file drawers. Metal body and laminate drawer fronts. Lock controls all drawers. Must be installed under a work surface. Charcoal only.</i>				
	15 x 22 x 28	372 x 554 x 713	MNN_-PM1522FFL	435	N/A
	Specify handle code.				
Mobile pedestal 	<i>2 box drawers, 1 file drawer. Pencil tray. Brakes on front casters. Lock controls file drawer and box drawer above. Fits under a work surface. 1 tone only.</i>				
	15 x 22 x 27¾	372 x 554 x 704	MNN_-MP1522UF	 815	N/A
	Specify handle code.				
Mobile pedestal 	<i>2 file drawers. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.</i>				
	15 x 22 x 27¾	372 x 554 x 704	MNN_-MP1522FF	 780	N/A
	Specify handle code.				

SUGGESTIONS

M-PLAN01



Plan shown in **Morpheo** Section / Product Catalog:

M-PLAN01 \$6,465


- 1 M5NZ-UF3672S
- 2 M5NZ-2436LF
- 1 M5NZ-EB724416T
- 1 M5NZ-2436B

1½" thick laminate (5), smooth edge (N), straight pull (Z), upper cabinet with translucent doors (T).

Other option

Upper cabinet with laminate doors \$5,665

M-PLAN02



Plan shown in **Morpheo** Section / Product Catalog:

M-PLAN02 \$5,090

- 1 M1NV-RBTX3672
- 1 M1NA-SLF2472
- 1 M1NA-EB364416X
- 1 MNNA-MP1522UF


1" thick laminate (1), smooth edge (N), arcade pull (A), round legs (V), Matrix doors and modesty panel (X).

Other options

Upper cabinet with laminate doors and modesty panel \$3,880

Upper cabinet with translucent doors and modesty panel \$4,535

M-PLAN03



Plan shown in **Morpheo** Section / Product Catalog:

M-PLAN03 \$3,320


- 1 M1NV-CE363624
- 1 M1NN-CM487224B
- 1 M1NN-E724416P
- 1 MNNK-P1518UFL

1" thick laminate (1), smooth edge (N), classic pull (K), round legs (V), hutch with laminate doors.

Other option

Hutch with translucent doors \$3,820

M-PLAN04




Plan shown in **Morpheo** Section / Product Catalog:

M-PLAN04 \$11,720

- 2 M1NV-CE424224
- 2 M1NV-CE244242
- 2 M1NN-AT244230B
- 2 M1NN-AT304224B
- 4 MNMK-P1518UFL
- 10 PAN-SFLX4142S
- 4 PAN-SAGX0842S

1" thick laminate (1), smooth edge (N), classic pull (K), round legs (V).

M-PLAN05



Plan shown in **Morpheo** Section / Product Catalog:

M-PLAN05 \$5,585


- 1 M1NQ-RST3060
- 1 M1NZ-S2072UF
- 1 M1NZ-EB364416T
- 1 M1NN-ES724416T
- 1 M1NZ-2036LF

1" thick laminate (1), smooth edge (N), straight pull (Z), square legs (Q), translucent doors and modesty panel (T).

Other option

Upper cabinet and hutch with laminate doors \$4,935

M-PLAN06



Plan shown in **Morpheo** Section / Product Catalog:

M-PLAN06 \$5,465


- 1 M5NQ-RT3672
- 1 M5NN-BR2448
- 1 M5NC-LF2072S
- 1 M5NN-E724416P
- 1 M5NN-EB364416
- 1 M5NC-2036LF

1½" thick laminate (5), smooth edge (N), cubic pull (C), square legs (Q), hutch with laminate doors.

Other option

Hutch with translucent doors \$5,965

M-PLAN07



Plan shown in **Morpheo** Section / Product Catalog:

M-PLAN07 \$14,460


- 4 M5NN-DT2472A
- 2 M5NC-EB724416P
- 6 M5NC-2436LF
- 4 MNMK-P1518UFL

1½" thick laminate (5), smooth edge (N), cubic pull (C), hutches with laminate doors.

Other option

Upper cabinets with translucent doors \$16,060

M-PLAN08




Plan shown in **Morpheo** Section / Product Catalog:

M-PLAN08 \$6,500

- 4 M1NV-YT3672
- 4 MNMW-MP1522UF

1" thick laminate (1), smooth edge (N), waterfall pull (W), round legs (V).

M-PLAN09




Plan shown in **Morpheo** Section / Product Catalog:

M-PLAN09 \$5,520

- 2 M1NN-DT2472B
- 2 M1NC-S2472LF
- 2 MNMK-MP1522UF

1" thick laminate (1), smooth edge (N), cubic pull (C).

M _ _ _-PLAN11 

Not shown in the product catalog:


QSM1NC-PLAN11 \$6,205

- 1 QSM1NV-CTM724818
- 1 QSM1NN-BR184224
- 1 QSM1NC-S2072UF
- 1 QSM1NC-EL724416T
- 1 QSM1NC-203673LDT

1" thick laminate (1), round silver legs (V), cubic pull (C), cabinet and hutch with translucent doors (T).

Other option

1½" thick laminate \$6,910

M _ _ _-PLAN12 

Not shown in the product catalog:


QSM1NC-PLAN12 \$3,170

- 1 QSM1NN-TDM3672
- 1 QSM1NC-F2436R
- 2 QSM1NC-2436LF

1" thick laminate (1), cubic pull (C).

Other option

1½" thick laminate \$3,560

M _ _ _-PLAN13 

Not shown in the product catalog:


QSM1NC-PLAN13 \$4,525

- 1 QSM1NN-CDM724818
- 1 QSM1NN-BR1842
- 1 QSM1NC-S2472LF
- 1 QSM1NC-EL724416P
- 1 QSMNNC-P1524UFL

1" thick laminate (1), cubic pull (C), hutch with laminate doors.

Other option

1½" thick laminate \$4,980

M _ _ _-PLAN14 

Not shown in the product catalog:


QSM1NC-PLAN14 \$2,565

- 1 QSM1NV-CT724818
- 1 QSM1NC-R184224F
- 1 QSMNNC-MP1522FF

1" thick laminate (1), round silver legs (V), cubic pull (C).

Other option

1½" thick laminate \$2,895

M _ _ _-PLAN15 

Not shown in the product catalog:


QSM1NC-PLAN15 \$6,765

- 1 QSMNV-3672GTM
- 1 QSM1NC-UF2072S
- 1 QSM1NN-E724416P
- 2 QSM1NC-203673LFT

1" thick laminate (1), round silver legs (V), cubic pull (C), cabinets with translucent doors (T), hutch with laminate doors.

Other option

1½" thick laminate \$7,405

M _ _ _-PLAN16 

Not shown in the product catalog:


QSM1NC-PLAN16 \$9,105

- 1 QSMNV-3672BGT
- 1 QSMNV-BGT3672
- 1 QSM1NC-UF2072S
- 1 QSM1NC-S2072UF
- 2 QSM1NN-E724416T
- 1 QSM1NC-203673LDP

1" thick laminate (1), round legs (V), cubic pull (C), cabinet with laminate doors, hutches with translucent doors (T).

Other option

1½" thick laminate \$9,995

M _ _ _-PLAN17 

Not shown in the product catalog:

QSM1NC-PLAN17 \$3,535

- 1 QSMNV-RBT3672
- 1 QSM1NC-S2072UF
- 1 QSM1NC-E724416T

1" thick laminate (1), round silver legs (V), cubic pull (C), hutch with translucent doors (T).

Other option

1½" thick laminate \$3,860


READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.



TYPICAL WOOD GRAIN DIRECTION FOR MORPHEO COLLECTION:



Add the letter **M** at the end of the plan code for a mirror configuration, example QSM-PLAN01M.


 = NOT PART OF THE QUICKSHIP PROGRAM

U.S.A. – APRIL 2009


CABINET DOORS

Aluminum doors are offered in a choice of 2 accent colors: Anthracite grey (A) or Silver (S). High impact resistant electrostatic paint finish.


Quad offers 4 door styles for all storage with doors.




Laminate (N)



Metal with
ridged Lexan
insert (L)




Metal with
translucent
insert (T)



Metal with
perforated
metal insert (M)

LEG PANELS


Leg panels are available in full width metal (M) legs or laminate with 2" (50 mm) metal legs (N), in full and recessed versions (taking knee space into account).



Full laminate
leg panel



Recessed
laminate
leg panel




Full leg
metal panel


Leg panel options:

- A** Two full width leg panels (metal) or (laminate)
- B** One full width leg panel (metal) or (laminate) and one recessed (laminate)
- C** Two recessed leg panels (laminate)
- M** Two full width leg panels (1 metal, 1 laminate)
- D** Two full width leg panels, one with wiring access (laminate)
- E** Two full width leg panels with wiring access (laminate)
- F** One full width leg panel and one recessed with wiring access (laminate)


Laminate



A - Two full leg panels




B - One full leg panel
and one recessed




C - Two recessed
leg panels


Metal



A - Two full leg panels



M - Two full leg panels
(1 metal, 1 laminate)



B - One full leg panel
(metal) and one
recessed (laminate)

Examples:

- Rectangular table, metal leg panels **M**, two full width leg panels **A**: Q5MA-DT3072A
- Rectangular table, laminate leg panels **N**, one full width leg panel and one recessed leg panel **B**: Q5NA-DT3072B
- Rectangular table, metal leg panel, one full width metal leg panel and one laminate recessed leg panel **B**: Q5MA-DT3072B



STORAGE

Cabinets, hutches and bookcases are available in one-tone finish only.


HUTCH CONFIGURATIONS

Hutches must be attached at both ends.


Hardware for assembly must be ordered separately: HBS/HBU depending on the configuration.




YES



NO



Examples of how to play with the volume of a workstation



MATERIALS

Thermofused laminate furniture:

See prices shown in the "All Laminate" column. Surface material and thickness must be specified in the code.

Furniture with tops in high-pressure laminate, the rest in thermofused laminate:

See prices shown in the "HPL Surfaces" column. Surface material and thickness must be specified in the code.

CODIFICATION


Series	Thickness	Options		
		Doors	Legs	Accent color
Q	5 Thermofused laminate 1½"	L Ridged Lexan	N Laminate	A Anthracite grey
	6 High-pressure laminate 1½"	M Metal	M Metal	S Silver
	N N/A	T Translucent	(A, B, C, D, E, F)	N N/A
		N Laminate / N/A		

ELECTRIFICATION OF FREESTANDING FURNITURE


Electricom System is fully compatible with Quad collection to enable the electrification of Quad freestanding furniture. Refer to the Electricom System section on page 40.



	W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Double pedestal desks	<i>Full-width wiring access. One lock for left file drawer and box drawer above, and one for the two file drawers on the right.</i>				
	84 x 36 x 29½	2100 x 900 x 751	Q_N_-UF3684FF	2,180	2,485
	72 x 36 x 29½	1800 x 900 x 751	Q_N_-UF3672FF	2,075	2,385
	72 x 30 x 29½	1800 x 750 x 751	Q_N_-UF3072FF	2,020	2,330
	66 x 30 x 29½	1650 x 750 x 751	Q_N_-UF3066FF	1,970	2,255
	60 x 30 x 29½	1500 x 750 x 751	Q_N_-UF3060FF	1,920	2,195
Specify the surface type (5, 6). Specify accent color (A, S).					


Single pedestal desks	<i>Full-width wiring access. One lock for file drawer and box drawer above.</i>				
	72 x 36 x 29½	1800 x 900 x 751	Q_N_-UF3672S	1,590	1,840
	72 x 30 x 29½	1800 x 750 x 751	Q_N_-UF3072S	1,530	1,780
	66 x 30 x 29½	1650 x 750 x 751	Q_N_-UF3066S	1,480	1,710
	60 x 30 x 29½	1500 x 750 x 751	Q_N_-UF3060S	1,435	1,655
Specify the surface type (5, 6). Specify accent color (A, S).					


Single pedestal desks	<i>Full-width wiring access. One lock for file drawer and box drawer above.</i>				
	72 x 36 x 29½	1800 x 900 x 751	Q_N_-S3672UF	1,590	1,840
	72 x 30 x 29½	1800 x 750 x 751	Q_N_-S3072UF	1,530	1,780
	66 x 30 x 29½	1650 x 750 x 751	Q_N_-S3066UF	1,480	1,710
	60 x 30 x 29½	1500 x 750 x 751	Q_N_-S3060UF	1,435	1,655
Specify the surface type (5, 6). Specify accent color (A, S).					



Corner modules	<i>To attach to a work surface. Keyboard surface adjusts from 6½" below surface to 7" above surface with a tilt angle of +/- 15 degrees. Adjustable keyboard surface is 1" thick. Grommet. Full width wiring access on both back panels. Mechanism packaged separately.</i>				
	<i>With adjustable keyboard surface</i>				
	48 x 48 x 29½	1200 x 1200 x 751	Q_N_-CMS4830SC	1,905	2,010
	42 x 42 x 29½	1050 x 1050 x 751	Q_N_-CMS4224SC	1,835	1,955
Specify the surface type (5, 6). Specify accent color (A, S).					
Diagonal wood grain: change S to D, add 10% to the price.					

	<i>Full-width wiring access along both back panels. To attach to a work surface. Grommet.</i>				
Laminate leg panels Q_N_:					
Option B, C or F.					
					
Mixed leg panels Q_M_:					
Option B: add \$75.					
	48 x 48 x 29½	1200 x 1200 x 751	Q_-CM4830S	970	1,305
	42 x 42 x 29½	1050 x 1050 x 751	Q_-CM4224S	875	1,185
	36 x 36 x 29½	900 x 900 x 751	Q_N_-CM3618SC	825	1,110
Specify the surface type (5, 6). Specify accent color (A, S).					
Diagonal wood grain: change S to D, add 10% to the price.					

Left extended corner modules	<i>Full-width wiring access along both back panels. Grommet.</i>				
					
Laminate leg panels Q_N_:					
Option A, B, C, D, E or F.					
					
Metal leg panels Q_M_:					
Option A: add \$150.					
	72 x 48 x 29½	1800 x 1200 x 751	Q_-CM724824	1,285	1,745
	66 x 48 x 29½	1650 x 1200 x 751	Q_-CM664824	1,230	1,675
	60 x 48 x 29½	1500 x 1200 x 751	Q_-CM604824	1,180	1,605
	72 x 42 x 29½	1800 x 1050 x 751	Q_-CM724224	1,230	1,675
	66 x 42 x 29½	1650 x 1050 x 751	Q_-CM664224	1,180	1,605

	W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left extended corner modules (cont'd)					
	60 x 42 x 29½	1500 x 1050 x 751	Q_-CM604224	1,130	1,525
	72 x 36 x 29½	1800 x 900 x 751	Q_-CM723624	1,100	1,485
	66 x 36 x 29½	1650 x 900 x 751	Q_-CM663624	1,045	1,415
Specify the surface type (5, 6). Specify accent color (A, S).					
Mixed leg panels Q_M_:					
Option B or M: add \$75.					


Right extended corner modules	<i>Full-width wiring access along both back panels. Grommet.</i>				
					
Laminate leg panels Q_N_:					
Option A, B, C, D, E or F.					
					
Metal leg panels Q_M_:					
Option A: add \$150.					
					
Mixed leg panels Q_M_:					
Option B or M: add \$75.					
	72 x 48 x 29½	1800 x 1200 x 751	Q_-CM487224	1,285	1,745
	66 x 48 x 29½	1650 x 1200 x 751	Q_-CM486624	1,230	1,675
	60 x 48 x 29½	1500 x 1200 x 751	Q_-CM486024	1,180	1,605
	72 x 42 x 29½	1800 x 1050 x 751	Q_-CM427224	1,230	1,675
	66 x 42 x 29½	1650 x 1050 x 751	Q_-CM426624	1,180	1,605
	60 x 42 x 29½	1500 x 1050 x 751	Q_-CM426024	1,130	1,525
	72 x 36 x 29½	1800 x 900 x 751	Q_-CM367224	1,100	1,485
	66 x 36 x 29½	1650 x 900 x 751	Q_-CM366624	1,045	1,415
Specify the surface type (5, 6). Specify accent color (A, S).					

Rectangular tables 30" D	<i>Full-width wiring access.</i>				
					
Laminate leg panels Q_N_:					
Option A, B, C, D, E or F.					
					
Metal leg panels Q_M_:					
Option A: add \$150.					
					
Mixed leg panels Q_M_:					
Option B or M: add \$75.					
	72 x 30 x 29½	1800 x 750 x 751	Q_-DT3072	915	1,230
	66 x 30 x 29½	1650 x 750 x 751	Q_-DT3066	890	1,195
	60 x 30 x 29½	1500 x 750 x 751	Q_-DT3060	860	1,150
	54 x 30 x 29½	1350 x 750 x 751	Q_-DT3054	835	1,115
	48 x 30 x 29½	1200 x 750 x 751	Q_-DT3048	780	910
	42 x 30 x 29½	1050 x 750 x 751	Q_-DT3042	745	875
	36 x 30 x 29½	900 x 750 x 751	Q_-DT3036	720	845
	30 x 30 x 29½	750 x 750 x 751	Q_-DT3030	690	810
	24 x 30 x 29½	600 x 750 x 751	Q_-DT3024	665	775
Specify the surface type (5, 6). Specify accent color (A, S).					

Rectangular tables 24" D	<i>Full-width wiring access.</i>				
					
Laminate leg panels Q_N_:					
Option A, B, C, D, E or F.					
					
Metal leg panels Q_M_:					
Option A: add \$150.					
	72 x 24 x 29½	1800 x 600 x 751	Q_-DT2472	860	1,150
	66 x 24 x 29½	1650 x 600 x 751	Q_-DT2466	835	1,115
	60 x 24 x 29½	1500 x 600 x 751	Q_-DT2460	805	1,075
	54 x 24 x 29½	1350 x 600 x 751	Q_-DT2454	780	1,040
	48 x 24 x 29½	1200 x 600 x 751	Q_-DT2448	720	845
	42 x 24 x 29½	1050 x 600 x 751	Q_-DT2442	690	810



Rectangular tables 24" D (cont'd)




Mixed leg panels Q_M_:
Option B or M: add \$75.

Left asymmetrical tables, 30" D




Laminate leg
panels Q_N_:
Option B, C or F.




Mixed leg panels Q_M_:
Option B: add \$75.

Right asymmetrical tables, 30" D




Laminate leg
panels Q_N_:
Option B, C or F.




Mixed leg panels Q_M_:
Option B: add \$75.

Left asymmetrical tables, 24" D




Laminate leg
panels Q_N_:
Option B, C or F.




Mixed leg panels Q_M_:
Option B: add \$75.

Right asymmetrical tables, 24" D



Laminate leg
panels Q_N_:
Option B, C or F.




Mixed leg panels Q_M_:
Option B: add \$75.

W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
36 x 24 x 29½	900 x 600 x 751	Q_--DT2436_	665	775
30 x 24 x 29½	750 x 600 x 751	Q_--DT2430_	635	735
24 x 24 x 29½	600 x 600 x 751	Q_--DT2424_	610	705

Specify the surface type (5, 6). Specify accent color (A, S).


Full-width wiring access. To attach to a work surface.



54 x 30 x 29½	1350 x 750 x 751	Q_--AT245430_	815	1,090
48 x 30 x 29½	1200 x 750 x 751	Q_--AT244830_	750	880
42 x 30 x 29½	1050 x 750 x 751	Q_--AT244230_	730	860
36 x 30 x 29½	900 x 750 x 751	Q_--AT243630_	705	830
30 x 30 x 29½	750 x 750 x 751	Q_--AT243030_	680	800

Specify the surface type (5, 6). Specify accent color (A, S).


Full-width wiring access. To attach to a work surface.



54 x 30 x 29½	1350 x 750 x 751	Q_--AT305424_	815	1,090
48 x 30 x 29½	1200 x 750 x 751	Q_--AT304824_	750	880
42 x 30 x 29½	1050 x 750 x 751	Q_--AT304224_	730	860
36 x 30 x 29½	900 x 750 x 751	Q_--AT303624_	705	830
30 x 30 x 29½	750 x 750 x 751	Q_--AT303024_	680	800

Specify the surface type (5, 6). Specify accent color (A, S).


Full-width wiring access. To attach to a work surface.



54 x 24 x 29½	1350 x 600 x 751	Q_--AT185424_	785	1,055
48 x 24 x 29½	1200 x 600 x 751	Q_--AT184824_	730	860
42 x 24 x 29½	1050 x 600 x 751	Q_--AT184224_	705	830
36 x 24 x 29½	900 x 600 x 751	Q_--AT183624_	680	800
30 x 24 x 29½	750 x 600 x 751	Q_--AT183024_	655	760

Specify the surface type (5, 6). Specify accent color (A, S).


Full-width wiring access. To attach to a work surface.



54 x 24 x 29½	1350 x 600 x 751	Q_--AT245418_	785	1,055
48 x 24 x 29½	1200 x 600 x 751	Q_--AT244818_	730	860
42 x 24 x 29½	1050 x 600 x 751	Q_--AT244218_	705	830
36 x 24 x 29½	900 x 600 x 751	Q_--AT243618_	680	800
30 x 24 x 29½	750 x 600 x 751	Q_--AT243018_	655	760

Specify the surface type (5, 6). Specify accent color (A, S).

Left peninsula corner modules




To attach to a work surface. 2 recessed reversible leg panels, 1 with wiring access. Grommet. 3" square steel legs. Steel legs packaged separately (2).

84 x 48 x 29½	2100 x 1200 x 751	Q_N_-CB844824	1,455	1,955
78 x 48 x 29½	1950 x 1200 x 751	Q_N_-CB784824	1,405	1,885
72 x 48 x 29½	1800 x 1200 x 751	Q_N_-CB724824	1,355	1,810
84 x 42 x 29½	2100 x 1050 x 751	Q_N_-CB844224	1,405	1,885
78 x 42 x 29½	1950 x 1050 x 751	Q_N_-CB784224	1,355	1,810
72 x 42 x 29½	1800 x 1050 x 751	Q_N_-CB724224	1,300	1,735

Specify the surface type (5, 6). Specify accent color (A, S).

Right peninsula corner modules




To attach to a work surface. 2 recessed reversible leg panels, 1 with wiring access. Grommet. 3" square steel legs. Steel legs packaged separately (2).

84 x 48 x 29½	2100 x 1200 x 751	Q_N_-C4884824	1,455	1,955
78 x 48 x 29½	1950 x 1200 x 751	Q_N_-C4878824	1,405	1,885
72 x 48 x 29½	1800 x 1200 x 751	Q_N_-C4872824	1,355	1,810
84 x 42 x 29½	2100 x 1050 x 751	Q_N_-C4284824	1,405	1,885
78 x 42 x 29½	1950 x 1050 x 751	Q_N_-C4278824	1,355	1,810
72 x 42 x 29½	1800 x 1050 x 751	Q_N_-C4272824	1,300	1,735

Specify the surface type (5, 6). Specify accent color (A, S).

Rectangular tables




To attach to a work surface. Grommet. 3" square steel legs. Steel legs packaged separately (2).

72 x 36 x 29½	1800 x 900 x 751	Q_N_-BT3672	1,095	1,460
66 x 36 x 29½	1650 x 900 x 751	Q_N_-BT3666	1,075	1,430
60 x 36 x 29½	1500 x 900 x 751	Q_N_-BT3660	1,045	1,395
72 x 30 x 29½	1800 x 750 x 751	Q_N_-BT3072	1,045	1,395
66 x 30 x 29½	1650 x 750 x 751	Q_N_-BT3066	1,005	1,345
60 x 30 x 29½	1500 x 750 x 751	Q_N_-BT3060	980	1,305
72 x 24 x 29½	1800 x 600 x 751	Q_N_-BT2472	980	1,305
66 x 24 x 29½	1650 x 600 x 751	Q_N_-BT2466	955	1,265
60 x 24 x 29½	1500 x 600 x 751	Q_N_-BT2460	925	1,225

Specify the surface type (5, 6). Specify accent color (A, S).

Rectangular work surfaces



To attach to a freestanding work surface. 3" square steel legs. Steel legs packaged separately (2).

72 x 36 x 29½	1800 x 900 x 751	Q_N_-BU3672	840	1,090
66 x 36 x 29½	1650 x 900 x 751	Q_N_-BU3666	810	1,050
60 x 36 x 29½	1500 x 900 x 751	Q_N_-BU3660	775	1,005
72 x 30 x 29½	1800 x 750 x 751	Q_N_-BU3072	775	1,005
66 x 30 x 29½	1650 x 750 x 751	Q_N_-BU3066	750	980
60 x 30 x 29½	1500 x 750 x 751	Q_N_-BU3060	730	950
48 x 30 x 29½	1200 x 750 x 751	Q_N_-BU3048	710	925
72 x 24 x 29½	1800 x 600 x 751	Q_N_-BU2472	730	950
66 x 24 x 29½	1650 x 600 x 751	Q_N_-BU2466	710	925
60 x 24 x 29½	1500 x 600 x 751	Q_N_-BU2460	690	900
48 x 24 x 29½	1200 x 600 x 751	Q_N_-BU2448	670	875

Specify the surface type (5, 6). Specify accent color (A, S).

Right executive returns – low profile



Grommet. One lock for file drawer and box drawer above.

48 x 24 x 29½	1200 x 600 x 751	Q_N_-R2448UF	1,195	1,375
42 x 24 x 29½	1050 x 600 x 751	Q_N_-R2442UF	1,150	1,320
36 x 24 x 29½	900 x 600 x 751	Q_N_-R2436UF	1,110	1,265

Specify the surface type (5, 6). Specify accent color (A, S).

Left executive returns – low profile



Grommet. One lock for file drawer and box drawer above.

48 x 24 x 29½	1200 x 600 x 751	Q_N_-UF2448R	1,195	1,375
42 x 24 x 29½	1050 x 600 x 751	Q_N_-UF2442R	1,150	1,320
36 x 24 x 29½	900 x 600 x 751	Q_N_-UF2436R	1,110	1,265

Specify the surface type (5, 6). Specify accent color (A, S).




	W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Bridge-returns					
					
	48 x 24 x 29½	1200 x 600 x 751	Q_N_-BR2448	455	550
	42 x 24 x 29½	1050 x 600 x 751	Q_N_-BR2442	435	525
	36 x 24 x 29½	900 x 600 x 751	Q_N_-BR2436	415	500

Specify the surface type (5, 6). Specify accent color (A, S).

	W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	Trans.*/ Lexan (\$)	Metal (\$)
--	----------------	----------------	------	-------------------------	---------------------------	---------------

Hutches with doors, 32"H




96" to 60": 4 doors.
54" to 48": 3 doors.
42" to 36": 2 doors.

Adjustable shelves. All doors open in the same way. Reversible end door. Reversible hutch for right- or left-hand door opening. Hutches must be supported by storage units or hutch supports (p.24), using the hutch assembly hardware (p.24). See example of configuration (p.20). One-tone finish only.

96 x 16 x 32	2400 x 400 x 813	QN_-E963216P	1,560	2,505	2,680
90 x 16 x 32	2250 x 400 x 813	QN_-E903216P	1,505	2,430	2,640
84 x 16 x 32	2100 x 400 x 813	QN_-E843216P	1,465	2,375	2,595
78 x 16 x 32	1950 x 400 x 813	QN_-E783216P	1,410	2,305	2,520
72 x 16 x 32	1800 x 400 x 813	QN_-E723216P	1,325	2,190	2,420
66 x 16 x 32	1650 x 400 x 813	QN_-E663216P	1,275	2,140	2,375
60 x 16 x 32	1500 x 400 x 813	QN_-E603216P	1,255	2,075	2,315
54 x 16 x 32	1350 x 400 x 813	QN_-E543216P	1,065	1,705	1,865
48 x 16 x 32	1200 x 400 x 813	QN_-E483216P	1,005	1,650	1,810
42 x 16 x 32	1050 x 400 x 813	QN_-E423216P	885	1,360	1,430
36 x 16 x 32	900 x 400 x 813	QN_-E363216P	845	1,290	1,370

Specify door choice (N, M, L, T). Specify accent color (A, S).

Hutches with doors, 24"H




96" to 60": 4 doors.
54" to 48": 3 doors.
42" to 36": 2 doors.

Adjustable shelves. All doors open in the same way. Reversible end door. Reversible hutch for right- or left-hand door opening. Hutches must be supported by storage units or hutch supports (p.24), using the hutch assembly hardware (p.24). See example of configuration (p.20). One-tone finish only.

96 x 16 x 24	2400 x 400 x 609,5	QN_-E962416P	1,375	2,280	2,485
90 x 16 x 24	2250 x 400 x 609,5	QN_-E902416P	1,345	2,215	2,435
84 x 16 x 24	2100 x 400 x 609,5	QN_-E842416P	1,300	2,165	2,385
78 x 16 x 24	1950 x 400 x 609,5	QN_-E782416P	1,260	2,125	2,330
72 x 16 x 24	1800 x 400 x 609,5	QN_-E722416P	1,205	2,030	2,240
66 x 16 x 24	1650 x 400 x 609,5	QN_-E662416P	1,170	1,985	2,185
60 x 16 x 24	1500 x 400 x 609,5	QN_-E602416P	1,125	1,895	2,130
54 x 16 x 24	1350 x 400 x 609,5	QN_-E542416P	945	1,555	1,720
48 x 16 x 24	1200 x 400 x 609,5	QN_-E482416P	900	1,490	1,650
42 x 16 x 24	1050 x 400 x 609,5	QN_-E422416P	800	1,205	1,320
36 x 16 x 24	900 x 400 x 609,5	QN_-E362416P	750	1,155	1,265

Specify door choice (N, M, L, T). Specify accent color (A, S).

Hutches with doors, 16"H



96" to 78": 6 doors.
72" to 60": 4 doors.
54" to 48": 3 doors.
42" to 36": 2 doors.

All doors open in the same way. Reversible end door. Reversible hutch for right- or left-hand door opening. Hutches must be supported by storage units or hutch supports (p.24), using the hutch assembly hardware (p.24). See example of configuration (p.20). One-tone finish only.

96 x 16 x 16	2400 x 400 x 406,5	QN_-E961616P	1,260	1,995	2,165
90 x 16 x 16	2250 x 400 x 406,5	QN_-E901616P	1,225	1,965	2,145
84 x 16 x 16	2100 x 400 x 406,5	QN_-E841616P	1,205	1,925	2,085
78 x 16 x 16	1950 x 400 x 406,5	QN_-E781616P	1,175	1,905	2,065
72 x 16 x 16	1800 x 400 x 406,5	QN_-E721616P	955	1,715	1,950
66 x 16 x 16	1650 x 400 x 406,5	QN_-E661616P	920	1,690	1,930
60 x 16 x 16	1500 x 400 x 406,5	QN_-E601616P	890	1,635	1,875
54 x 16 x 16	1350 x 400 x 406,5	QN_-E541616P	740	1,315	1,490
48 x 16 x 16	1200 x 400 x 406,5	QN_-E481616P	710	1,300	1,445
42 x 16 x 16	1050 x 400 x 406,5	QN_-E421616P	620	1,010	1,105
36 x 16 x 16	900 x 400 x 406,5	QN_-E361616P	600	975	1,080

Specify door choice (N, M, L, T). Specify accent color (A, S).

Hutches with sliding door, 32"H




The sliding door covers one half of the storage. Adjustable shelves. Hutches must be supported by storage units or hutch supports (p.24), using the hutch assembly hardware (p.24). See example of configuration (p.20). One-tone finish only.

96 x 16 x 32	2400 x 400 x 813	QN_-E963216C	1,340	1,800	1,900
90 x 16 x 32	2250 x 400 x 813	QN_-E903216C	1,300	1,735	1,845
84 x 16 x 32	2100 x 400 x 813	QN_-E843216C	1,265	1,685	1,785
78 x 16 x 32	1950 x 400 x 813	QN_-E783216C	1,230	1,630	1,720
72 x 16 x 32	1800 x 400 x 813	QN_-E723216C	1,135	1,495	1,595
66 x 16 x 32	1650 x 400 x 813	QN_-E663216C	1,105	1,445	1,540
60 x 16 x 32	1500 x 400 x 813	QN_-E603216C	1,080	1,395	1,475

Specify door choice (N, M, L, T). Specify accent color (A, N, S).

Hutches with sliding door, 24"H




The sliding door covers one half of the storage. Adjustable shelves. Hutches must be supported by storage units or hutch supports (p.24), using the hutch assembly hardware (p.24). See example of configuration (p.20). One-tone finish only.

96 x 16 x 24	2400 x 400 x 609,5	QN_-E962416C	1,215	1,660	1,770
90 x 16 x 24	2250 x 400 x 609,5	QN_-E902416C	1,185	1,610	1,720
84 x 16 x 24	2100 x 400 x 609,5	QN_-E842416C	1,160	1,565	1,680
78 x 16 x 24	1950 x 400 x 609,5	QN_-E782416C	1,125	1,505	1,620
72 x 16 x 24	1800 x 400 x 609,5	QN_-E722416C	1,030	1,380	1,485
66 x 16 x 24	1650 x 400 x 609,5	QN_-E662416C	990	1,330	1,430
60 x 16 x 24	1500 x 400 x 609,5	QN_-E602416C	970	1,300	1,395

Specify door choice (N, M, L, T). Specify accent color (A, N, S).

Hutches with sliding door, 16"H



The sliding door covers one half of the storage. Hutches must be supported by storage units or hutch supports (p.24), using the hutch assembly hardware (p.24). See example of configuration (p.20). One-tone finish only.

96 x 16 x 16	2400 x 400 x 406,5	QN_-E961616C	1,095	1,600	1,670
90 x 16 x 16	2250 x 400 x 406,5	QN_-E901616C	1,030	1,550	1,630
84 x 16 x 16	2100 x 400 x 406,5	QN_-E841616C	1,005	1,505	1,585
78 x 16 x 16	1950 x 400 x 406,5	QN_-E781616C	980	1,465	1,550
72 x 16 x 16	1800 x 400 x 406,5	QN_-E721616C	850	1,270	1,355
66 x 16 x 16	1650 x 400 x 406,5	QN_-E661616C	820	1,240	1,320
60 x 16 x 16	1500 x 400 x 406,5	QN_-E601616C	785	1,190	1,260

Specify door choice (N, M, L, T). Specify accent color (A, N, S).

Open hutches, 32"H



96" to 60":
4 open compartments.
54" to 36":
2 open compartments.

Adjustable shelves. Hutches must be supported by storage units or hutch supports (p.24), using the hutch assembly hardware (p.24). See example of configuration (p.20). One-tone finish only.

96 x 15 x 32	2400 x 381 x 813	QNNN-E963216	1,190	—	—
90 x 15 x 32	2250 x 381 x 813	QNNN-E903216	1,150	—	—
84 x 15 x 32	2100 x 381 x 813	QNNN-E843216	1,125	—	—
78 x 15 x 32	1950 x 381 x 813	QNNN-E783216	1,090	—	—
72 x 15 x 32	1800 x 381 x 813	QNNN-E723216	985	—	—
66 x 15 x 32	1650 x 381 x 813	QNNN-E663216	950	—	—
60 x 15 x 32	1500 x 381 x 813	QNNN-E603216	915	—	—
54 x 15 x 32	1350 x 381 x 813	QNNN-E543216	745	—	—
48 x 15 x 32	1200 x 381 x 813	QNNN-E483216	710	—	—
42 x 15 x 32	1050 x 381 x 813	QNNN-E423216	665	—	—
36 x 15 x 32	900 x 381 x 813	QNNN-E363216	630	—	—

Open hutches, 24"H



96" to 60":
4 open compartments.
54" to 36":
2 open compartments.

Adjustable shelves. Hutches must be supported by storage units or hutch supports (p.24), using the hutch assembly hardware (p.24). See example of configuration (p.20). One-tone finish only.

96 x 15 x 24	2400 x 381 x 609,5	QNNN-E962416	1,125	—	—
90 x 15 x 24	2250 x 381 x 609,5	QNNN-E902416	1,095	—	—
84 x 15 x 24	2100 x 381 x 609,5	QNNN-E842416	1,055	—	—
78 x 15 x 24	1950 x 381 x 609,5	QNNN-E782416	1,010	—	—
72 x 15 x 24	1800 x 381 x 609,5	QNNN-E722416	920	—	—



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	Trans.*/ Lexan (\$)	Metal (\$)
Open hutches, 24"H (cont'd)	66 x 15 x 24	1650 x 381 x 609,5	QNNN-E662416	890	—	—
	60 x 15 x 24	1500 x 381 x 609,5	QNNN-E602416	850	—	—
	54 x 15 x 24	1350 x 381 x 609,5	QNNN-E542416	685	—	—
	48 x 15 x 24	1200 x 381 x 609,5	QNNN-E482416	645	—	—
	42 x 15 x 24	1050 x 381 x 609,5	QNNN-E422416	615	—	—
	36 x 15 x 24	900 x 381 x 609,5	QNNN-E362416	580	—	—

Open hutches, 16"H




96" to 78":
6 open compartments.
72" to 60":
4 open compartments.
54" to 36":
2 open compartments.

Hutches must be supported by storage units or hutch supports (p.24), using the hutch assembly hardware (p.24). See example of configuration (p.20). One-tone finish only.

96 x 15 x 16	2400 x 381 x 406,5	QNNN-E961616	895	—	—
90 x 15 x 16	2250 x 381 x 406,5	QNNN-E901616	865	—	—
84 x 15 x 16	2100 x 381 x 406,5	QNNN-E841616	845	—	—
78 x 15 x 16	1950 x 381 x 406,5	QNNN-E781616	820	—	—
72 x 15 x 16	1800 x 381 x 406,5	QNNN-E721616	675	—	—
66 x 15 x 16	1650 x 381 x 406,5	QNNN-E661616	650	—	—
60 x 15 x 16	1500 x 381 x 406,5	QNNN-E601616	625	—	—
54 x 15 x 16	1350 x 381 x 406,5	QNNN-E541616	490	—	—
48 x 15 x 16	1200 x 381 x 406,5	QNNN-E481616	470	—	—
42 x 15 x 16	1050 x 381 x 406,5	QNNN-E421616	445	—	—
36 x 15 x 16	900 x 381 x 406,5	QNNN-E361616	425	—	—


Pigeonhole hutch supports



See example of configurations (p.20). One-tone finish only.

18 x 15 x 28	450 x 381 x 685	QNNN-SDV1828	490	—	—
18 x 15 x 20	450 x 381 x 482	QNNN-SDV1820	420	—	—
12 x 15 x 28	300 x 381 x 685	QNNN-SDV1228	435	—	—
12 x 15 x 20	300 x 381 x 482	QNNN-SDV1220	375	—	—

Hutch supports



Adjustable shelf (shelves). See example of configurations (p.20). One-tone finish only.

36 x 15 x 28	900 x 381 x 685	QNNN-SDVB3628	490	—	—
36 x 15 x 20	900 x 381 x 482	QNNN-SDVB3620	460	—	—
30 x 15 x 28	750 x 381 x 685	QNNN-SDVB3028	460	—	—
30 x 15 x 20	750 x 381 x 482	QNNN-SDVB3020	440	—	—
24 x 15 x 28	600 x 381 x 685	QNNN-SDVB2428	375	—	—
24 x 15 x 20	600 x 381 x 482	QNNN-SDVB2420	360	—	—
18 x 15 x 28	450 x 381 x 685	QNNN-SDVB1828	355	—	—
18 x 15 x 20	450 x 381 x 482	QNNN-SDVB1820	335	—	—
12 x 15 x 28	300 x 381 x 685	QNNN-SDVB1228	330	—	—
12 x 15 x 20	300 x 381 x 482	QNNN-SDVB1220	310	—	—
6 x 15 x 28	150 x 381 x 685	QNNN-SDVB0628	300	—	—
6 x 15 x 20	150 x 381 x 482	QNNN-SDVB0620	285	—	—

Hutch assembly U-shaped bracket



Hardware included.

9 x 2 x 2	230 x 52,5 x 51,1	QNN-HBU	95	—	—
9 x 4 x 1/8	230 x 100 x 3	QNN-HBS	85	—	—

Hutch assembly flat bracket



Specify accent color (A, S).

Wall-mounted hutches with doors, 32"H



96" to 60": 4 doors.
54" to 48": 3 doors.
42" to 36": 2 doors.

Adjustable shelves. All doors open in the same way. Reversible end door. Reversible hutch for right- or left-hand door opening. Hanger bar included for wall-mount installation. One-tone finish only.

96 x 16 x 32	2400 x 400 x 813	QN_-EM963216P	1,650	2,545	2,745
90 x 16 x 32	2250 x 400 x 813	QN_-EM903216P	1,610	2,470	2,700
84 x 16 x 32	2100 x 400 x 813	QN_-EM843216P	1,555	2,415	2,660
78 x 16 x 32	1950 x 400 x 813	QN_-EM783216P	1,495	2,345	2,590
72 x 16 x 32	1800 x 400 x 813	QN_-EM723216P	1,405	2,225	2,430

Wall-mounted hutches with doors, 32"H (cont'd)

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	Trans.*/ Lexan (\$)	Metal (\$)
Wall-mounted hutches with doors, 32"H (cont'd)	66 x 16 x 32	1650 x 400 x 813	QN_-EM663216P	1,360	2,175	2,385
	60 x 16 x 32	1500 x 400 x 813	QN_-EM603216P	1,305	2,110	2,315
	54 x 16 x 32	1350 x 400 x 813	QN_-EM543216P	1,105	1,720	1,910
	48 x 16 x 32	1200 x 400 x 813	QN_-EM483216P	1,060	1,660	1,855
	42 x 16 x 32	1050 x 400 x 813	QN_-EM423216P	925	1,405	1,495
	36 x 16 x 32	900 x 400 x 813	QN_-EM363216P	880	1,335	1,405

Specify door choice (N, M, L, T). Specify accent color (A, S).

Wall-mounted hutches with doors, 24"H



96" to 60": 4 doors.
54" to 48": 3 doors.
42" to 36": 2 doors.

Adjustable shelves. All doors open in the same way. Reversible end door. Reversible hutch for right- or left-hand door opening. Hanger bar included for wall-mount installation. One-tone finish only.

96 x 16 x 24	2400 x 400 x 609,5	QN_-EM962416P	1,485	2,365	2,560
90 x 16 x 24	2250 x 400 x 609,5	QN_-EM902416P	1,440	2,280	2,495
84 x 16 x 24	2100 x 400 x 609,5	QN_-EM842416P	1,400	2,225	2,445
78 x 16 x 24	1950 x 400 x 609,5	QN_-EM782416P	1,360	2,180	2,395
72 x 16 x 24	1800 x 400 x 609,5	QN_-EM722416P	1,215	2,015	2,290
66 x 16 x 24	1650 x 400 x 609,5	QN_-EM662416P	1,205	2,005	2,230
60 x 16 x 24	1500 x 400 x 609,5	QN_-EM602416P	1,175	1,960	2,175
54 x 16 x 24	1350 x 400 x 609,5	QN_-EM542416P	985	1,600	1,760
48 x 16 x 24	1200 x 400 x 609,5	QN_-EM482416P	945	1,530	1,705
42 x 16 x 24	1050 x 400 x 609,5	QN_-EM422416P	835	1,275	1,380
36 x 16 x 24	900 x 400 x 609,5	QN_-EM362416P	795	1,225	1,335

Specify door choice (N, M, L, T). Specify accent color (A, S).

Wall-mounted hutches with doors, 16"H



96" to 78": 6 doors.
72" to 60": 4 doors.
54" to 48": 3 doors.
42" to 36": 2 doors.

All doors open in the same way. Reversible end door. Reversible hutch for right- or left-hand door opening. Hanger bar included for wall-mount installation. One-tone finish only.

96 x 16 x 16	2400 x 400 x 406,5	QN_-EM961616P	1,330	2,415	2,735
90 x 16 x 16	2250 x 400 x 406,5	QN_-EM901616P	1,300	2,395	2,715
84 x 16 x 16	2100 x 400 x 406,5	QN_-EM841616P	1,265	2,325	2,660
78 x 16 x 16	1950 x 400 x 406,5	QN_-EM781616P	1,230	2,295	2,635
72 x 16 x 16	1800 x 400 x 406,5	QN_-EM721616P	1,005	1,750	1,965
66 x 16 x 16	1650 x 400 x 406,5	QN_-EM661616P	970	1,725	1,940
60 x 16 x 16	1500 x 400 x 406,5	QN_-EM601616P	935	1,665	1,885
54 x 16 x 16	1350 x 400 x 406,5	QN_-EM541616P	795	1,375	1,505
48 x 16 x 16	1200 x 400 x 406,5	QN_-EM481616P	755	1,325	1,460
42 x 16 x 16	1050 x 400 x 406,5	QN_-EM421616P	660	1,035	1,125
36 x 16 x 16	900 x 400 x 406,5	QN_-EM361616P	630	995	1,095

Specify door choice (N, M, L, T). Specify accent color (A, S).

Wall-mounted hutches with sliding door, 32"H



The sliding door covers one half of the storage. Adjustable shelves. Hanger bar included for wall-mount installation. One-tone finish only.

96 x 16 x 32	2400 x 400 x 813	QN_-EM963216C	1,405	1,870	1,945
90 x 16 x 32	2250 x 400 x 813	QN_-EM903216C	1,375	1,825	1,885
84 x 16 x 32	2100 x 400 x 813	QN_-EM843216C	1,345	1,765	1,840
78 x 16 x 32	1950 x 400 x 813	QN_-EM783216C	1,305	1,710	1,775
72 x 16 x 32	1800 x 400 x 813	QN_-EM723216C	1,170	1,545	1,620
66 x 16 x 32	1650 x 400 x 813	QN_-EM663216C	1,130	1,490	1,555
60 x 16 x 32	1500 x 400 x 813	QN_-EM603216C	1,110	1,435	1,500

Specify door choice (N, M, L, T). Specify accent color (A, N, S).

Wall-mounted hutches with sliding door, 24"H




The sliding door covers one half of the storage. Adjustable shelves. Hanger bar included for wall-mount installation. One-tone finish only.

96 x 16 x 24	2400 x 400 x 609,5	QN_-EM962416C	1,290	1,715	1,810
90 x 16 x 24	2250 x 400 x 609,5	QN_-EM902416C	1,245	1,680	1,760
84 x 16 x 24	2100 x 400 x 609,5	QN_-EM842416C	1,215	1,645	1,710
78 x 16 x 24	1950 x 400 x 609,5	QN_-EM782416C	1,185	1,580	1,655





	W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	Trans.*/ Lexan (\$)	Metal (\$)
Wall-mounted hutches with sliding door, 24"H (cont'd)	72 x 16 x 24	1800 x 400 x 609,5	QNN_-EM722416C	1,090	1,450	1,515
	66 x 16 x 24	1650 x 400 x 609,5	QNN_-EM662416C	1,060	1,400	1,465
	60 x 16 x 24	1500 x 400 x 609,5	QNN_-EM602416C	1,015	1,355	1,425
Specify door choice (N, M, L, T). Specify accent color (A, N, S).						

Wall-mounted hutches with sliding door, 16"H

The sliding door covers one half of the storage. Hanger bar included for wall-mount installation. One-tone finish only.

96 x 16 x 16	2400 x 400 x 406,5	QNN_-EM961616C	1,110	1,665	1,730
90 x 16 x 16	2250 x 400 x 406,5	QNN_-EM901616C	1,085	1,635	1,690
84 x 16 x 16	2100 x 400 x 406,5	QNN_-EM841616C	1,065	1,585	1,645
78 x 16 x 16	1950 x 400 x 406,5	QNN_-EM781616C	965	1,450	1,515
72 x 16 x 16	1800 x 400 x 406,5	QNN_-EM721616C	895	1,350	1,410
66 x 16 x 16	1650 x 400 x 406,5	QNN_-EM661616C	870	1,305	1,380
60 x 16 x 16	1500 x 400 x 406,5	QNN_-EM601616C	845	1,250	1,325

Specify door choice (N, M, L, T). Specify accent color (A, N, S).

Open wall mounted hutches, 32"H

96" to 60":
4 open compartments.
54" to 36":
2 open compartments.

Adjustable shelves. Hanger bar included for wall-mount installation. One-tone finish only.

96 x 15 x 32	2400 x 381 x 813	QNNN-EM963216	1,150	—	—
90 x 15 x 32	2250 x 381 x 813	QNNN-EM903216	1,110	—	—
84 x 15 x 32	2100 x 381 x 813	QNNN-EM843216	1,085	—	—
78 x 15 x 32	1950 x 381 x 813	QNNN-EM783216	1,035	—	—
72 x 15 x 32	1800 x 381 x 813	QNNN-EM723216	945	—	—
66 x 15 x 32	1650 x 381 x 813	QNNN-EM663216	915	—	—
60 x 15 x 32	1500 x 381 x 813	QNNN-EM603216	880	—	—
54 x 15 x 32	1350 x 381 x 813	QNNN-EM543216	720	—	—
48 x 15 x 32	1200 x 381 x 813	QNNN-EM483216	685	—	—
42 x 15 x 32	1050 x 381 x 813	QNNN-EM423216	650	—	—
36 x 15 x 32	900 x 381 x 813	QNNN-EM363216	610	—	—

Open wall mounted hutches, 24"H

96" to 60":
4 open compartments.
54" to 36":
2 open compartments.

Adjustable shelf. Hanger bar included for wall-mount installation. One-tone finish only.

96 x 15 x 24	2400 x 381 x 609,5	QNNN-EM962416	1,065	—	—
90 x 15 x 24	2250 x 381 x 609,5	QNNN-EM902416	1,020	—	—
84 x 15 x 24	2100 x 381 x 609,5	QNNN-EM842416	985	—	—
78 x 15 x 24	1950 x 381 x 609,5	QNNN-EM782416	960	—	—
72 x 15 x 24	1800 x 381 x 609,5	QNNN-EM722416	875	—	—
66 x 15 x 24	1650 x 381 x 609,5	QNNN-EM662416	845	—	—
60 x 15 x 24	1500 x 381 x 609,5	QNNN-EM602416	810	—	—
54 x 15 x 24	1350 x 381 x 609,5	QNNN-EM542416	660	—	—
48 x 15 x 24	1200 x 381 x 609,5	QNNN-EM482416	630	—	—
42 x 15 x 24	1050 x 381 x 609,5	QNNN-EM422416	600	—	—
36 x 15 x 24	900 x 381 x 609,5	QNNN-EM362416	570	—	—

Open wall mounted hutches, 16"H

96" to 78":
6 open compartments.
72" to 60":
4 open compartments.
54" to 36":
2 open compartments.

Hanger bar included for wall-mount installation. One-tone finish only.

96 x 15 x 16	2400 x 381 x 406,5	QNNN-EM961616	880	—	—
90 x 15 x 16	2250 x 381 x 406,5	QNNN-EM901616	855	—	—
84 x 15 x 16	2100 x 381 x 406,5	QNNN-EM841616	830	—	—
78 x 15 x 16	1950 x 381 x 406,5	QNNN-EM781616	805	—	—
72 x 15 x 16	1800 x 381 x 406,5	QNNN-EM721616	675	—	—
66 x 15 x 16	1650 x 381 x 406,5	QNNN-EM661616	650	—	—
60 x 15 x 16	1500 x 381 x 406,5	QNNN-EM601616	615	—	—
54 x 15 x 16	1350 x 381 x 406,5	QNNN-EM541616	495	—	—
48 x 15 x 16	1200 x 381 x 406,5	QNNN-EM481616	470	—	—
42 x 15 x 16	1050 x 381 x 406,5	QNNN-EM421616	445	—	—
36 x 15 x 16	900 x 381 x 406,5	QNNN-EM361616	425	—	—

Modular pedestal

2 box drawers, 1 file drawer. One lock for file drawer and box drawer above. Goes under a work surface. One-tone finish only.

15 x 20 x 28	388 x 500 x 713	QNN_-P1520UFL	740	—	—
--------------	-----------------	----------------------	------------	---	---

Specify accent color (A, S).

Modular pedestal

2 file drawers. One lock for two drawers. Goes under a work surface. One-tone finish only.

15 x 20 x 28	388 x 500 x 713	QNN_-P1520FFL	705	—	—
--------------	-----------------	----------------------	------------	---	---

Specify accent color (A, S).

Modular lateral files

One lock for the two drawers. Goes under a work surface. One-tone finish only.

36 x 20 x 28	900 x 500 x 713	QNN_-2036LFL	890	—	—
30 x 20 x 28	750 x 500 x 713	QNN_-2030LFL	865	—	—

Specify accent color (A, S).

Mixed modular pedestals

2 box drawers, 2 file drawers. One lock for the two file drawers. Goes under a work surface. One-tone finish only.

36 x 20 x 28	900 x 500 x 713	QNN_-2036COL	1,020	—	—
30 x 20 x 28	750 x 500 x 713	QNN_-2030COL	995	—	—

Specify accent color (A, S).

Mixed modular pedestals

2 box drawers, 2 file drawers. One lock for the two file drawers. Goes under a work surface. One-tone finish only.

36 x 20 x 28	900 x 500 x 713	QNN_-C02036L	1,020	—	—
30 x 20 x 28	750 x 500 x 713	QNN_-C02030L	995	—	—

Specify accent color (A, S).

Modular bookcase with doors

1 adjustable shelf. Lock. Goes under a work surface. One-tone finish only.

36 x 20 x 28	900 x 500 x 713	QNN_-2036BL	785	1,180	1,320
--------------	-----------------	--------------------	------------	--------------	--------------

Specify door choice (N, M, L, T). Specify accent color (A, S).

	W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Mobile pedestals	<i>2 box drawers, 1 file drawer. Brakes on front casters. One lock for file drawer and box drawer above. Goes under a work surface. Available in one-tone finish only.</i>				
	15 x 28 x 27	388 x 700 x 704	QNN_-MP1528UF	820	—
	15 x 20 x 27	388 x 500 x 704	QNN_-MP1520UF	810	—

Specify accent color (A, S).

Lateral file

One lock for the two file drawers. Optional counterweight to meet BIFMA Standards, refer to page 81.

36 x 24 x 29½	900 x 600 x 751	Q_N_-2436LF	1,140	1,340
---------------	-----------------	--------------------	--------------	--------------

Specify the surface type (5, 6). Specify accent color (A, S).

Mixed pedestal

2 box drawers, 2 file drawers. One lock for the two file drawers. Optional counterweight to meet BIFMA Standards, refer to page 81.

36 x 24 x 29½	900 x 600 x 751	Q_N_-2436C0	1,255	1,595
---------------	-----------------	--------------------	--------------	--------------

Specify the surface type (5, 6). Specify accent color (A, S).

Mixed pedestal

2 box drawers, 2 file drawers. One lock for the two file drawers. Optional counterweight to meet BIFMA Standards, refer to page 81.

36 x 24 x 29½	900 x 600 x 751	Q_N_-C02436	1,255	1,595
---------------	-----------------	--------------------	--------------	--------------

Specify the surface type (5, 6). Specify accent color (A, S).



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	Trans.*/ Lexan (\$)	Metal (\$)
Bookcase with doors (Laminate Top)	<i>1 adjustable shelf. Lock.</i>					
	36 x 24 x 29½	900 x 600 x 751	Q5 _ -2436B	1,015	1,445	1,595
	Specify door choice (N, M, L, T). Specify accent color (A, S).					

Bookcase with doors (H.P. Laminate Top)	<i>1 adjustable shelf. Lock.</i>					
	36 x 24 x 29½	900 x 600 x 751	Q6 _ -2436B	1,195	1,635	1,770
	Specify door choice (N, M, L, T). Specify accent color (A, S).					

Storage cabinets	<i>Lock. Available in one-tone finish only. 81"H: 4 adjustable shelves, 1 fixed. 65"-73"H: 3 adjustable shelves, 1 fixed. 57"H: 3 adjustable shelves. 49"H: 2 adjustable shelves. One-tone finish only.</i>					
	36 x 24 x 81	900 x 600 x 2046	QN _ -243681B	1,655	2,380	2,495
	36 x 24 x 73	900 x 600 x 1843	QN _ -243673B	1,550	2,270	2,395
	36 x 24 x 65	900 x 600 x 1640	QN _ -243665B	1,495	2,175	2,310
	36 x 24 x 57	900 x 600 x 1437	QN _ -243657B	1,395	2,070	2,205
	36 x 24 x 49	900 x 600 x 1234	QN _ -243649B	1,290	1,965	2,105
	Specify door choice (N, M, L, T). Specify accent color (A, S).					


Wardrobe / storage cabinets	<i>Lock. Clothes hanger bar and 1 fixed shelf on wardrobe side (15¼"W). 81"H: 4 adjustable shelves, 1 fixed. 65"-73"H: 3 adjustable shelves, 1 fixed. 57"H: 3 adjustable shelves. 49"H: 2 adjustable shelves. One-tone finish only.</i>					
	36 x 24 x 81	900 x 600 x 2046	QN _ -243681BC	1,550	2,240	2,380
	36 x 24 x 73	900 x 600 x 1843	QN _ -243673BC	1,495	2,190	2,325
	36 x 24 x 65	900 x 600 x 1640	QN _ -243665BC	1,445	2,105	2,235
	36 x 24 x 57	900 x 600 x 1437	QN _ -243657BC	1,345	2,025	2,135
	36 x 24 x 49	900 x 600 x 1234	QN _ -243649BC	1,235	1,925	2,025
	Specify door choice (N, M, L, T). Specify accent color (A, S).					

Storage cabinets with lateral file	<i>Lock on lateral file drawers only. 81"H: 3 adjustable shelves. 65"-73"H: 2 adjustable shelves. 57"-49"H: 1 adjustable shelf. One-tone finish only.</i>					
	36 x 24 x 81	900 x 600 x 2046	QN _ -243681LFB	1,940	2,475	2,630
	36 x 24 x 73	900 x 600 x 1843	QN _ -243673LFB	1,810	2,345	2,495
	36 x 24 x 65	900 x 600 x 1640	QN _ -243665LFB	1,685	2,155	2,335
	36 x 24 x 57	900 x 600 x 1437	QN _ -243657LFB	1,555	2,020	2,205
	36 x 24 x 49	900 x 600 x 1234	QN _ -243649LFB	1,425	1,895	2,075
	Specify door choice (N, M, L, T). Specify accent color (A, S).					

Wardrobe / storage cabinets	<i>2 box drawers, 1 file drawer. Clothes hanger bar and 1 fixed shelf on wardrobe side (18¾"W). One lock for file drawer and box drawer above; one lock on full height door. 81"H: 3 adjustable shelves. 65"-73"H: 2 adjustable shelves. One-tone finish only.</i>					
	36 x 24 x 81	900 x 600 x 2046	QN _ -243681UFB	2,055	2,730	2,825
	36 x 24 x 73	900 x 600 x 1843	QN _ -243673UFB	1,925	2,600	2,695
	36 x 24 x 65	900 x 600 x 1640	QN _ -243665UFB	1,800	2,410	2,530
	Specify door choice (N, M, L, T). Specify accent color (A, S).					


Wardrobe / storage cabinets	<i>2 box drawers, 1 file drawer. Clothes hanger bar and 1 fixed shelf on wardrobe side (18¾"W). One lock for file drawer and box drawer above; one lock on full height door. 81"H: 3 adjustable shelves. 65"-73"H: 2 adjustable shelves. One-tone finish only.</i>					
	36 x 24 x 81	900 x 600 x 2046	QN _ -243681BUF	2,055	2,730	2,825
	36 x 24 x 73	900 x 600 x 1843	QN _ -243673BUF	1,925	2,600	2,695
	36 x 24 x 65	900 x 600 x 1640	QN _ -243665BUF	1,800	2,410	2,530
	Specify door choice (N, M, L, T). Specify accent color (A, S).					

Storage cabinets with lateral file




<i>One lock for file drawers. Reversible door. 81"H: 3 adjustable shelves. 65"-73"H: 2 adjustable shelves. One-tone finish only.</i>						
24 x 24 x 81	600 x 600 x 2046	QN _ -242481FB	1,545	1,840	1,900	
24 x 24 x 73	600 x 600 x 1843	QN _ -242473FB	1,480	1,770	1,840	
24 x 24 x 65	600 x 600 x 1640	QN _ -242465FB	1,420	1,685	1,745	
Specify door choice (N, M, L, T). Specify accent color (A, S).						

Wardrobe / storage cabinets




<i>Clothes hanger bar and 1 fixed shelf on wardrobe side (10¼"W). Lock. Reversible door. Specify opening at the end of the code: right (R) or left (L). 81"H: 5 adjustable shelves. 65"-73"H: 4 adjustable shelves. 57"H: 3 adjustable shelves. 49"H: 2 adjustable shelves. One-tone finish only.</i>						
24 x 24 x 81	600 x 600 x 2046	QN _ -242481BC	1,160	1,565	1,630	
24 x 24 x 73	600 x 600 x 1843	QN _ -242473BC	1,110	1,510	1,580	
24 x 24 x 65	600 x 600 x 1640	QN _ -242465BC	1,060	1,430	1,490	
24 x 24 x 57	600 x 600 x 1437	QN _ -242457BC	1,000	1,380	1,440	
24 x 24 x 49	600 x 600 x 1234	QN _ -242449BC	950	1,330	1,390	
Specify door choice (N, M, L, T). Specify accent color (A, S).						

Storage cabinets



<i>Lock. Reversible door. Specify opening at the end of the code: right (R) or left (L). 81"H: 5 adjustable shelves. 65"-73"H: 4 adjustable shelves. 57"H: 3 adjustable shelves. 49"H: 2 adjustable shelves. One-tone finish only.</i>						
24 x 24 x 81	600 x 600 x 2046	QN _ -242481B	1,160	1,565	1,630	
24 x 24 x 73	600 x 600 x 1843	QN _ -242473B	1,110	1,510	1,580	
24 x 24 x 65	600 x 600 x 1640	QN _ -242465B	1,060	1,430	1,490	
24 x 24 x 57	600 x 600 x 1437	QN _ -242457B	1,000	1,380	1,440	
24 x 24 x 49	600 x 600 x 1234	QN _ -242449B	950	1,330	1,390	
Specify door choice (N, M, L, T). Specify accent color (A, S).						

Open bookcases




<i>81"H: 4 adjustable shelves, 1 fixed at 29"H. 73"H: 3 adjustable shelves, 1 fixed at 29"H. 65"H: 4 adjustable shelves. 57"H: 3 adjustable shelves. 49"H: 2 adjustable shelves. One-tone finish only.</i>						
36 x 15 x 81	900 x 381 x 2046	QNN -B368116	910	—	—	
36 x 15 x 73	900 x 381 x 1834	QNN -B367316	860	—	—	
36 x 15 x 65	900 x 381 x 1640	QNN -B366516	795	—	—	
36 x 15 x 57	900 x 381 x 1437	QNN -B365716	735	—	—	
36 x 15 x 49	900 x 381 x 1234	QNN -B364916	685	—	—	
Specify accent color (A, S).						

Left personal bookcases



<i>1 box drawer and 2 file drawers. Adjustable shelf on 57"H only. Wardrobe with clothes / hanger bar (7¼"W). Lock for the two file drawers. Lock on door. One-tone finish only.</i>						
24 x 24 x 57	600 x 600 x 1437	QN _ -PB242457	1,835	2,040	2,125	
24 x 24 x 49	600 x 600 x 1234	QN _ -PB242449	1,750	1,960	2,015	
Specify door choice (N, M, L, T). Specify accent color (A, S).						

Right personal bookcases



<i>1 box drawer and 2 file drawers. Adjustable shelf on 57"H only. Wardrobe with clothes / hanger bar (7¼"W). Lock for the two file drawers. Lock on door. One-tone finish only.</i>						
24 x 24 x 57	600 x 600 x 1437	QN _ -P242457B	1,835	2,040	2,125	
24 x 24 x 49	600 x 600 x 1234	QN _ -P242449B	1,750	1,960	2,015	
Specify door choice (N, M, L, T). Specify accent color (A, S).						


Tables



<i>3" square steel legs (carton of 4). Steel legs packaged separately (4).</i>						
48 x 48 x 1½	1200 x 1200 x 38	Q M _SQ48	1,290	1,475		
42 x 42 x 1½	1050 x 1050 x 38	Q M _SQ42	1,205	1,365		
Specify the surface type (5, 6). Specify accent color (A, S).						

SUGGESTIONS

Q _ _ _ -PLAN01



Plan shown in **Quad** Section / Product Catalog:

Q5MA-PLAN01 \$7,030


- 1 Q5NA-BU3066
- 1 Q5NA-DT2472A
- 1 QNMA-E722416P
- 1 QNMA-242473FB
- 1 QNNA-P1520UFL
- 1 QNNN-SDV1820
- 1 QNNA-HBS
- 1 QNNA-HBU

1½" thick laminate (5), metal doors (M), anthracite grey accent (A).

Other options:

- 1½" thick laminate with laminate doors **\$5,635**
- 1½" thick laminate, translucent/ Lexan doors **\$6,750**

Q _ _ _ -PLAN02



Plan shown in **Quad** Section / Product Catalog:

Q5TS-PLAN02 \$9,595


- 1 Q5NS-S3072UF
- 1 Q5NS-DT2472A
- 1 QNTS-E722416C
- 1 QNTS-243673LFB
- 1 QNTS-243673B
- 1 QNNS-C02036L
- 2 QNNS-HBU

1½" thick laminate (5), translucent doors (T), silver accent (S).

Other options:

- 1½" thick laminate with laminate doors **\$7,990**
- 1½" thick laminate with metal doors **\$9,975**

Q _ _ _ -PLAN03



Plan shown in **Quad** Section / Product Catalog:

Q5NS-PLAN03 \$5,450


- 1 Q5MS-CM367224B
- 1 Q5NS-DT2436B
- 1 QNNS-E722416P
- 1 QNNS-242473BR
- 1 QNNS-P1520UFL
- 1 QNNN-SDV1220
- 1 QNNS-HBS
- 1 QNNS-HBU

1½" thick laminate (5), laminate doors (N), silver accent (S).

Other options:

- 1½" thick laminate, translucent/ Lexan doors **\$6,675**
- 1½" thick laminate with metal doors **\$6,955**

Q _ _ _ -PLAN04



Plan shown in **Quad** Section / Product Catalog:

Q5TA-PLAN04 \$8,265


- 1 Q5NA-UF3672FF
- 1 Q5NA-DT2472A
- 1 QNTA-E722416P
- 1 QNNA-242473BCL
- 1 QNNA-242473BCR
- 1 QNNA-2036LFL
- 2 QNNA-HBU

1½" thick laminate (5), translucent (T) and laminate (N) doors, anthracite grey accent (A).

Other options:

- 1½" thick laminate with laminate doors **\$7,440**
- 1½" thick laminate, translucent/ Lexan doors **\$9,065**
- 1½" thick laminate with metal doors **\$9,415**

Q _ _ _ -PLAN05



Plan shown in **Quad** Section / Product Catalog:

Q5LS-PLAN05 \$8,830


- 1 Q5NS-S3072UF
- 1 Q5NS-BR2442
- 1 Q5NS-DT2472A
- 1 QNLS-E723216P
- 1 QNLS-243681LFB
- 1 QNNS-P1520UFL
- 1 QNNN-SDV1820
- 1 QNNS-HBS
- 1 QNNS-HBU

1½" thick laminate (5), ridged Lexan doors (L), silver accent (S).

Other options:

- 1½" thick laminate with laminate doors **\$7,430**
- 1½" thick laminate with metal doors **\$9,215**

Q _ _ _ -PLAN06



Plan shown in **Quad** Section / Product Catalog:

Q5TS-PLAN06 \$11,520


- 1 Q5NS-CM366624B
- 1 Q5NS-CM663624B
- 2 Q5NS-DT2436C
- 1 Q5NS-BT3072
- 2 QNNN-EM722416
- 1 QNTS-EM362416P
- 1 QNTS-P242457B
- 1 QNTS-PB242457

1½" thick laminate (5), translucent doors (T), silver accent (S).

Other options:

- 1½" thick laminate with laminate doors **\$10,680**
- 1½" thick laminate with metal doors **\$11,800**

TYPICAL WOOD GRAIN DIRECTION FOR QUAD COLLECTION:



OPTIONS



EDGEBANDING


Furniture with 1" (25 mm) thick tops

N Edge - 1" (25 mm)



Furniture with 1½" (38 mm) thick tops

N Edge - 1½" (38 mm)



Smooth, ⅜" (3 mm) thick edge.

The **N** edge is matched with the finish specified for the surface.

HANDLES

A choice of metal handles or a linear thermoplastic polymer pull is offered. All are finished Anthracite grey.



B - Curved



L - Linear



U - Straight

LEGS

Work surfaces come with either full-width or recessed leg panels. Recessed legs allow several surfaces to be positioned end-to-end, with enough clearance for knees.

LEG PANEL OPTIONS FOR DT, AT, CM, ETC.

- A** Two full-width leg panels
- B** One full-width leg panel and one recessed
- C** Two recessed leg panels
- D** Two full-width leg panels, one with wiring access
- E** Two full-width leg panels with wiring access
- F** One full-width leg panel and one recessed with wiring access

MATERIALS


- **Thermofused laminate furniture:**
See prices shown in the "All Laminate" column. Surface material and thickness must be specified in the code.
- **Furniture with tops in high-pressure laminate, the rest in thermofused laminate:**
See prices shown in the "HPL Surfaces" column. Surface material and thickness must be specified in the code.


CODIFICATION


Series	Options		
	Thickness	Edgebanding	Handle
0	1 Thermofused laminate 1"	N Smooth edge	N N/A
	2 High-pressure laminate 1"		B Curved
	5 Thermofused laminate 1½"		L Linear
	6 High-pressure laminate 1½"		U Straight
	N N/A		


ELECTRIFICATION OF FREESTANDING FURNITURE

Electricom System is fully compatible with Options collection to enable the electrification of Options freestanding furniture. Refer to the Electricom System section on page 40.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Bow front double pedestal desks 	Full-width wiring access. One lock for left file drawer and box drawer above, and one for the two file drawers on the right.				
	84 x 42 x 29	2100 x 1050 x 738	O_N_-UF4284FFA	1,925	2,230
	72 x 42 x 29	1800 x 1050 x 738	O_N_-UF4272FFA	1,825	2,130
	66 x 36 x 29	1650 x 900 x 738	O_N_-UF3666FFA	1,770	2,080
	Specify the surface type (1, 2). Specify the handle code.				
	84 x 42 x 29½	2100 x 1050 x 751	O_N_-UF4284FFA	2,130	2,435
	72 x 42 x 29½	1800 x 1050 x 751	O_N_-UF4272FFA	2,025	2,335
	66 x 36 x 29½	1650 x 900 x 751	O_N_-UF3666FFA	1,975	2,280
	Specify the surface type (5, 6). Specify the handle code.				


Double pedestal desks 	Full-width wiring access. One lock for left file drawer and box drawer above, and one for the two file drawers on the right.				
	84 x 36 x 29	2100 x 900 x 738	O_N_-UF3684FF	1,710	1,970
	72 x 36 x 29	1800 x 900 x 738	O_N_-UF3672FF	1,610	1,870
	72 x 30 x 29	1800 x 750 x 738	O_N_-UF3072FF	1,560	1,820
	66 x 30 x 29	1650 x 750 x 738	O_N_-UF3066FF	1,505	1,745
	60 x 30 x 29	1500 x 750 x 738	O_N_-UF3060FF	1,455	1,685
	Specify the surface type (1, 2). Specify the handle code.				
	84 x 36 x 29½	2100 x 900 x 751	O_N_-UF3684FF	1,900	2,200
	72 x 36 x 29½	1800 x 900 x 751	O_N_-UF3672FF	1,800	2,100
	72 x 30 x 29½	1800 x 750 x 751	O_N_-UF3072FF	1,745	2,050
	66 x 30 x 29½	1650 x 750 x 751	O_N_-UF3066FF	1,695	1,975
	60 x 30 x 29½	1500 x 750 x 751	O_N_-UF3060FF	1,645	1,915
	Specify the surface type (5, 6). Specify the handle code.				

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Bow front double pedestal desks 	Full-width wiring access. One lock for file drawer and box drawer above.				
	84 x 42 x 29	2100 x 1050 x 738	O_N_-F4284FA	1,620	1,925
	72 x 42 x 29	1800 x 1050 x 738	O_N_-F4272FA	1,515	1,825
	66 x 36 x 29	1650 x 900 x 738	O_N_-F3666FA	1,465	1,770
	Specify the surface type (1, 2). Specify the handle code.				
	84 x 42 x 29½	2100 x 1050 x 751	O_N_-F4284FA	1,825	2,130
	72 x 42 x 29½	1800 x 1050 x 751	O_N_-F4272FA	1,720	2,025
	66 x 36 x 29½	1650 x 900 x 751	O_N_-F3666FA	1,670	1,975
	Specify the surface type (5, 6). Specify the handle code.				

Double pedestal desks 	Full-width wiring access. One lock for file drawer and box drawer above.				
	84 x 36 x 29	2100 x 900 x 738	O_N_-F3684F	1,405	1,665
	72 x 36 x 29	1800 x 900 x 738	O_N_-F3672F	1,305	1,565
	72 x 30 x 29	1800 x 750 x 738	O_N_-F3072F	1,250	1,510
	66 x 30 x 29	1650 x 750 x 738	O_N_-F3066F	1,200	1,440
	60 x 30 x 29	1500 x 750 x 738	O_N_-F3060F	1,150	1,380
	Specify the surface type (1, 2). Specify the handle code.				
	84 x 36 x 29½	2100 x 900 x 751	O_N_-F3684F	1,595	1,895
	72 x 36 x 29½	1800 x 900 x 751	O_N_-F3672F	1,490	1,795
	72 x 30 x 29½	1800 x 750 x 751	O_N_-F3072F	1,440	1,740
	66 x 30 x 29½	1650 x 750 x 751	O_N_-F3066F	1,390	1,670
	60 x 30 x 29½	1500 x 750 x 751	O_N_-F3060F	1,340	1,610
	Specify the surface type (5, 6). Specify the handle code.				



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Bow front single pedestal desks	<i>Full-width wiring access. One lock for file drawer and box drawer above.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-UF4272SA	1,420	1,700




Specify the surface type (1, 2). Specify the handle code.

72 x 42 x 29½	1800 x 1050 x 751	O_N_-UF4272SA	1,620	1,945
---------------	-------------------	----------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

Bow front single pedestal desks	<i>Full-width wiring access. One lock for file drawer and box drawer above.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-S4272UFA	1,420	1,700




Specify the surface type (1, 2). Specify the handle code.

72 x 42 x 29½	1800 x 1050 x 751	O_N_-S4272UFA	1,620	1,945
---------------	-------------------	----------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

Single pedestal desks	<i>Full-width wiring access. One lock for file drawer and box drawer above.</i>				
	72 x 36 x 29	1800 x 900 x 738	O_N_-UF3672S	1,200	1,410
	72 x 30 x 29	1800 x 750 x 738	O_N_-UF3072S	1,150	1,360
	66 x 30 x 29	1650 x 750 x 738	O_N_-UF3066S	1,100	1,290
	60 x 30 x 29	1500 x 750 x 738	O_N_-UF3060S	1,050	1,225



Specify the surface type (1, 2). Specify the handle code.

72 x 36 x 29½	1800 x 900 x 751	O_N_-UF3672S	1,370	1,615
---------------	------------------	---------------------	--------------	--------------


72 x 30 x 29½	1800 x 750 x 751	O_N_-UF3072S	1,320	1,565
---------------	------------------	---------------------	--------------	--------------

66 x 30 x 29½	1650 x 750 x 751	O_N_-UF3066S	1,265	1,490
---------------	------------------	---------------------	--------------	--------------

60 x 30 x 29½	1500 x 750 x 751	O_N_-UF3060S	1,220	1,435
---------------	------------------	---------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

Single pedestal desks	<i>Full-width wiring access. One lock for file drawer and box drawer above.</i>				
	72 x 36 x 29	1800 x 900 x 738	O_N_-S3672UF	1,200	1,410
	72 x 30 x 29	1800 x 750 x 738	O_N_-S3072UF	1,150	1,360
	66 x 30 x 29	1650 x 750 x 738	O_N_-S3066UF	1,100	1,290
	60 x 30 x 29	1500 x 750 x 738	O_N_-S3060UF	1,050	1,225



Specify the surface type (1, 2). Specify the handle code.

72 x 36 x 29½	1800 x 900 x 751	O_N_-S3672UF	1,370	1,615
---------------	------------------	---------------------	--------------	--------------


72 x 30 x 29½	1800 x 750 x 751	O_N_-S3072UF	1,320	1,565
---------------	------------------	---------------------	--------------	--------------

66 x 30 x 29½	1650 x 750 x 751	O_N_-S3066UF	1,265	1,490
---------------	------------------	---------------------	--------------	--------------

60 x 30 x 29½	1500 x 750 x 751	O_N_-S3060UF	1,220	1,435
---------------	------------------	---------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

Bow front single pedestal desks	<i>Full-width wiring access. One lock for file drawer and box drawer above.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-F4272SA	1,265	1,515




Specify the surface type (1, 2). Specify the handle code.

72 x 42 x 29½	1800 x 1050 x 751	O_N_-F4272SA	1,425	1,715
---------------	-------------------	---------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

Bow front single pedestal desks	<i>Full-width wiring access. One lock for file drawer and box drawer above.</i>				
	72 x 42 x 29	1800 x 1050 x 738	O_N_-S4272FA	1,265	1,515




Specify the surface type (1, 2). Specify the handle code.

72 x 42 x 29½	1800 x 1050 x 751	O_N_-S4272FA	1,425	1,715
---------------	-------------------	---------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

Single pedestal desks	<i>Full-width wiring access. One lock for file drawer and box drawer above.</i>				
	72 x 36 x 29	1800 x 900 x 738	O_N_-F3672S	1,050	1,255
	72 x 30 x 29	1800 x 750 x 738	O_N_-F3072S	995	1,205
	66 x 30 x 29	1650 x 750 x 738	O_N_-F3066S	945	1,135
	60 x 30 x 29	1500 x 750 x 738	O_N_-F3060S	895	1,075




Specify the surface type (1, 2). Specify the handle code.

Single pedestal desks (cont'd)	72 x 36 x 29½	1800 x 900 x 751	O_N_-F3672S	1,215	1,460
	72 x 30 x 29½	1800 x 750 x 751	O_N_-F3072S	1,165	1,410
	66 x 30 x 29½	1650 x 750 x 751	O_N_-F3066S	1,115	1,340
	60 x 30 x 29½	1500 x 750 x 751	O_N_-F3060S	1,070	1,285

Specify the surface type (5, 6). Specify the handle code.

Single pedestal desks	<i>Full-width wiring access. One lock for file drawer and box drawer above.</i>				
	72 x 36 x 29	1800 x 900 x 738	O_N_-S3672F	1,050	1,255
	72 x 30 x 29	1800 x 750 x 738	O_N_-S3072F	995	1,205
	66 x 30 x 29	1650 x 750 x 738	O_N_-S3066F	945	1,135



60 x 30 x 29	1500 x 750 x 738	O_N_-S3060F	895	1,075
--------------	------------------	--------------------	------------	--------------

Specify the surface type (1, 2). Specify the handle code.

72 x 36 x 29½	1800 x 900 x 751	O_N_-S3672F	1,215	1,460
---------------	------------------	--------------------	--------------	--------------

72 x 30 x 29½	1800 x 750 x 751	O_N_-S3072F	1,165	1,410
---------------	------------------	--------------------	--------------	--------------

66 x 30 x 29½	1650 x 750 x 751	O_N_-S3066F	1,115	1,340
---------------	------------------	--------------------	--------------	--------------

60 x 30 x 29½	1500 x 750 x 751	O_N_-S3060F	1,070	1,285
---------------	------------------	--------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

Corner modules

To attach to a work surface. Keyboard surface adjusts from 6½" below surface to 7" above surface with a tilt angle of +/- 15 degrees. Adjustable keyboard surface is 1" thick. Grommet. Full-width wiring access on both back panels. Mechanism packaged separately.

With adjustable keyboard surface

48 x 48 x 29	1200 x 1200 x 738	O_NN-CMS4830SC	1,495	1,725
--------------	-------------------	-----------------------	--------------	--------------

42 x 42 x 29	1050 x 1050 x 738	O_NN-CMS4224SC	1,440	1,630
--------------	-------------------	-----------------------	--------------	--------------

Specify the surface type (1, 2). Diagonal wood grain: change S to D, add 10% to the price.

48 x 48 x 29½	1200 x 1200 x 751	O_NN-CMS4830SC	1,755	1,860
---------------	-------------------	-----------------------	--------------	--------------

42 x 42 x 29½	1050 x 1050 x 751	O_NN-CMS4224SC	1,690	1,800
---------------	-------------------	-----------------------	--------------	--------------

Specify the surface type (5, 6). Diagonal wood grain: change S to D, add 10% to the price.

To attach to a work surface. Grommet. Full-width wiring access on both back panels.

48 x 48 x 29	1200 x 1200 x 738	O_NN-CM4830S	715	990
--------------	-------------------	---------------------	------------	------------

42 x 42 x 29	1050 x 1050 x 738	O_NN-CM4224S	630	880
--------------	-------------------	---------------------	------------	------------

36 x 36 x 29	900 x 900 x 738	O_NN-CM3618SC	610	855
--------------	-----------------	----------------------	------------	------------






Specify the surface type (1, 2). Specify leg choice at the end of the code (B, C, F). Diagonal wood grain: change S to D, add 10% to the price.

48 x 48 x 29½	1200 x 1200 x 751	O_NN-CM4830S	835	1,170
---------------	-------------------	---------------------	------------	--------------


42 x 42 x 29½	1050 x 1050 x 751	O_NN-CM4224S	750	1,045
---------------	-------------------	---------------------	------------	--------------

36 x 36 x 29½	900 x 900 x 751	O_NN-CM3618SC	700	980
---------------	-----------------	----------------------	------------	------------

Specify the surface type (5, 6). Specify leg choice at the end of the code (B, C, F). Diagonal wood grain: change S to D, add 10% to the price.

**Left extended corner modules**

Grommet. Full-width wiring access on both back panels.



Straight line segment on curved surface:

Surface	R1	R2
72"/48"	28½"	4½"
66"/48"	22½"	4½"
60"/48"	16½"	4½"
72"/42"	28½"	0"
66"/42"	22½"	0"
60"/42"	16½"	0"
72"/36"	16½"	0"
66"/36"	10½"	0"
60"/36"	4½"	0"

72 x 48 x 29	1800 x 1200 x 738	O_NN-CM724824	980	1,375
--------------	-------------------	----------------------	------------	--------------

66 x 48 x 29	1650 x 1200 x 738	O_NN-CM664824	930	1,305
--------------	-------------------	----------------------	------------	--------------



Left extended corner modules (cont'd)

W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
60 x 48 x 29	1500 x 1200 x 738	O_NN-CM604824_	880	1,230
72 x 42 x 29	1800 x 1050 x 738	O_NN-CM724224_	930	1,305
66 x 42 x 29	1650 x 1050 x 738	O_NN-CM664224_	880	1,230
60 x 42 x 29	1500 x 1050 x 738	O_NN-CM604224_	830	1,160
72 x 36 x 29	1800 x 900 x 738	O_NN-CM723624_	880	1,230
66 x 36 x 29	1650 x 900 x 738	O_NN-CM663624_	790	1,105
60 x 36 x 29	1500 x 900 x 738	O_NN-CM603624_	735	1,035

Specify the surface type (1, 2).


Specify leg choice at the end of the code (A, B, C, D, E, F).

72 x 48 x 29½	1800 x 1200 x 751	O_NN-CM724824_	1,135	1,590
66 x 48 x 29½	1650 x 1200 x 751	O_NN-CM664824_	1,085	1,515
60 x 48 x 29½	1500 x 1200 x 751	O_NN-CM604824_	1,035	1,445
72 x 42 x 29½	1800 x 1050 x 751	O_NN-CM724224_	1,085	1,515
66 x 42 x 29½	1650 x 1050 x 751	O_NN-CM664224_	1,035	1,445
60 x 42 x 29½	1500 x 1050 x 751	O_NN-CM604224_	980	1,375
72 x 36 x 29½	1800 x 900 x 751	O_NN-CM723624_	950	1,335
66 x 36 x 29½	1650 x 900 x 751	O_NN-CM663624_	900	1,260
60 x 36 x 29½	1500 x 900 x 751	O_NN-CM603624_	845	1,180


Specify the surface type (5, 6).

Specify leg choice at the end of the code (A, B, C, D, E, F).

Right extended corner modules



Grommet. Full-width wiring access on both back panels.



Straight line segment on curved surface:

Surface	R1	R2
72"/48"	28½"	4⅞"
66"/48"	22½"	4⅞"
60"/48"	16⅝"	4⅞"
72"/42"	28½"	0"
66"/42"	22½"	0"
60"/42"	16⅝"	0"
72"/36"	16⅝"	0"
66"/36"	10¾"	0"
60"/36"	4⅞"	0"

72 x 48 x 29	1800 x 1200 x 738	O_NN-CM487224_	980	1,375
66 x 48 x 29	1650 x 1200 x 738	O_NN-CM486624_	930	1,305
60 x 48 x 29	1500 x 1200 x 738	O_NN-CM486024_	880	1,230
72 x 42 x 29	1800 x 1050 x 738	O_NN-CM427224_	930	1,305
66 x 42 x 29	1650 x 1050 x 738	O_NN-CM426624_	880	1,230
60 x 42 x 29	1500 x 1050 x 738	O_NN-CM426024_	830	1,160
72 x 36 x 29	1800 x 900 x 738	O_NN-CM367224_	880	1,230
66 x 36 x 29	1650 x 900 x 738	O_NN-CM366624_	790	1,105
60 x 36 x 29	1500 x 900 x 738	O_NN-CM366024_	735	1,035

Specify the surface type (1, 2).


Specify leg choice at the end of the code (A, B, C, D, E, F).

72 x 48 x 29½	1800 x 1200 x 751	O_NN-CM487224_	1,135	1,590
66 x 48 x 29½	1650 x 1200 x 751	O_NN-CM486624_	1,085	1,515
60 x 48 x 29½	1500 x 1200 x 751	O_NN-CM486024_	1,035	1,445
72 x 42 x 29½	1800 x 1050 x 751	O_NN-CM427224_	1,085	1,515
66 x 42 x 29½	1650 x 1050 x 751	O_NN-CM426624_	1,035	1,445
60 x 42 x 29½	1500 x 1050 x 751	O_NN-CM426024_	980	1,375
72 x 36 x 29½	1800 x 900 x 751	O_NN-CM367224_	950	1,335
66 x 36 x 29½	1650 x 900 x 751	O_NN-CM366624_	900	1,260
60 x 36 x 29½	1500 x 900 x 751	O_NN-CM366024_	845	1,180

Specify the surface type (5, 6).

Specify leg choice at the end of the code (A, B, C, D, E, F).

Rectangular tables 30"D



W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wiring access.</i>				
72 x 30 x 29	1800 x 750 x 738	O_NN-DT3072_	660	925
66 x 30 x 29	1650 x 750 x 738	O_NN-DT3066_	640	895
60 x 30 x 29	1500 x 750 x 738	O_NN-DT3060_	610	855
54 x 30 x 29	1350 x 750 x 738	O_NN-DT3054_	585	820
48 x 30 x 29	1200 x 750 x 738	O_NN-DT3048_	555	665
42 x 30 x 29	1050 x 750 x 738	O_NN-DT3042_	530	635
36 x 30 x 29	900 x 750 x 738	O_NN-DT3036_	495	600
30 x 30 x 29	750 x 750 x 738	O_NN-DT3030_	470	570
24 x 30 x 29	600 x 750 x 738	O_NN-DT3024_	440	535

Specify the surface type (1, 2).


Specify leg choice at the end of the code (A, B, C, D, E, F).

72 x 30 x 29½	1800 x 750 x 751	O_NN-DT3072_	775	1,085
66 x 30 x 29½	1650 x 750 x 751	O_NN-DT3066_	745	1,050
60 x 30 x 29½	1500 x 750 x 751	O_NN-DT3060_	715	1,000
54 x 30 x 29½	1350 x 750 x 751	O_NN-DT3054_	690	965
48 x 30 x 29½	1200 x 750 x 751	O_NN-DT3048_	640	765
42 x 30 x 29½	1050 x 750 x 751	O_NN-DT3042_	610	730
36 x 30 x 29½	900 x 750 x 751	O_NN-DT3036_	585	700
30 x 30 x 29½	750 x 750 x 751	O_NN-DT3030_	555	665
24 x 30 x 29½	600 x 750 x 751	O_NN-DT3024_	530	635

Specify the surface type (5, 6).

Specify leg choice at the end of the code (A, B, C, D, E, F).

Rectangular tables 24"D



<i>Full-width wiring access.</i>				
72 x 24 x 29	1800 x 600 x 738	O_NN-DT2472_	640	895
66 x 24 x 29	1650 x 600 x 738	O_NN-DT2466_	610	855
60 x 24 x 29	1500 x 600 x 738	O_NN-DT2460_	585	820
54 x 24 x 29	1350 x 600 x 738	O_NN-DT2454_	555	780
48 x 24 x 29	1200 x 600 x 738	O_NN-DT2448_	530	635
42 x 24 x 29	1050 x 600 x 738	O_NN-DT2442_	495	600
36 x 24 x 29	900 x 600 x 738	O_NN-DT2436_	470	570
30 x 24 x 29	750 x 600 x 738	O_NN-DT2430_	440	535
24 x 24 x 29	600 x 600 x 738	O_NN-DT2424_	420	505

Specify the surface type (1, 2).


Specify leg choice at the end of the code (A, B, C, D, E, F).

72 x 24 x 29½	1800 x 600 x 751	O_NN-DT2472_	715	1,000
66 x 24 x 29½	1650 x 600 x 751	O_NN-DT2466_	690	965
60 x 24 x 29½	1500 x 600 x 751	O_NN-DT2460_	660	925
54 x 24 x 29½	1350 x 600 x 751	O_NN-DT2454_	640	895
48 x 24 x 29½	1200 x 600 x 751	O_NN-DT2448_	585	700
42 x 24 x 29½	1050 x 600 x 751	O_NN-DT2442_	555	665
36 x 24 x 29½	900 x 600 x 751	O_NN-DT2436_	530	635
30 x 24 x 29½	750 x 600 x 751	O_NN-DT2430_	495	600
24 x 24 x 29½	600 x 600 x 751	O_NN-DT2424_	470	570

Specify the surface type (5, 6).

Specify leg choice at the end of the code (A, B, C, D, E, F).

Left asymmetrical tables 30"D




<i>To attach to a work surface. Full-width wiring access.</i>				
54 x 30 x 29	1350 x 750 x 738	O_NN-AT245430_	570	800
48 x 30 x 29	1200 x 750 x 738	O_NN-AT244830_	545	655
42 x 30 x 29	1050 x 750 x 738	O_NN-AT244230_	520	625
36 x 30 x 29	900 x 750 x 738	O_NN-AT243630_	490	595
30 x 30 x 29	750 x 750 x 738	O_NN-AT243030_	465	565

Specify the surface type (1, 2). Specify leg choice at the end of the code (B, C, F).




	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left asymmetrical tables 30"D (cont'd)	54 x 30 x 29½	1350 x 750 x 751	O_NN-AT245430_	670	940
	48 x 30 x 29½	1200 x 750 x 751	O_NN-AT244830_	615	735
	42 x 30 x 29½	1050 x 750 x 751	O_NN-AT244230_	595	715
	36 x 30 x 29½	900 x 750 x 751	O_NN-AT243630_	570	685
	30 x 30 x 29½	750 x 750 x 751	O_NN-AT243030_	545	655

Specify the surface type (5, 6). Specify leg choice at the end of the code (B, C, F).



Right asymmetrical tables 30"D



	54				
	35 3/8				
	48				
	29 1/2				
	42				
	23 1/2				
	36				
	17 3/8				
	30				
	11 1/8				

To attach to a work surface. Full-width wiring access.


54 x 30 x 29	1350 x 750 x 738	O_NN-AT305424_	570	800
48 x 30 x 29	1200 x 750 x 738	O_NN-AT304824_	545	655
42 x 30 x 29	1050 x 750 x 738	O_NN-AT304224_	520	625
36 x 30 x 29	900 x 750 x 738	O_NN-AT303624_	490	595
30 x 30 x 29	750 x 750 x 738	O_NN-AT303024_	465	565

Specify the surface type (1, 2). Specify leg choice at the end of the code (B, C, F).

54 x 30 x 29½	1350 x 750 x 751	O_NN-AT305424_	670	940
48 x 30 x 29½	1200 x 750 x 751	O_NN-AT304824_	615	735
42 x 30 x 29½	1050 x 750 x 751	O_NN-AT304224_	595	715
36 x 30 x 29½	900 x 750 x 751	O_NN-AT303624_	570	685
30 x 30 x 29½	750 x 750 x 751	O_NN-AT303024_	545	655

Specify the surface type (5, 6). Specify leg choice at the end of the code (B, C, F).

Left asymmetrical tables 24"D



	54				
	35 3/8				
	48				
	29 1/2				
	42				
	23 1/2				
	36				
	17 3/8				
	30				
	11 1/8				

To attach to a work surface. Full-width wiring access.


54 x 24 x 29	1350 x 600 x 738	O_NN-AT185424_	545	760
48 x 24 x 29	1200 x 600 x 738	O_NN-AT184824_	520	625
42 x 24 x 29	1050 x 600 x 738	O_NN-AT184224_	490	595
36 x 24 x 29	900 x 600 x 738	O_NN-AT183624_	465	565
30 x 24 x 29	750 x 600 x 738	O_NN-AT183024_	440	535

Specify the surface type (1, 2). Specify leg choice at the end of the code (B, C, F).

54 x 24 x 29½	1350 x 600 x 751	O_NN-AT185424_	645	905
48 x 24 x 29½	1200 x 600 x 751	O_NN-AT184824_	595	715
42 x 24 x 29½	1050 x 600 x 751	O_NN-AT184224_	570	685
36 x 24 x 29½	900 x 600 x 751	O_NN-AT183624_	545	655
30 x 24 x 29½	750 x 600 x 751	O_NN-AT183024_	520	625

Specify the surface type (5, 6). Specify leg choice at the end of the code (B, C, F).

Right asymmetrical tables 24"D



	54				
	35 3/8				
	48				
	29 1/2				
	42				
	23 1/2				
	36				
	17 3/8				
	30				
	11 1/8				

To attach to a work surface. Full-width wiring access.


54 x 24 x 29	1350 x 600 x 738	O_NN-AT245418_	545	760
48 x 24 x 29	1200 x 600 x 738	O_NN-AT244818_	520	625
42 x 24 x 29	1050 x 600 x 738	O_NN-AT244218_	490	595
36 x 24 x 29	900 x 600 x 738	O_NN-AT243618_	465	565
30 x 24 x 29	750 x 600 x 738	O_NN-AT243018_	440	535

Specify the surface type (1, 2). Specify leg choice at the end of the code (B, C, F).

54 x 24 x 29½	1350 x 600 x 751	O_NN-AT245418_	645	905
48 x 24 x 29½	1200 x 600 x 751	O_NN-AT244818_	595	715
42 x 24 x 29½	1050 x 600 x 751	O_NN-AT244218_	570	685
36 x 24 x 29½	900 x 600 x 751	O_NN-AT243618_	545	655
30 x 24 x 29½	750 x 600 x 751	O_NN-AT243018_	520	625

Specify the surface type (5, 6). Specify leg choice at the end of the code (B, C, F).

Left D-shaped extended corner modules



To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter Anthracite grey steel leg. Steel leg packaged separately.


84 x 48 x 29	2100 x 1200 x 738	O_NN-CB844824_	1,075	1,500
78 x 48 x 29	1950 x 1200 x 738	O_NN-CB784824_	1,020	1,430
72 x 48 x 29	1800 x 1200 x 738	O_NN-CB724824_	970	1,360
84 x 42 x 29	2100 x 1050 x 738	O_NN-CB844224_	1,020	1,430
78 x 42 x 29	1950 x 1050 x 738	O_NN-CB784224_	970	1,360
72 x 42 x 29	1800 x 1050 x 738	O_NN-CB724224_	920	1,290

Specify the surface type (1, 2).

84 x 48 x 29½	2100 x 1200 x 751	O_NN-CB844824_	1,225	1,715
78 x 48 x 29½	1950 x 1200 x 751	O_NN-CB784824_	1,175	1,645
72 x 48 x 29½	1800 x 1200 x 751	O_NN-CB724824_	1,125	1,575
84 x 42 x 29½	2100 x 1050 x 751	O_NN-CB844224_	1,175	1,645
78 x 42 x 29½	1950 x 1050 x 751	O_NN-CB784224_	1,125	1,575
72 x 42 x 29½	1800 x 1050 x 751	O_NN-CB724224_	1,075	1,500

Specify the surface type (5, 6).

Right D-shaped extended corner modules



To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter Anthracite grey steel leg. Steel leg packaged separately.

84 x 48 x 29	2100 x 1200 x 738	O_NN-C4884824_	1,075	1,500
78 x 48 x 29	1950 x 1200 x 738	O_NN-C4878824_	1,020	1,430
72 x 48 x 29	1800 x 1200 x 738	O_NN-C4872824_	970	1,360
84 x 42 x 29	2100 x 1050 x 738	O_NN-C4284824_	1,020	1,430
78 x 42 x 29	1950 x 1050 x 738	O_NN-C4278824_	970	1,360
72 x 42 x 29	1800 x 1050 x 738	O_NN-C4272824_	920	1,290


Specify the surface type (1, 2).

84 x 48 x 29½	2100 x 1200 x 751	O_NN-C4884824_	1,225	1,715
78 x 48 x 29½	1950 x 1200 x 751	O_NN-C4878824_	1,175	1,645
72 x 48 x 29½	1800 x 1200 x 751	O_NN-C4872824_	1,125	1,575
84 x 42 x 29½	2100 x 1050 x 751	O_NN-C4284824_	1,175	1,645
78 x 42 x 29½	1950 x 1050 x 751	O_NN-C4278824_	1,125	1,575
72 x 42 x 29½	1800 x 1050 x 751	O_NN-C4272824_	1,075	1,500

Specify the surface type (5, 6).



Left D-shaped extended corner modules with modesty panel




W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
84 x 48 x 29	2100 x 1200 x 738	O_ NN-CBM844824	1,200	1,630
78 x 48 x 29	1950 x 1200 x 738	O_ NN-CBM784824	1,150	1,560
72 x 48 x 29	1800 x 1200 x 738	O_ NN-CBM724824	1,100	1,485
84 x 42 x 29	2100 x 1050 x 738	O_ NN-CBM844224	1,150	1,560
78 x 42 x 29	1950 x 1050 x 738	O_ NN-CBM784224	1,100	1,485
72 x 42 x 29	1800 x 1050 x 738	O_ NN-CBM724224	1,050	1,415

Specify the surface type (1, 2).

84 x 48 x 29½	2100 x 1200 x 751	O_ NN-CBM844824	1,355	1,845
78 x 48 x 29½	1950 x 1200 x 751	O_ NN-CBM784824	1,305	1,770
72 x 48 x 29½	1800 x 1200 x 751	O_ NN-CBM724824	1,250	1,700
84 x 42 x 29½	2100 x 1050 x 751	O_ NN-CBM844224	1,305	1,770
78 x 42 x 29½	1950 x 1050 x 751	O_ NN-CBM784224	1,250	1,700
72 x 42 x 29½	1800 x 1050 x 751	O_ NN-CBM724224	1,200	1,630

Specify the surface type (5, 6).

Right D-shaped extended corner modules with modesty panel




84 x 48 x 29	2100 x 1200 x 738	O_ NN-C4884BM24	1,200	1,630
78 x 48 x 29	1950 x 1200 x 738	O_ NN-C4878BM24	1,150	1,560
72 x 48 x 29	1800 x 1200 x 738	O_ NN-C4872BM24	1,100	1,485
84 x 42 x 29	2100 x 1050 x 738	O_ NN-C4284BM24	1,150	1,560
78 x 42 x 29	1950 x 1050 x 738	O_ NN-C4278BM24	1,100	1,485
72 x 42 x 29	1800 x 1050 x 738	O_ NN-C4272BM24	1,050	1,415

Specify the surface type (1, 2).

84 x 48 x 29½	2100 x 1200 x 751	O_ NN-C4884BM24	1,355	1,845
78 x 48 x 29½	1950 x 1200 x 751	O_ NN-C4878BM24	1,305	1,770
72 x 48 x 29½	1800 x 1200 x 751	O_ NN-C4872BM24	1,250	1,700
84 x 42 x 29½	2100 x 1050 x 751	O_ NN-C4284BM24	1,305	1,770
78 x 42 x 29½	1950 x 1050 x 751	O_ NN-C4278BM24	1,250	1,700
72 x 42 x 29½	1800 x 1050 x 751	O_ NN-C4272BM24	1,200	1,630

Specify the surface type (5, 6).

Left P-shaped extended corner modules



To attach to a work surface. Grommet. Side full-width wiring access. 2 reversible recessed leg panels (one with wiring access). 6" diameter Anthracite grey steel leg. Steel leg packaged separately.


84 x 60 x 29	2100 x 1500 x 738	O_ NN-CP844824	1,125	1,575
78 x 60 x 29	1950 x 1500 x 738	O_ NN-CP784824	1,075	1,500
72 x 60 x 29	1800 x 1500 x 738	O_ NN-CP724824	1,020	1,430
84 x 54 x 29	2100 x 1350 x 738	O_ NN-CP844224	1,075	1,500
78 x 54 x 29	1950 x 1350 x 738	O_ NN-CP784224	1,020	1,430
72 x 54 x 29	1800 x 1350 x 738	O_ NN-CP724224	970	1,360

Specify the surface type (1, 2).

84 x 60 x 29½	2100 x 1500 x 751	O_ NN-CP844824	1,275	1,785
78 x 60 x 29½	1950 x 1500 x 751	O_ NN-CP784824	1,225	1,715
72 x 60 x 29½	1800 x 1500 x 751	O_ NN-CP724824	1,175	1,645
84 x 54 x 29½	2100 x 1350 x 751	O_ NN-CP844224	1,225	1,715
78 x 54 x 29½	1950 x 1350 x 751	O_ NN-CP784224	1,175	1,645
72 x 54 x 29½	1800 x 1350 x 751	O_ NN-CP724224	1,125	1,575

Specify the surface type (5, 6).

Right P-shaped extended corner modules




W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
84 x 60 x 29	2100 x 1500 x 738	O_ NN-C4884P24	1,125	1,575
78 x 60 x 29	1950 x 1500 x 738	O_ NN-C4878P24	1,075	1,500
72 x 60 x 29	1800 x 1500 x 738	O_ NN-C4872P24	1,020	1,430
84 x 54 x 29	2100 x 1350 x 738	O_ NN-C4284P24	1,075	1,500
78 x 54 x 29	1950 x 1350 x 738	O_ NN-C4278P24	1,020	1,430
72 x 54 x 29	1800 x 1350 x 738	O_ NN-C4272P24	970	1,360

Specify the surface type (1, 2).

84 x 60 x 29½	2100 x 1500 x 751	O_ NN-C4884P24	1,275	1,785
78 x 60 x 29½	1950 x 1500 x 751	O_ NN-C4878P24	1,225	1,715
72 x 60 x 29½	1800 x 1500 x 751	O_ NN-C4872P24	1,175	1,645
84 x 54 x 29½	2100 x 1350 x 751	O_ NN-C4284P24	1,225	1,715
78 x 54 x 29½	1950 x 1350 x 751	O_ NN-C4278P24	1,175	1,645
72 x 54 x 29½	1800 x 1350 x 751	O_ NN-C4272P24	1,125	1,575

Specify the surface type (5, 6).

Left P-shaped extended corner modules with modesty panel



To attach to a work surface. Grommet. Side half-width wiring access. Modesty panel. 6" diameter Anthracite grey steel leg. Steel leg packaged separately.


84 x 60 x 29	2100 x 1500 x 738	O_ NN-CPM844824	1,250	1,700
78 x 60 x 29	1950 x 1500 x 738	O_ NN-CPM784824	1,200	1,630
72 x 60 x 29	1800 x 1500 x 738	O_ NN-CPM724824	1,150	1,560
84 x 54 x 29	2100 x 1350 x 738	O_ NN-CPM844224	1,200	1,630
78 x 54 x 29	1950 x 1350 x 738	O_ NN-CPM784224	1,150	1,560
72 x 54 x 29	1800 x 1350 x 738	O_ NN-CPM724224	1,100	1,485

Specify the surface type (1, 2).

84 x 60 x 29½	2100 x 1500 x 751	O_ NN-CPM844824	1,405	1,915
78 x 60 x 29½	1950 x 1500 x 751	O_ NN-CPM784824	1,355	1,845
72 x 60 x 29½	1800 x 1500 x 751	O_ NN-CPM724824	1,305	1,770
84 x 54 x 29½	2100 x 1350 x 751	O_ NN-CPM844224	1,355	1,845
78 x 54 x 29½	1950 x 1350 x 751	O_ NN-CPM784224	1,305	1,770
72 x 54 x 29½	1800 x 1350 x 751	O_ NN-CPM724224	1,250	1,700

Specify the surface type (5, 6).

Right P-shaped extended corner modules with modesty panel



To attach to a work surface. Grommet. Side full-width wiring access. Modesty panel. 6" diameter Anthracite grey steel leg. Steel leg packaged separately.


84 x 60 x 29	2100 x 1500 x 738	O_ NN-C4884PM24	1,250	1,700
78 x 60 x 29	1950 x 1500 x 738	O_ NN-C4878PM24	1,200	1,630
72 x 60 x 29	1800 x 1500 x 738	O_ NN-C4872PM24	1,150	1,560
84 x 54 x 29	2100 x 1350 x 738	O_ NN-C4284PM24	1,200	1,630
78 x 54 x 29	1950 x 1350 x 738	O_ NN-C4278PM24	1,150	1,560
72 x 54 x 29	1800 x 1350 x 738	O_ NN-C4272PM24	1,100	1,485

Specify the surface type (1, 2).

84 x 60 x 29½	2100 x 1500 x 751	O_ NN-C4884PM24	1,405	1,915
78 x 60 x 29½	1950 x 1500 x 751	O_ NN-C4878PM24	1,355	1,845
72 x 60 x 29½	1800 x 1500 x 751	O_ NN-C4872PM24	1,305	1,770
84 x 54 x 29½	2100 x 1350 x 751	O_ NN-C4284PM24	1,355	1,845
78 x 54 x 29½	1950 x 1350 x 751	O_ NN-C4278PM24	1,305	1,770
72 x 54 x 29½	1800 x 1350 x 751	O_ NN-C4272PM24	1,250	1,700

Specify the surface type (5, 6).

D-shaped tables



To attach to a work surface. Grommet. 6" diameter Anthracite grey steel leg. Steel leg packaged separately.

72 x 36 x 29	1800 x 900 x 738	O_ NN-BT3672	745	1,050
66 x 36 x 29	1650 x 900 x 738	O_ NN-BT3666	725	1,015
60 x 36 x 29	1500 x 900 x 738	O_ NN-BT3660	700	980






	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
D-shaped tables (cont'd)	72 x 30 x 29	1800 x 750 x 738	O_NN-BT3072	700	980
	66 x 30 x 29	1650 x 750 x 738	O_NN-BT3066	665	930
	60 x 30 x 29	1500 x 750 x 738	O_NN-BT3060	640	895
	72 x 24 x 29	1800 x 600 x 738	O_NN-BT2472	640	895
	66 x 24 x 29	1650 x 600 x 738	O_NN-BT2466	615	860
	60 x 24 x 29	1500 x 600 x 738	O_NN-BT2460	585	820

Specify the surface type (1, 2).

72 x 36 x 29½	1800 x 900 x 751	O_NN-BT3672	900	1,260
66 x 36 x 29½	1650 x 900 x 751	O_NN-BT3666	880	1,230
60 x 36 x 29½	1500 x 900 x 751	O_NN-BT3660	855	1,195
72 x 30 x 29½	1800 x 750 x 751	O_NN-BT3072	855	1,195
66 x 30 x 29½	1650 x 750 x 751	O_NN-BT3066	820	1,145
60 x 30 x 29½	1500 x 750 x 751	O_NN-BT3060	795	1,110
72 x 24 x 29½	1800 x 600 x 751	O_NN-BT2472	795	1,110
66 x 24 x 29½	1650 x 600 x 751	O_NN-BT2466	765	1,075
60 x 24 x 29½	1500 x 600 x 751	O_NN-BT2460	735	1,035

Specify the surface type (5, 6).

D-shaped tables with modesty panel

To attach to a table. Reversible modesty panel. 6" diameter Anthracite grey steel leg. Grommet. Steel leg packaged separately.


72 x 36 x 29	1800 x 900 x 738	O_NN-BTM3672	830	1,160
72 x 30 x 29	1800 x 750 x 738	O_NN-BTM3072	785	1,095
66 x 30 x 29	1650 x 750 x 738	O_NN-BTM3066	680	950

Specify the surface type (1, 2).

To attach to a work surface. Reversible modesty panel. 6" diameter Anthracite grey steel leg. Grommet. Steel leg packaged separately.

72 x 36 x 29½	1800 x 900 x 751	O_NN-BTM3672	875	1,225
72 x 30 x 29½	1800 x 750 x 751	O_NN-BTM3072	835	1,165
66 x 30 x 29½	1650 x 750 x 751	O_NN-BTM3066	805	1,125

Specify the surface type (5, 6).

Left P-shaped tables

To attach to a work surface. 6" diameter Anthracite grey steel leg. Grommet. Steel leg packaged separately.

72 x 42 x 29	1800 x 1050 x 738	O_NN-PT3072	780	1,090
66 x 42 x 29	1650 x 1050 x 738	O_NN-PT3066	755	1,065
60 x 42 x 29	1500 x 1050 x 738	O_NN-PT3060	735	1,030

Specify the surface type (1, 2).

To attach to a table. 6" diameter Anthracite grey steel leg. Grommet. Steel leg packaged separately.

72 x 42 x 29½	1800 x 1050 x 751	O_NN-PT3072	930	1,305
66 x 42 x 29½	1650 x 1050 x 751	O_NN-PT3066	910	1,275
60 x 42 x 29½	1500 x 1050 x 751	O_NN-PT3060	890	1,245

Specify the surface type (5, 6).

Right P-shaped tables


To attach to a work surface. 6" diameter Anthracite grey steel leg. Grommet. Steel leg packaged separately.

72 x 42 x 29	1800 x 1050 x 738	O_NN-3072PT	780	1,090
66 x 42 x 29	1650 x 1050 x 738	O_NN-3066PT	755	1,065
60 x 42 x 29	1500 x 1050 x 738	O_NN-3060PT	735	1,030

Specify the surface type (1, 2).

72 x 42 x 29½	1800 x 1050 x 751	O_NN-3072PT	930	1,305
66 x 42 x 29½	1650 x 1050 x 751	O_NN-3066PT	910	1,275
60 x 42 x 29½	1500 x 1050 x 751	O_NN-3060PT	890	1,245

Specify the surface type (5, 6).

Left P-shaped tables with modesty panel


To attach to a work surface. Modesty panel. 6" diameter Anthracite grey steel leg. Grommet. Steel leg packaged separately.

72 x 42 x 29	1800 x 1050 x 738	O_NN-PTM3072	825	1,155
66 x 42 x 29	1650 x 1050 x 738	O_NN-PTM3066	810	1,135
60 x 42 x 29	1500 x 1050 x 738	O_NN-PTM3060	735	1,035

Specify the surface type (1, 2).

72 x 42 x 29½	1800 x 1050 x 751	O_NN-PTM3072	975	1,370
66 x 42 x 29½	1650 x 1050 x 751	O_NN-PTM3066	960	1,350
60 x 42 x 29½	1500 x 1050 x 751	O_NN-PTM3060	890	1,245

Specify the surface type (5, 6).

Right P-shaped tables with modesty panel


To attach to a work surface. Modesty panel. 6" diameter Anthracite grey steel leg. Grommet. Steel leg packaged separately.

72 x 42 x 29	1800 x 1050 x 738	O_NN-3072PTM	825	1,155
66 x 42 x 29	1650 x 1050 x 738	O_NN-3066PTM	810	1,135
60 x 42 x 29	1500 x 1050 x 738	O_NN-3060PTM	735	1,035

Specify the surface type (1, 2).

72 x 42 x 29½	1800 x 1050 x 751	O_NN-3072PTM	975	1,370
66 x 42 x 29½	1650 x 1050 x 751	O_NN-3066PTM	960	1,350
60 x 42 x 29½	1500 x 1050 x 751	O_NN-3060PTM	890	1,245

Specify the surface type (5, 6).

Lateral file / bookcase credenzas


Full-width wiring access. 2 lateral file drawers with lock. Bookcase unit with doors and lock, 1 adjustable shelf.

72 x 24 x 29	1800 x 600 x 738	O_N_N-LF2472B	1,485	1,785
--------------	------------------	----------------------	--------------	--------------

Specify the surface type (1, 2). Specify the handle code.

72 x 24 x 29½	1800 x 600 x 751	O_N_N-LF2472B	1,650	1,980
---------------	------------------	----------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

Bookcase credenzas

Full-width wiring access. 2 bookcases units with doors and locks. 1 adjustable shelf on each side.

72 x 24 x 29	1800 x 600 x 738	O_N_N-B2472B	1,335	1,605
--------------	------------------	---------------------	--------------	--------------

Specify the surface type (1, 2). Specify the handle code.

72 x 24 x 29½	1800 x 600 x 751	O_N_N-B2472B	1,500	1,805
---------------	------------------	---------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

Lateral file credenzas


Full-width wiring access. 4 lateral file drawers. 2 locks. 2 counterweight required. See page 81.

72 x 24 x 29	1800 x 600 x 738	O_N_N-LF2472LF	1,650	1,980
--------------	------------------	-----------------------	--------------	--------------

Specify the surface type (1, 2). Specify the handle code.

72 x 24 x 29½	1800 x 600 x 751	O_N_N-LF2472LF	1,815	2,175
---------------	------------------	-----------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

Left lateral file credenzas

Full-width wiring access. 2 lateral file drawers. Lock.

72 x 24 x 29	1800 x 600 x 738	O_N_N-LF2472S	1,265	1,515
66 x 24 x 29	1650 x 600 x 738	O_N_N-LF2466S	1,210	1,450
60 x 24 x 29	1500 x 600 x 738	O_N_N-LF2460S	1,155	1,385


Specify the surface type (1, 2). Specify the handle code.

72 x 24 x 29½	1800 x 600 x 751	O_N_N-LF2472S	1,445	1,730
66 x 24 x 29½	1650 x 600 x 751	O_N_N-LF2466S	1,385	1,665
60 x 24 x 29½	1500 x 600 x 751	O_N_N-LF2460S	1,330	1,600

Specify the surface type (5, 6). Specify the handle code.




Right lateral file credenzas



W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wiring access. 2 lateral file drawers. Lock.</i>				
72 x 24 x 29	1800 x 600 x 738	O_N_-S2472LF	1,265	1,515
66 x 24 x 29	1650 x 600 x 738	O_N_-S2466LF	1,210	1,450
60 x 24 x 29	1500 x 600 x 738	O_N_-S2460LF	1,155	1,385
Specify the surface type (1, 2). Specify the handle code.				
72 x 24 x 29½	1800 x 600 x 751	O_N_-S2472LF	1,445	1,730
66 x 24 x 29½	1650 x 600 x 751	O_N_-S2466LF	1,385	1,665
60 x 24 x 29½	1500 x 600 x 751	O_N_-S2460LF	1,330	1,600

Specify the surface type (5, 6). Specify the handle code.


Kneespace credenzas low profile



<i>Full-width wiring access. 2 full-height pedestals with locks for file drawer and box drawer above.</i>				
72 x 24 x 29	1800 x 600 x 738	O_N_-UF2472KUF	1,515	1,825
66 x 24 x 29	1650 x 600 x 738	O_N_-UF2466KUF	1,505	1,810
60 x 24 x 29	1500 x 600 x 738	O_N_-UF2460KUF	1,480	1,785
Specify the surface type (1, 2). Specify the handle code.				
72 x 24 x 29½	1800 x 600 x 751	O_N_-UF2472KUF	1,695	2,035
66 x 24 x 29½	1650 x 600 x 751	O_N_-UF2466KUF	1,685	2,020
60 x 24 x 29½	1500 x 600 x 751	O_N_-UF2460KUF	1,660	1,995

Specify the surface type (5, 6). Specify the handle code.


Kneespace credenzas



<i>Full-width wiring access. 2 pedestals with locks for both drawers.</i>				
72 x 24 x 29	1800 x 600 x 738	O_N_-F2472KF	1,210	1,455
66 x 24 x 29	1650 x 600 x 738	O_N_-F2466KF	1,200	1,440
60 x 24 x 29	1500 x 600 x 738	O_N_-F2460KF	1,175	1,410
Specify the surface type (1, 2). Specify the handle code.				
72 x 24 x 29½	1800 x 600 x 751	O_N_-F2472KF	1,390	1,670
66 x 24 x 29½	1650 x 600 x 751	O_N_-F2466KF	1,380	1,655
60 x 24 x 29½	1500 x 600 x 751	O_N_-F2460KF	1,355	1,625

Specify the surface type (5, 6). Specify the handle code.


Left single pedestal credenzas low profile



<i>Full-width wiring access. 1 full-height pedestal with lock for file drawer and box drawer above.</i>				
72 x 24 x 29	1800 x 600 x 738	O_N_-UF2472S	1,090	1,275
66 x 24 x 29	1650 x 600 x 738	O_N_-UF2466S	1,070	1,250
60 x 24 x 29	1500 x 600 x 738	O_N_-UF2460S	1,045	1,220
Specify the surface type (1, 2). Specify the handle code.				
72 x 24 x 29½	1800 x 600 x 751	O_N_-UF2472S	1,230	1,450
66 x 24 x 29½	1650 x 600 x 751	O_N_-UF2466S	1,205	1,420
60 x 24 x 29½	1500 x 600 x 751	O_N_-UF2460S	1,185	1,395

Specify the surface type (5, 6). Specify the handle code.


Right single pedestal credenzas low profile



<i>Full-width wiring access. 1 full-height pedestal with lock for file drawer and box drawer above.</i>				
72 x 24 x 29	1800 x 600 x 738	O_N_-S2472UF	1,090	1,275
66 x 24 x 29	1650 x 600 x 738	O_N_-S2466UF	1,070	1,250
60 x 24 x 29	1500 x 600 x 738	O_N_-S2460UF	1,045	1,220
Specify the surface type (1, 2). Specify the handle code.				
72 x 24 x 29½	1800 x 600 x 751	O_N_-S2472UF	1,230	1,450
66 x 24 x 29½	1650 x 600 x 751	O_N_-S2466UF	1,205	1,420
60 x 24 x 29½	1500 x 600 x 751	O_N_-S2460UF	1,185	1,395

Specify the surface type (5, 6). Specify the handle code.


Left single pedestal credenzas



W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Full-width wiring access. 1 pedestal with lock for both drawers.</i>				
72 x 24 x 29	1800 x 600 x 738	O_N_-F2472S	935	1,125
66 x 24 x 29	1650 x 600 x 738	O_N_-F2466S	915	1,100
60 x 24 x 29	1500 x 600 x 738	O_N_-F2460S	890	1,070
Specify the surface type (1, 2). Specify the handle code.				
72 x 24 x 29½	1800 x 600 x 751	O_N_-F2472S	1,110	1,340
66 x 24 x 29½	1650 x 600 x 751	O_N_-F2466S	1,095	1,315
60 x 24 x 29½	1500 x 600 x 751	O_N_-F2460S	1,070	1,285

Specify the surface type (5, 6). Specify the handle code.

Right single pedestal credenzas



<i>Full-width wiring access. 1 pedestal with lock for both drawers.</i>				
72 x 24 x 29	1800 x 600 x 738	O_N_-S2472F	935	1,125
66 x 24 x 29	1650 x 600 x 738	O_N_-S2466F	915	1,100
60 x 24 x 29	1500 x 600 x 738	O_N_-S2460F	890	1,070
Specify the surface type (1, 2). Specify the handle code.				
72 x 24 x 29½	1800 x 600 x 751	O_N_-S2472F	1,110	1,340
66 x 24 x 29½	1650 x 600 x 751	O_N_-S2466F	1,095	1,315
60 x 24 x 29½	1500 x 600 x 751	O_N_-S2460F	1,070	1,285

Specify the surface type (5, 6). Specify the handle code.

Left executive returns low profile



<i>Grommet. One lock for file drawer and box drawer above.</i>				
48 x 24 x 29	1200 x 600 x 738	O_N_-UF2448R	920	1,075
42 x 24 x 29	1050 x 600 x 738	O_N_-UF2442R	875	1,020
36 x 24 x 29	900 x 600 x 738	O_N_-UF2436R	835	970
Specify the surface type (1, 2). Specify the handle code.				
48 x 24 x 29½	1200 x 600 x 751	O_N_-UF2448R	1,015	1,190
42 x 24 x 29½	1050 x 600 x 751	O_N_-UF2442R	970	1,135
36 x 24 x 29½	900 x 600 x 751	O_N_-UF2436R	930	1,090

Specify the surface type (5, 6). Specify the handle code.

Right executive returns low profile



<i>Grommet. One lock for file drawer and box drawer above.</i>				
48 x 24 x 29	1200 x 600 x 738	O_N_-R2448UF	920	1,075
42 x 24 x 29	1050 x 600 x 738	O_N_-R2442UF	875	1,020
36 x 24 x 29	900 x 600 x 738	O_N_-R2436UF	835	970
Specify the surface type (1, 2). Specify the handle code.				
48 x 24 x 29½	1200 x 600 x 751	O_N_-R2448UF	1,015	1,190
42 x 24 x 29½	1050 x 600 x 751	O_N_-R2442UF	970	1,135
36 x 24 x 29½	900 x 600 x 751	O_N_-R2436UF	930	1,090

Specify the surface type (5, 6). Specify the handle code.

Right executive returns



<i>Grommet. One lock for file drawer and box drawer above.</i>				
48 x 24 x 29	1200 x 600 x 738	O_N_-R2448F	765	920
42 x 24 x 29	1050 x 600 x 738	O_N_-R2442F	720	870
36 x 24 x 29	900 x 600 x 738	O_N_-R2436F	680	820
Specify the surface type (1, 2). Specify the handle code.				
48 x 24 x 29½	1200 x 600 x 751	O_N_-R2448F	865	1,040
42 x 24 x 29½	1050 x 600 x 751	O_N_-R2442F	820	980
36 x 24 x 29½	900 x 600 x 751	O_N_-R2436F	780	935

Specify the surface type (5, 6). Specify the handle code.

Left executive returns



<i>Grommet. One lock for file drawer and box drawer above.</i>				
48 x 24 x 29	1200 x 600 x 738	O_N_-F2448R	765	920
42 x 24 x 29	1050 x 600 x 738	O_N_-F2442R	720	870
36 x 24 x 29	900 x 600 x 738	O_N_-F2436R	680	820


Specify the surface type (1, 2). Specify the handle code.



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left executive returns (cont'd)	48 x 24 x 29½	1200 x 600 x 751	O_N_-F2448R	865	1,040
	42 x 24 x 29½	1050 x 600 x 751	O_N_-F2442R	820	980
	36 x 24 x 29½	900 x 600 x 751	O_N_-F2436R	780	935

Specify the surface type (5, 6). Specify the handle code.

Bridge returns



To join a single pedestal desk or a table to a corner module or a credenza. Grommet.


48 x 24 x 29	1200 x 600 x 738	O_NN-BR2448	375	450
42 x 24 x 29	1050 x 600 x 738	O_NN-BR2442	350	420
36 x 24 x 29	900 x 600 x 738	O_NN-BR2436	330	395

Specify the surface type (1, 2).

48 x 24 x 29½	1200 x 600 x 751	O_NN-BR2448	455	550
42 x 24 x 29½	1050 x 600 x 751	O_NN-BR2442	435	525
36 x 24 x 29½	900 x 600 x 751	O_NN-BR2436	415	500

Specify the surface type (5, 6).

Hutches with doors and pigeonholes



Wire dividers included (1 per door). Can be fitted with a task light. Clearance: 21 7/16" (544 mm). Grommet and full-width wiring access. Valence and pigeonhole dividers in Anthracite grey. To be used with 1" surfaces only.

72 x 16 x 44	1800 x 400 x 1096	01NN-E724416PD	1,295	—
66 x 16 x 44	1650 x 400 x 1096	01NN-E664416PD	1,245	—
60 x 16 x 44	1500 x 400 x 1096	01NN-E604416PD	1,200	—

To be used with 1½" surfaces only.

72 x 16 x 44	1800 x 400 x 1096	05NN-E724416PD	1,400	—
66 x 16 x 44	1650 x 400 x 1096	05NN-E664416PD	1,350	—
60 x 16 x 44	1500 x 400 x 1096	05NN-E604416PD	1,305	—

Hutches with doors and pigeonholes



Wire dividers included (1 per door). Can be fitted with a task light. Clearance: 21 7/16" (544 mm). Grommet and full-width wiring access. Valence and pigeonhole dividers in Anthracite grey. To be used with 1" surfaces only.

54 x 16 x 44	1350 x 400 x 1096	01NN-E544416PD	1,150	—
48 x 16 x 44	1200 x 400 x 1096	01NN-E484416PD	1,105	—

To be used with 1½" surfaces only.

54 x 16 x 44	1350 x 400 x 1096	05NN-E544416PD	1,250	—
48 x 16 x 44	1200 x 400 x 1096	05NN-E484416PD	1,185	—

Hutches with doors and pigeonholes




Wire dividers included (1 per door). Can be fitted with a task light. Clearance: 21 7/16" (544 mm). Grommet and full-width wiring access. Valence and pigeonhole dividers in Anthracite grey. To be used with 1" surfaces only.

42 x 16 x 44	1050 x 400 x 1096	01NN-E424416PD	1,055	—
36 x 16 x 44	900 x 400 x 1096	01NN-E364416PD	1,000	—

To be used with 1½" surfaces only.

42 x 16 x 44	1050 x 400 x 1096	05NN-E424416PD	1,135	—
36 x 16 x 44	900 x 400 x 1096	05NN-E364416PD	1,085	—

Hutches with doors – 44" H




Wire dividers included (1 per door). Can be fitted with a task light. Clearance: 21 7/16" (544 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.

72 x 16 x 44	1800 x 400 x 1096	01NN-E724416P	1,090	—
66 x 16 x 44	1650 x 400 x 1096	01NN-E664416P	1,045	—
60 x 16 x 44	1500 x 400 x 1096	01NN-E604416P	995	—

To be used with 1½" surfaces only.

72 x 16 x 44	1800 x 400 x 1096	05NN-E724416P	1,195	—
66 x 16 x 44	1650 x 400 x 1096	05NN-E664416P	1,145	—
60 x 16 x 44	1500 x 400 x 1096	05NN-E604416P	1,100	—


Hutches with doors – 44" H



Wire dividers included (1 per door). Can be fitted with a task light. Clearance: 21 7/16" (544 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.

54 x 16 x 44	1350 x 400 x 1096	01NN-E544416P	945	—
48 x 16 x 44	1200 x 400 x 1096	01NN-E484416P	900	—

Hutches with doors – 44" H (cont'd)



W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>To be used with 1½" surfaces only.</i>				
54 x 16 x 44	1350 x 400 x 1096	05NN-E544416P	1,050	—
48 x 16 x 44	1200 x 400 x 1096	05NN-E484416P	980	—

Hutches with doors – 44" H


Wire dividers included (1 per door). Can be fitted with a task light. Clearance: 21 7/16" (544 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.

42 x 16 x 44	1050 x 400 x 1096	01NN-E424416P	850	—
36 x 16 x 44	900 x 400 x 1096	01NN-E364416P	800	—

To be used with 1½" surfaces only.

42 x 16 x 44	1050 x 400 x 1096	05NN-E424416P	930	—
36 x 16 x 44	900 x 400 x 1096	05NN-E364416P	880	—

Hutches with doors – 36" H




Wire dividers included (1 per door). Can be fitted with a task light. Clearance: 18¾" (463 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.

72 x 16 x 36	1800 x 400 x 893	01NN-E723616P	930	—
66 x 16 x 36	1650 x 400 x 893	01NN-E663616P	885	—
60 x 16 x 36	1500 x 400 x 893	01NN-E603616P	835	—

To be used with 1½" surfaces only.

72 x 16 x 36	1800 x 400 x 893	05NN-E723616P	1,035	—
66 x 16 x 36	1650 x 400 x 893	05NN-E663616P	985	—
60 x 16 x 36	1500 x 400 x 893	05NN-E603616P	935	—

Hutches with doors – 36" H



Wire dividers included (1 per door). Can be fitted with a task light. Clearance: 18¾" (463 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.

54 x 16 x 36	1350 x 400 x 893	01NN-E543616P	795	—
48 x 16 x 36	1200 x 400 x 893	01NN-E483616P	745	—

To be used with 1½" surfaces only.

54 x 16 x 36	1350 x 400 x 893	05NN-E543616P	895	—
48 x 16 x 36	1200 x 400 x 893	05NN-E483616P	825	—

Hutches with doors – 36" H



Wire dividers included (1 per door). Can be fitted with a task light. Clearance: 18¾" (463 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.

42 x 16 x 36	1050 x 400 x 893	01NN-E423616P	685	—
36 x 16 x 36	900 x 400 x 893	01NN-E363616P	620	—

To be used with 1½" surfaces only.

42 x 16 x 36	1050 x 400 x 893	05NN-E423616P	760	—
36 x 16 x 36	900 x 400 x 893	05NN-E363616P	695	—

Hutches with flipper doors



Wire dividers included. Can be fitted with a task light. Clearance: 18¾" (463 mm). Grommet and full-width wiring access. Available in one-tone finish only. Anthracite grey valence.

72 x 16 x 36	1800 x 400 x 900	0NN_-E723616FD	930	—
66 x 16 x 36	1650 x 400 x 900	0NN_-E663616FD	885	—
60 x 16 x 36	1500 x 400 x 900	0NN_-E603616FD	835	—
54 x 16 x 36	1350 x 400 x 900	0NN_-E543616FD	795	—


Hutches with flipper door



Wire dividers included. Can be fitted with a task light. Clearance: 18¾" (463 mm). Grommet and full-width wiring access. Available in one-tone finish only. Anthracite grey valence.

48 x 16 x 36	1200 x 400 x 900	0NNN-E483616FD	745	—
42 x 16 x 36	1050 x 400 x 900	0NNN-E423616FD	685	—
36 x 16 x 36	900 x 400 x 900	0NNN-E363616FD	620	—

Open hutches – 44" H



4 wire dividers included. Can be fitted with a task light. Clearance: 21 7/16" (544 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.


72 x 16 x 44	1800 x 400 x 1096	01NN-E724416	820	—
66 x 16 x 44	1650 x 400 x 1096	01NN-E664416	780	—
60 x 16 x 44	1500 x 400 x 1096	01NN-E604416	730	—



	W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Open hutches – 44" H (cont'd)	<i>To be used with 1½" surfaces only.</i>				
	72 x 16 x 44	1800 x 400 x 1096	05NN-E724416	920	–
	66 x 16 x 44	1650 x 400 x 1096	05NN-E664416	880	–
	60 x 16 x 44	1500 x 400 x 1096	05NN-E604416	835	–


	<i>Adjustable shelf. 3 wire dividers included. Can be fitted with a task light. Clearance: 21 ½" (544 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.</i>				
	54 x 16 x 44	1350 x 400 x 1096	01NN-E544416	680	–
	48 x 16 x 44	1200 x 400 x 1096	01NN-E484416	635	–
	<i>To be used with 1½" surfaces only.</i>				
	54 x 16 x 44	1350 x 400 x 1096	05NN-E544416	785	–
	48 x 16 x 44	1200 x 400 x 1096	05NN-E484416	710	–

	<i>Adjustable shelf. 2 wire dividers included. Can be fitted with a task light. Clearance: 21 ½" (544 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.</i>				
	42 x 16 x 44	1050 x 400 x 1096	01NN-E424416	595	–
	36 x 16 x 44	900 x 400 x 1096	01NN-E364416	560	–
	<i>To be used with 1½" surfaces only.</i>				
	42 x 16 x 44	1050 x 400 x 1096	05NN-E424416	670	–
	36 x 16 x 44	900 x 400 x 1096	05NN-E364416	640	–

	<i>4 wire dividers included. Can be fitted with a task light. Clearance: 18¼" (463 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.</i>				
	72 x 16 x 36	1800 x 400 x 893	01NN-E723616	685	–
	66 x 16 x 36	1650 x 400 x 893	01NN-E663616	645	–
	60 x 16 x 36	1500 x 400 x 893	01NN-E603616	600	–
	<i>To be used with 1½" surfaces only.</i>				
	72 x 16 x 36	1800 x 400 x 893	05NN-E723616	790	–
	66 x 16 x 36	1650 x 400 x 893	05NN-E663616	745	–
	60 x 16 x 36	1500 x 400 x 893	05NN-E603616	700	–

	<i>3 wire dividers included. Can be fitted with a task light. Clearance: 18¼" (463 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.</i>				
	54 x 16 x 36	1350 x 400 x 893	01NN-E543616	555	–
	48 x 16 x 36	1200 x 400 x 893	01NN-E483616	505	–
	<i>To be used with 1½" surfaces only.</i>				
	54 x 16 x 36	1350 x 400 x 893	05NN-E543616	655	–
	48 x 16 x 36	1200 x 400 x 893	05NN-E483616	580	–

	<i>2 wire dividers included. Can be fitted with a task light. Clearance: 18¼" (463 mm). Grommet and full-width wiring access. Anthracite grey valence. To be used with 1" surfaces only.</i>				
	42 x 16 x 36	1050 x 400 x 893	01NN-E423616	455	–
	36 x 16 x 36	900 x 400 x 893	01NN-E363616	425	–
	<i>To be used with 1½" surfaces only.</i>				
	42 x 16 x 36	1050 x 400 x 893	05NN-E423616	535	–
	36 x 16 x 36	900 x 400 x 893	05NN-E363616	500	–

	<i>Adjustable shelf. Wire dividers included (1 per door). Hanger bar included for wall-mount installation. Anthracite grey valence. Can be fitted with a task light.</i>				
	72 x 16 x 22	1800 x 400 x 553	01NN-EM722216P	830	–
	66 x 16 x 22	1650 x 400 x 553	01NN-EM662216P	785	–
	60 x 16 x 22	1500 x 400 x 553	01NN-EM602216P	730	–
	72 x 16 x 22	1800 x 400 x 550	05NN-EM722216P	930	–
	66 x 16 x 22	1650 x 400 x 550	05NN-EM662216P	885	–
	60 x 16 x 22	1500 x 400 x 550	05NN-EM602216P	835	–

	W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Wall-mounted hutches with doors 	<i>Adjustable shelf. Wire dividers included (1 per door). Hanger bar included for wall-mount installation. Anthracite grey valence. Can be fitted with a task light.</i>				
	54 x 16 x 22	1350 x 400 x 553	01NN-EM542216P	690	–
	48 x 16 x 22	1200 x 400 x 553	01NN-EM482216P	670	–
	54 x 16 x 22	1350 x 400 x 550	05NN-EM542216P	820	–
	48 x 16 x 22	1200 x 400 x 550	05NN-EM482216P	745	–

	<i>Adjustable shelf. Wire dividers included (1 per door). Hanger bar included for wall-mount installation. Anthracite grey valence. Can be fitted with a task light.</i>				
	42 x 16 x 22	1050 x 400 x 553	01NN-EM422216P	610	–
	36 x 16 x 22	900 x 400 x 553	01NN-EM362216P	545	–
	42 x 16 x 22	1050 x 400 x 550	05NN-EM422216P	685	–
	36 x 16 x 22	900 x 400 x 550	05NN-EM362216P	620	–

	<i>Wire dividers included (1 per door). Hanger bar included for wall-mount installation. Available in one-tone finish only. Valence in Anthracite grey. Can be fitted with a task light.</i>				
	72 x 16 x 17	1800 x 400 x 434	0NNN-EM721716D	830	–
	66 x 16 x 17	1650 x 400 x 434	0NNN-EM661716D	785	–
	60 x 16 x 17	1500 x 400 x 434	0NNN-EM601716D	730	–
	54 x 16 x 17	1350 x 400 x 434	0NNN-EM541716D	690	–

	<i>Wire dividers included. Hanger bar included for wall-mount installation. Available in one-tone finish only. Valence in Anthracite grey. Can be fitted with a task light.</i>				
	48 x 16 x 17	1200 x 400 x 434	0NNN-EM481716D	670	–
	42 x 16 x 17	1050 x 400 x 434	0NNN-EM421716D	610	–
	36 x 16 x 17	900 x 400 x 434	0NNN-EM361716D	545	–

	<i>2 box drawers, 1 file drawer. One lock for file drawer and box drawer above. Levelers accessible from inside the pedestal. Goes under a work surface.</i>				
	15 x 20 x 28	388 x 500 x 713	0NN-P1520UFL	705	–
Specify the handle code.					

	<i>2 file drawers. One lock for two drawers. Levelers accessible from inside the pedestal. Goes under a work surface.</i>				
	15 x 20 x 28	388 x 500 x 713	0NN-P1520FFL	660	–
Specify the handle code.					

	<i>1 box drawer, 1 file drawer. Lock. Goes under a work surface.</i>				
	15 x 17½ x 19	388 x 448 x 503	0NN-F	565	–
Specify the handle code.					

	<i>One lock for the two drawers. Levelers accessible from inside the pedestal. Goes under a work surface.</i>				
	36 x 20 x 28	900 x 500 x 713	0NN-2036LFL	745	–
	30 x 20 x 28	750 x 500 x 713	0NN-2030LFL	720	–
Specify the handle code.					

	<i>2 box drawers, 2 file drawers. One lock for the two file drawers. Levelers accessible from inside the pedestal. Goes under a work surface.</i>				
	36 x 20 x 28	900 x 500 x 713	0NN-2036COL	880	–
	30 x 20 x 28	750 x 500 x 713	0NN-2030COL	855	–
Specify the handle code.					

	<i>2 box drawers, 2 file drawers. One lock for the two file drawers. Levelers accessible from inside the pedestal. Goes under a work surface.</i>				
	36 x 20 x 28	900 x 500 x 713	0NN-C02036L	880	–
	30 x 20 x 28	750 x 500 x 713	0NN-C02030L	855	–
Specify the handle code.					

	<i>1 adjustable shelf. Lock. Goes under a work surface.</i>				
	36 x 20 x 28	900 x 500 x 713	0NN-2036BL	645	–
Specify the handle code.					



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	Mobile pedestals <i>2 box drawers, 1 file drawer. Brakes on front casters. One lock for file drawer and box drawer above. Goes under a work surface. Available in one-tone finish only.</i>				
	15 x 28 x 27	388 x 700 x 704	ONN_-MP1528UF	765	—
	15 x 20 x 27	388 x 500 x 704	ONN_-MP1520UF	755	—

Specify the handle code.

	Mobile pedestals <i>1 box drawer, 1 file drawer. Brakes on front casters. One lock for file drawer and box drawer above. Goes under a work surface. Available in one-tone finish only.</i>				
	15 x 28 x 21½	388 x 700 x 542	ONN_-MP1528F	745	—
	15 x 20 x 21½	388 x 500 x 542	ONN_-MP1520F	725	—

Specify the handle code.

	Lateral files <i>Full-width wiring access. One lock for the two drawers. Counterweight required. See page 81.</i>				
	36 x 24 x 29	900 x 600 x 738	O_N_-2436LF	880	1,060
	Specify the surface type (1, 2). Specify the handle code.				

36 x 24 x 29½	900 x 600 x 751	O_N_-2436LF	970	1,165
---------------	-----------------	--------------------	------------	--------------

Specify the surface type (5, 6). Specify the handle code.

	Mixed pedestals <i>2 box drawers, 2 file drawers. Full-width wiring access. One lock for the two file drawers.</i>				
	36 x 24 x 29	900 x 600 x 738	O_N_-2436CO	990	1,290
	Specify the surface type (1, 2). Specify the handle code.				

36 x 24 x 29½	900 x 600 x 751	O_N_-2436CO	1,090	1,415
---------------	-----------------	--------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.

	Mixed pedestals <i>2 box drawers, 2 file drawers. Full-width wiring access. One lock for the two file drawers.</i>				
	36 x 24 x 29	900 x 600 x 738	O_N_-C02436	990	1,290
	Specify the surface type (1, 2). Specify the handle code.				


36 x 24 x 29½	900 x 600 x 751	O_N_-C02436	1,090	1,415
---------------	-----------------	--------------------	--------------	--------------

Specify the surface type (5, 6). Specify the handle code.


	Bookcases units with doors <i>1 adjustable shelf. Full-width wiring access. Lock.</i>				
	36 x 24 x 29	900 x 600 x 738	O_N_-2436B	755	910
	Specify the surface type (1, 2). Specify the handle code.				

36 x 24 x 29½	900 x 600 x 751	O_N_-2436B	855	1,030
---------------	-----------------	-------------------	------------	--------------

Specify the surface type (5, 6). Specify the handle code.

	Storage cabinets <i>3 adjustable shelves. 1 fixed shelf. Lock.</i>				
	36 x 24 x 73	900 x 600 x 1834	01N_-243673B	1,375	—
	36 x 24 x 65	900 x 600 x 1632	01N_-243665B	1,325	—
	36 x 24 x 73	900 x 600 x 1847	05N_-243673B	1,510	—
	36 x 24 x 65	900 x 600 x 1645	05N_-243665B	1,460	—

Specify the handle code.


	Wardrobe / storage cabinets <i>Clothes hanger bar and 1 fixed shelf on wardrobe side (10¼"W). 4 adjustable shelves. Lock.</i>				
	36 x 24 x 73	900 x 600 x 1834	01N_-243673BC	1,325	—
	36 x 24 x 65	900 x 600 x 1632	01N_-243665BC	1,270	—
	36 x 24 x 73	900 x 600 x 1847	05N_-243673BC	1,460	—
	36 x 24 x 65	900 x 600 x 1645	05N_-243665BC	1,410	—

Specify the handle code.

Storage units with lateral file


Storage units with lateral file <i>2 adjustable shelves. Lock on lateral file drawers only.</i>					
36 x 24 x 73	900 x 600 x 1834	01N_-243673LFB	1,610	—	—
36 x 24 x 65	900 x 600 x 1632	01N_-243665LFB	1,485	—	—
36 x 24 x 73	900 x 600 x 1847	05N_-243673LFB	1,735	—	—
36 x 24 x 65	900 x 600 x 1645	05N_-243665LFB	1,610	—	—

Specify the handle code.

Wardrobe / storage cabinets*2 box drawers, 1 file drawer. Clothes hanger bar and 1 fixed shelf on wardrobe side (18¾"W). 2 adjustable shelves. One lock for file drawer and box drawer above; one lock on full height door.*

36 x 24 x 73	900 x 600 x 1834	01N_-243673UFB	1,710	—	—
36 x 24 x 65	900 x 600 x 1632	01N_-243665UFB	1,590	—	—
36 x 24 x 73	900 x 600 x 1847	05N_-243673UFB	1,840	—	—
36 x 24 x 65	900 x 600 x 1645	05N_-243665UFB	1,710	—	—

Specify the handle code.

Wardrobe / storage cabinets*2 box drawers, 1 file drawer. Clothes hanger bar and 1 fixed shelf on wardrobe side (18¾"W). 2 adjustable shelves. One lock for file drawer and box drawer above; one lock on full height door.*


36 x 24 x 73	900 x 600 x 1834	01N_-243673BUF	1,710	—	—
36 x 24 x 65	900 x 600 x 1632	01N_-243665BUF	1,590	—	—
36 x 24 x 73	900 x 600 x 1847	05N_-243673BUF	1,840	—	—
36 x 24 x 65	900 x 600 x 1645	05N_-243665BUF	1,710	—	—

Specify the handle code.

Storage cabinets with lateral file*2 adjustable shelves. 2 file drawers. Reversible door. One lock for file drawers.*

24 x 24 x 73	600 x 600 x 1834	01N_-242473FB	1,300	—	—
24 x 24 x 65	600 x 600 x 1632	01N_-242465FB	1,235	—	—
24 x 24 x 73	600 x 600 x 1847	05N_-242473FB	1,400	—	—
24 x 24 x 65	600 x 600 x 1645	05N_-242465FB	1,340	—	—

Specify the handle code.

Wardrobe / storage cabinets*Clothes hanger bar and 1 fixed shelf on wardrobe side (10¼"W). 4 adjustable shelves. Lock.*


24 x 24 x 73	600 x 600 x 1834	01N_-242473BC	950	—	—
24 x 24 x 65	600 x 600 x 1632	01N_-242465BC	900	—	—
24 x 24 x 73	600 x 600 x 1847	05N_-242473BC	1,055	—	—
24 x 24 x 65	600 x 600 x 1645	05N_-242465BC	1,000	—	—

Specify the handle code. Specify opening at the end of the code: right (R) or left (L).

Storage cabinets*4 adjustable shelves. Lock.*

24 x 24 x 73	600 x 600 x 1834	01N_-242473B	950	—	—
24 x 24 x 65	600 x 600 x 1632	01N_-242465B	900	—	—
24 x 24 x 73	600 x 600 x 1847	05N_-242473B	1,055	—	—
24 x 24 x 65	600 x 600 x 1645	05N_-242465B	1,000	—	—

Specify the handle code. Specify opening at the end of the code: right (R) or left (L).

Open bookcases*73"H: 4 adjustable shelves. 65"H: 4 adjustable shelves. 48"H: 2 adjustable shelves.*

36 x 14 x 73	900 x 350 x 1834	01NN-B367314	715	—	—
36 x 14 x 65	900 x 350 x 1632	01NN-B366514	670	—	—
36 x 14 x 48	900 x 350 x 1225	01NN-B364814	595	—	—
36 x 14 x 73	900 x 350 x 1847	05NN-B367314	795	—	—
36 x 14 x 65	900 x 350 x 1645	05NN-B366514	745	—	—
36 x 14 x 48	900 x 350 x 1238	05NN-B364814	670	—	—




Left personal storage towers



W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 box drawer and 2 file drawers. Adjustable shelf on 57"H only. Wardrobe with clothes / hanger bar (7¼"W). Lock for the two file drawers. Lock on door.</i>				
24 x 24 x 57	600 x 600 x 1437	ONN_-PB242457	1,630	—
24 x 24 x 49	600 x 600 x 1234	ONN_-PB242449	1,555	—
Specify the handle code.				

Right personal storage towers



<i>1 box drawer and 2 file drawers. Adjustable shelf on 57"H only. Wardrobe with clothes / hanger bar (7¼"W). Lock for the two file drawers. Lock on door.</i>				
24 x 24 x 57	600 x 600 x 1437	ONN_-P242457B	1,630	—
24 x 24 x 49	600 x 600 x 1234	ONN_-P242449B	1,555	—
Specify the handle code.				

Round table tops



<i>1½" thick.</i>				
48 x 48 x 1½	1200 x 1200 x 38	O_NN-R48	520	675
42 x 42 x 1½	1050 x 1050 x 38	O_NN-R42	445	585
Specify the surface type (5, 6).				

Cross base



<i>1½" laminate thick base. For 48" diameter round table tops.</i>				
33 x 33 x 28	825 x 825 x 713	LGC-CR33	390	—

Cross base



<i>1½" laminate thick base. For 42" diameter round table tops.</i>				
27 x 27 x 28	680 x 680 x 713	LGC-CR27	345	—

Cross base



<i>Anthracite grey (GAN) or Black (NNN) steel. Specify the finish.</i>				
33 x 33 x 28	830 x 830 x 710	LGC-CH433	495	—

6" diameter steel leg



<i>Anthracite grey.</i>				
6 x 6 x 28	150 x 150 x 710	LGC-TL	230	—

Serving carts



<i>1 sliding shelf, 11½" extension. 2 box drawer. 2 door with 1 adjustable shelf. 4 casters, 2 with brakes. Grommet in the back.</i>				
36 x 21 x 36	900 x 520 x 908	O_N_-MS213636	1,170	1,520
Specify the surface type (1, 2). Specify the handle code.				
36 x 21 x 36½	900 x 520 x 921	O_N_-MS213636	1,295	1,680
Specify the surface type (5, 6). Specify the handle code.				

Serving carts



<i>1 sliding shelf, 11½" extension. 1 box drawer. 1 door with 1 adjustable shelf. 4 casters, 2 with brakes. Grommet in the back.</i>				
20 x 21 x 36	500 x 520 x 908	O_N_-MS212036	750	980
Specify the surface type (1, 2). Specify the handle code.				
20 x 21 x 36½	500 x 520 x 921	O_N_-MS212036	875	1,140
Specify the surface type (5, 6). Specify the handle code.				

Marker boards



<i>180° hinges. Board surface: white high-pressure laminate, non magnetic, for use with dry-erase markers. Eraser tray along bottom of board. Inside face of doors covered in natural cork.</i>				
55 x 5 x 41	1368 x 130 x 1049	01N_-VBX4054	1,140	—
Specify the handle code.				
55 x 5 x 42¼	1368 x 130 x 1075	05N_-VBX4054	1,210	—
Specify the handle code.				

Coffee tables




W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
22 x 22 x 18	550 x 550 x 438	O_NN-ST222218	295	385
Specify the surface type (1, 2).				
22 x 22 x 18½	550 x 550 x 451	O_NN-ST222218	370	480
Specify the surface type (5, 6).				



SUGGESTIONS

O_N_-PLAN01

Plan shown in **Options** Section / Product Catalog:**O1NL-PLAN01** \$5,220


- 1 O1NN-C4278PM24
- 1 O1NN-DT2430B
- 1 O1NN-E724416PD
- 1 O1NL-243673LFB
- 1 ONNL-MP1520F

1" thick laminate (1), smooth edge (N), linear pull (L).

Other option:

1½" thick laminate \$5,660

O_N_-PLAN02

Plan shown in **Options** Section / Product Catalog:**O5NU-PLAN02** \$5,525


- 1 O5NU-S4272FA
- 1 O5NN-BR2448
- 1 O5NN-DT2472A
- 1 O5NN-E724416P
- 1 O5NU-243673LFB

1½" thick laminate (5), smooth edge (N), straight handle (U).

Other option:

1" thick laminate \$4,980

O_N_-PLAN03

Plan shown in **Options** Section / Product Catalog:**O5NU-PLAN03** \$6,280


- 1 O5NN-BT3672
- 1 O5NN-CM367224C
- 1 O5NN-DT2436B
- 1 O5NN-E724416PD
- 1 O5NU-243673BUF
- 1 ONNU-P1520FFL

1½" thick laminate (5), smooth edge (N), straight handle (U).

Other option:

1" thick laminate \$5,760

O_N_-PLAN04

Plan shown in **Options** Section / Product Catalog:**O5NU-PLAN04** \$6,430


- 1 O5NU-S3672F
- 1 O5NU-S2472UF
- 1 O5NN-E724416P
- 1 O5NU-242473BCR
- 1 O5NU-243673LFB

1½" thick laminate (5), smooth edge (N), straight handle (U).

Other option:

1" thick laminate \$5,790

O_N_-PLAN05

Plan shown in **Options** Section / Product Catalog:**O1NL-PLAN05** \$12,950


- 2 O1NN-BT3060
- 2 O1NN-BR2442
- 2 O1NN-DT2472A
- 2 O1NN-E724416PD
- 2 O1NL-242473BCR
- 2 ONNL-2036COL
- 2 PAN-SFLX4142A
- 2 PAN-SFLX4130A
- 2 PAN-SFLX4124A
- 2 PAN-SOFX0842A
- 2 PAN-SOFX0830A
- 2 PAN-SOFX0824A

1" thick laminate (1), smooth edge (N), linear pull (L).

Other option:

1½" thick laminate \$18,000

O_N_-PLAN06

Plan shown in **Options** Section / Product Catalog:**O1NU-PLAN06** \$8,135


- 2 O1NN-CM4224SC
- 4 O1NN-DT2430B
- 2 O1NN-E724416P
- 2 ONNU-F
- 2 LGC-DV1221
- 2 LGC-SC42
- 1 LGC-SC30
- 1 LGC-14TP
- 2 LGC-7PO

1" thick laminate (1), smooth edge (N), straight handle (U).

Other option:

1½" thick laminate \$8,795

TYPICAL WOOD GRAIN DIRECTION FOR OPTIONS COLLECTION:



ELECTRICOM SYSTEM

This system is fully compatible with Quad and Options collections, to enable the electrification of freestanding furniture.

PLANNING THE ELECTRICAL LAYOUT

STEP 1

Determine where to locate the power feed for the workstation.

a) The power source is on the floor or in a wall

Use the BFEED adaptor.

The power source must be less than 48" from the power feed in the raceway and the adaptor connects to a BMOD electrical harness.

b) The power source is in the ceiling

Use the CFEED ceiling adaptor.

The cable is 14 feet long. It can be connected to an electrical harness (BMOD), positioned in the electrical/communication raceway underneath the work surfaces, through the back or the side of the furniture (wiring access in the leg panels).

c) In some circumstances, the power feed may be installed directly in one of the surface raceways underneath the furniture, in the JBOX junction box. The junction box is fitted with a shortened adaptor for connection to a BMOD electrical harness.

d) Power feed is in a wall outlet (15 or 20 amp)

Use the SCPF adaptor.

The cable is 80" long. It can be connected to an electrical harness positioned in the electrical/communication raceway.

STEP 2

Determine the position of the required electrical harnesses:

Capacity:

- one harness (BMOD) per raceway for the 24" and 30" electrical/communication raceways;
- two harnesses (BMOD) or one double harness (2BMOD) per raceway for all the other dimensions.

The illustration on page 43 (Work Surface Dimensions and Relative BMOD Harness Position) will help you determine the number and position of BMOD electrical harnesses, as well as the length of the PASS connector cables.

In 2-part raceways, it is common to use one section for electrical and the other for communication cables.

STEP 3

a) Selection of PASS connector cables

Your plan must take into account the capacity of each raceway in terms of number of electrical harnesses (see page 43), the work surfaces that need to be electrified, and the ones that must be skipped or bypassed.

The power outlet is always 7" from the edge of the work surface.

Electrical harnesses are 7" long.


b) To skip one or more work surfaces

Compute the length of the PASS connector cable, adding together all of the lengths separating the electrical harnesses that you want to connect (see page 43).

- Subtract 6" when the cable turns inside a corner.
- Add 1" each time the cable passes underneath a divider screen.

c) Choice of leg panels

Once the electrical layout has been planned and the location of the drawer pedestals determined, the end panels can be selected. Full end panels with wiring access allow the passage of electrical cables (Options and Quad collections).



See drawings on page 43.

The recessed leg panels supplied with versions B and C have compatible wiring accesses that allow the passage of electrical cables.

In addition to the existing A, B and C leg panels, there are now the following options:

D: 2 full end panels, one with wiring access.


E: 2 full end panels with wiring access.

F: 1 recessed and 1 full end panel with wiring access.

All leg panels are the same price.

It is preferable to use a full end panel with a pedestal.

For stability reasons, it is sometimes necessary to use full leg panels elsewhere than the visible ends of the work surface.




TECHNICAL DESCRIPTION OF ELECTRICAL HARNESSES AND CONDUCTOR CABLES

THE ELECTRICAL HARNESS

The electrical harness and all the other modular components are designed so that the position of the individual conductors helps eliminate interference. By positioning the isolated circuit above the regular circuits, the distance between the circuits reduces the harmful effect of electromagnetic interference.

7-Wire System (standard) (3 circuits, 1 isolated)


Cross-Section of Electrical Harness



- 1 - Isolated Circuit
- 2 - Isolated Ground
- 3 - Polarization
- 4 - Equipment Ground
- 5 - Isolated neutral
- 6 - Neutral
- 7 - Circuit # 1
- 8 - Circuit # 2

8-Wire System (3 circuits, 2 isolated) An 8-wire system is available on request, with a 5-week delivery.

Cross-Section of Electrical Harness




- 1 - Isolated Circuit # 3
- 2 - Isolated Ground
- 3 - Polarization
- 4 - Ground (1)
- 5 - Isolated neutral (3)
- 6 - Neutral
- 7 - Circuit # 1
- 8 - Isolated Circuit # 2
- 9 - Isolated Neutral (2)

CROSS-SECTION OF CONDUCTOR CABLE


The conductors on the isolated circuit are covered with a metal shield which acts as a barrier against EMI. Isolated circuits have their own neutral conductor and their own electrical ground. The two regular circuits in a 7-wire system share the same neutral conductor and the same electrical ground.

7-Wire System



- 1 - Circuit # 1 (Black)
- 2 - Circuit # 2 (Red)
- 3 - Neutral (White)
- 4 - Equipment Ground
- 5 - EMI
- 6 - Isolated Circuit (Blue)
- 7 - EMI Shield
- 8 - Isolated Ground (Green/Yellow)
- 9 - Isolated Neutral (Grey)


8-Wire System



- 1 - Isolated Circuit # 3 (Blue)
- 2 - Isolated Ground (Green/Yellow)
- 3 - EMI Shield
- 4 - Ground (Green)
- 5 - Isolated Neutral # 3 (Grey)
- 6 - Neutral (White)
- 7 - Circuit # 1 (Black)
- 8 - Isolated Circuit # 2 (Red)
- 9 - Isolated Neutral # 2 (White)


CROSS-SECTION OF RACEWAY

The compact size of the electrical harnesses installed in the raceway frees up enough space for telecommunications or other cables.




- 1 - Cable Raceway
- 2 - Capsule
- 3 - Receptacle
- 4 - Electrical Harness
- 5 - Telecommunication Cables

A: 0.23" B: 2.00" C: 1.40"



- 1 - Cable Raceway
- 2 - Capsule
- 3 - Receptacle
- 4 - Electrical Harness
- 5 - Telecommunication Cables


A: 0.23" B: 2.25" C: 1.46"



All electrical components are equipped with a positive locking device to prevent accidental disconnection.

All electrical installations should be made in accordance with codes and regulations applicable at the installation site, and must be done under supervision of an electrician.


PDC Electrical/communication raceway



Fits on the wiring channel on the work surfaces.
Anthracite grey PVC profile.

Code	Surface Width	Price (\$)
LGC-PDC24	24	75
LGC-PDC30	30	80
LGC-PDC36	36	85
LGC-PDC42	42	95
LGC-PDC48	48	110
LGC-PDC54	54	125
LGC-PDC60	60	140
LGC-PDC66	66	160
LGC-PDC72	72	175


CFEED Power entry for ceiling sources



The electrical power cable will connect the power circuit located in the ceiling to a BMOD electrical harness in the PDC raceway underneath the work surface. Cable is 14' long. A 10' long PVC post conceals the cable from work surface to ceiling. A metal bracket mounted under the surface grips the base of the post. A finishing plate is supplied to conceal the ceiling cutout. A leg cap is included to cover the unused wire opening in the leg panel. Anthracite grey finish.

Code	Price (\$)
7-wire system	
A-7.CFEED14	305
Cable only	
LGC-7.CFEED14	685
Cable, pvc extrusion post, one leg cap included	
8-wire system	
A-8.CFEED14	350
Cable only	
LGC-8.CFEED14	715
Cable, pvc extrusion post, one leg cap included	
LGC-POLE	405
Post, bracket and hardware (no cable) one leg cap included	


LCO Leg cap



To cover unused wire openings in a thermofused laminate leg panel. Package of 2. Anthracite grey metal.

Code	Price (\$)
LGC-LCO	60


SCPF Wall outlet power feed



The adaptor with wall outlet supplies power to a single circuit with a limited number of receptacles. Receptacles must all be identified #1.
 • 15 amp: 10 receptacles maximum.
 • 20 amp: 15 receptacles maximum.
 15 amp not for use in the USA due to electrical code restrictions.

Code	Price (\$)
7-wire system	
A-7.SCPF8015	220
15 amp	
A-7.SCPF8020	220
20 amp	
8-wire system	
A-8.SCPF8015	235
15 amp	
A-8.SCPF8020	235
20 amp	


JBOX Adaptator with junction box



This option allows an external power source to be connected to the raceway by means of a JBOX junction box fitted with a connector module. The junction box is large enough to comply with local regulations (NYC standards). Cover included. The cable on this module is 20" long. Be sure to take this into account when positioning the box relative to the BMOD electrical harness to which it is to be connected.

Code	Price (\$)
7-wire system	
A-7.JBOX20	170
8-wire system	
A-8.JBOX20	185


BFEEED Power entry



Supplies power from an initial source installed in the floor or wall. This power source must not be more than 48" from the entry in the raceway. The power feed in the race-way can be located anywhere on the raceway cover, as long as there is a BMOD electrical harness within 7" of the power feed that can be connected to it. Waterproof cable. The right-angle connector can be inverted depending on whether the source is located to the right or to the left of the entry in the raceway.

Code	Price (\$)
7-wire system	
A-7.BFEED48	270
8-wire system	
A-8.BFEED48	310

SPLEXB Receptacle for outlet on harness



These receptacles are used in BMOD and 2BMOD harnesses. The BMOD accommodates three receptacles and the 2BMOD, six.

7-wire system: has three circuits, one of which is an isolated circuit generally used for computer equipment.

8-wire system: has three circuits, two of which are isolated. The maximum load per receptacle is 15 amp. The maximum load per circuit is 20 amp.

Generally speaking:

- on the isolated circuit: 10 receptacles are possible.
- on the other circuits: 15 receptacles are possible.


Check local regulations.

Receptacles for bmod or 2bmod harness

Code	Price (\$)
7-wire system	
A-7.SPLEXB1	45
A-7.SPLEXB2	45
A-7.SPLEXBIG	45
A-7.BLANKB	35
8-wire system	
A-8.SPLEXB1	45
A-8.SPLEXB2IG	45
A-8.SPLEXB3IG	45
A-8.BLANKB	35




BMOD Module with capsule for electrical/communication raceway




The single BMOD electrical harness is used in PDC electrical/communication raceways. Receptacles can be installed on just one side, when inserting them in the PDC electrical/communication raceway along with a capsule.

Code	Price (\$)
7-wire system	
LGC-7.BMOD	80
8-wire system	
LGC-8.BMOD	80


Choice of Leg Panels



Work Surface Dimensions and Relative BMOD Harness Position





2BMOD Double module with capsules for electrical/communication raceway



Allows two power outlets to be installed in the PDC raceway of a freestanding component (36" to 72"). Receptacles can be installed on just one side, when inserting them in the PDC electrical/communication raceway along with a capsule. Modules are connected by a "Metal Flex" cable whose length is calculated according to the work surface width and the distance between the two outlets.

Code	For Work Surfaces	Price (\$)
7-wire system		
LGC-7.2BMOD36	36	200
LGC-7.2BMOD42	42	205
LGC-7.2BMOD48	48	210
LGC-7.2BMOD54	54	215
LGC-7.2BMOD60	60	230
LGC-7.2BMOD66	66	235
LGC-7.2BMOD72	72	240
8-wire system		
LGC-8.2BMOD36	36	230
LGC-8.2BMOD42	42	240
LGC-8.2BMOD48	48	245
LGC-8.2BMOD54	54	250
LGC-8.2BMOD60	60	265
LGC-8.2BMOD66	66	270
LGC-8.2BMOD72	72	275

PASS Connector cable




To connect electrical harnesses to each other, on the same raceway, between two or more work surfaces, or while skipping one or more work surfaces. Use the raceway dimensions and harness position chart to determine the length required.

Code	7-Wire Price (\$)	8-Wire Price (\$)
7-wire system		
A-7.PASS8	120	125
A-7.PASS12	125	140
A-7.PASS13	125	140
A-7.PASS14	135	155
A-7.PASS15	135	155
A-7.PASS16	135	155
A-7.PASS17	135	155
A-7.PASS18	135	155
A-7.PASS21	140	160
A-7.PASS24	150	170
A-7.PASS27	150	170
A-7.PASS30	155	175
A-7.PASS33	155	175
A-7.PASS36	160	180
A-7.PASS39	160	180
A-7.PASS42	170	185
A-7.PASS45	175	200
A-7.PASS48	175	200
A-7.PASS51	180	205
A-7.PASS54	180	205
A-7.PASS57	185	215
A-7.PASS60	185	215
A-7.PASS63	190	220
A-7.PASS66	190	220
A-7.PASS69	200	230
A-7.PASS72	205	240
A-7.PASS75	205	240
A-7.PASS78	215	245
A-7.PASS81	215	245
A-7.PASS84	220	250
A-7.PASS87	230	265
A-7.PASS93	235	270
A-7.PASS99	240	275
A-7.PASS105	245	290
A-7.PASS111	250	300
A-7.PASS117	270	310
A-7.PASS123	275	315
A-7.PASS129	285	320
A-7.PASS135	290	335
A-7.PASS141	300	340
A-7.PASS147	310	360
A-7.PASS159	320	375
A-7.PASS171	335	390
A-7.PASS183	360	400
A-7.PASS195	375	430
A-7.PASS207	390	440
A-7.PASS219	400	455
A-7.PASS231	425	485


* to order an 8-wire system PASS, change the code from A-7.PASSxxx to A-8.PASSxxx.

COP Adaptor for connecting two PASS
connector cables



Code	Price (\$)
<i>7-wire system</i>	
A-7.COP6	115
<i>8-wire system</i>	
A-8.COP6	125

CP Mounting plates for communications
and data receptacles




<i>Black.</i>	
Code	Price (\$)
A-CP1	35
<i>Single mounting plate</i>	
A-CP2	35
<i>Double mounting plate</i>	
A-CP3	35
<i>Triple mounting plate</i>	

RJ Telecommunication receptacle



<i>6 pins (3 pairs).</i>	
Code	Price (\$)
A-RJ.11	65
<i>Grey face</i>	

RJ45 Receptacle for computer data



<i>8 pins.</i>	
Code	Price (\$)
A-RJ.45.5	90
<i>Category #5, 100mbt, orange front</i>	

CONCEPT 3 MATRIX – STEP BY STEP


STEP 1: 3 LAYOUTS

Concept 3 envisions three classic office workstation layouts – **traditional T**, **U-shaped** and **L-shaped** – with generous surfaces and versatile storage. Inspired design ensures upscale looks and maximum functionality whichever setting you choose.

REVERSIBLE

As easy as flipping a coin, storage and non-handed work surfaces fit together left or right. In the **U-shaped** and **L-shaped** settings, you can attach the bridge or work surface on either side without losing access to the storage below. A big plus if you change your space... or change your mind!

Layout **T** with **R** or **A** surfaces comes with 1 box/box/file and 1 file/file modular pedestals. Layouts **U** and **L** with **R** or **A** surfaces come with 1 box/box/file modular pedestal.




STEP 2: 3 HEIGHTS

Keep it sleek and low with the **33-inch** storage module, elevate the look to **49 inches** or top it off at **73 inches**. Each level has its own refined sense of proportion and scale.


STEP 3: 3 SURFACE SHAPES

Customize the look and function of your work surface with the shape you prefer – classic **rectangular R**, stylish **bow front A** or our new adaptable **Y shape**.




STEP 4: 3 STORAGE OPTIONS

Choose from **storage modules** designed for filing, or for a multiplicity of functions with drawers and open bookcase. Whatever works best for you.



STEP 5: DOOR OPTIONS

Concept 3 is designed to simplify your life, but you still have the final say. Choose from matching **laminated N** or **anodized aluminum frame T** door styles. Storage modules are shipped assembled but offer you the flexibility of modifying the door configuration on site.



CONCEPT 3 MATRIX – PRECONFIGURED WORKSTATIONS

FINAL STEP: HOW TO ORDER

One code = One workstation = EASY TO ORDER!


Example: **C3 - T 73 R CO T**

- Door option (N, T)
- Storage option (LF, CC, CO)
- Surface shape (R, A, Y)
- Height (33", 49", 73")
- Layout type (T, U, L)
- Series






	T Traditional 								U U-Shaped 								L L-Shaped 									
	series	layout type	height	surface shape	storage options	door options	price (\$)		series	layout type	height	surface shape	storage options	door options	price (\$)		series	layout type	height	surface shape	storage options	door options	price (\$)			
33"	C3	—	T	33	R	LF	T	4,090		C3	—	U	33	R	LF	T	3,510		C3	—	L	33	R	LF	N	3,070
	C3	—	T	33	R	LF	N	3,655		C3	—	U	33	R	LF	N	3,295		C3	—	L	33	R	CC	N	3,155
	C3	—	T	33	R	CC	T	4,175		C3	—	U	33	R	CC	T	3,615		C3	—	L	33	R	CO	N	3,270
	C3	—	T	33	R	CC	N	3,770		C3	—	U	33	R	CC	N	3,420		C3	—	L	33	Y	LF	N	2,460
	C3	—	T	33	R	CO	T	4,325		C3	—	U	33	R	CO	T	3,740		C3	—	L	33	Y	CC	N	2,545
	C3	—	T	33	R	CO	N	3,895		C3	—	U	33	R	CO	N	3,540		C3	—	L	33	Y	CO	N	2,660
	C3	—	T	33	A	LF	T	4,170		C3	—	U	33	A	LF	T	3,590									
	C3	—	T	33	A	LF	N	3,735		C3	—	U	33	A	LF	N	3,375									
	C3	—	T	33	A	CC	T	4,255		C3	—	U	33	A	CC	T	3,695									
	C3	—	T	33	A	CC	N	3,850		C3	—	U	33	A	CC	N	3,500									
	C3	—	T	33	A	CO	T	4,405		C3	—	U	33	A	CO	T	3,820									
	C3	—	T	33	A	CO	N	3,975		C3	—	U	33	A	CO	N	3,620									
										C3	—	U	33	Y	LF	T	2,915									
										C3	—	U	33	Y	LF	N	2,700									
49"	C3	—	T	49	R	LF	T	4,455		C3	—	U	49	R	LF	T	3,885		C3	—	L	49	R	LF	N	3,370
	C3	—	T	49	R	LF	N	3,875		C3	—	U	49	R	LF	N	3,605		C3	—	L	49	R	CC	N	3,470
	C3	—	T	49	R	CC	T	4,415		C3	—	U	49	R	CC	T	3,950		C3	—	L	49	R	CO	N	3,585
	C3	—	T	49	R	CC	N	3,925		C3	—	U	49	R	CC	N	3,665		C3	—	L	49	Y	LF	N	2,760
	C3	—	T	49	R	CO	T	4,625		C3	—	U	49	R	CO	T	4,060		C3	—	L	49	Y	CC	N	2,860
	C3	—	T	49	R	CO	N	4,050		C3	—	U	49	R	CO	N	3,775		C3	—	L	49	Y	CO	N	2,975
	C3	—	T	49	A	LF	T	4,535		C3	—	U	49	A	LF	T	3,965									
	C3	—	T	49	A	LF	N	3,955		C3	—	U	49	A	LF	N	3,685									
	C3	—	T	49	A	CC	T	4,495		C3	—	U	49	A	CC	T	4,030									
	C3	—	T	49	A	CC	N	4,005		C3	—	U	49	A	CC	N	3,745									
	C3	—	T	49	A	CO	T	4,705		C3	—	U	49	A	CO	T	4,140									
	C3	—	T	49	A	CO	N	4,130		C3	—	U	49	A	CO	N	3,855									
										C3	—	U	49	Y	LF	T	3,290									
										C3	—	U	49	Y	LF	N	3,010									
73"	C3	—	T	73	R	LF	T	5,370		C3	—	U	73	R	LF	T	5,000		C3	—	L	73	R	LF	T	4,825
	C3	—	T	73	R	LF	N	4,845		C3	—	U	73	R	LF	N	4,480		C3	—	L	73	R	LF	N	4,300
	C3	—	T	73	R	CC	T	5,455		C3	—	U	73	R	CC	T	5,110		C3	—	L	73	R	CC	T	4,855
	C3	—	T	73	R	CC	N	4,950		C3	—	U	73	R	CC	N	4,600		C3	—	L	73	R	CC	N	4,350
	C3	—	T	73	R	CO	T	5,590		C3	—	U	73	R	CO	T	5,235		C3	—	L	73	R	CO	T	4,995
	C3	—	T	73	R	CO	N	5,075		C3	—	U	73	R	CO	N	4,715		C3	—	L	73	R	CO	N	4,490
	C3	—	T	73	A	LF	T	5,450		C3	—	U	73	A	LF	T	5,080		C3	—	L	73	Y	LF	T	4,215
	C3	—	T	73	A	LF	N	4,925		C3	—	U	73	A	LF	N	4,560		C3	—	L	73	Y	LF	N	3,690
	C3	—	T	73	A	CC	T	5,535		C3	—	U	73	A	CC	T	5,190		C3	—	L	73	Y	CC	T	4,245
	C3	—	T	73	A	CC	N	5,030		C3	—	U	73	A	CC	N	4,680		C3	—	L	73	Y	CC	N	3,740
	C3	—	T	73	A	CO	T	5,670		C3	—	U	73	A	CO	T	5,315		C3	—	L	73	Y	CO	T	4,385
	C3	—	T	73	A	CO	N	5,155		C3	—	U	73	A	CO	N	4,795		C3	—	L	73	Y	CO	N	3,880
										C3	—	U	73	Y	LF	T	4,405									
										C3	—	U	73	Y	LF	N	3,885									

SPECIFIC TWO-TONE APPLICATION ON 73", 49" AND 33"H STORAGE UNITS

(unless otherwise specified)



The first finish specified will be applied to the laminate door(s) and to the drawer at the bottom of the unit. The second finish specified will be applied to the rest of the unit.





	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Rectangular surfaces	<i>Can accommodate 1 or 2 modular pedestals. Recessed, full-height modesty panel.</i>			
	72 x 36 x 29	1800 x 900 x 735	C3-TD3672	 785
	66 x 30 x 29	1650 x 750 x 735	C3-TD3066	675
Arched surfaces	<i>Can accommodate 1 or 2 modular pedestals. Recessed, full-height modesty panel.</i>			
	72 x 42 x 29	1800 x 1050 x 735	C3-TD4272A	865
	66 x 36 x 29	1650 x 900 x 735	C3-TD3666A	770
Y-shaped surfaces	<i>Reversible. Half-height modesty panel. Grommet.</i>			
	72 x 42 x 29	1800 x 1050 x 735	C3-YTM3672	 820
	66 x 42 x 29	1650 x 1050 x 735	C3-YTM3666	770
Rectangular surface-returns	<i>Reversible. Can accommodate 1 modular pedestal. Can be attached to a 36" wide bookcase. Recessed, full-height modesty panel. Grommet.</i>			
	72 x 36 x 29	1800 x 900 x 735	C3-RD3672	 665
	66 x 36 x 29	1650 x 900 x 735	C3-RD3666	615
	54 x 36 x 29	1350 x 900 x 735	C3-RD3654	580
Y-shaped surface-returns	<i>Reversible. Must be attached to a 36" wide bookcase. Half-height modesty panel. Grommet.</i>			
	72 x 42 x 29	1800 x 1050 x 735	C3-YUM3672	685
	66 x 42 x 29	1650 x 1050 x 735	C3-YUM3666	635
	54 x 42 x 29	1350 x 1050 x 735	C3-YUM3654	615
Modular pedestal	<i>2 file drawers. Lock. Must be installed under a work surface. 1 tone finish only.</i>			
	15 x 26 x 26	388 x 649 x 628	C3-FF26	 570
Modular pedestal	<i>2 box drawers. 1 file drawer. Pencil tray. Lock controls file drawer and box drawer above. Must be installed under a work surface. 1 tone finish only.</i>			
	15 x 26 x 26	388 x 649 x 628	C3-UF26	 630
Bridge-returns	<i>Half-height modesty panel. Grommet.</i>			
	48 x 18 x 13	1200 x 448 x 327	C3-BR1848	 255
	42 x 18 x 13	1050 x 448 x 327	C3-BR1842	230


READY TO SHIP IN 5 DAYS!


Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.


Please refer to page 3 for complete program details.




	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Executive return	<i>Reversible. 2 box drawers and 1 file drawer. Pencil tray. Grommet. Lock.</i>			
	48 x 24 x 29	1200 x 600 x 735	C3-UF2448R	1,035
				
73" Storage modules – 4 doors	<i>UPPER: Bookcases, 2 adjustable shelves. Bookcase with doors, 2 adjustable shelves. Doors can be installed at either ends. Grommet on the back. Specify T at the end of the code for translucent doors. LOWER: Bookcases with doors, adjustable shelf. 2 pigeonholes. Packaged in two boxes.</i>			
Lateral file modules	<i>2 file drawers with suspension bars. Lock.</i>			
	72 x 20 x 73	1796 x 500 x 1850	C3-207273LFB	2,860
	72 x 20 x 73	1796 x 500 x 1850	C3-207273LFBT	3,385
Mixed modules	<i>2 box drawers, 2 file drawers with suspension bars and lock. Pencil tray.</i>			
	72 x 20 x 73	1796 x 500 x 1850	C3-207273C0B	3,090
	72 x 20 x 73	1796 x 500 x 1850	C3-207273C0BT	3,605
Open mixed modules	<i>Open storage space. 2 box drawers. 1 file drawer with suspension bars. Lock controls file drawer and box drawer above. Pencil tray.</i>			
	72 x 20 x 73	1796 x 500 x 1850	C3-207273CCB	2,965
	72 x 20 x 73	1796 x 500 x 1850	C3-207273CCBT	3,470
73" Storage modules – 3 doors	<i>UPPER: Bookcases, 2 adjustable shelves. Bookcase with doors, 2 adjustable shelves. Doors can be installed at either ends. Grommet on the back. Specify T at the end of the code for translucent doors. LOWER: Reversible. Bookcases with door, adjustable shelf. 3 pigeonholes. Bookcase, adjustable shelf. A bridge-return can be attached. Packaged in two boxes.</i>			
Lateral file modules	<i>2 file drawers with suspension bars. Lock.</i>			
	72 x 20 x 73	1796 x 500 x 1850	C3-207273LFS	2,810
	72 x 20 x 73	1796 x 500 x 1850	C3-207273LFST	3,330


	W x D x H (")	W x D x H (mm)	Code	Price (\$)
	<i>3 adjustable shelves and 1 fixed shelf. 1 clothes hanger bar. Specify T at the end of the code for translucent doors.</i>			
	36 x 20 x 73	900 x 500 x 1850	C3-203673B	1,270
	36 x 20 x 73	900 x 500 x 1850	C3-203673BT	2,015

	<i>Fixed shelf at 29". 3 adjustable shelves. 2 pigeonholes. Grommet on the back. A surface-return can be attached. 1 tone finish only.</i>			
	36 x 20 x 73	900 x 500 x 1850	C3-BS203673	1,165

	<i>Bookcase, 2 adjustable shelves. Pigeonhole. 2 file drawers with suspension bars. Lock.</i>			
	18 x 20 x 73	450 x 500 x 1850	C3-201873FF	1,190

	<i>Bookcase, 2 adjustable shelves. Pigeonhole. 2 box drawers. 1 file drawer with suspension bar. Pencil tray. Lock controls file drawer and box drawer above.</i>			
	18 x 20 x 73	450 x 500 x 1850	C3-201873UF	1,265

	<i>Reversible door. 4 adjustable shelves. Specify T at the end of the code for translucent door.</i>			
	18 x 20 x 73	450 x 500 x 1850	C3-201873B	985
	18 x 20 x 73	450 x 500 x 1850	C3-201873BT	1,335


	<i>3 adjustable shelves. Pigeonhole. A bridge-return can be attached. 1 tone finish only.</i>			
	18 x 20 x 73	450 x 500 x 1850	C3-BS201873	875

49" COMPLEMENTARY STORAGE MODULES

	<i>Open storage space. 2 pigeonholes. 2 file drawers with suspension bars and lock. Grommet on the back.</i>			
	36 x 20 x 49	900 x 500 x 1241	C3-203649LF	1,220

	<i>Open storage space. 2 pigeonholes. 2 box drawers. 2 file drawers with suspension bars and lock. Pencil tray. Grommet on the back.</i>			
	36 x 20 x 49	900 x 500 x 1241	C3-203649C0	1,435

	<i>Open storage space. 2 pigeonholes. 2 box drawers. 1 file drawer with suspension bar. Pencil tray. Lock controls file drawer and box drawer above. Grommet on the back.</i>			
	36 x 20 x 49	900 x 500 x 1241	C3-203649CC	1,320

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
	<i>2 adjustable shelves. 1 clothes hanger bar. Specify T at the end of the code for translucent doors.</i>			
	36 x 20 x 49	900 x 500 x 1241	C3-203649B	940
	36 x 20 x 49	900 x 500 x 1241	C3-203649BT	1,480

	<i>Open storage space. 2 pigeonholes. Fixed shelf at 29". Adjustable shelf. Grommet on the back. A surface-return can be attached. 1 tone finish only.</i>			
	36 x 20 x 49	900 x 500 x 1241	C3-BS203649	855

	<i>Open storage space. Pigeonhole. 2 file drawers with suspension bars. Lock.</i>			
	18 x 20 x 49	450 x 500 x 1241	C3-201849FF	960

	<i>Open storage space. Pigeonhole. 2 box drawers. 1 file drawer with suspension bar. Pencil tray. Lock controls file drawer and box drawer above.</i>			
	18 x 20 x 49	450 x 500 x 1241	C3-201849UF	1,025

	<i>Reversible door. 2 adjustable shelves. Specify T at the end of the code for translucent door.</i>			
	18 x 20 x 49	450 x 500 x 1241	C3-201849B	765
	18 x 20 x 49	450 x 500 x 1241	C3-201849BT	1,000

	<i>Open storage space. Pigeonhole. Adjustable shelf. A bridge-return can be attached. 1 tone finish only.</i>			
	18 x 20 x 49	450 x 500 x 1241	C3-BS201849	690

33" COMPLEMENTARY STORAGE MODULES

	<i>2 pigeonholes. 2 file drawers with suspension bars. Lock.</i>			
	36 x 20 x 33	900 x 500 x 834	C3-203633LF	 1,090

	<i>2 pigeonholes. 2 box drawers. 2 file drawers with suspension bars and lock. Pencil tray.</i>			
	36 x 20 x 33	900 x 500 x 834	C3-203633C0	1,290

	<i>2 pigeonholes. Open storage space. 2 box drawers. 1 file drawer with suspension bars. Pencil tray. Lock controls file drawer and box drawer above.</i>			
	36 x 20 x 33	900 x 500 x 834	C3-203633CC	1,175


	<i>Adjustable shelf. Specify T at the end of the code for translucent doors.</i>			
	36 x 20 x 33	900 x 500 x 834	C3-203633B	785
	36 x 20 x 33	900 x 500 x 834	C3-203633BT	1,200

	<i>2 pigeonholes. Adjustable shelf. A surface-return can be attached. 1 tone finish only.</i>			
	36 x 20 x 33	900 x 500 x 834	C3-BS203633	 685

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Lateral file module	<i>Pigeonhole. 2 file drawers with suspension bars. Lock.</i>			
	18 x 20 x 33	450 x 500 x 834	C3-201833FF	850
Mixed module	<i>Pigeonhole. 2 box drawers. 1 file drawer with suspension bar. Pencil tray. Lock controls file drawer and box drawer above.</i>			
	18 x 20 x 33	450 x 500 x 834	C3-201833UF	930
Bookcase modules with door	<i>Reversible door. Adjustable shelf. Specify T at the end of the code for translucent door.</i>			
	18 x 20 x 33	450 x 500 x 834	C3-201833B	655
	18 x 20 x 33	450 x 500 x 834	C3-201833BT	835
Bookcase module	<i>Pigeonhole. Adjustable shelf. A bridge-return can be attached. 1 tone finish only.</i>			
	18 x 20 x 33	450 x 500 x 834	C3-BS201833	560
COMPLEMENTARY FURNITURE				
Mobile pedestal	<i>2 box drawers. 1 file drawer. Pencil tray. Brakes on front casters. Lock controls file drawer and box drawer above. Fits under a work surface. 1 tone finish only.</i>			
	15 x 22 x 27½	390 x 559 x 698	C3-MP1522UF	760
Mobile pedestal	<i>2 file drawers. Lock. Brakes on front casters. Fits under a work surface. 1 tone finish only.</i>			
	15 x 22 x 27½	390 x 559 x 698	C3-MP1522FF	755
Conference table	<i>Cross base with aluminum legs.</i>			
	42 x 42 x 29	1050 x 1050 x 735	C3-R42CR	 675

SUGGESTIONS

C3-PLAN01



Plan shown in **Concept 3** Section / Product Catalog:

QSC3-PLAN01 **\$4,005**


- 1 QSC3-YTM3672
- 1 QSC3-BR1848
- 1 QSC3-207273CCST

Upper cabinet with laminate doors.

Other option:

Upper cabinet with translucent doors (T) **\$4,515**

C3-PLAN02



Plan shown in **Concept 3** Section / Product Catalog:

C3-PLAN02 **\$11,105**


- 2 C3-RD3672
- 2 C3-BS203673
- 2 C3-203673LFT
- 2 C3-UF26
- 1 PAN-SFLX4120
- 2 PAN-SFLX4136
- 2 PAN-SAGX0836
- 1 LGC-FPBP73

Upper cabinet with translucent doors (T).

Other option:

Upper cabinet with laminate doors **\$10,055**

C3-PLAN03



Plan shown in **Concept 3** Section / Product Catalog:

QSC3-PLAN03 **\$3,355**


- 1 QSC3-YTM3672
- 1 QSC3-BR1848
- 1 QSC3-207249CCST

Cabinet with translucent door (T).

Other option:

Cabinet with laminate doors **\$3,070**

C3-PLAN04



Plan shown in **Concept 3** Section / Product Catalog:

C3-PLAN04 **\$9,710**


- 2 C3-TD3066
- 2 C3-BR1842
- 2 C3-207249CCST
- 2 C3-UF26
- 2 PAN-SFLX4120S
- 2 PAN-SFLX4130S
- 2 PAN-SFLX4142S
- 2 LGC-FPBP73

Cabinet with translucent doors (T).

Other option:

Cabinet with laminate doors **\$9,140**

C3-PLAN05



Plan shown in **Concept 3** Section / Product Catalog:

QSC3-PLAN05 **\$3,770**


- 1 QSC3-TD3672
- 1 QSC3-207233CCB
- 1 QSC3-UF26
- 1 QSC3-FF26

Cabinet with laminate doors.

Other option:

Cabinet with translucent doors **\$4,175**

C3-PLAN06




Plan shown in **Concept 3** Section / Product Catalog:

QSC3-PLAN06 **\$3,070**

- 1 QSC3-RD3672
- 1 QSC3-BS203633
- 1 QSC3-203633LF
- 1 QSC3-UF26

C3-PLAN07



Not shown in the product catalog:

C3-PLAN07 **\$5,715**


- 1 C3-TD4272A
- 1 C3-207233LFB
- 2 C3-201849FF
- 1 C3-UF26

Cabinet with laminate doors.

Other option:

Cabinet with translucent doors **\$6,150**

C3-PLAN08



Not shown in the product catalog:

C3-PLAN08 **\$3,500**


- 1 C3-TD4272A
- 1 C3-BR1848
- 1 C3-207233CCS
- 1 C3-UF26

Cabinet with laminate door.

Other option:

Cabinet with translucent doors (T) **\$3,695**

TYPICAL WOOD GRAIN DIRECTION FOR CONCEPT 3:



READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.



CONCEPT 70


EDGEBANDING

Furniture with 1½" (38 mm) thick tops.

Textured 1 Edge



Textured 2 Edge



Textured, 5/32" (4 mm) thick edge.
The textured 1 and 2 edges **are available**
(and in matching color) **ONLY** when a wood
grain finish is specified for the surface.

HANDLES

A choice of two metal handles offered in
three colors.



DA Anthracite grey



KA Anthracite grey



DB Brass



KB Brass



DN Nickel




KN Nickel


READY TO SHIP IN 5 DAYS!


Several suggested layouts, components and accessories
identified by this pictogram are part of the **Lacasse**
quick delivery program.


Please refer to page 3 for complete program details.





	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Double pedestal desks	<i>2 pedestals with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>			
	84 x 36 x 29½	2100 x 900 x 748	7__-F3684F	1,455
	72 x 36 x 29½	1800 x 900 x 748	7__-F3672F 	1,355
	72 x 30 x 29½	1800 x 750 x 748	7__-F3072F	1,310
	66 x 30 x 29½	1650 x 750 x 748	7__-F3066F 	1,260
	60 x 30 x 29½	1500 x 750 x 748	7__-F3060F 	1,215


Double pedestal bow front desks	<i>2 pedestals with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>			
	84 x 42 x 29½	2100 x 1050 x 748	7__-F4284FA	1,695
	72 x 42 x 29½	1800 x 1050 x 748	7__-F4272FA 	1,555


Left single pedestal desks	<i>1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>			
	84 x 36 x 29½	2100 x 900 x 748	7__-F3684S	1,205
	72 x 36 x 29½	1800 x 900 x 748	7__-F3672S 	1,105
	72 x 30 x 29½	1800 x 750 x 748	7__-F3072S	1,060
	66 x 30 x 29½	1650 x 750 x 748	7__-F3066S 	1,010
	60 x 30 x 29½	1500 x 750 x 748	7__-F3060S	970
	48 x 30 x 29½	1200 x 750 x 748	7__-F3048S	905


Right single pedestal desks	<i>1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bars. Pencil tray. Recessed, full height modesty panel.</i>			
	84 x 36 x 29½	2100 x 900 x 748	7__-S3684F	1,205
	72 x 36 x 29½	1800 x 900 x 748	7__-S3672F 	1,105
	72 x 30 x 29½	1800 x 750 x 748	7__-S3072F	1,060
	66 x 30 x 29½	1650 x 750 x 748	7__-S3066F 	1,010
	60 x 30 x 29½	1500 x 750 x 748	7__-S3060F	970
	48 x 30 x 29½	1200 x 750 x 748	7__-S3048F	905


Left single pedestal bow front desks	<i>1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>			
	84 x 42 x 29½	2100 x 1050 x 748	7__-F4284SA 	1,475
	72 x 42 x 29½	1800 x 1050 x 748	7__-F4272SA 	1,300

Right single pedestal bow front desks	<i>1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>			
	84 x 42 x 29½	2100 x 1050 x 748	7__-S4284FA 	1,475
	72 x 42 x 29½	1800 x 1050 x 748	7__-S4272FA 	1,300

Double pedestal desks – low profile	<i>2 full-length pedestals with lock, 2 box drawers and 1 file drawer with suspension bar. Lock controls file drawer and box drawer above. Pencil tray. Recessed, full height modesty panel.</i>			
	84 x 36 x 29½	2100 x 900 x 748	7__-UF3684UF	1,755
	72 x 36 x 29½	1800 x 900 x 748	7__-UF3672UF 	1,650
	72 x 30 x 29½	1800 x 750 x 748	7__-UF3072UF 	1,605
	66 x 30 x 29½	1650 x 750 x 748	7__-UF3066UF 	1,565
	60 x 30 x 29½	1500 x 750 x 748	7__-UF3060UF 	1,515

Double pedestal bow front desks – low profile	<i>2 full-length pedestals with lock, 2 box drawers and 1 file drawer with suspension bar. Lock controls file drawer and box drawer above. Pencil tray. Recessed, full height modesty panel.</i>			
	84 x 42 x 29½	2100 x 1050 x 748	7__-UF4284UFA	1,990
	72 x 42 x 29½	1800 x 1050 x 748	7__-UF4272UFA 	1,850

Left single pedestal desks – low profile	<i>1 full-length pedestal with lock on left, 2 box drawers and 1 file drawer with suspension bar. Lock controls file drawer and box drawer above. Pencil tray. Recessed, full height modesty panel.</i>			
	84 x 36 x 29½	2100 x 900 x 748	7__-UF3684S	1,360
	72 x 36 x 29½	1800 x 900 x 748	7__-UF3672S 	1,250
	72 x 30 x 29½	1800 x 750 x 748	7__-UF3072S 	1,205
	66 x 30 x 29½	1650 x 750 x 748	7__-UF3066S 	1,165
	60 x 30 x 29½	1500 x 750 x 748	7__-UF3060S 	1,120
	48 x 30 x 29½	1200 x 750 x 748	7__-UF3048S	1,055

Right single pedestal desks – low profile	<i>1 full-length pedestal with lock on right, 2 box drawers and 1 file drawer with suspension bar. Lock controls file drawer and box drawer above. Pencil tray. Recessed, full height modesty panel.</i>			
	84 x 36 x 29½	2100 x 900 x 748	7__-S3684UF	1,360
	72 x 36 x 29½	1800 x 900 x 748	7__-S3672UF 	1,250
	72 x 30 x 29½	1800 x 750 x 748	7__-S3072UF 	1,205

 = QUICKSHIP

U.S.A. – APRIL 2009

	W x D x H ("")	W x D x H (mm)	Code		Price (\$)
Right single pedestal desks – low profile (cont'd)	66 x 30 x 29½	1650 x 750 x 748	7___-S3066UF		1,165
	60 x 30 x 29½	1500 x 750 x 748	7___-S3060UF		1,120
	48 x 30 x 29½	1200 x 750 x 748	7___-S3048UF		1,055

Left single pedestal bow front desks – low profile 	<i>1 full-length pedestal with lock on left, 2 box drawers and 1 file drawer with suspension bar. Lock controls file drawer and box drawer above. Pencil tray. Recessed, full height modesty panel.</i>				
	84 x 42 x 29½	2100 x 1050 x 748	7___-UF4284SA		1,625
	72 x 42 x 29½	1800 x 1050 x 748	7___-UF4272SA		1,445

Right single pedestal bow front desks – low profile 	<i>1 full-length pedestal with lock on right, 2 box drawers and 1 file drawer with suspension bar. Lock controls file drawer and box drawer above. Pencil tray. Recessed, full height modesty panel.</i>				
	84 x 42 x 29½	2100 x 1050 x 748	7___-S4284UFA		1,625
	72 x 42 x 29½	1800 x 1050 x 748	7___-S4272UFA		1,445

Corner modules 	<i>Full height modesty panel. 1 grommet in the corner of the surface.</i>				
	48 x 48 x 29½	1200 x 1200 x 748	7_-CM4830SC		840
	42 x 42 x 29½	1050 x 1050 x 748	7_-CM4224SC		760
	36 x 36 x 29½	900 x 900 x 748	7_-CM3624SC		650
	36 x 36 x 29½	900 x 900 x 748	7_-CM3618SC		650

Diagonal wood grain: change S to D, add 10% to the price.

Right extended corner modules, 24" deep 	<i>Complete the code with A, B or C. 1 grommet in the corner of the surface.</i>				
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs	
	72 x 36 x 29½	1800 x 900 x 748	7_-CM367224_		925
	66 x 36 x 29½	1650 x 900 x 748	7_-CM366624_		875

Left extended corner modules, 24" deep 	<i>Complete the code with A, B or C. 1 grommet in the corner of the surface.</i>				
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs	
	72 x 36 x 29½	1800 x 900 x 748	7_-CM723624_		925
	66 x 36 x 29½	1650 x 900 x 748	7_-CM663624_		875

Right extended corner modules, 20" deep 	<i>Complete the code with A, B or C. 1 grommet in the corner of the surface.</i>				
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs	
	72 x 36 x 29½	1800 x 900 x 748	7_-CM367220_		925
	66 x 36 x 29½	1650 x 900 x 748	7_-CM366620_		875

Left extended corner modules, 20" deep 	<i>Complete the code with A, B or C. 1 grommet in the corner of the surface.</i>				
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs	
	72 x 36 x 29½	1800 x 900 x 748	7_-CM723620_		925
	66 x 36 x 29½	1650 x 900 x 748	7_-CM663620_		875

	W x D x H ("")	W x D x H (mm)	Code		Price (\$)
Rectangular surfaces, 30" deep 	<i>Complete the code with A, B or C. Full height modesty panel. 1 grommet on the surface.</i>				
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs	

72 x 30 x 29½	1800 x 750 x 748	7_-DT3072_		700
66 x 30 x 29½	1650 x 750 x 748	7_-DT3066_		675
60 x 30 x 29½	1500 x 750 x 748	7_-DT3060_		650
54 x 30 x 29½	1350 x 750 x 748	7_-DT3054_		625
48 x 30 x 29½	1200 x 750 x 748	7_-DT3048_		580
42 x 30 x 29½	1050 x 750 x 748	7_-DT3042_		555
36 x 30 x 29½	900 x 750 x 748	7_-DT3036_		530
30 x 30 x 29½	750 x 750 x 748	7_-DT3030_		500
24 x 30 x 29½	600 x 750 x 748	7_-DT3024_		475

Rectangular surfaces, 24" deep 	<i>Complete the code with A, B or C. Full height modesty panel. 1 grommet on the surface.</i>				
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs	


72 x 24 x 29½	1800 x 600 x 748	7_-DT2472_		650
66 x 24 x 29½	1650 x 600 x 748	7_-DT2466_		625
60 x 24 x 29½	1500 x 600 x 748	7_-DT2460_		600
54 x 24 x 29½	1350 x 600 x 748	7_-DT2454_		580
48 x 24 x 29½	1200 x 600 x 748	7_-DT2448_		530
42 x 24 x 29½	1050 x 600 x 748	7_-DT2442_		500
36 x 24 x 29½	900 x 600 x 748	7_-DT2436_		475
30 x 24 x 29½	750 x 600 x 748	7_-DT2430_		450
24 x 24 x 29½	600 x 600 x 748	7_-DT2424_		425


Asymmetrical surfaces, 30" on left, 24" on right 	<i>To complete a standard corner module. Complete the code with B or C. Full height modesty panel. 1 grommet on the surface.</i>				
	54 x 30 x 29½	1350 x 750 x 748	7_-AT305424_		650
	48 x 30 x 29½	1200 x 750 x 748	7_-AT304824_		600
	42 x 30 x 29½	1050 x 750 x 748	7_-AT304224_		580
	36 x 30 x 29½	900 x 750 x 748	7_-AT303624_		555


30 x 30 x 29½	750 x 750 x 748	7_-AT303024_		530
---------------	-----------------	--------------	--	-----


Asymmetrical surfaces, 24" on left, 30" on right 	<i>To complete a standard corner module. Complete the code with B or C. Full height modesty panel. 1 grommet on the surface.</i>				
	54 x 30 x 29½	1350 x 750 x 748	7_-AT245430_		650
	48 x 30 x 29½	1200 x 750 x 748	7_-AT244830_		600
	42 x 30 x 29½	1050 x 750 x 748	7_-AT244230_		580
	36 x 30 x 29½	900 x 750 x 748	7_-AT243630_		555


30 x 30 x 29½	750 x 750 x 748	7_-AT243030_		530
---------------	-----------------	--------------	--	-----


	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Asymmetrical surfaces, 24" on left, 18" on right	<i>To complete a standard corner module. Complete the code with B or C. Full height modesty panel. 1 grommet on the surface.</i>			
	54 x 24 x 29½	1350 x 600 x 748	7__-AT245418_	625
	48 x 24 x 29½	1200 x 600 x 748	7__-AT244818_	580
	42 x 24 x 29½	1050 x 600 x 748	7__-AT244218_	555
	36 x 24 x 29½	900 x 600 x 748	7__-AT243618_	530
	30 x 24 x 29½	750 x 600 x 748	7__-AT243018_	500





Asymmetrical surfaces, 18" on left, 24" on right	<i>To complete a standard corner module. Complete the code with B or C. Full height modesty panel. 1 grommet on the surface.</i>			
	54 x 24 x 29½	1350 x 600 x 748	7__-AT185424_	625
	48 x 24 x 29½	1200 x 600 x 748	7__-AT184824_	580
	42 x 24 x 29½	1050 x 600 x 748	7__-AT184224_	555
	36 x 24 x 29½	900 x 600 x 748	7__-AT183624_	530
	30 x 24 x 29½	750 x 600 x 748	7__-AT183024_	500





D-shaped work surfaces	<i>Add to 7__ - the molding code (1 or 2) and the steel leg color: A Anthracite grey, B Brass (add \$180) or N Nickel (add \$180). 1 grommet on the surface.</i>			
	72 x 36 x 29½	1800 x 900 x 748	7__-BT3672	800
	72 x 30 x 29½	1800 x 750 x 748	7__-BT3072	760
	66 x 30 x 29½	1650 x 750 x 748	7__-BT3066	730
	60 x 30 x 29½	1500 x 750 x 748	7__-BT3060	700
	66 x 24 x 29½	1650 x 600 x 748	7__-BT2466	680
	60 x 24 x 29½	1500 x 600 x 748	7__-BT2460	650
	48 x 24 x 29½	1200 x 600 x 748	7__-BT2448	625


D-shaped work surfaces	<i>Reversible modesty panel. Add to 7__ - the molding code (1 or 2) and the steel leg color: A Anthracite grey, B Brass (add \$180) or N Nickel (add \$180). 1 grommet on the surface.</i>			
	72 x 36 x 29½	1800 x 900 x 748	7__-BTM3672	875
	72 x 30 x 29½	1800 x 750 x 748	7__-BTM3072	835
	66 x 30 x 29½	1650 x 750 x 748	7__-BTM3066	805
	60 x 30 x 29½	1500 x 750 x 748	7__-BTM3060	780


Left P-shaped work surfaces	<i>Add to 7__ - the molding code (1 or 2) and the steel leg color: A Anthracite grey, B Brass (add \$180) or N Nickel (add \$180). 1 grommet on the surface.</i>			
	72 x 42 x 29½	1800 x 1050 x 748	7__-PT3072	880
	66 x 42 x 29½	1650 x 1050 x 748	7__-PT3066	860
	60 x 42 x 29½	1500 x 1050 x 748	7__-PT3060	840


Right P-shaped work surfaces	<i>Add to 7__ - the molding code (1 or 2) and the steel leg color: A Anthracite grey, B Brass (add \$180) or N Nickel (add \$180). 1 grommet on the surface.</i>			
	72 x 42 x 29½	1800 x 1050 x 748	7__-3072PT	880
	66 x 42 x 29½	1650 x 1050 x 748	7__-3066PT	860
	60 x 42 x 29½	1500 x 1050 x 748	7__-3060PT	840


Left P-shaped work surfaces	<i>Modesty panel. Add to 7__ - the molding code (1 or 2) and the steel leg color: A Anthracite grey, B Brass (add \$180) or N Nickel (add \$180). 1 grommet on the surface.</i>			
	72 x 42 x 29½	1800 x 1050 x 748	7__-PTM3072	930
	66 x 42 x 29½	1650 x 1050 x 748	7__-PTM3066	910
	60 x 42 x 29½	1500 x 1050 x 748	7__-PTM3060	890


	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Right P-shaped work surfaces	<i>Modesty panel. Add to 7__ - the molding code (1 or 2) and the steel leg color: A Anthracite grey, B Brass (add \$180) or N Nickel (add \$180). 1 grommet on the surface.</i>			
	72 x 42 x 29½	1800 x 1050 x 748	7__-3072PTM	930
	66 x 42 x 29½	1650 x 1050 x 748	7__-3066PTM	910
	60 x 42 x 29½	1500 x 1050 x 748	7__-3060PTM	890


Lateral file / bookcase credenzas	<i>2 lateral file drawers with suspension bars. Bookcase unit with doors and adjustable shelf. Locks.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7__-LF2472B	1,495
	72 x 20 x 29½	1800 x 500 x 748	7__-LF2072B	1,395


Bookcase credenzas	<i>Storage unit with doors and adjustable shelves. Locks.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7__-B2472B	1,365
	72 x 20 x 29½	1800 x 500 x 748	7__-B2072B	1,260


Lateral file credenzas	<i>4 lateral file drawers with suspension bars. Locks.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7__-LF2472LF	1,645
	72 x 20 x 29½	1800 x 500 x 748	7__-LF2072LF	1,550


Left lateral file credenzas	<i>2 lateral file drawers on left with suspension bars. Grommet on back. Lock.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7__-LF2472S	1,300
	66 x 24 x 29½	1650 x 600 x 748	7__-LF2466S	1,245
	60 x 24 x 29½	1500 x 600 x 748	7__-LF2460S	1,195
	72 x 20 x 29½	1800 x 500 x 748	7__-LF2072S	1,195
	66 x 20 x 29½	1650 x 500 x 748	7__-LF2066S	1,150
	60 x 20 x 29½	1500 x 500 x 748	7__-LF2060S	1,120


Right lateral file credenzas	<i>2 lateral file drawers on right with suspension bars. Grommet on back. Lock.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7__-S2472LF	1,300
	66 x 24 x 29½	1650 x 600 x 748	7__-S2466LF	1,245
	60 x 24 x 29½	1500 x 600 x 748	7__-S2460LF	1,195
	72 x 20 x 29½	1800 x 500 x 748	7__-S2072LF	1,195
	66 x 20 x 29½	1650 x 500 x 748	7__-S2066LF	1,150
	60 x 20 x 29½	1500 x 500 x 748	7__-S2060LF	1,120


Kneespace credenzas	<i>2 pedestals with lock. 1 box drawer and 1 file drawer. Pencil tray. Grommet on back.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7__-F2472KF	1,220
	66 x 24 x 29½	1650 x 600 x 748	7__-F2466KF	1,210
	60 x 24 x 29½	1500 x 600 x 748	7__-F2460KF	1,195
	72 x 20 x 29½	1800 x 500 x 748	7__-F2072KF	1,135
	66 x 20 x 29½	1650 x 500 x 748	7__-F2066KF	1,115
	60 x 20 x 29½	1500 x 500 x 748	7__-F2060KF	1,095

Left single pedestal credenzas	<i>1 pedestal on left with lock, 1 box drawer and 1 file drawer. Pencil tray. Grommet on back.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7__-F2472S	975
	66 x 24 x 29½	1650 x 600 x 748	7__-F2466S	955
	60 x 24 x 29½	1500 x 600 x 748	7__-F2460S	935
	72 x 20 x 29½	1800 x 500 x 748	7__-F2072S	955
	66 x 20 x 29½	1650 x 500 x 748	7__-F2066S	935
	60 x 20 x 29½	1500 x 500 x 748	7__-F2060S	915

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Right single pedestal credenzas	<i>1 pedestal on right with lock, 1 box drawer and 1 file drawer. Pencil tray. Grommet on back.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7___-S2472F	975
	66 x 24 x 29½	1650 x 600 x 748	7___-S2466F	955
	60 x 24 x 29½	1500 x 600 x 748	7___-S2460F	935
	72 x 20 x 29½	1800 x 500 x 748	7___-S2072F	955
	66 x 20 x 29½	1650 x 500 x 748	7___-S2066F	935
	60 x 20 x 29½	1500 x 500 x 748	7___-S2060F	915

Kneespace credenzas – low profile	<i>2 full-length pedestals with lock, 2 box drawers and 1 file drawer. Lock controls file drawer and box drawer above. Pencil tray. Grommet on back.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7___-UF2472KUF	1,520
	66 x 24 x 29½	1650 x 600 x 748	7___-UF2466KUF	1,510
	60 x 24 x 29½	1500 x 600 x 748	7___-UF2460KUF	1,490
	72 x 20 x 29½	1800 x 500 x 748	7___-UF2072KUF	1,430
	66 x 20 x 29½	1650 x 500 x 748	7___-UF2066KUF	1,410
	60 x 20 x 29½	1500 x 500 x 748	7___-UF2060KUF	1,395

Left single pedestal credenzas – low profile	<i>1 full-length pedestal with lock on left, 2 box drawers and 1 file drawer. Lock controls file drawer and box drawer above. Pencil tray. Grommet on back.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7___-UF2472S	1,125
	66 x 24 x 29½	1650 x 600 x 748	7___-UF2466S	1,105
	60 x 24 x 29½	1500 x 600 x 748	7___-UF2460S	1,085
	72 x 20 x 29½	1800 x 500 x 748	7___-UF2072S	1,105
	66 x 20 x 29½	1650 x 500 x 748	7___-UF2066S	1,085
	60 x 20 x 29½	1500 x 500 x 748	7___-UF2060S	1,065

Right single pedestal credenzas – low profile	<i>1 full-length pedestal with lock on right, 2 box drawers and 1 file drawer. Lock controls file drawer and box drawer above. Pencil tray. Grommet on back.</i>			
	72 x 24 x 29½	1800 x 600 x 748	7___-S2472UF	1,125
	66 x 24 x 29½	1650 x 600 x 748	7___-S2466UF	1,105
	60 x 24 x 29½	1500 x 600 x 748	7___-S2460UF	1,085
	72 x 20 x 29½	1800 x 500 x 748	7___-S2072UF	1,105
	66 x 20 x 29½	1650 x 500 x 748	7___-S2066UF	1,085
	60 x 20 x 29½	1500 x 500 x 748	7___-S2060UF	1,065

Left executive returns	<i>1 pedestal on left with lock, 1 box drawer and 1 file drawer. Pencil tray. 1 grommet on the surface.</i>			
	48 x 24 x 29½	1200 x 600 x 748	7___-F2448R	785
	42 x 24 x 29½	1050 x 600 x 748	7___-F2442R	740
	48 x 20 x 29½	1200 x 500 x 748	7___-F2048R	745
	42 x 20 x 29½	1050 x 500 x 748	7___-F2042R	725




Right executive returns	<i>1 pedestal on right with lock, 1 box drawer and 1 file drawer. Pencil tray. 1 grommet on the surface.</i>			
	48 x 24 x 29½	1200 x 600 x 748	7___-R2448F	785
	42 x 24 x 29½	1050 x 600 x 748	7___-R2442F	740
	48 x 20 x 29½	1200 x 500 x 748	7___-R2048F	745
	42 x 20 x 29½	1050 x 500 x 748	7___-R2042F	725

Left executive returns – low profile	<i>1 full-length pedestal with lock on left, 2 box drawers and 1 file drawer. Lock controls file drawer and box drawer above. Pencil tray. 1 grommet on the surface.</i>			
	48 x 24 x 29½	1200 x 600 x 748	7___-UF2448R	930
	42 x 24 x 29½	1050 x 600 x 748	7___-UF2442R	890
	48 x 20 x 29½	1200 x 500 x 748	7___-UF2048R	895
	42 x 20 x 29½	1050 x 500 x 748	7___-UF2042R	875




	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Right executive returns – low profile	<i>1 full-length pedestal with lock on right, 2 box drawers and 1 file drawer. Lock controls file drawer and box drawer above. Pencil tray. 1 grommet on the surface.</i>			
	48 x 24 x 29½	1200 x 600 x 748	7___-R2448UF	930
	42 x 24 x 29½	1050 x 600 x 748	7___-R2442UF	890
	48 x 20 x 29½	1200 x 500 x 748	7___-R2048UF	895
	42 x 20 x 29½	1050 x 500 x 748	7___-R2042UF	875

Bridge-returns	<i>Full height modesty panel. 1 grommet on the surface.</i>			
	48 x 24 x 29½	1200 x 600 x 748	7___-BR2448	435
	42 x 24 x 29½	1050 x 600 x 748	7___-BR2442	415
	36 x 24 x 29½	900 x 600 x 748	7___-BR2436	400
	48 x 20 x 29½	1200 x 500 x 748	7___-BR2048	405
	42 x 20 x 29½	1050 x 500 x 748	7___-BR2042	390
	36 x 20 x 29½	900 x 500 x 748	7___-BR2036	370



Hutches with doors – 44"H *Clearance: 21¼". Adjustable shelf. Grommet. Full-width wire access. Tackboards, refer to page 81.*



	W x D x H (")	W x D x H (mm)	Code	Price (\$)
	84": 5 doors			
	84 x 16 x 44	2100 x 400 x 1099	7_-E844416P	1,220
	78 x 16 x 44	1950 x 400 x 1099	7_-E784416P	1,180
	72 x 16 x 44	1800 x 400 x 1099	7_-E724416P	1,135
	78" to 60": 4 doors			
	66 x 16 x 44	1650 x 400 x 1099	7_-E664416P	1,090
	60 x 16 x 44	1500 x 400 x 1099	7_-E604416P	1,045
	54 x 16 x 44	1350 x 400 x 1099	7_-E544416P	995
	54" and 48": 3 doors			
	48 x 16 x 44	1200 x 400 x 1099	7_-E484416P	930
	42 x 16 x 44	1050 x 400 x 1099	7_-E424416P	870
	36 x 16 x 44	900 x 400 x 1099	7_-E364416P	810

Hutches with doors – 36"H *Clearance: 17⅜". Grommet. Full-width wire access. Tackboards, refer to page 81.*

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
	84": 5 doors			
	84 x 16 x 36	2100 x 400 x 900	7_-E843616P	1,095
	78 x 16 x 36	1950 x 400 x 900	7_-E783616P	1,050
	72 x 16 x 36	1800 x 400 x 900	7_-E723616P	1,000
	78" to 60": 4 doors			
	66 x 16 x 36	1650 x 400 x 900	7_-E663616P	960
	60 x 16 x 36	1500 x 400 x 900	7_-E603616P	915
	54 x 16 x 36	1350 x 400 x 900	7_-E543616P	870
	54" and 48": 3 doors			
	48 x 16 x 36	1200 x 400 x 900	7_-E483616P	800
	42 x 16 x 36	1050 x 400 x 900	7_-E423616P	740
	36 x 16 x 36	900 x 400 x 900	7_-E363616P	680

Open hutches – 44"H *Clearance: 21¼". Adjustable shelf. Grommet. Full-width wire access. Tackboards, refer to page 81.*

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
	84" to 48"			
	84 x 16 x 44	2100 x 400 x 1099	7_-E844416	990
	78 x 16 x 44	1950 x 400 x 1099	7_-E784416	945
	72 x 16 x 44	1800 x 400 x 1099	7_-E724416	900
	42" to 36"			
	66 x 16 x 44	1650 x 400 x 1099	7_-E664416	855
	60 x 16 x 44	1500 x 400 x 1099	7_-E604416	810
	54 x 16 x 44	1350 x 400 x 1099	7_-E544416	765
	48 x 16 x 44	1200 x 400 x 1099	7_-E484416	695
	42 x 16 x 44	1050 x 400 x 1099	7_-E424416	650
	36 x 16 x 44	900 x 400 x 1099	7_-E364416	620


	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Open hutches – 36"H	<i>Clearance: 17½". Grommet. Full-width wire access. Tackboards, refer to page 81.</i>			
	84 x 16 x 36	2100 x 400 x 900	7_-E843616	860
	78 x 16 x 36	1950 x 400 x 900	7_-E783616	815
	72 x 16 x 36	1800 x 400 x 900	7_-E723616	775
	66 x 16 x 36	1650 x 400 x 900	7_-E663616	725
	60 x 16 x 36	1500 x 400 x 900	7_-E603616	680
	54 x 16 x 36	1350 x 400 x 900	7_-E543616	635
	48 x 16 x 36	1200 x 400 x 900	7_-E483616	570
	42 x 16 x 36	1050 x 400 x 900	7_-E423616	525
	36 x 16 x 36	900 x 400 x 900	7_-E363616	490

Lateral file units	<i>Suspension bars. Lock. Optional counterweight to meet BIFMA standards, refer to page 81.</i>			
	36 x 24 x 29½	900 x 600 x 748	7_--_-2436LF 	880
	30 x 24 x 29½	750 x 600 x 748	7_--_-2430LF	845
	36 x 20 x 29½	900 x 500 x 748	7_--_-2036LF 	855
	30 x 20 x 29½	750 x 500 x 748	7_--_-2030LF	815


Bookcase units with doors	<i>Adjustable shelf. Lock.</i>			
	36 x 24 x 29½	900 x 600 x 748	7_--_-2436B	775
	30 x 24 x 29½	750 x 600 x 748	7_--_-2430B	730
	36 x 20 x 29½	900 x 500 x 748	7_--_-2036B	740
	30 x 20 x 29½	750 x 500 x 748	7_--_-2030B	700


Mixed pedestals	<i>2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.</i>			
	36 x 24 x 29½	900 x 600 x 748	7_--_-2436C0	985
	36 x 20 x 29½	900 x 500 x 748	7_--_-2036C0	955


Mixed pedestals	<i>2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.</i>			
	36 x 24 x 29½	900 x 600 x 748	7_--_-C02436	985
	36 x 20 x 29½	900 x 500 x 748	7_--_-C02036	955


Storage or wardrobe units	<i>3 adjustable shelves. 1 full-width fixed shelf. Full-width clothes hanger bar. 73"H storage unit matches the height of a credenza with a 44" H hutch. 65"H storage unit matches the height of a credenza with a 36" H hutch.</i>			
	36 x 24 x 73½	900 x 600 x 1847	7_--_-243673B	1,375
	36 x 20 x 73½	900 x 500 x 1847	7_--_-203673B	1,270
	36 x 24 x 65½	900 x 600 x 1648	7_--_-243665B	1,305
	36 x 20 x 65½	900 x 500 x 1648	7_--_-203665B	1,200

Storage or wardrobe units	<i>3 adjustable shelves. 1 full-width fixed shelf. Full-width clothes hanger bar. 73"H storage unit matches the height of a credenza with a 44" H hutch. 65"H storage unit matches the height of a credenza with a 36" H hutch. Reversible door.</i>			
	24 x 24 x 73½	600 x 600 x 1847	7_--_-242473B	1,050
	24 x 20 x 73½	600 x 500 x 1847	7_--_-202473B	995
	24 x 24 x 65½	600 x 600 x 1648	7_--_-242465B	995
	24 x 20 x 65½	600 x 500 x 1648	7_--_-202465B	950

Storage units with lateral file	<i>2 adjustable shelves. 2 lateral file drawers with suspension bars. Lock on drawer. 73"H storage matches the height of a credenza with a 44" H hutch. 65"H storage unit matches the height of a credenza with a 36" H hutch.</i>			
	36 x 24 x 73½	900 x 600 x 1847	7_--_-243673LFB 	1,670
	36 x 20 x 73½	900 x 500 x 1847	7_--_-203673LFB 	1,575
	36 x 24 x 65½	900 x 600 x 1648	7_--_-243665LFB	1,610
	36 x 20 x 65½	900 x 500 x 1648	7_--_-203665LFB 	1,510

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Storage units with lateral file	<i>Reversible door. 2 adjustable shelves. 2 lateral file drawers with suspension bars. Lock on drawer. 73"H storage unit matches the height of a credenza with a 44" H hutch. 65"H storage unit matches the height of a credenza with a 36" H hutch.</i>			
	24 x 24 x 73½	600 x 600 x 1847	7_--_-242473FB	1,395
	24 x 20 x 73½	600 x 500 x 1847	7_--_-202473FB 	1,300
	24 x 24 x 65½	600 x 600 x 1648	7_--_-242465FB	1,340
	24 x 20 x 65½	600 x 500 x 1648	7_--_-202465FB 	1,235

Open bookcases	<i>4 adjustable shelves.</i>			
	36 x 12 x 73½	900 x 300 x 1847	7_-B367312 	780
	36 x 12 x 65½	900 x 300 x 1648	7_-B366512 	725
	<i>2 adjustable shelves.</i>			
	36 x 12 x 48½	900 x 300 x 1226	7_-B364812 	650
	<i>Additional shelf.</i>			
	34 x 11 x 1	850 x 280 x 25	LGC-TB3612.1E 	95

Corner open bookcases	<i>4 adjustable shelves.</i>			
	24 x 24 x 73½	600 x 600 x 1847	7_-B242473	850
	20 x 20 x 73½	500 x 500 x 1847	7_-B202073	800
	24 x 24 x 65½	600 x 600 x 1648	7_-B242465	800
	20 x 20 x 65½	500 x 500 x 1648	7_-B202065	750

Corner open bookcases	<i>1 adjustable shelf.</i>			
	24 x 24 x 29½	600 x 600 x 748	7_-B242429	555
	20 x 20 x 29½	500 x 500 x 748	7_-B202029	500

Mobile pedestals	<i>2 box drawers, 1 file drawer. Pencil tray. Brakes on front casters. Lock controls file drawer and box drawer above. Fits under a work surface. 1 tone only.</i>			
	15 x 22 x 27¾	388 x 554 x 704	70_--_-MP1522UF 	750
	15 x 18 x 27¾	388 x 460 x 704	70_--_-MP1518UF 	705

Mobile pedestal	<i>2 file drawers. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.</i>			
	15 x 22 x 27¾	388 x 554 x 704	70_--_-MP1522FF 	725





Mobile pedestals	<i>1 box drawer and 1 file drawer. Pencil tray. Lock. Brakes on front casters. Fits under a work surface. 1 tone only.</i>			
	15 x 22 x 21¼	388 x 554 x 542	70_--_-MP1522F	675
	15 x 18 x 21¼	388 x 460 x 542	70_--_-MP1518F	655

Modular pedestal	<i>2 box drawers, 1 file drawer. Pencil tray. Lock controls file drawer and box drawer above. Must be installed under a work surface. 1 tone only.</i>			
	15 x 18 x 28	388 x 450 x 713	70_--_-P1518UFL	625




Modular pedestal	<i>2 file drawers. Lock. Must be installed under a work surface. 1 tone only.</i>			
	15 x 18 x 28	388 x 450 x 713	70_--_-P1518FFL	605

Metal pedestal	<i>2 box drawers, 1 file drawer. Pencil tray. Charcoal metal body and laminate drawer fronts. Lock controls all drawers. Must be installed under a work surface.</i>			
	15 x 22 x 28	372 x 540 x 698	70_--_-PM1522UFL 	450

Metal pedestal	<i>2 file drawers. Charcoal metal body and laminate drawer fronts. Lock controls all drawers. Must be installed under a work surface.</i>			
	15 x 22 x 28	372 x 540 x 698	70_--_-PM1522FFL 	430


	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Hanging combination pedestal	<i>1 box drawer and 1 file drawer. Pencil tray. Lock. Fits under a work surface. 1 tone only.</i>			
	15 x 17¼ x 19¼	388 x 445 x 490	70__-F	 510
Round tops	<i>For table. Order base separately.</i>			
	36 x 36 x 1½	900 x 900 x 38	7_-R36.2	320
	42 x 42 x 1½	1050 x 1050 x 38	7_-R42.2	 425
	48 x 48 x 1½	1200 x 1200 x 38	7_-R48.2	465
Rectangular tops	<i>For conference tables. Order 2 bases or 4 legs for 72" or 96" tops.</i>			
	72 x 36 x 1½	1800 x 900 x 38	7_-REC72.2	540
	96 x 48 x 1½	2400 x 1200 x 38	7_-REC96.2	750
Boat-shape tops	<i>For conference tables. 120" and 144" tops are in two pieces. Order 2 bases or 4 legs for 96" tops; and 3 bases or 6 legs for 120" or 144" tops.</i>			
	96 x 48 x 1½	2400 x 1200 x 38	7_-B96.2	825
	120 x 48 x 1½	3000 x 1200 x 38	7_-B120.2	1,020
	144 x 48 x 1½	3600 x 1200 x 38	7_-B144.2	1,075
Racetrack tops	<i>For conference tables. 120" and 144" tops are in two pieces. Order 2 bases or 4 legs for 72" or 96" tops; and 3 bases or 6 legs for 120" or 144" tops.</i>			
	72 x 36 x 1½	1800 x 900 x 38	7_-RT72.2	 610
	96 x 48 x 1½	2400 x 1200 x 38	7_-RT96.2	 825
	120 x 48 x 1½	3000 x 1200 x 38	7_-RT120.2	1,020
	144 x 48 x 1½	3600 x 1200 x 38	7_-RT144.2	 1,075
Cross bases	<i>1½" thermofused laminate.</i>			
	<i>For R36.2 top.</i>			
	22 x 22 x 28	555 x 555 x 710	LGC-CR22	310
	<i>For R42.2 top.</i>			
	27 x 27 x 28	680 x 680 x 710	LGC-CR27	 345
	<i>For R48.2 top.</i>			
	33 x 33 x 28	825 x 825 x 710	LGC-CR33	390
V-bases	<i>1½" thermofused laminate.</i>			
	16 x 16 x 28	400 x 400 x 710	LGC-2V14	 (pair) 450
Drum base	18 x 18 x 28	460 x 460 x 710	LGC-DB19	615
				
Panel bases	<i>Panel bases and crosspieces packaged separately.</i>			
	<i>For 72" and 96" tables.</i>			
	43¾ x 24 x 28	1084 x 600 x 710	LGC-P30.7296	 365
	<i>For 120" and 144" tables.</i>			
	85 x 24 x 28	2126 x 600 x 710	LGC-P30.120144	 565

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Cross base	<i>Metal. Specify the finish: GAN Anthracite grey, BRA Brass (add \$180) or NIC Nickel (add \$180).</i>			
	33 x 33 x 28	830 x 830 x 710	LGC-CH433	(each) 495
T-base	<i>Metal. Specify the finish: GAN Anthracite grey, BRA Brass (add \$180) or NIC Nickel (add \$180).</i>			
	30 x 4 x 28	760 x 105 x 710	LGC-CH233	(each) 385
Leg	<i>Metal. Specify the finish: GAN Anthracite grey, BRA Brass (add \$180) or NIC Nickel (add \$180).</i>			
	6 x 6 x 28	150 x 150 x 710	LGC-TL	(each) 230
Printer table	<i>1 height adjustable sliding shelf. Grommet on back.</i>			
	30 x 24 x 29½	750 x 600 x 748	7_-2430PS	645
Coffee table	22 x 22 x 18½	550 x 550 x 463	7_-ST222218	370
				
Magazine table	48 x 22 x 18½	1200 x 550 x 463	7_-ST224818	430
				
Mobile serving carts	<i>1 sliding shelf, 1 box drawer. Pencil tray. 1 door. 1 shelf.</i>			
	20 x 21 x 36½	500 x 520 x 913	7___-MS212036	875
	<i>1 sliding shelf, 2 box drawers. Pencil tray. 2 doors. 2 shelves.</i>			
	36 x 21 x 36½	900 x 520 x 913	7___-MS213636	1,295
Marker board	<i>Non-magnetic surface for use with dry-erase markers. Eraser tray along bottom of board. Inside face of doors covered in natural cork. Hooks for paper pad. 180° hinges.</i>			
	54 x 5 x 41	1368 x 130 x 1043	7___-VBX4054	1,210
Lectern	<i>1 fixed shelf. 1 grommet. 4 casters, 2 with brakes.</i>			
	24 x 18 x 44½	600 x 450 x 1125	7_-LC181844	600
Right reception desks	<i>3 grommets. Bow-shape transaction shelf. 2 pedestals with lock, 1 box drawer and 1 file drawer with suspension bars. Pencil tray. Full height modesty panel. Left pedestal desk</i>			
	72 x 30 x 42½	1800 x 750 x 1063	7___-GF3072S	 1,375
	<i>Right returns</i>			
	48 x 24 x 42½	1200 x 600 x 1063	7___-GR2448F	920
	<i>Right returns</i>			
	42 x 24 x 42½	1050 x 600 x 1063	7___-GR2442F	 900

	W x D x H ("	W x D x H (mm)	Code	Price (\$)
Left reception desks				
	<i>3 grommets. Bow-shape transaction shelf. 2 pedestals with lock, 1 box drawer and 1 file drawer with suspension bars. Pencil tray. Full height modesty panel. Right pedestal desk</i>			
	72 x 30 x 42½	1800 x 750 x 1063	7 _ _ _ -GS3072F 	1,375
	<i>Left returns</i>			
	48 x 24 x 42½	1200 x 600 x 1063	7 _ _ _ -GF2448R	920
	<i>Left returns</i>			
	42 x 24 x 42½	1050 x 600 x 1063	7 _ _ _ -GF2442R 	900
Right reception desks – right profile				
	<i>3 grommets. Bow shaped transaction shelf. 2 full-length pedestals with lock. 2 box drawers and 1 file drawer with suspension bars. Lock controls file drawer and box drawer above. Pencil tray. Full height modesty panel. Left pedestal desk</i>			
	72 x 30 x 42½	1800 x 750 x 1063	7 _ _ _ -GUF3072S	1,495
	<i>Right returns</i>			
	48 x 24 x 42½	1200 x 600 x 1063	7 _ _ _ -GR2448UF	1,045
	<i>Right returns</i>			
	42 x 24 x 42½	1050 x 600 x 1063	7 _ _ _ -GR2442UF	1,020
Left reception desks – low profile				
	<i>3 grommets. Bow shaped transaction shelf. 2 full-length pedestals with lock. 2 box drawers and 1 file drawer with suspension bars. Lock controls file drawer and box drawer above. Pencil tray. Full height modesty panel. Right pedestal desk</i>			
	72 x 30 x 42½	1800 x 750 x 1063	7 _ _ _ -GS3072UF	1,495
	<i>Left returns</i>			
	48 x 24 x 42½	1200 x 600 x 1063	7 _ _ _ -GUF2448R	1,045
	<i>Left returns</i>			
	42 x 24 x 42½	1050 x 600 x 1063	7 _ _ _ -GUF2442R	1,020
Additional legs				
	<i>For workstation reconfiguration. Specify: A for 2 full width legs, B for 1 full and 1 recessed leg.</i>			
	(A) 2 full-width legs	30 x 1 x 27½	750 x 25 x 698	LAC-L30 _ (pair) 200
		24 x 1 x 27½	600 x 25 x 698	LAC-L24 _ (pair) 200
	(B) 1 full leg, 1 recessed			
		20 x 1 x 27½	500 x 25 x 698	LAC-L20 _ (pair) 200
Additional legs				
	<i>2 recessed legs.</i>			
		13 x 1 x 27½	330 x 25 x 698	LAC-L202430C (pair) 200

SUGGESTIONS

7___-PLAN01




Plan shown in **Concept 70** Section / Product Catalog:

QS72DB-PLAN01 **\$5,200**

- 1 QS72DB-F4272SA
- 1 QS72-BR2448
- 1 QS72DB-S2072F
- 1 QS72-E723616P
- 1 QS72DB-203665LFB

Textured edge (2), Brass pull (DB).

7___-PLAN02




Plan shown in **Concept 70** Section / Product Catalog:

QS72DA-PLAN02 **\$3,325**

- 1 QS72A-BT3672
- 1 QS72-BR2448
- 1 QS72DA-F2072S
- 1 QS72-E724416P

Textured edge (2), Anthracite Grey pull (DA).

7___-PLAN03




Plan shown in **Concept 70** Section / Product Catalog:

QS71KN-PLAN03 **\$3,950**

- 1 QS71KN-F4272FA
- 1 QS71KN-LF2072B
- 1 QS71-E723616P

Textured edge (1), Nickel pull (KN).

7___-PLAN04




Plan shown in **Concept 70** Section / Product Catalog:

QS72DN-PLAN04 **\$7,025**

- 1 QS72-CM367224B
- 1 QS72-CM723624B
- 2 QS72-DT2436B
- 2 QS72-E723616P
- 1 QS72-B366512
- 2 QS72DN-MP1522UF

Textured edge (2), Nickel pull (DN).

7___-PLAN05




Plan shown in **Concept 70** Section / Product Catalog:

QS71KB-PLAN05 **\$4,245**

- 1 QS71KB-GF3072S
- 1 QS71-BR2448
- 1 QS71KB-S2472LF
- 1 QS71-E724416P

Textured edge (1), Brass pull (KB).

TYPICAL WOOD GRAIN DIRECTION FOR CONCEPT 70:




READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.



7___-PLAN06




Not shown in the product catalog:

7___-PLAN06 **\$3,735**

- 1 7___-PT3072
- 1 7___-R2442F
- 1 7___-E723616
- 1 7___-242465FB

Steel leg color: Anthracite Grey (A) at N/C, Brass (B) or Nickel (N) add \$180 to the price.

7___-PLAN07




Not shown in the product catalog:

QS7___-PLAN07 **\$6,780**

- 1 QS7___-F4272SA
- 1 QS7___-S2072LF
- 1 QS7___-E724416P
- 2 QS7___-203673LFB

7___-PLAN08




Not shown in the product catalog:

QS7___-PLAN08 **\$3,185**

- 1 QS7___-UF3072S
- 1 QS7___-R2448UF
- 1 QS7___-E783616P

7___-PLAN09




Not shown in the product catalog:

7___-PLAN09 **\$2,275**

- 1 7___-BT3072
- 1 7___-R2442F
- 1 7___-E723616

Steel leg color: Anthracite Grey (A) at N/C, Brass (B) or Nickel (N) add \$180 to the price.

7___-PLAN10



Not shown in the product catalog:

QS7___-PLAN10 **\$3,930**

- 1 QS7___-F4272SA
- 1 QS7___-BR2448
- 1 QS7___-S2072LF
- 1 QS7___-E723616P

CONCEPT 400E

EDGEBANDING

Furniture with 1" (25 mm) thick tops.

N Edge



Smooth, 3/8" (3 mm) thick edge.
The **N** edge is **matched with the finish specified for the surface.**

HANDLE

Black thermoplastic polymer linear pull.



READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program.**

Please refer to page 3 for complete program details.



	W x D x H ("")	W x D x H (mm)	Code		Price (\$)
	<i>2 pedestals with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>				
	72 x 36 x 29	1800 x 900 x 735	400E-F3672F		1,180
	72 x 30 x 29	1800 x 750 x 735	400E-F3072F		1,135
	66 x 30 x 29	1650 x 750 x 735	400E-F3066F		1,090
	60 x 30 x 29	1500 x 750 x 735	400E-F3060F		1,045

	<i>2 pedestals with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>				
	72 x 42 x 29	1800 x 1050 x 735	400E-F4272FA		1,380

	<i>1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>				
	72 x 36 x 29	1800 x 900 x 735	400E-F3672S		950
	72 x 30 x 29	1800 x 750 x 735	400E-F3072S		905
	66 x 30 x 29	1650 x 750 x 735	400E-F3066S		860
	60 x 30 x 29	1500 x 750 x 735	400E-F3060S		815
	48 x 30 x 29	1200 x 750 x 735	400E-F3048S		745

	<i>1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>				
	72 x 36 x 29	1800 x 900 x 735	400E-S3672F		950
	72 x 30 x 29	1800 x 750 x 735	400E-S3072F		905
	66 x 30 x 29	1650 x 750 x 735	400E-S3066F		860
	60 x 30 x 29	1500 x 750 x 735	400E-S3060F		815
	48 x 30 x 29	1200 x 750 x 735	400E-S3048F		745

	<i>1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>				
	72 x 42 x 29	1800 x 1050 x 735	400E-F4272SA		1,150

	<i>1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>				
	72 x 42 x 29	1800 x 1050 x 735	400E-S4272FA		1,150

	W x D x H ("")	W x D x H (mm)	Code		Price (\$)
	<i>Full height modesty panel. 1 grommet on the corner of the surface.</i>				
	48 x 48 x 29	1200 x 1200 x 735	400E-CM4830SC		690
	42 x 42 x 29	1050 x 1050 x 735	400E-CM4224SC		610
	36 x 36 x 29	900 x 900 x 735	400E-CM3624SC		555
	36 x 36 x 29	900 x 900 x 735	400E-CM3618SC		555
Diagonal wood grain: change S to D, add 10% to the price.					

	<i>Complete the code with A, B or C. 1 grommet on the corner of the surface.</i>				
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(C) 1 recessed, 1 full	(C) 2 recessed legs	
	72 x 36 x 29	1800 x 900 x 735	400E-CM367224_		820
	66 x 36 x 29	1650 x 900 x 735	400E-CM366624_		765

	<i>Complete the code with A, B or C. 1 grommet on the corner of the surface.</i>				
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs	
	72 x 36 x 29	1800 x 900 x 735	400E-CM723624_		820
	66 x 36 x 29	1650 x 900 x 735	400E-CM663624_		765

	<i>Complete the code with A, B or C. 1 grommet on the corner of the surface.</i>				
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs	
	72 x 36 x 29	1800 x 900 x 735	400E-CM367220_		820
	66 x 36 x 29	1650 x 900 x 735	400E-CM366620_		765

	<i>Complete the code with A, B or C. 1 grommet on the corner of the surface.</i>				
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs	
	72 x 36 x 29	1800 x 900 x 735	400E-CM723620_		820
	66 x 36 x 29	1650 x 900 x 735	400E-CM663620_		765

= ASSEMBLY REQUIRED

= QUICKSHIP

U.S.A. - APRIL 2009

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
D-shaped work surfaces	<i>Black steel leg. 1 grommet on the surface.</i>			
	72 x 36 x 29	1800 x 900 x 735	400E-BT3672	675
	72 x 30 x 29	1800 x 750 x 735	400E-BT3072	635
	66 x 30 x 29	1650 x 750 x 735	400E-BT3066	605
	60 x 30 x 29	1500 x 750 x 735	400E-BT3060	580
	66 x 24 x 29	1650 x 600 x 735	400E-BT2466	560
	60 x 24 x 29	1500 x 600 x 735	400E-BT2460	530
	48 x 24 x 29	1200 x 600 x 735	400E-BT2448	500

D-shaped work surfaces	<i>Black steel leg. Reversible modesty panel. 1 grommet on the surface.</i>			
	72 x 36 x 29	1800 x 900 x 735	400E-BTM3672	750
	72 x 30 x 29	1800 x 750 x 735	400E-BTM3072	710
	66 x 30 x 29	1650 x 750 x 735	400E-BTM3066	680
	60 x 30 x 29	1500 x 750 x 735	400E-BTM3060	650

Left P-shaped work surfaces	<i>Black steel leg. 1 grommet on the surface.</i>			
	72 x 42 x 29	1800 x 1050 x 735	400E-PT3072	755
	66 x 42 x 29	1650 x 1050 x 735	400E-PT3066	735
	60 x 42 x 29	1500 x 1050 x 735	400E-PT3060	715

Right P-shaped work surfaces	<i>Black steel leg. 1 grommet on the surface.</i>			
	72 x 42 x 29	1800 x 1050 x 735	400E-3072PT	755
	66 x 42 x 29	1650 x 1050 x 735	400E-3066PT	735
	60 x 42 x 29	1500 x 1050 x 735	400E-3060PT	715

Left P-shaped work surfaces	<i>Black steel leg. Modesty panel. 1 grommet on the surface.</i>			
	72 x 42 x 29	1800 x 1050 x 735	400E-PTM3072	805
	66 x 42 x 29	1650 x 1050 x 735	400E-PTM3066	790
	60 x 42 x 29	1500 x 1050 x 735	400E-PTM3060	765

Right P-shaped work surfaces	<i>Black steel leg. Modesty panel. 1 grommet on the surface.</i>			
	72 x 42 x 29	1800 x 1050 x 735	400E-3072PTM	805
	66 x 42 x 29	1650 x 1050 x 735	400E-3066PTM	790
	60 x 42 x 29	1500 x 1050 x 735	400E-3060PTM	765

Rectangular surfaces, 30" deep	<i>Complete the code with A, B or C. Full height modesty panel. 1 grommet on the surface.</i>			
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs
	72 x 30 x 29	1800 x 750 x 735	400E-DT3072_	600
	66 x 30 x 29	1650 x 750 x 735	400E-DT3066_	580
	60 x 30 x 29	1500 x 750 x 735	400E-DT3060_	555
	54 x 30 x 29	1350 x 750 x 735	400E-DT3054_	530
	48 x 30 x 29	1200 x 750 x 735	400E-DT3048_	500
	42 x 30 x 29	1050 x 750 x 735	400E-DT3042_	475
	36 x 30 x 29	900 x 750 x 735	400E-DT3036_	450
	30 x 30 x 29	750 x 750 x 735	400E-DT3030_	425
	24 x 30 x 29	600 x 750 x 735	400E-DT3024_	400









Rectangular surfaces, 24" deep	<i>Complete the code with A, B or C. Full height modesty panel. 1 grommet on the surface.</i>			
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs
	72 x 24 x 29	1800 x 600 x 735	400E-DT2472_	580
	66 x 24 x 29	1650 x 600 x 735	400E-DT2466_	555
	60 x 24 x 29	1500 x 600 x 735	400E-DT2460_	530
	54 x 24 x 29	1350 x 600 x 735	400E-DT2454_	500
	48 x 24 x 29	1200 x 600 x 735	400E-DT2448_	475
	42 x 24 x 29	1050 x 600 x 735	400E-DT2442_	450
	36 x 24 x 29	900 x 600 x 735	400E-DT2436_	425
	30 x 24 x 29	750 x 600 x 735	400E-DT2430_	400
	24 x 24 x 29	600 x 600 x 735	400E-DT2424_	380






Asymmetrical surfaces, 30" on left, 24" on right	<i>To complete a standard corner module. Complete the code with B or C. Full height modesty panel. 1 grommet on the surface.</i>			
	(B) 1 full, 1 recessed			
	54 x 30 x 29	1350 x 750 x 735	400E-AT305424_	555
	48 x 30 x 29	1200 x 750 x 735	400E-AT304824_	530
	42 x 30 x 29	1050 x 750 x 735	400E-AT304224_	500
	36 x 30 x 29	900 x 750 x 735	400E-AT303624_	475
	30 x 30 x 29	750 x 750 x 735	400E-AT303024_	450



Asymmetrical surfaces, 24" on left, 30" on right	<i>To complete a standard corner module. Complete the code with B or C. Full height modesty panel. 1 grommet on the surface.</i>			
	(B) 1 recessed, 1 full			
	54 x 30 x 29	1350 x 750 x 735	400E-AT245430_	555
	48 x 30 x 29	1200 x 750 x 735	400E-AT244830_	530
	42 x 30 x 29	1050 x 750 x 735	400E-AT244230_	500
	36 x 30 x 29	900 x 750 x 735	400E-AT243630_	475
	30 x 30 x 29	750 x 750 x 735	400E-AT243030_	450



Asymmetrical surfaces, 24" on left, 18" on right	<i>To complete a standard corner module. Complete the code with B or C. Full height modesty panel. 1 grommet on the surface.</i>			
	(B) 1 full, 1 recessed			
	54 x 24 x 29	1350 x 600 x 735	400E-AT245418_	530
	48 x 24 x 29	1200 x 600 x 735	400E-AT244818_	500
	42 x 24 x 29	1050 x 600 x 735	400E-AT244218_	475
	36 x 24 x 29	900 x 600 x 735	400E-AT243618_	450
	30 x 24 x 29	750 x 600 x 735	400E-AT243018_	425

Asymmetrical surfaces, 18" on left, 24" on right	<i>To complete a standard corner module. Complete the code with B or C. Full height modesty panel. 1 grommet on the surface.</i>			
	(B) 1 recessed, 1 full			
	54 x 24 x 29	1350 x 600 x 735	400E-AT185424_	530
	48 x 24 x 29	1200 x 600 x 735	400E-AT184824_	500
	42 x 24 x 29	1050 x 600 x 735	400E-AT184224_	475
	36 x 24 x 29	900 x 600 x 735	400E-AT183624_	450
	30 x 24 x 29	750 x 600 x 735	400E-AT183024_	425

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Lateral file / bookcase credenzas	<i>2 lateral file drawers with suspension bars. Bookcase unit with doors and adjustable shelf. Locks.</i>			
	72 x 24 x 29	1800 x 600 x 735	400E-LF2472B	1,350
	72 x 20 x 29	1800 x 500 x 735	400E-LF2072B	1,245
Bookcase credenzas	<i>Storage unit with doors and adjustable shelves. Locks.</i>			
	72 x 24 x 29	1800 x 600 x 735	400E-B2472B	1,210
	72 x 20 x 29	1800 x 500 x 735	400E-B2072B	1,115
Lateral file credenzas	<i>4 lateral file drawers with suspension bars. Locks. Optional counterweights to meet BIFMA standards, refer to page 81.</i>			
	72 x 24 x 29	1800 x 600 x 735	400E-LF2472LF 	1,495
	72 x 20 x 29	1800 x 500 x 735	400E-LF2072LF 	1,395
Left lateral file credenzas	<i>2 lateral file drawers on left with suspension bars. Grommet on the modesty panel. Lock.</i>			
	72 x 24 x 29	1800 x 600 x 735	400E-LF2472S 	1,150
	66 x 24 x 29	1650 x 600 x 735	400E-LF2466S	1,100
	60 x 24 x 29	1500 x 600 x 735	400E-LF2460S	1,050
	72 x 20 x 29	1800 x 500 x 735	400E-LF2072S 	1,050
	66 x 20 x 29	1650 x 500 x 735	400E-LF2066S	995
	60 x 20 x 29	1500 x 500 x 735	400E-LF2060S	970
Right lateral file credenzas	<i>2 lateral file drawers on right with suspension bars. Grommet on the modesty panel. Lock.</i>			
	72 x 24 x 29	1800 x 600 x 735	400E-S2472LF 	1,150
	66 x 24 x 29	1650 x 600 x 735	400E-S2466LF	1,100
	60 x 24 x 29	1500 x 600 x 735	400E-S2460LF	1,050
	72 x 20 x 29	1800 x 500 x 735	400E-S2072LF 	1,050
	66 x 20 x 29	1650 x 500 x 735	400E-S2066LF	995
	60 x 20 x 29	1500 x 500 x 735	400E-S2060LF	970
Kneespace credenzas	<i>2 pedestals with lock. 1 box drawer and 1 file drawer. Pencil tray. Grommet on the modesty panel.</i>			
	72 x 24 x 29	1800 x 600 x 735	400E-F2472KF 	1,100
	66 x 24 x 29	1650 x 600 x 735	400E-F2466KF	1,090
	60 x 24 x 29	1500 x 600 x 735	400E-F2460KF	1,070
	72 x 20 x 29	1800 x 500 x 735	400E-F2072KF 	1,005
	66 x 20 x 29	1650 x 500 x 735	400E-F2066KF	990
	60 x 20 x 29	1500 x 500 x 735	400E-F2060KF	970
Left single pedestal credenzas	<i>1 pedestal on left with lock, 1 box drawer and 1 file drawer. Pencil tray. Grommet on the modesty panel.</i>			
	72 x 24 x 29	1800 x 600 x 735	400E-F2472S 	850
	66 x 24 x 29	1650 x 600 x 735	400E-F2466S	830
	60 x 24 x 29	1500 x 600 x 735	400E-F2460S	810
	72 x 20 x 29	1800 x 500 x 735	400E-F2072S 	830
	66 x 20 x 29	1650 x 500 x 735	400E-F2066S	810
	60 x 20 x 29	1500 x 500 x 735	400E-F2060S	795
Right single pedestal credenzas	<i>1 pedestal on right with lock, 1 box drawer and 1 file drawer. Pencil tray. Grommet on the modesty panel.</i>			
	72 x 24 x 29	1800 x 600 x 735	400E-S2472F 	850
	66 x 24 x 29	1650 x 600 x 735	400E-S2466F	830
	60 x 24 x 29	1500 x 600 x 735	400E-S2460F	810
	72 x 20 x 29	1800 x 500 x 735	400E-S2072F 	830
	66 x 20 x 29	1650 x 500 x 735	400E-S2066F	810
	60 x 20 x 29	1500 x 500 x 735	400E-S2060F	795

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Bridge-returns	<i>Full height modesty panel. 1 grommet on the surface.</i>			
	48 x 24 x 29	1200 x 600 x 735	400E-BR2448 	355
	42 x 24 x 29	1050 x 600 x 735	400E-BR2442 	335
	36 x 24 x 29	900 x 600 x 735	400E-BR2436	315
	48 x 20 x 29	1200 x 500 x 735	400E-BR2048	325
	42 x 20 x 29	1050 x 500 x 735	400E-BR2042	305
	36 x 20 x 29	900 x 500 x 735	400E-BR2036	285
Left executive returns	<i>1 pedestal on left with lock, 1 box drawer and 1 file drawer. Pencil tray. 1 grommet on the surface.</i>			
	48 x 24 x 29	1200 x 600 x 735	400E-F2448R 	695
	42 x 24 x 29	1050 x 600 x 735	400E-F2442R 	655
	48 x 20 x 29	1200 x 500 x 735	400E-F2048R	660
	42 x 20 x 29	1050 x 500 x 735	400E-F2042R 	640
Right executive returns	<i>1 pedestal on right with lock, 1 box drawer and 1 file drawer. Pencil tray. 1 grommet on the surface.</i>			
	48 x 24 x 29	1200 x 600 x 735	400E-R2448F 	695
	42 x 24 x 29	1050 x 600 x 735	400E-R2442F 	655
	48 x 20 x 29	1200 x 500 x 735	400E-R2048F	660
	42 x 20 x 29	1050 x 500 x 735	400E-R2042F 	640
Hutches with doors – 44"H	<i>Clearance: 21½". Adjustable shelf. Grommet. Full-width wire access. Tackboards, refer to page 81.</i>			
	84": 5 doors			
	78" to 60": 4 doors			
	54" and 48": 3 doors			
	42" to 36": 2 doors			
	84 x 16 x 44	2100 x 400 x 1099	400E-E844416P	1,125
	78 x 16 x 44	1950 x 400 x 1099	400E-E784416P 	1,080
	72 x 16 x 44	1800 x 400 x 1099	400E-E724416P 	1,035
	66 x 16 x 44	1650 x 400 x 1099	400E-E664416P	990
	60 x 16 x 44	1500 x 400 x 1099	400E-E604416P	945
	54 x 16 x 44	1350 x 400 x 1099	400E-E544416P	900
	48 x 16 x 44	1200 x 400 x 1099	400E-E484416P	855
	42 x 16 x 44	1050 x 400 x 1099	400E-E424416P	800
	36 x 16 x 44	900 x 400 x 1099	400E-E364416P	735
Hutches with doors – 36"H	<i>Clearance: 17½". Grommet. Full-width wire access. Tackboards, refer to page 81.</i>			
	84": 5 doors			
	78" to 60": 4 doors			
	54" and 48": 3 doors			
	42" to 36": 2 doors			
	84 x 16 x 36	2100 x 400 x 900	400E-E843616P	995
	78 x 16 x 36	1950 x 400 x 900	400E-E783616P 	950
	72 x 16 x 36	1800 x 400 x 900	400E-E723616P 	905
	66 x 16 x 36	1650 x 400 x 900	400E-E663616P	860
	60 x 16 x 36	1500 x 400 x 900	400E-E603616P	815
	54 x 16 x 36	1350 x 400 x 900	400E-E543616P	775
	48 x 16 x 36	1200 x 400 x 900	400E-E483616P	725
	42 x 16 x 36	1050 x 400 x 900	400E-E423616P	665
	36 x 16 x 36	900 x 400 x 900	400E-E363616P	605

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Open hutches – 44"H  84" to 48"  42" to 36"	<i>Clearance: 21½". Adjustable shelf. Grommet. Full-width wire access. Tackboards, refer to page 81.</i>			
	84 x 16 x 44	2100 x 400 x 1099	400E-E844416	890
	78 x 16 x 44	1950 x 400 x 1099	400E-E784416	845
	72 x 16 x 44	1800 x 400 x 1099	400E-E724416	800
	66 x 16 x 44	1650 x 400 x 1099	400E-E664416	755
	60 x 16 x 44	1500 x 400 x 1099	400E-E604416	710
	54 x 16 x 44	1350 x 400 x 1099	400E-E544416	665
	48 x 16 x 44	1200 x 400 x 1099	400E-E484416	620
	42 x 16 x 44	1050 x 400 x 1099	400E-E424416	580
	36 x 16 x 44	900 x 400 x 1099	400E-E364416	550


Open hutches – 36"H  84" to 48"  42" to 36"	<i>Clearance: 17½". Grommet. Full-width wire access. Tackboards, refer to page 81.</i>			
	84 x 16 x 36	2100 x 400 x 900	400E-E843616	760
	78 x 16 x 36	1950 x 400 x 900	400E-E783616	715
	72 x 16 x 36	1800 x 400 x 900	400E-E723616	670
	66 x 16 x 36	1650 x 400 x 900	400E-E663616	625
	60 x 16 x 36	1500 x 400 x 900	400E-E603616	585
	54 x 16 x 36	1350 x 400 x 900	400E-E543616	540
	48 x 16 x 36	1200 x 400 x 900	400E-E483616	490
	42 x 16 x 36	1050 x 400 x 900	400E-E423616	445
	36 x 16 x 36	900 x 400 x 900	400E-E363616	415

Lateral file units 	<i>Suspension bars. Lock. Optional counterweight to meet BIFMA standards, refer to page 81.</i>			
	36 x 24 x 29	900 x 600 x 735	400E-2436LF 	800
	30 x 24 x 29	750 x 600 x 735	400E-2430LF	760
	36 x 20 x 29	900 x 500 x 735	400E-2036LF 	775
	30 x 20 x 29	750 x 500 x 735	400E-2030LF	730

Bookcase units with doors 	<i>Adjustable shelf. Lock.</i>			
	36 x 24 x 29	900 x 600 x 735	400E-2436B 	685
	30 x 24 x 29	750 x 600 x 735	400E-2430B	645
	36 x 20 x 29	900 x 500 x 735	400E-2036B	655
	30 x 20 x 29	750 x 500 x 735	400E-2030B	615


Mixed pedestals 	<i>2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.</i>			
	36 x 24 x 29	900 x 600 x 735	400E-2436C0	900
	36 x 20 x 29	900 x 500 x 735	400E-2036C0	870


Mixed pedestals 	<i>2 box drawers, 2 file drawers with suspension bars. Lock. Pencil tray.</i>			
	36 x 24 x 29	900 x 600 x 735	400E-C02436	900
	36 x 20 x 29	900 x 500 x 735	400E-C02036	870


Storage or wardrobe units 	<i>3 adjustable and 1 full-width fixed shelf. Full-width clothes hanger bar. 73"H storage unit matches the height of a credenza with a 44"H hutch. 65"H storage unit matches the height of a credenza with a 36"H hutch.</i>			
	36 x 24 x 73	900 x 600 x 1834	400E-243673B	1,245
	36 x 20 x 73	900 x 500 x 1834	400E-203673B	1,150
	36 x 24 x 65	900 x 600 x 1635	400E-243665B	1,180
	36 x 20 x 65	900 x 500 x 1635	400E-203665B	1,080


Storage or wardrobe units  Open right (BR), open left (BL).	<i>3 adjustable and 1 full-width fixed shelf. Full-width clothes hanger bar. 73"H storage unit matches the height of a credenza with a 44"H hutch. 65"H storage unit matches the height of a credenza with a 36"H hutch.</i>			
	24 x 24 x 73	600 x 600 x 1834	400E-242473BR	950
	24 x 24 x 73	600 x 600 x 1834	400E-242473BL	950
	24 x 20 x 73	600 x 500 x 1834	400E-202473BR	900
	24 x 20 x 73	600 x 500 x 1834	400E-202473BL	900

Storage or wardrobe units (cont'd)	W x D x H (")	W x D x H (mm)	Code	Price (\$)
	24 x 24 x 65	600 x 600 x 1635	400E-242465BR	900
	24 x 24 x 65	600 x 600 x 1635	400E-242465BL	900
	24 x 20 x 65	600 x 500 x 1635	400E-202465BR	850
	24 x 20 x 65	600 x 500 x 1635	400E-202465BL	850

Storage units with lateral file 	<i>2 adjustable shelves. 2 lateral file drawers with suspension bars. Lock on drawer. 73"H storage matches the height of a credenza with a 44"H hutch. 65"H storage unit matches the height of a credenza with a 36"H hutch.</i>			
	36 x 24 x 73	900 x 600 x 1834	400E-243673LFB 	1,550
	36 x 20 x 73	900 x 500 x 1834	400E-203673LFB 	1,445
	36 x 24 x 65	900 x 600 x 1635	400E-243665LFB	1,485
	36 x 20 x 65	900 x 500 x 1635	400E-203665LFB 	1,390

Storage units with lateral file 	<i>Reversible door. 2 adjustable shelves. 2 lateral file drawers with suspension bars. Lock on drawer. 73"H storage unit matches the height of a credenza with a 44"H hutch. 65"H storage unit matches the height of a credenza with a 36"H hutch.</i>			
	24 x 24 x 73	600 x 600 x 1834	400E-242473FB	1,300
	24 x 20 x 73	600 x 500 x 1834	400E-202473FB	1,195
	24 x 24 x 65	600 x 600 x 1635	400E-242465FB	1,235
	24 x 20 x 65	600 x 500 x 1635	400E-202465FB	1,140

Open bookcases 	<i>4 adjustable shelves.</i>			
	36 x 12 x 73	900 x 300 x 1834	400E-B367312 	700
	36 x 12 x 65	900 x 300 x 1635	400E-B366512 	650
	<i>2 adjustable shelves.</i>			
	36 x 12 x 48	900 x 300 x 1200	400E-B364812 	580
	<i>Additional shelf.</i>			
	34 x 11 x 1	850 x 280 x 25	LGC-TB3612.1E 	95


Corner open bookcases 	<i>4 adjustable shelves.</i>			
	24 x 24 x 73	600 x 600 x 1834	400E-B242473	750
	20 x 20 x 73	500 x 500 x 1834	400E-B202073	700
	24 x 24 x 65	600 x 600 x 1635	400E-B242465	700
	20 x 20 x 65	500 x 500 x 1635	400E-B202065	650


Corner open bookcases 	<i>1 adjustable shelf.</i>			
	24 x 24 x 29	600 x 600 x 735	400E-B242429	450
	20 x 20 x 29	500 x 500 x 735	400E-B202029	400




Mobile pedestals 	<i>2 box drawers, 1 file drawer. Pencil tray. Brakes on front casters. Lock controls file drawer and box drawer above. Fits under a work surface. 1 tone finish.</i>			
	15 x 22 x 27¼	388 x 554 x 704	400E-MP1522UF 	725
	15 x 18 x 27¼	388 x 460 x 704	400E-MP1518UF 	680

Mobile pedestal 	<i>2 file drawers. Brakes on front casters. Lock. Fits under a work surface. 1 tone only.</i>			
	15 x 22 x 27¼	388 x 554 x 704	400E-MP1522FF 	700

Mobile pedestals 	<i>1 box drawer, 1 file drawer. Pencil tray. Brakes on front caster. Lock. Fits under work surface. 1 tone only.</i>			
	15 x 22 x 21¾	388 x 554 x 542	400E-MP1522F	650
	15 x 18 x 21¾	388 x 460 x 542	400E-MP1518F	630


	W x D x H ("")	W x D x H (mm)	Code	Price (\$)
Modular pedestal 	2 box drawers, 1 file drawer. Pencil tray. Lock controls file drawer and box drawer above. Must be installed under work surface. 1 tone only.			
	15 x 18 x 28	388 x 450 x 713	400E-P1518UFL	600
Modular pedestal 	2 file drawers. Lock. Must be installed under work surface. 1 tone only.			
	15 x 18 x 28	388 x 450 x 713	400E-P1518FFL	585
Metal pedestal 	2 box drawers, 1 file drawer. Pencil tray. Charcoal metal body and laminate drawer fronts. Lock controls all drawers. Must be installed under a work surface.			
	15 x 22 x 28	372 x 540 x 713	400E-PM1522UFL 	450
Metal pedestal 	2 file drawers. Charcoal metal body and laminate drawer fronts. Lock controls all drawers. Must be installed under a work surface.			
	15 x 22 x 28	372 x 540 x 713	400E-PM1522FFL 	430
Suspended combination pedestal 	1 box drawer, 1 file drawer. Pencil tray. Lock. Fits under work surface. 1 tone only.			
	15 x 17½ x 19¼	388 x 445 x 490	400E-F 	485
Round tops 	For table. Order base separately.			
	36 x 36 x 1½	900 x 900 x 38	400E-R36.2	295
	42 x 42 x 1½	1050 x 1050 x 38	400E-R42.2 	400
	48 x 48 x 1½	1200 x 1200 x 38	400E-R48.2	440
Rectangular tops 	For conference tables. Order 2 bases or 4 legs for 72" or 96" tops.			
	72 x 36 x 1½	1800 x 900 x 38	400E-REC72.2	485
	96 x 48 x 1½	2400 x 1200 x 38	400E-REC96.2	700
Boat-shape tops 	For conference tables. 120" and 144" tops are in two pieces. Order 2 bases or 4 legs for 96" tops; and 3 bases or 6 legs for 120" or 144" tops.			
	96 x 48 x 1½	2400 x 1200 x 38	400E-B96.2	780
	120 x 48 x 1½	3000 x 1200 x 38	400E-B120.2	975
	144 x 48 x 1½	3600 x 1200 x 38	400E-B144.2	1,020
Racetrack tops 	For conference tables. 120" and 144" tops are in two pieces. Order 2 bases or 4 legs for 72" or 96" tops; and 3 bases or 6 legs for 120" or 144" tops.			
	72 x 36 x 1½	1800 x 900 x 38	400E-RT72.2	565
	96 x 48 x 1½	2400 x 1200 x 38	400E-RT96.2 	780
	120 x 48 x 1½	3000 x 1200 x 38	400E-RT120.2	975
	144 x 48 x 1½	3600 x 1200 x 38	400E-RT144.2 	1,020
Cross bases 	1½" thermofused laminate. For R36.2 top.			
	22 x 22 x 28	555 x 555 x 710	LGC-CR22	310
	For R42.2 top.			
	27 x 27 x 28	680 x 680 x 710	LGC-CR27 	345
	For R48.2 top.			
	33 x 33 x 28	825 x 825 x 710	LGC-CR33	390
V-bases 	1½" thermofused laminate.			
	16 x 16 x 28	400 x 400 x 710	LGC-2V14  (pair)	450

	W x D x H ("")	W x D x H (mm)	Code	Price (\$)
Drum base 	18 x 18 x 28	460 x 460 x 710	LGC-DB19	615
Panel bases 	Panel bases and crosspieces packaged separately. For 72" and 96" tables.			
	43¾ x 24 x 28	1084 x 600 x 710	LGC-P30.7296 	365
	For 120" and 144" tables.			
	85 x 24 x 28	2126 x 600 x 710	LGC-P30.120144 	565
Cross base 	Black steel leg.			
	33 x 33 x 28	830 x 830 x 710	LGC-CH433 NNN (each)	495
T-base 	Black steel leg.			
	30 x 4 x 28	760 x 105 x 710	LGC-CH233 NNN (each)	385
Leg 	Black steel leg.			
	6 x 6 x 28	150 x 150 x 710	LGC-TL NNN (each)	230
Printer table 	1 height adjustable sliding shelf. Grommet on modesty panel.			
	30 x 24 x 29	750 x 600 x 735	400E-2430PS	565
Coffee table 	22 x 22 x 18	550 x 550 x 450	400E-ST222218	295
Magazine table 	48 x 22 x 18	1200 x 550 x 450	400E-ST224818	335
Mobile serving carts 	1 sliding shelf, 1 box drawer. Pencil tray. 1 door. 1 shelf.			
	20 x 21 x 36	500 x 520 x 900	400E-MS212036	750
	1 sliding shelf, 2 box drawers. Pencil tray. 2 doors. 2 shelves.			
	36 x 21 x 36	900 x 520 x 900	400E-MS213636	1,170
Marker board 	Non-magnetic surface for use with dry-erase markers. Eraser tray along bottom of board. Inside face of doors covered in natural cork. Hooks for paper pad. 180° hinges.			
	54 x 5 x 41¼	1368 x 130 x 1049	400E-VBX4054	1,140
Lectern 	1 fixed shelf. 1 grommet. 4 casters, 2 with brakes.			
	24 x 18 x 44	600 x 450 x 1112	400E-LC181844	555

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Right reception desks	<i>2 grommets. Transaction shelf. 2 pedestals with lock, 1 box drawer and 1 file drawer with suspension bars. Pencil tray. Full height modesty panel.</i>			
	<i>Left pedestal desk</i>			
	72 x 30 x 42	1800 x 750 x 1050	400E-GF3072S	 1,195
	<i>Right return, 1 grommet</i>			
	48 x 24 x 42	1200 x 600 x 1050	400E-GR2448F	800
	<i>Right return, 1 grommet</i>			
	42 x 24 x 42	1050 x 600 x 1050	400E-GR2442F	 780
Left reception desks	<i>2 grommets. Transaction shelf. 2 pedestals with lock, 1 box drawer and 1 file drawer with suspension bars. Pencil tray. Full height modesty panel.</i>			
	<i>Right pedestal desk</i>			
	72 x 30 x 42	1800 x 750 x 1050	400E-GS3072F	 1,195
	<i>Left return, 1 grommet</i>			
	48 x 24 x 42	1200 x 600 x 1050	400E-GF2448R	800
	<i>Left return, 1 grommet</i>			
	42 x 24 x 42	1050 x 600 x 1050	400E-GF2442R	 780
Additional legs	<i>For workstation reconfiguration. Specify: A for 2 full width legs, B for 1 full and 1 recessed leg.</i>			
	30 x 1 x 27½	750 x 25 x 698	400E-L30_	(pair) 200
	24 x 1 x 27½	600 x 25 x 698	400E-L24_	(pair) 200
	20 x 1 x 27½	500 x 25 x 698	400E-L20_	(pair) 200
Additional legs	<i>2 recessed legs.</i>			
	13 x 1 x 27½	330 x 25 x 698	LAC-L202430C	(pair) 200

SUGGESTIONS

400E-PLAN01




Plan shown in **Concept 400E** Section /
Product Catalog:

QS400E-PLAN01 **\$6,070**

- 1 QS400E-F4272FA
- 1 QS400E-F2072KF
- 1 QS400E-E723616P
- 2 QS400E-203665LFB

400E-PLAN02




Plan shown in **Concept 400E** Section /
Product Catalog:

QS400E-PLAN02 **\$4,155**

- 1 QS400E-BT3672
- 1 QS400E-BR2448
- 1 QS400E-F2072S
- 1 QS400E-E723616P
- 1 QS400E-203665LFB

400E-PLAN03




Plan shown in **Concept 400E** Section /
Product Catalog:

QS400E-PLAN03 **\$3,040**

- 1 QS400E-S3672F
- 1 QS400E-BR2448
- 1 QS400E-F2072S
- 1 QS400E-E723616P

400E-PLAN04




Plan shown in **Concept 400E** Section /
Product Catalog:

QS400E-PLAN04 **\$4,430**

- 1 QS400E-F3672S
- 1 QS400E-BR2448
- 1 QS400E-S2072F
- 1 QS400E-E723616P
- 1 QS400E-203665LFB

400E-PLAN05




Plan shown in **Concept 400E** Section /
Product Catalog:

QS400E-PLAN05 **\$5,690**

- 2 QS400E-CM3618SC
- 2 QS400E-AT243618B
- 2 QS400E-AT183624B
- 2 QS400E-E723616P
- 2 QS400E-F

TYPICAL WOOD GRAIN DIRECTION FOR CONCEPT 400E COLLECTION:




READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.



400E-PLAN06




Plan shown in **Concept 400E** Section /
Product Catalog:

QS400E-PLAN06 **\$3,735**

- 1 QS400E-GS3072F
- 1 QS400E-BR2448
- 1 QS400E-LF2472S
- 1 QS400E-E724416P

400E-PLAN07




Not shown in the product catalog:

400E-PLAN07 **\$5,690**

- 1 400E-CM367224B
- 1 400E-CM723624B
- 2 400E-DT2436B
- 2 400E-E724416
- 2 400E-2436LF

400E-PLAN08




Not shown in the product catalog:

QS400E-PLAN08 **\$4,480**

- 1 QS400E-F3672F
- 1 QS400E-F2072KF
- 1 QS400E-E723616P
- 1 QS400E-203665LFB

400E-PLAN09




Not shown in the product catalog:

QS400E-PLAN09 **\$2,685**

- 1 QS400E-S3672F
- 1 QS400E-F2442R
- 1 QS400E-E784416P

400E-PLAN10



Not shown in the product catalog:

400E-PLAN10 **\$3,715**

- 1 400E-PT3072
- 1 400E-CM723624C
- 1 400E-DT2436B
- 1 400E-E724416P
- 1 400E-MP1518UF

CONCEPT 2001

EDGEBANDING

Furniture with 1" (25 mm) thick tops.

N Edge – 1" (25 mm)




Smooth, 1/8" (3 mm) thick edge.


The **N** edge is matched with the finish specified for the surface.

HANDLES AND LEGS


Choices of two molded metal handles and two types of legs; square 2" (50 mm) or round 2 1/2" (63,5 mm) in diameter. All are offered finished Anthracite grey or Silver.




QA – Anthracite grey




VA – Anthracite



Q – Square



QS – Silver



VS – Silver



V – Round

HOW TO ORDER

Complete the code 02__ with square Q or round V handle/legs and Anthracite grey A or Silver S metal color. Specify laminate color at the end of the product code.

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.



	W x D x H (")	W x D x H (mm)	Code	Price (\$)
	<i>2 pedestals with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>			
	72 x 36 x 29	1800 x 900 x 735	02__-F3672F	1,305
	60 x 30 x 29	1500 x 750 x 735	02__-F3060F	1,155

	<i>1 pedestal on left with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>			
	72 x 36 x 29	1800 x 900 x 735	02__-F3672S	1,030
	66 x 30 x 29	1650 x 750 x 735	02__-F3066S	930

	<i>1 pedestal on right with lock, 1 box drawer and 1 file drawer with suspension bar. Pencil tray. Recessed, full height modesty panel.</i>			
	72 x 36 x 29	1800 x 900 x 735	02__-S3672F	1,030
	66 x 30 x 29	1650 x 750 x 735	02__-S3066F	930

	<i>1 pedestal on left with lock, 1 box drawer and 1 file drawer. Pencil tray. Grommet.</i>			
	42 x 24 x 29	1050 x 600 x 735	02__-F2442R	725

	<i>1 pedestal on right with lock, 1 box drawer and 1 file drawer. Pencil tray. Grommet.</i>			
	42 x 24 x 29	1050 x 600 x 735	02__-R2442F	725

	<i>Legs included, specify square Q or round V legs, A Anthracite grey or S Silver metal color. 1 grommet.</i>			
	78 x 36 x 29	1950 x 900 x 735	02__-BT3678	680

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
	<i>2 pedestals with lock, 1 box drawer and 1 file drawer. Pencil tray. Grommet on back.</i>			
	72 x 24 x 29	1800 x 600 x 735	02__-F2472KF	1,215

	<i>Suspension bars. Lock.</i>			
	36 x 24 x 29	900 x 600 x 735	02__-2436LF	800

	<i>Adjustable shelf. Lock.</i>			
	36 x 24 x 29	900 x 600 x 735	02__-2436B	690

	<i>1 box drawer and 1 file drawer with suspension bars. Lock. Pencil tray. 1 grommet on the back.</i>			
	36 x 24 x 29	900 x 600 x 735	02__-2436W	880




	<i>Full-height modesty panel. 1 grommet. Complete the code with A, B or C.</i>			
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs
	72 x 36 x 29	1800 x 900 x 735	02-CM367224_	805



	<i>Full-height modesty panel. 1 grommet. Complete the code with A, B or C.</i>			
	(A) 2 full-width legs	(B) 1 full, 1 recessed	(B) 1 recessed, 1 full	(C) 2 recessed legs
	72 x 36 x 29	1800 x 900 x 735	02-CM723624_	805


= ASSEMBLY REQUIRED


= QUICKSHIP


U.S.A. – APRIL 2009

	W x D x H ("")	W x D x H (mm)	Code	Price (\$)
Hutches with doors – 36"H 	<i>19" overhead clearance. No back on the bottom. 1 tone only. Cannot receive a tackboard.</i>			
				
	72" to 60": 4 doors	54" to 48": 3 doors	42" to 36": 2 doors	
	72 x 16 x 36	1800 x 400 x 900	02_-E723616P	865
	66 x 16 x 36	1650 x 400 x 900	02_-E663616P	825
	60 x 16 x 36	1500 x 400 x 900	02_-E603616P	780
	54 x 16 x 36	1350 x 400 x 900	02_-E543616P	740
	48 x 16 x 36	1200 x 400 x 900	02_-E483616P	695
	42 x 16 x 36	1050 x 400 x 900	02_-E423616P	640
	36 x 16 x 36	900 x 400 x 900	02_-E363616P	580


Open hutches – 28"H 	<i>17 5/8" overhead clearance. Grommet. Full-width wire access. Use 15" H tackboards (refer to page 81).</i>			
				
	72" to 60": 6 wire dividers included.	54" to 48": 4 wire dividers included.		
	72 x 16 x 28	1800 x 380 x 710	02_-E722816	525
	66 x 16 x 28	1650 x 380 x 710	02_-E662816	495
	60 x 16 x 28	1500 x 380 x 710	02_-E602816	465
	54 x 16 x 28	1350 x 380 x 710	02_-E542816	435
	48 x 16 x 28	1200 x 380 x 710	02_-E482816	405


Storage or wardrobe unit 	<i>Reversible door. 3 adjustable shelves, 1 full width fixed shelf. 1 full width clothes hanger bar. Lock. 1 tone only.</i>			
	24 x 24 x 65	600 x 600 x 1635	02_-242465B	955


Storage with lateral file 	<i>Reversible door. 2 adjustable shelves. 2 lateral file drawers with suspension bars. Lock. 1 tone only.</i>			
	24 x 24 x 65	600 x 600 x 1635	02_-242465FB	1,245


Open bookcases 	<i>4 adjustable shelves. 1 tone only.</i>			
	36 x 12 x 65	900 x 300 x 1635	02-B366512	655
	<i>3 adjustable shelves. 1 tone only.</i>			
	36 x 12 x 57	900 x 300 x 1445	02-B365712	580


Rectangular surfaces 	<i>The shapes and sizes of modular surfaces coordinate with those of freestanding furniture. Use tubular legs (with or without casters), storage units, lateral files, etc. as supports. Accepts privacy screen (SC). Order a LGC-BAR for any surface wider than 60".</i>			
	72 x 24 x 1	1800 x 600 x 25	02-TR2472	250
	66 x 24 x 1	1650 x 600 x 25	02-TR2466	245
	60 x 24 x 1	1500 x 600 x 25	02-TR2460	235
	54 x 24 x 1	1350 x 600 x 25	02-TR2454	225
	48 x 24 x 1	1200 x 600 x 25	02-TR2448	215
	42 x 24 x 1	1050 x 600 x 25	02-TR2442	205
	36 x 24 x 1	900 x 600 x 25	02-TR2436	195
	18 x 24 x 1	450 x 600 x 25	02-TR2418	165
	13" wire channels included. 72": 3 channels. 66" to 48": 2 channels. 42" to 36": 1 channel. 18": no channel.			

	W x D x H ("")	W x D x H (mm)	Code	Price (\$)
D-shaped surfaces 	<i>13" wire channels included. Accepts privacy screen SC. Order a LGC-BAR for any surface wider than 60". 3 wire channels included.</i>			
	78 x 36 x 1	1950 x 900 x 25	02-TD3678	355
	<i>3 wire channels included.</i>			
	78 x 30 x 1	1950 x 750 x 25	02-TD3078	305
	<i>2 wire channels included.</i>			
	60 x 30 x 1	1500 x 750 x 25	02-TD3060	285

Left extended corner surfaces, 24" deep 	<i>13" wire channels included. Accepts privacy screen SC. Order a LGC-BAR for any surface wider than 60". 4 wire channels included.</i>			
	72 x 36 x 1	1800 x 900 x 25	02-TC723624	325
	<i>3 wire channels included.</i>			
	54 x 36 x 1	1350 x 900 x 25	02-TC543624	285

Right extended corner surfaces, 24" deep 	<i>13" wire channels included. Accepts privacy screen SC. Order a LGC-BAR for any surface wider than 60". 4 wire channels included.</i>			
	72 x 36 x 1	1800 x 900 x 25	02-TC367224	325
	<i>3 wire channels included.</i>			
	54 x 36 x 1	1350 x 900 x 25	02-TC365424	285

Asymmetrical surfaces, 24" on left, 30" on right 	<i>Accepts privacy screen SC. Order a LGC-BAR for any surface wider than 60".</i>			
	72 x 30 x 1	1800 x 750 x 25	02-TA247230	305
	66 x 30 x 1	1650 x 750 x 25	02-TA246630	295
	60 x 30 x 1	1500 x 750 x 25	02-TA246030	285
	54 x 30 x 1	1350 x 750 x 25	02-TA245430	275
	36 x 30 x 1	900 x 750 x 25	02-TA243630	235




Asymmetrical surfaces, 30" on left, 24" on right 	<i>Accepts privacy screen SC. Order a LGC-BAR for any surface wider than 60".</i>			
	72 x 30 x 1	1800 x 750 x 25	02-TA307224	305
	66 x 30 x 1	1650 x 750 x 25	02-TA306624	295
	60 x 30 x 1	1500 x 750 x 25	02-TA306024	285
	54 x 30 x 1	1350 x 750 x 25	02-TA305424	275
	36 x 30 x 1	900 x 750 x 25	02-TA303624	235

42" top 	<i>Use with 4 legs.</i>			
	42 x 42 x 1	1050 x 1050 x 25	02-SQ42	305
	<i>13" wire channels included. 72": 3 channels. 66" to 54": 2 channels. 36": 1 channel.</i>			

Leg and wire channel kits 	<i>Steel legs. Wire channel included. Specify leg: round V or square Q, A Anthracite grey or S Silver. 1 leg and 1 wire channel.</i>			
	2 1/2 x 2 1/2 x 28	64 x 64 x 710	02_-TL	75
	<i>4 legs and 1 wire channel.</i>			
	2 1/2 x 2 1/2 x 28	64 x 64 x 710	02_-TL4	265

	W x D x H (")	W x D x H (mm)	Code		Price (\$)
	Leg kits with casters <i>Steel legs. Casters with brakes. Specify leg: round V or square Q, A Anthracite grey or S Silver. 1 leg.</i>				
	2½ x 2½ x 28	64 x 64 x 710	02__-TLR		85
	Supports / storage <i>Optional top available, see rectangular surfaces. 2 box drawers, 1 file drawer. Pencil tray. Lock controls file drawer and box drawer above. 1 tone only.</i>				
	18 x 24 x 28	450 x 600 x 710	02__-P1824UFM		705
	Supports / storage <i>Optional counterweight</i>				
	13 x 4 x 4	330 x 101 x 101	LGC-CW		100
	Support / lateral file unit <i>Optional top available, see rectangular surfaces. 1 box drawer, 1 file drawer. Pencil tray. Lock. 1 tone only.</i>				
	18 x 24 x 28	450 x 600 x 710	02__-P1824FM		630
	Support / lateral file unit <i>Optional counterweight</i>				
	13 x 4 x 4	330 x 101 x 101	LGC-CW		100
	Support / lateral file unit <i>2 file drawers with suspension bars. Lock. 1 tone only.</i>				
	36 x 24 x 28	900 x 600 x 710	02__-2436LFM		750
	Support / lateral file unit <i>1 box drawer, 1 file drawer with suspension bars. Pencil tray. Lock. 1 tone only.</i>				
	36 x 24 x 28	900 x 600 x 710	02__-2436WMM		730
	Pigeonholes <i>4 shelves.</i>				
	18 x 10 x 11	450 x 265 x 274	02-DV1811		280

ACCESSORIES

	Privacy screens / modesty panels <i>May be used as a privacy screen or modesty panel. Can accommodate a shelf with wire dividers. 8" height.</i>				
	72 x ¾ x 12	1800 x 16 x 300	02-SC72		165
	66 x ¾ x 12	1650 x 16 x 300	02-SC66		160
	60 x ¾ x 12	1500 x 16 x 300	02-SC60		155
	54 x ¾ x 12	1350 x 16 x 300	02-SC54		150
	48 x ¾ x 12	1200 x 16 x 300	02-SC48		145
	42 x ¾ x 12	1050 x 16 x 300	02-SC42		140
	36 x ¾ x 12	900 x 16 x 300	02-SC36		135
	30 x ¾ x 12	750 x 16 x 300	02-SC30		130
	24 x ¾ x 12	600 x 16 x 300	02-SC24		125
	Shelves with wire dividers <i>Specify feet: square Q or round V, A Anthracite grey or S Silver metal finish. Mount on SC screen.</i>				
	42 x 10 x 3¾	1050 x 265 x 91	02__-SH42		205
	36 x 10 x 3¾	900 x 265 x 91	02__-SH36		195
	30 x 10 x 3¾	750 x 265 x 91	02__-SH30		185
	24 x 10 x 3¾	600 x 265 x 91	02__-SH24		175
	18 x 10 x 3¾	450 x 265 x 91	02__-SH18		165



42" to 36": 2 feet and 5 wire dividers.
30" to 24": 2 feet and 4 wire dividers.
18": 2 feet and 3 wire dividers.

	W x D x H (")	W x D x H (mm)	Code		Price (\$)
MOBILE COMPONENTS					
	<i>The top part of the 41" H is removable and can be replaced with a screen (02-SC36 or 02-SC24).</i>				
	Utility units – 41"H <i>Box drawer. 1 adjustable shelf. Casters. Grommet. Pencil tray. 6 wire dividers included.</i>				
	36 x 21 x 41	900 x 525 x 1037	02__-ME213641U		825
	<i>4 wire dividers included.</i>				
	24 x 21 x 41	600 x 525 x 1037	02__-ME212441U		725
	Utility units – 25"H <i>1 box drawer. Casters. Grommet. Pencil tray. 3 wire dividers included.</i>				
	36 x 21 x 25	900 x 525 x 628	02__-ME213625U		675
	<i>2 wire dividers included.</i>				
	24 x 21 x 25	600 x 525 x 628	02__-ME212425U		575
	Storage units with doors – 41"H <i>2 adjustable shelves. Casters. Grommet. 9 wire dividers included.</i>				
	36 x 21 x 41	900 x 525 x 1037	02__-ME213641B		855
	<i>6 wire dividers included.</i>				
	24 x 21 x 41	600 x 525 x 1037	02__-ME212441B		750
	Storage units with doors – 25"H <i>1 adjustable shelf. Casters. Grommet. 6 wire dividers included.</i>				
	36 x 21 x 25	900 x 525 x 628	02__-ME213625B		705
	<i>4 wire dividers included.</i>				
	24 x 21 x 25	600 x 525 x 628	02__-ME212425B		605
	COMPLEMENTARY FURNITURE				
	Flip extension surface <i>For mobile storage units.</i>				
	12 x 20 x 1	300 x 509 x 25	02-WS12		205
	Handle <i>For mobile storage units. Specify handle: round V or square Q and A Anthracite grey or S Silver metal finish.</i>				
	21 x 6½ x 1½	499 x 161 x 38	02__-HD21		75
	Mobile pedestal <i>2 box drawers, 1 file drawer. Pencil tray. Brake on front caster. Lock controls file drawer and box drawer above. Fits under a work surface. 1 tone finish.</i>				
	15 x 18 x 27	388 x 460 x 688	02__-MP1518UF		680
	Mobile pedestal <i>1 box drawer, 1 file drawer. Pencil tray. Brake on front caster. Lock. Fits under a work surface. 1 tone only.</i>				
	15 x 18 x 21	388 x 460 x 534	02__-MP1518F		635
	Mobile table <i>Height adjustable, black base on casters without brakes.</i>				
	30 x 30 x 22-33	750 x 750 x 550-850	02-MT30		705
	Mobile EDP tables <i>Reversible integrated CPU stand. Casters. 2 grommets. The top part is removable and can be replaced with a privacy screen 02-SC48 or 02-SC36.</i>				
	54 x 24 x 29	1350 x 600 x 735	02-MDT2454		805
	42 x 24 x 29	1050 x 600 x 735	02-MDT2442		750

 = ASSEMBLY REQUIRED


 = QUICKSHIP

U.S.A. – APRIL 2009

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Computer stand	<i>Height adjustable. Integrated CPU stand. Casters. 1 grommet.</i>			
	24 x 25 x 41	600 x 614 x 899	02_-MDT252441	705
				
CPU stand	<i>Thermofused laminate. Casters. 1 tone only.</i>			
	12 x 21 x 19	300 x 525 x 590	02-MPU211219	405
				
Mobile board	<i>Non-magnetic surface for use with dry-erase markers on both sides. Accepts accessory tray. Casters. Specify A Anthracite grey or S Silver.</i>			
	55 x 25 x 65	1375 x 605 x 1600	02_-MWB542465	 955
				
Accessory tray	<i>For mobile board. Only one tray per mobile board. Specify A Anthracite grey or S Silver.</i>			
	54 x 2 ¹¹ / ₁₆ x 2 ⁷ / ₈	1343 x 68 x 72	02_-PH54	 115
Additional legs	<i>For workstation reconfiguration. Specify: A for 2 full width legs, B for 1 full and 1 recessed leg.</i>			
 (A) 2 full width legs	30 x 1 x 27 ¹ / ₂	750 x 25 x 698	LAC-L30_	(pair) 200
	24 x 1 x 27 ¹ / ₂	600 x 25 x 698	LAC-L24_	(pair) 200
 (B) 1 full and 1 recessed leg	20 x 1 x 27 ¹ / ₂	500 x 25 x 698	LAC-L20_	(pair) 200
Additional legs	<i>2 recessed legs.</i>			
	13 x 1 x 27 ¹ / ₂	330 x 25 x 698	LAC-L202430C	(pair) 200
Work surface reinforcement bar	<i>Black metal.</i>			
	54 x 2 x 1	1372 x 51 x 25	LGC-BAR	70

SUGGESTIONS

02__-PLAN01




Plan shown in **Concept 2001** Section / Product Catalog:

QS02VA-PLAN01 **\$2,950**

- 1 QS02-TD3678
- 1 QS02-TR2448
- 1 QS02VA-TL4
- 1 QS02-SC72
- 1 QS02VA-P1824UFM
- 2 QS02VA-242465FB

Curved pull, round legs, Anthracite grey (VA).

02__-PLAN02




Plan shown in **Concept 2001** Section / Product Catalog:

QS02QS-PLAN02 **\$3,230**

- 1 QS02QS-BT3678
- 1 QS02-CM367224B
- 1 QS02QS-2436W
- 1 QS02QS-E723616P

Straight pull, square legs, Silver (QS).

02__-PLAN03




Plan shown in **Concept 2001** Section / Product Catalog:

QS02QS-PLAN03 **\$2,060**

- 1 QS02-TR2472
- 1 QS02-TA245430
- 1 QS02QS-TL4
- 2 QS02QS-TL
- 1 QS02-SC72
- 1 QS02-SC54
- 1 QS02-SC24
- 1 QS02QS-MP1518UF

Straight pull, square legs, Silver (QS).

02__-PLAN04




Plan shown in **Concept 2001** Section / Product Catalog:

QS02VS-PLAN04 **\$2,670**

- 1 QS02VS-S3066F
- 1 QS02VS-F2472KF
- 1 QS02S-E722816

Curved pull, Silver (VS).

02__-PLAN05



Not shown in the product catalog:

QS02VA-PLAN05 **\$2,495**

- 1 QS02-TR2472
- 1 QS02-TR2448
- 1 QS02__-TL4
- 1 QS02-SC48
- 1 QS02-SC24
- 1 QS02__-E723616P
- 1 QS02__-P1824FM

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.




02__-PLAN06

Not shown in the product catalog:

QS02__-PLAN06 **\$2,055**

- 1 02-CM723624B
- 1 02__-R2442F
- 1 02__-E722816




02__-PLAN07

Not shown in the product catalog:

QS02__-PLAN07 **\$6,385**

- 1 QS02-TC367224
- 1 QS02-TC723624
- 2 QS02-TR2436
- 3 QS02__-TL4
- 2 QS02-SC72
- 2 QS02__-E723616P
- 2 QS02__-242465FB




02__-PLAN08

Not shown in the product catalog:

02__-PLAN08 **\$2,410**

- 1 02__-BT3678
- 1 02__-F2442R
- 1 02__-R2442F
- 2 02-SC42
- 1 02-SC36




02__-PLAN09

Not shown in the product catalog:

QS02__-PLAN09 **\$6,080**

- 1 QS02__-F3672F
- 1 QS02-TR2472
- 2 QS02__-2436WM
- 1 QS02__-E723616P
- 2 QS02__-242465FB




02__-PLAN10


Not shown in the product catalog:

02__-PLAN10 **\$4,930**

- 2 02-TA247230
- 2 02-TA307224
- 2 02__-TL4
- 4 02-SC72
- 4 02__-P1824FM



TYPICAL WOOD GRAIN DIRECTION FOR CONCEPT 2001:



Add the letter **M** at the end of the plan code for a mirror configuration, example QS02-PLAN01M.

 = QUICKSHIP



U.S.A. - APRIL 2009



PANGRAM IS THE PERFECT SOLUTION FOR WORKSPACE DIVISION NEEDS


Panels provides affordable privacy and support for work surfaces and accessories. This well-designed laminate panel system focuses on ease of use, flexibility and modularity. Compatible with Concept 2001 surfaces and all other Lacasse laminate series.

PANEL CONSTRUCTION



PANEL & STACKABLE PANEL HEIGHT COMBINATIONS

Base panels are available in heights of 33" to 65" (837 to 1650 mm) and are available in all Lacasse laminate finishes. Stackable panels are available in a choice of laminate, fabric or translucent material.




180° PVC connectors fit snugly in the grooves of the panel end moldings for a tight link between panels in a straight line.



The end molding and the top cap have inverted slots that self-align the panels.



A 90° PVC connecting strip is used to attach two, three or four panels together, for corner, T plan or cluster application.




Accent translucent panels are easily installed.




Install accessories with metal support (pencil tray, rail, shelf) at the right height before installing the next stackable panel.



An adhesive channel is available to manage power and communication cables.




Replace a leveler by a stabilizer foot at the end of an unattached run of panels.





Start a panel run from a wall, a pillar... Screw the wall-starter, snap a 180° connector between the starter and the panel, *et voilà!* Really simple isn't it?






	W x D x H (")	W x D x H (mm)	Code	Price (\$)
LAMINATE PANELS*				
<i>Metal base. Levelers allow 1¼" height adjustment. Supports for surfaces can be installed on both sides of the panel. Specify PVC/metal accents in S Silver or A Anthracite grey as well as the laminate color.</i>				
	20 x 1 x 33	500 x 25 x 837	PAN-SFLX3320_	275
	24 x 1 x 33	600 x 25 x 837	PAN-SFLX3324_	295
	30 x 1 x 33	750 x 25 x 837	PAN-SFLX3330_	315
	36 x 1 x 33	900 x 25 x 837	PAN-SFLX3336_	335
	42 x 1 x 33	1050 x 25 x 837	PAN-SFLX3342_	350
	48 x 1 x 33	1200 x 25 x 837	PAN-SFLX3348_	370


	20 x 1 x 41	500 x 25 x 1040	PAN-SFLX4120_	295
	24 x 1 x 41	600 x 25 x 1040	PAN-SFLX4124_	315
	30 x 1 x 41	750 x 25 x 1040	PAN-SFLX4130_	335
	36 x 1 x 41	900 x 25 x 1040	PAN-SFLX4136_	350
	42 x 1 x 41	1050 x 25 x 1040	PAN-SFLX4142_	370
	48 x 1 x 41	1200 x 25 x 1040	PAN-SFLX4148_	390


	20 x 1 x 57	500 x 25 x 1446	PAN-SFLX5720_	315
	24 x 1 x 57	600 x 25 x 1446	PAN-SFLX5724_	335
	30 x 1 x 57	750 x 25 x 1446	PAN-SFLX5730_	350
	36 x 1 x 57	900 x 25 x 1446	PAN-SFLX5736_	370
	42 x 1 x 57	1050 x 25 x 1446	PAN-SFLX5742_	390
	48 x 1 x 57	1200 x 25 x 1446	PAN-SFLX5748_	410

	20 x 1 x 65	500 x 25 x 1650	PAN-SFLX6520_	335
	24 x 1 x 65	600 x 25 x 1650	PAN-SFLX6524_	350
	30 x 1 x 65	750 x 25 x 1650	PAN-SFLX6530_	370
	36 x 1 x 65	900 x 25 x 1650	PAN-SFLX6536_	390
	42 x 1 x 65	1050 x 25 x 1650	PAN-SFLX6542_	410
	48 x 1 x 65	1200 x 25 x 1650	PAN-SFLX6548_	430

STACKABLE LAMINATE PANELS*


Specify PVC/metal accents in S Silver or A Anthracite grey as well as the laminate color.

	20 x 1 x 8	500 x 25 x 203	PAN-SOLX0820_	165
	24 x 1 x 8	600 x 25 x 203	PAN-SOLX0824_	170
	30 x 1 x 8	750 x 25 x 203	PAN-SOLX0830_	180
	36 x 1 x 8	900 x 25 x 203	PAN-SOLX0836_	190
	42 x 1 x 8	1050 x 25 x 203	PAN-SOLX0842_	200
	48 x 1 x 8	1200 x 25 x 203	PAN-SOLX0848_	210
	20 x 1 x 16	500 x 25 x 406	PAN-SOLX1620_	170
	24 x 1 x 16	600 x 25 x 406	PAN-SOLX1624_	180
	30 x 1 x 16	750 x 25 x 406	PAN-SOLX1630_	190
	36 x 1 x 16	900 x 25 x 406	PAN-SOLX1636_	200
	42 x 1 x 16	1050 x 25 x 406	PAN-SOLX1642_	210
	48 x 1 x 16	1200 x 25 x 406	PAN-SOLX1648_	220

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
CURVED STACKABLE LAMINATE PANELS*				
<i>Specify PVC/metal accents in S Silver or A Anthracite grey as well as the laminate color.</i>				
	20 x 1 x 16	500 x 25 x 406	PAN-SOLX1620C_	180
	24 x 1 x 16	600 x 25 x 406	PAN-SOLX1624C_	190
	30 x 1 x 16	750 x 25 x 406	PAN-SOLX1630C_	200
	36 x 1 x 16	900 x 25 x 406	PAN-SOLX1636C_	210
	42 x 1 x 16	1050 x 25 x 406	PAN-SOLX1642C_	220
	48 x 1 x 16	1200 x 25 x 406	PAN-SOLX1648C_	230


OPEN STACKABLE LAMINATE PANELS*

Specify PVC/metal accents in S Silver or A Anthracite grey as well as the laminate color.

	20 x 1 x 8	500 x 25 x 203	PAN-SOLX08200_	170
	24 x 1 x 8	600 x 25 x 203	PAN-SOLX08240_	180
	30 x 1 x 8	750 x 25 x 203	PAN-SOLX08300_	190
	36 x 1 x 8	900 x 25 x 203	PAN-SOLX08360_	200
	42 x 1 x 8	1050 x 25 x 203	PAN-SOLX08420_	210
	48 x 1 x 8	1200 x 25 x 203	PAN-SOLX08480_	220
	20 x 1 x 16	500 x 25 x 406	PAN-SOLX16200_	180
	24 x 1 x 16	600 x 25 x 406	PAN-SOLX16240_	190
	30 x 1 x 16	750 x 25 x 406	PAN-SOLX16300_	200
	36 x 1 x 16	900 x 25 x 406	PAN-SOLX16360_	210
	42 x 1 x 16	1050 x 25 x 406	PAN-SOLX16420_	220
	48 x 1 x 16	1200 x 25 x 406	PAN-SOLX16480_	230

STACKABLE FABRIC PANELS*

Specify PVC/metal S Silver or A Anthracite grey as well as fabric. These prices are applicable for all United Chair® Grade 2 fabrics. For the other grades, add: Grade 3: 10%; Grade 4: 15%; Grade 5: 20%.

	20 x 1 x 8	500 x 25 x 203	PAN-SOFX0820_	210
	24 x 1 x 8	600 x 25 x 203	PAN-SOFX0824_	220
	30 x 1 x 8	750 x 25 x 203	PAN-SOFX0830_	230
	36 x 1 x 8	900 x 25 x 203	PAN-SOFX0836_	240
	42 x 1 x 8	1050 x 25 x 203	PAN-SOFX0842_	250
	48 x 1 x 8	1200 x 25 x 203	PAN-SOFX0848_	265
	20 x 1 x 16	500 x 25 x 406	PAN-SOFX1620_	220
	24 x 1 x 16	600 x 25 x 406	PAN-SOFX1624_	230
	30 x 1 x 16	750 x 25 x 406	PAN-SOFX1630_	240
	36 x 1 x 16	900 x 25 x 406	PAN-SOFX1636_	250
	42 x 1 x 16	1050 x 25 x 406	PAN-SOFX1642_	265
	48 x 1 x 16	1200 x 25 x 406	PAN-SOFX1648_	275

TRANSLUCENT SCREENS

Specify metal color in S Silver or A Anthracite grey.

	20 x ¼ x 8	461 x 6 x 203	PAN-SAGX0820_	170
	24 x ¼ x 8	561 x 6 x 203	PAN-SAGX0824_	180
	30 x ¼ x 8	711 x 6 x 203	PAN-SAGX0830_	190
	36 x ¼ x 8	861 x 6 x 203	PAN-SAGX0836_	210
	42 x ¼ x 8	1011 x 6 x 203	PAN-SAGX0842_	220
	48 x ¼ x 8	1161 x 6 x 203	PAN-SAGX0848_	230
	20 x ¼ x 16	461 x 6 x 406	PAN-SAGX1620_	230
	24 x ¼ x 16	561 x 6 x 406	PAN-SAGX1624_	240
	30 x ¼ x 16	711 x 6 x 406	PAN-SAGX1630_	275
	36 x ¼ x 16	861 x 6 x 406	PAN-SAGX1636_	315
	42 x ¼ x 16	1011 x 6 x 406	PAN-SAGX1642_	340
	48 x ¼ x 16	1161 x 6 x 406	PAN-SAGX1648_	370

* 1" (25 MM) THICK PANEL. 90° AND 180° CONNECTORS INCLUDED.

U.S.A. – APRIL 2009

	W x D x H ("")	W x D x H (mm)	Code	Price (\$)
MOBILE LAMINATE FOLDING SCREENS				
	<i>Four sections 20" wide. Specify PVC/metal accents in S Silver or A Anthracite grey as well as the laminate color. Note: Must be attached to a wall, furniture or fixed panel. Total height of panels must not exceed 65"H.</i>			
	20 x 5 x 41	500 x 127 x 1040	PAN-MSFL44120	945
	20 x 5 x 57	500 x 127 x 1446	PAN-MSFL45720	1,095
	20 x 5 x 65	500 x 127 x 1650	PAN-MSFL46520	1,145

ACCESSORIES FOR PANGRAM PANELS

Shelves				
	<i>Supports included. Specify PVC/metal accents in S Silver or A Anthracite grey as well as the laminate color.</i>			
	21 x 7½ x 2¾	496 x 190 x 70	PAN-SH721	160
	33 x 7½ x 2¾	796 x 190 x 70	PAN-SH733	165

Pencil tray				
	<i>Specify the finish S Silver or A Anthracite grey.</i>			
	12 x 3½ x 2	300 x 90 x 50	PAN-PH12	70

Metal accessory rails				
	<i>Specify the metal finish A Anthracite grey or S Silver.</i>			
	21 x 1½ x 4	496 x 38 x 100	LGC-RA21	125
	33 x 1½ x 4	796 x 38 x 100	LGC-RA33	130

Paper tray				
	<i>Specify the plastic finish A Anthracite grey or S Silver.</i>			
	14½ x 10 x 2	375 x 254 x 51	LGC-RPT	65

Accessory tray				
	<i>Specify the plastic finish A Anthracite grey or S Silver.</i>			
	9½ x 10 x 2	240 x 250 x 50	LGC-RAT	60

Pen holder				
	<i>Specify the plastic finish A Anthracite grey or S Silver.</i>			
	4 x 3½ x 4	107 x 89 x 107	LGC-RPH	50


Angled divider				
	<i>Specify the plastic finish A Anthracite grey or S Silver.</i>			
	7¼ x 13 x 8	185 x 335 x 205	LGC-RFT	75

Vertical tray				
	<i>Specify the plastic finish A Anthracite grey or S Silver.</i>			
	9½ x 10 x 2	241 x 254 x 51	LGC-RVT	55

Stabilizer foot				
	<i>Total height of panels must not exceed 65"H. Specify the finish S Silver or A Anthracite grey.</i>			
	22 x 2 x 8	550 x 50 x 220	PAN-PS22	190

Adhesive wire channel				
	<i>Self-adhesive. Can hold most power bars. Specify the plastic finish S Silver or A Anthracite grey.</i>			
	68 x 2¼ x 3¼	1700 x 60 x 80	LGC-HWMC72	95
	44 x 2¼ x 3¼	1100 x 60 x 80	LGC-HWMC48	80
	20 x 2¼ x 3¼	500 x 60 x 80	LGC-HWMC24	70

Hardware for fastening panel to furniture (plastic)				
	<i>Specify the finish S Silver or A Anthracite grey.</i>			
	1½ x ¾ x 70	37 x 9 x 1773	PAN-FPBP73	40




	W x D x H ("")	W x D x H (mm)	Code	Price (\$)
Wall starter				
	<i>Specify the plastic finish A Anthracite grey or S Silver.</i>			
	1 x 7½ x 30	25 x 22 x 728	PAN-WF33	65
	1 x 7½ x 38	25 x 22 x 931	PAN-WF41	70
	1 x 7½ x 54	25 x 22 x 1337	PAN-WF57	75
	1 x 7½ x 63	25 x 22 x 1542	PAN-WF65	80

2001 SURFACES EQUIPPED WITH GROMMET FOR PANGRAM

Rectangular surfaces		Supports included for installation on a panel. Grommets and 13" wire channels included. Shapes and sizes of the modular surfaces coordinate with those of freestanding furniture. Use tubular legs (with or without casters), storage units, lateral files, etc. as supports. Pre-drilled surface.			
		72 x 24 x 1	1800 x 600 x 25	02-TR2472GR	270
72": 3 channels, 2 grommets		66 x 24 x 1	1650 x 600 x 25	02-TR2466GR	250
		60 x 24 x 1	1500 x 600 x 25	02-TR2460GR	240
66" to 54": 2 channels, 2 grommets		54 x 24 x 1	1350 x 600 x 25	02-TR2454GR	230
		48 x 24 x 1	1250 x 600 x 25	02-TR2448GR	220
48": 2 channels, 1 grommet		42 x 24 x 1	1050 x 600 x 25	02-TR2442GR	210
		36 x 24 x 1	900 x 600 x 25	02-TR2436GR	200

D-shaped surfaces



Supports included for installation on a panel. Grommets and 13" wire channels included. Pre-drilled to accept privacy screen.

3 channels included.

78 x 36 x 1	1950 x 900 x 25	02-TD3678GR	365
-------------	-----------------	-------------	-----


3 channels included.

78 x 30 x 1	1950 x 750 x 25	02-TD3078GR	315
-------------	-----------------	-------------	-----


2 channels included.


60 x 30 x 1	1500 x 750 x 25	02-TD3060GR	295
-------------	-----------------	-------------	-----


	<i>Supports included for installation on a panel. 2 grommets and 13" wire channels included. Pre-drilled to accept Concept 2001 privacy screens. (Refer to page 72.)</i>			
	<i>4 channels included.</i>			
	72 x 36 x 1	1800 x 900 x 25	02-TC723624GR	335
	<i>3 channels included.</i>			
	54 x 36 x 1	1350 x 900 x 25	02-TC543624GR	295

	<i>Supports included for installation on a panel. 2 grommets and 13" wire channels included. Pre-drilled to accept Concept 2001 privacy screens. (Refer to page 72.)</i>			
	<i>4 channels included.</i>			
	72 x 36 x 1	1800 x 900 x 25	02-TC367224GR	335
	<i>3 channels included.</i>			
	54 x 36 x 1	1350 x 900 x 25	02-TC365424GR	295

Asymmetrical surfaces, 24" on left, 30" on right		<i>Supports included for installation on a panel. Grommets and 13" wire channels included. Pre-drilled to accept Concept 2001 privacy screens. (Refer to page 72.)</i>			
	72": 3 channels, 2 grommets	72 x 30 x 1	1800 x 750 x 25	02-TA247230GR	315
		66 x 30 x 1	1650 x 750 x 25	02-TA246630GR	305
		60 x 30 x 1	1500 x 750 x 25	02-TA246030GR	295
		54 x 30 x 1	1350 x 750 x 25	02-TA245430GR	285
		36 x 30 x 1	900 x 750 x 25	02-TA243630GR	240


	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Asymmetrical surfaces, 30" on left, 24" on right				
<i>Supports included for installation on a panel. Grommets and 13" wire channels included. Pre-drilled to accept Concept 2001 privacy screens. (Refer to page 72.)</i>				
	72": 3 channels, 2 grommets	1800 x 750 x 25	02-TA307224GR	315
		1650 x 750 x 25	02-TA306624GR	305
		1500 x 750 x 25	02-TA306024GR	295
		1350 x 750 x 25	02-TA305424GR	285
		900 x 750 x 25	02-TA303624GR	240
66" to 54": 2 channels, 2 grommets				
36": 1 channel, 1 grommet				

Leg and wire channel kits				
<i>Steel legs. 1 - 24" wire channel included. Choose between square leg Q or round leg V. Specify the finish A Anthracite grey or S Silver. Example: 02QS-TL4 1 leg and 1 wire channel.</i>				
	2½ x 2½ x 28	64 x 64 x 710	02__-TL	 75
	<i>4 legs and 1 wire channel.</i>			
	2½ x 2½ x 28	64 x 64 x 710	02__-TL4	 265

Leg kits with casters				
<i>Steel legs with caster and brake. Choose between square leg Q or round leg V. Specify the finish: A Anthracite grey or S Silver. Example: 02QS-TL4R 1 leg.</i>				
	2½ x 2½ x 28	64 x 64 x 710	02__-TLR	 85
	<i>4 legs.</i>			
	2½ x 2½ x 28	64 x 64 x 710	02__-TL4R	 305

SUGGESTIONS

P2__-PLAN01




Plan shown in **PanGram** Section / Product Catalog:

P2QS-PLAN01 \$6,440

- 1 02-TC367224GR
- 1 02-TC723624GR
- 2 02-TR2436GR
- 2 02QS-P1824FM
- 6 PAN-SFLX4136S
- 2 PAN-SFLX4124S
- 2 PAN-SAGX1636S
- 1 PAN-SOFX1636S
- 2 PAN-SOFX1636CS

PanGram shown with Concept 2001; straight silver pull (QS), silver trim accent (S).

P3-PLAN02




Plan shown in **PanGram** Section / Product Catalog:

P3-PLAN02 \$9,080

- 2 C3-TD3672
- 2 C3-201849UF
- 1 C3-207233LFB
- 5 PAN-SFLX4136S
- 2 PAN-SFLX4124S
- 5 PAN-SAGX0836S
- 2 PAN-SAGX0824S

PanGram shown with Concept 3; cabinet with laminate doors, silver trim accent (S).

P4-PLAN03



Plan shown in **PanGram** Section / Product Catalog:

P4-PLAN03 \$9,350

- 1 400E-CM367224B
- 1 400E-CM723624B
- 2 400E-DT2436B
- 2 400E-E724416P
- 2 400E-MP1518UF
- 2 PAN-SFLX4124A
- 4 PAN-SFLX4136A
- 2 PAN-SOFX0824A
- 4 PAN-SOFX0836A

PanGram shown with Concept 400E; anthracite grey trim accent (A).

P2__-PLAN04




Not shown in the product catalog:

P2__-PLAN04 \$5,470

- 2 02-TC367224GR
- 2 02-TC723624GR
- 4 02-TR2436GR
- 2 02__-TL4
- 8 PAN-SFLX4136__

PanGram shown with Concept 2001.

P2__-PLAN05



Not shown in the product catalog:

P2__-PLAN05 \$12,080

- 6 02-TR2460GR
- 6 02__-MP1518F
- 8 PAN-SFLX3324__
- 6 PAN-SFLX3330__
- 8 PAN-SOLX1624__
- 6 PAN-SOLX1630__

PanGram shown with Concept 2001.

ACCESSORIES


A WIDE RANGE OF ACCESSORIES THAT CAN BE USED WITH ALL LACASSE LAMINATE FURNITURE COLLECTIONS.


READY TO SHIP IN 5 DAYS!


Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.


Please refer to page 3 for complete program details.





	W x D x H (")	W x D x H (mm)	Code	Price (\$)
	<i>Swivel-tilt. 5½" height adjustment. Glide mechanism.</i>			
	21¾ x 17 x 3½	552 x 432 x 89	LGC-GBAKD 	295
	28¾ x 17 x 3½	721 x 432 x 89	LGC-GBAKD27 	345
	<i>Fully retractable. Precision ball-bearing slides.</i>			
	21¾ x 17 x 4¼	552 x 432 x 108	LGC-BBAKD	385
	28¾ x 17 x 4¼	721 x 432 x 108	LGC-BBAKD27	380

	<i>Swivel-tilt. 5½" height adjustment. Sliding tray for keyboard.</i>			
	21¾ x 17 x 3½	552 x 432 x 89	LGC-ZKD	175
	28¾ x 17 x 3½	721 x 432 x 89	LGC-ZKD27	205

	<i>Molded plastic on wood. Height adjustment 3", 3½", 4" (76, 89, 102 mm). Locks in extended position.</i>			
	22½ x 15 x 3½	572 x 381 x 89	LGC-SKD 	120
	28¾ x 15 x 3½	721 x 381 x 89	LGC-SKD27 	165

	<i>Swivel-tilt. Fully retractable. With palm rest. Mouse tray can be installed on both sides. Black.</i>			
	23 x 11 x 5	584 x 279 x 127	LGC-AKDM02 	440


	<i>Retractable, swivel-tilt features. 6" height adjustment. Fully retractable. Precision ball-bearing slides.</i>			
	29½ x 17 x 4¼	749 x 432 x 108	LGC-BAKDCKIT	380

	<i>Can be mounted under most keyboards.</i>			
	8 x 8¾ x 2	203 x 222 x 50	LGC-M02 	105

	18½ x 1½ x ¾	470 x 38 x 19	LGC-WRKD	70
--	--------------	---------------	-----------------	-----------

	<i>Fits in corner grommet or on side of desk. Black finish.</i>			
	4 x 4 x 20	102 x 102 x 500	LGC-SUPECPL	235


Flat screen monitor arm on a post



Fits in corner or on side of desk. Single screen support, double extension arm. Sit-to-stand capability. Metal silver finish.

20¾ x 6½ x 17¾	527 x 167 x 450	LGC-SUPECPLS	510
----------------	-----------------	---------------------	------------

Corner keyboard support




Fits in the angle between 2 work surfaces. Anthracite grey metal. For 1" thick surfaces

20 x 11½ x 1¼	500 x 282 x 30	LGC-CORSUP1	155
---------------	----------------	--------------------	------------

For 1½" thick surfaces


20 x 11¼ x 1¾	500 x 282 x 46	LGC-CORSUP1.5	185
---------------	----------------	----------------------	------------

Rotating trays to install under the work surface



8½ x 7½ x 1	226 x 190 x 26	LGC-R09	45
13¾ x 8¼ x 1¾	346 x 208 x 34	LGC-R014 	45


Drawer pencil tray



Black plastic. Fits inside a box drawer, on left or right side.

8¾ x 6 x 7½	236 x 152 x 22	LGC-PH	45
-------------	----------------	---------------	-----------


Drawers for small objects



Black plastic drawer front.

23½ x 16½ x 2½	597 x 419 x 64	LGC-DR25P 	145
20 x 16½ x 2½	500 x 419 x 64	LGC-DR20P 	130


Drawers for small objects



Laminate drawer front. Specify the laminate finish.

23½ x 17½ x 2½	597 x 445 x 64	LGC-DR25M	160
20 x 17½ x 2½	500 x 445 x 64	LGC-DR20M	145


Electronic fluorescent lighting



Electronic tubes are more efficient and do not cause interference.

49 x 4¼ x 1	1245 x 108 x 25	LGC-LE49 	250
37 x 4¼ x 1	940 x 108 x 25	LGC-LE37	235
25 x 4¼ x 1	635 x 108 x 25	LGC-LE25 	220
19 x 4¼ x 1	483 x 108 x 25	LGC-LE19	210

Vertical pigeonholes



21" H – 6 compartments, 17" H – 5 compartments. Legal size

18 x 12 x 20¾	449 x 311 x 515	LGC-DV1821	360
18 x 12 x 17¾	449 x 311 x 442	LGC-DV1817	340

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Vertical pigeonholes (cont'd)	<i>Letter size</i>			
	12 x 12 x 20¼	299 x 311 x 515	LGC-DV1221	330
	12 x 12 x 17¾	299 x 311 x 442	LGC-DV1217	305

Tackboards for hutches



Available QuickShip fabrics are:

ALPHA MARQUESA – AM24, AM25, AM47, AM51

CREPE – CPT27, CPT71, CPT85, CPT89

SHARD – SD01, SD08, SD10, SD12

SHUFFLE – SF11, SF31, SF60, SF70

All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on Lacasse tackboards and PanGram fabric panels. A "C.O.M." program is available upon request (see page 113).

The prices shown below are applicable for all Grade 2 fabrics. For other grades, add: Grade 3: 10%, Grade 4: 15%, Grade 5: 20%. For 44" H hutches

82 x ½ x 19	2100 x 13 x 477	LGC-TK8419	340
76 x ½ x 19	1980 x 13 x 477	LGC-TK7819	330
70 x ½ x 19	1740 x 13 x 477	LGC-TK7219	320
64 x ½ x 19	1600 x 13 x 477	LGC-TK6619	310
58 x ½ x 19	1450 x 13 x 477	LGC-TK6019	300
52 x ½ x 19	1300 x 13 x 477	LGC-TK5419	290
46 x ½ x 19	1150 x 13 x 477	LGC-TK4819	270
40 x ½ x 19	1020 x 13 x 477	LGC-TK4219	255
34 x ½ x 19	850 x 13 x 477	LGC-TK3619	245

For 36" H hutches

82 x ½ x 15	2100 x 13 x 381	LGC-TK84C	330
76 x ½ x 15	1980 x 13 x 381	LGC-TK78C	320
70 x ½ x 15	1740 x 13 x 381	LGC-TK72C	310
64 x ½ x 15	1600 x 13 x 381	LGC-TK66C	300
58 x ½ x 15	1450 x 13 x 381	LGC-TK60C	290
52 x ½ x 15	1300 x 13 x 381	LGC-TK54C	280
46 x ½ x 15	1150 x 13 x 381	LGC-TK48C	255
40 x ½ x 15	1020 x 13 x 381	LGC-TK42C	245
34 x ½ x 15	850 x 13 x 381	LGC-TK36C	235

Counterweight



Prevents lateral file from tipping over when top drawer is overloaded. To meet BIFMA standards, order 1 counterweight for 24" deep and 2 for 20" deep lateral file.

13 x 4 x 4	330 x 100 x 100	LGC-CW	100
------------	-----------------	---------------	------------

Standard wire grommets



Factory installed on request. Attach positioning sketch with your order. Round or square in various dimensions supplied in accordance with the standards of furniture series ordered.


<i>Black for Options, Concept 70, 400E and 2001</i>	LGC-GR1	90
---	----------------	-----------



<i>Silver for Quad, Morpheo and Concept 3</i>	LGC-GR2	90
---	----------------	-----------

<i>Anthracite grey for Quad</i>	LGC-GR3	90
---------------------------------	----------------	-----------


Flush plate



To link and level two surfaces. 10 per package. Black metal.

7 x 1½ x ⅛	175 x 38 x 3	LGC-FLP	55
------------	--------------	----------------	-----------


Retractable communications receptacle with duplex



Attach positioning sketch with your order. 72" cord included. This receptacle can accommodate Amp or Panduit models of jacks for fax machines, telephone, computers, etc.

4½ x 3 x 8¼	110 x 75 x 220	LGC-RPCG	195
-------------	----------------	-----------------	------------


Retractable power center with triplex



Attach positioning sketch with your order. 72" cord included.

4½ x 3 x 8¼	110 x 75 x 220	LGC-RPG	195
-------------	----------------	----------------	------------


Retractable communication center



Attach positioning sketch with your order. This receptacle can accommodate Amp or Panduit models of jacks for fax machines, telephone, computers, etc.

4½ x 3 x 8¼	110 x 75 x 220	LGC-RCG	130
-------------	----------------	----------------	------------

Adhesive wire channel



Self-adhesive. Can hold most power bars. Specify the plastic finish S Silver or A Anthracite grey.

68 x 2¼ x 3¼	1700 x 60 x 80	LGC-HWMC72	95
44 x 2¼ x 3¼	1100 x 60 x 80	LGC-HWMC48	80
20 x 2¼ x 3¼	500 x 60 x 80	LGC-HWMC24	70


Front-to-back suspension bars

Suspension bars for all laminate lateral file drawers. Allows front-to-back filing.

20 x 6 x 1¼	384 x 152 x 32	LGC-FTB2	40
20 x 6 x 1¼	384 x 152 x 32	LGC-FTB4	80

FOR MORPHEO, QUAD AND OPTIONS COLLECTIONS

Tackboards for accessory brackets



All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens.

Mounts to the accessory brackets. These prices are applicable for United Chair® grade 2 fabrics. United Chair® fabrics: Grade 3: 10%, Grade 4: 15%, Grade 5: 20%. Specify the fabric code after the product code.

71 x 1½ x 17	1778 x 36 x 442	LGC-TK1772	495
65 x 1½ x 17	1628 x 36 x 442	LGC-TK1766	480
59 x 1½ x 17	1478 x 36 x 442	LGC-TK1760	465
53 x 1½ x 17	1328 x 36 x 442	LGC-TK1754	450
47 x 1½ x 17	1178 x 36 x 442	LGC-TK1748	420
41 x 1½ x 17	1028 x 36 x 442	LGC-TK1742	405
35 x 1½ x 17	878 x 36 x 442	LGC-TK1736	390
29 x 1½ x 17	728 x 36 x 442	LGC-TK1730	375
23 x 1½ x 17	578 x 36 x 442	LGC-TK1724	360
71 x 1½ x 8½	1778 x 36 x 213	LGC-TK0872	380
65 x 1½ x 8½	1628 x 36 x 213	LGC-TK0866	365
59 x 1½ x 8½	1478 x 36 x 213	LGC-TK0860	350
53 x 1½ x 8½	1328 x 36 x 213	LGC-TK0854	335
47 x 1½ x 8½	1178 x 36 x 213	LGC-TK0848	305
41 x 1½ x 8½	1028 x 36 x 213	LGC-TK0842	290
35 x 1½ x 8½	878 x 36 x 213	LGC-TK0836	275
29 x 1½ x 8½	728 x 36 x 213	LGC-TK0830	255
23 x 1½ x 8½	578 x 36 x 213	LGC-TK0824	240

Specify accent color (A Anthracite grey, S Silver).

Short accessory brackets (2)



1½ x 4 x 11	38 x 100 x 284	LGC-SUPAC	120
-------------	----------------	------------------	------------

Specify accent color (A Anthracite grey, S Silver).

Long accessory brackets (2)



1½ x 4 x 20	38 x 100 x 513	LGC-SUPAL	120
-------------	----------------	------------------	------------




Specify accent color (A Anthracite grey, S Silver).

Hanging rail




Mounts to the accessory brackets.

71 x 1½ x 8½	1778 x 36 x 213	LGC-RA72	290
65 x 1½ x 8½	1628 x 36 x 213	LGC-RA66	270
59 x 1½ x 8½	1478 x 36 x 213	LGC-RA60	245
53 x 1½ x 8½	1328 x 36 x 213	LGC-RA54	225
47 x 1½ x 8½	1178 x 36 x 213	LGC-RA48	205
41 x 1½ x 8½	1028 x 36 x 213	LGC-RA42	185

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Hanging rail (cont'd)	35 x 1½ x 8½	878 x 36 x 213	LGC-RA36_	165
	29 x 1½ x 8½	728 x 36 x 213	LGC-RA30_	145
	23 x 1½ x 8½	578 x 36 x 213	LGC-RA24_	125
Specify accent color (A Anthracite grey, S Silver).				
Paper tray	<i>Legal size.</i>			
	14¾ x 10 x 2	375 x 250 x 50	LGC-RPT_	65
	Specify the finish (A Anthracite grey, S Silver).			
Accessory tray	9½ x 10 x 2	240 x 250 x 50	LGC-RAT_	60
	Specify the finish (A Anthracite grey, S Silver).			
Pen holder	4 x 3½ x 4	107 x 89 x 107	LGC- RPH_	50
	Specify the finish (A Anthracite grey, S Silver).			
Vertical tray	9½ x 10 x 2	240 x 250 x 50	LGC- RVT_	55
	Specify the finish (A Anthracite grey, S Silver).			
Angled divider	7¼ x 13 x 8	185 x 335 x 205	LGC-RFT_	75
	Specify the finish (A Anthracite grey, S Silver).			
Stackable screens	<i>2 connecting extrusions included. These prices are applicable for United Chair® grade 2 fabrics. United Chair® fabrics: Grade 3: 10%, Grade 4: 15%, Grade 5: 20%. Specify the fabric code after the product code. Stacks 2 high maximum.</i>			
 All United Chair® standard fabrics (except vinyls and leathers) are available to coordinate on tackboards and screens.	84 x 1 x 14	2100 x 25 x 350	LGC-SC84	440
	72 x 1 x 14	1800 x 25 x 350	LGC-SC72	420
	66 x 1 x 14	1650 x 25 x 350	LGC-SC66	400
	60 x 1 x 14	1500 x 25 x 350	LGC-SC60	380
	54 x 1 x 14	1350 x 25 x 350	LGC-SC54	360
	48 x 1 x 14	1200 x 25 x 350	LGC-SC48	340
	42 x 1 x 14	1050 x 25 x 350	LGC-SC42	320
	36 x 1 x 14	900 x 25 x 350	LGC-SC36	300
	30 x 1 x 14	750 x 25 x 350	LGC-SC30	280
	24 x 1 x 14	600 x 25 x 350	LGC-SC24	255
Screen supports (2)	<i>To be mounted under the surface. Anthracite grey metal.</i>			
	1½ x 8 x 12	40 x 200 x 310	LGC-7P0	145
Screen extensions (2)	<i>Insert into the first screen in order to stack the second one. Anthracite grey metal.</i>			
	¾ x ¼ x 14	20 x 3 x 350	LGC-14TP	85

LAMINATE LATERAL FILES

HANDLES



A – Arcade



C – Cubic




K – Classic



L – Linear



W – Waterfall



Z – Straight

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.



CODIFICATION

Series	Options
LNN	A Arcade
	C Cubic
	K Classic
	L Linear
	W Waterfall
	Z Straight

TWO-TONE APPLICATION

The first finish specified will be applied to the drawer fronts. The second finish specified will be applied to the rest of the unit.



	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Laminate lateral files				
<i>Laminate lateral files with metal drawers. Suspension bars. Lock. Label holders for L pull only.</i>				
<i>4-drawer lateral file</i>				
	36 x 20 x 58	900 x 500 x 1459	LNN_-203658LF4	1,780
<i>3-drawer lateral file</i>				
	36 x 20 x 43	900 x 500 x 1098	LNN_-203643LF3	1,485
<i>2-drawer lateral file</i>				
	36 x 20 x 29	900 x 500 x 735	LNN_-203629LF2	1,190
Specify the handle.				

STEEL LATERAL FILES


HANDLES



A – 2001
Anthracite grey



F – Full pull



G – 2001 Silver



L – Classic



R – Recessed
aluminum pull



S – Straight




T – Waterfall

HOW TO ORDER

1. Start with basic model number
2. Choose drawer pull desired
3. Choose paint finish desired

Example: L P F - 05 30 D P01



Dimensions shown are in actual imperial measure and may vary from Lacasse laminate products. Steel lateral files are 18" (457 mm) deep and include side-to-side hanging bars. Lacasse steel lateral files meet or exceed ANSI/BIFMA Standards. Lock plugs and keys are shipped with random numbering and are factory installed.

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
2-drawer lateral files				
	29 7/8 x 18 x 27 1/2	759 x 457 x 699	LP_-02300	
R pull				615
F pull				652
G, A, L, T and S pulls				652
	35 3/8 x 18 x 27 1/2	911 x 457 x 699	LP_-02360	
R pull				695
F pull				737
G, A, L, T and S pulls				737
	41 3/8 x 18 x 27 1/2	1064 x 457 x 699	LP_-02420	
R pull				785
F pull				832
G, A, L, T and S pulls				832
3-drawer lateral files				
	29 3/8 x 18 x 39 1/2	759 x 457 x 1003	LP_-03300	
R pull				800
F pull				847
G, A, L, T and S pulls				847
	35 3/8 x 18 x 39 1/2	911 x 457 x 1003	LP_-03360	
R pull				879
F pull				932
G, A, L, T and S pulls				932

	W x D x H ("	W x D x H (mm)	Code	Price (\$)
3-drawer lateral files (cont'd)	41⅞ x 18 x 39½	1064 x 457 x 1003	LP_-0342D	
<i>R pull</i>				994
<i>F pull</i>				1,053
<i>G, A, L, T and S pulls</i>				1,053

4-drawer lateral files	29⅞ x 18 x 51½	759 x 457 x 1308	LP_-0430D	
<i>R pull</i>				1,015
<i>F pull</i>				1,046
<i>G, A, L, T and S pulls</i>				1,046
	35⅞ x 18 x 51½	911 x 457 x 1308	LP_-0436D	
<i>R pull</i>				1,077
<i>F pull</i>				1,142
<i>G, A, L, T and S pulls</i>				1,142
	41⅞ x 18 x 51½	1064 x 457 x 1308	LP_-0442D	
<i>R pull</i>				1,217
<i>F pull</i>				1,290
<i>G, A, L, T and S pulls</i>				1,290

4-high lateral files	<i>3 roll-out shelves with receding door in top positions, 1 drawer at bottom.</i>			
	29⅞ x 18 x 51½	759 x 457 x 1308	LP_-0430R	
<i>R pull</i>				1,245
<i>F pull</i>				1,295
	35⅞ x 18 x 51½	911 x 457 x 1308	LP_-0436R	
<i>R pull</i>				1,324
<i>F pull</i>				1,403
	41⅞ x 18 x 51½	1064 x 457 x 1308	LP_-0442R	
<i>R pull</i>				1,496
<i>F pull</i>				1,586

5-drawer lateral files	<i>Roll-out shelf with receding door, 4 drawers at bottom.</i>			
	29⅞ x 18 x 63½	759 x 457 x 1613	LP_-0530D	
<i>R pull</i>				1,150
<i>F pull</i>				1,248

5-drawer lateral files (cont'd)	35⅞ x 18 x 63½	911 x 457 x 1613	LP_-0536D	
<i>R pull</i>				1,285
<i>F pull</i>				1,350
	41⅞ x 18 x 63½	1064 x 457 x 1613	LP_-0542D	
<i>R pull</i>				1,415
<i>F pull</i>				1,500

5-high lateral files	<i>4 roll-out shelves with receding door in top positions, 1 drawer at bottom.</i>			
	29⅞ x 18 x 63½	759 x 457 x 1613	LP_-0530R	
<i>R pull</i>				1,492
<i>F pull</i>				1,581
	35⅞ x 18 x 63½	911 x 457 x 1613	LP_-0536R	
<i>R pull</i>				1,596
<i>F pull</i>				1,692
	41⅞ x 18 x 63½	1064 x 457 x 1613	LP_-0542R	
<i>R pull</i>				1,804
<i>F pull</i>				1,912

5-high lateral files	<i>With posting shelf, roll-out shelf with receding door, 4 drawers at bottom.</i>			
	29⅞ x 18 x 63½	759 x 457 x 1613	LP_-0530DP	
<i>R pull</i>				1,298
<i>F pull</i>				1,376
	35⅞ x 18 x 63½	911 x 457 x 1613	LP_-0536DP	
<i>R pull</i>				1,467
<i>F pull</i>				1,555
	41⅞ x 18 x 63½	1064 x 457 x 1613	LP_-0542DP	
<i>R pull</i>				1,570
<i>F pull</i>				1,664

LATERAL FILE TOPS

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Tops for lateral files	29⅞ x 18 x 1	759 x 457 x 25	L_NN-T01830	170	220
	35⅞ x 18 x 1	911 x 457 x 25	L_NN-T01836	180	230
	41⅞ x 18 x 1	1064 x 457 x 25	L_NN-T01842	190	250
Specify the surface type (1, 2).					
	29⅞ x 18 x 1½	759 x 457 x 38	L__N-T01830	225	270
	35⅞ x 18 x 1½	911 x 457 x 38	L__N-T01836	230	290
	41⅞ x 18 x 1½	1064 x 457 x 38	L__N-T01842	250	320
Specify the surface type (5, 6). Specify the edge (N, 1, 2).					

Tops for side-to-side lateral files	59¼ x 18 x 1	1518 x 457 x 25	L_NN-T01860	210	295
	71¼ x 18 x 1	1822 x 457 x 25	L_NN-T01872	230	320
	83¼ x 18 x 1	2127 x 457 x 25	L_NN-T01884	250	350
Specify the surface type (1, 2).					

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Tops for side-to-side lateral files (cont'd)	59¼ x 18 x 1½	1518 x 457 x 38	L__N-T01860	295	375
	71¼ x 18 x 1½	1822 x 457 x 38	L__N-T01872	320	400
	83¼ x 18 x 1½	2127 x 457 x 38	L__N-T01884	350	450
Specify the surface type (5, 6). Specify the edge (N, 1, 2).					

Tops for back-to-back lateral files	29⅞ x 36 x 1	759 x 914 x 25	L_NN-T03630	205	270
	35⅞ x 36 x 1	911 x 914 x 25	L_NN-T03636	220	305
	41⅞ x 36 x 1	1064 x 914 x 25	L_NN-T03642	230	335
Specify the surface type (1, 2).					

	29⅞ x 36 x 1½	759 x 914 x 38	L__N-T03630	280	320
	35⅞ x 36 x 1½	911 x 914 x 38	L__N-T03636	295	355
	41⅞ x 36 x 1½	1064 x 914 x 38	L__N-T03642	320	390
Specify the surface type (5, 6). Specify the edge (N, 1, 2).					

STEEL MULTIFUNCTION STORAGE

HANDLES

A – 2001
Anthracite grey


F – Full pull



G – 2001 Silver



L – Classic



S – Straight



T – Waterfall

HOW TO ORDER





1. Start with basic model number
2. Choose drawer pull desired
3. Choose left- or right-hand orientation for asymmetrical models (PF, DC, UC, PC, PU)
4. Choose paint finish desired

Example: **L M T - 05 30 PU L P01**

- Paint finish (Black)
- Left- or right-hand orientation for asymmetrical model (Left)
- Configuration (Combination)
- Width (30")
- No. of drawer high (5)
- Pull choice (Waterfall)
- Type of cabinet (Multi-storage)
- Brand (Lacasse)


Dimensions shown are in actual imperial measure and may vary from Lacasse laminate products. Steel multifunction storage cabinets are 18¾" (476 mm) deep and includes side-to-side hanging bars (except LM_-0230DC). Lacasse steel multifunction storage cabinets meet or exceed ANSI/BIFMA Standards. Lock plugs and keys are shipped with random numbering and are factory installed.

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
2-high multi-storage	<i>Front-to-back / Box (2) / Lateral drawer. Select orientation for these models* (L = Left-hand and R = Right-hand). Add an A at the end of the code to receive surface support combination to attach to surface. Pencil tray. (Example: LMF-0230PFLA).</i>			
 Left	29½ x 18¾ x 27½	759 x 476 x 699	LM_-0230PF_	
 Right				
	<i>F pull</i>			1,284
	<i>G, A, L, T and S pulls</i>			1,284
2-high multi-storage	<i>Closed adjustable shelf / Front-to-back (2). Select orientation for this model** (L = Left-hand R = Right-hand). Add an A at the end of the code to receive surface support combination to attach to surface. (Example: LMF-0230DCLA).</i>			
 Left	29½ x 18¾ x 27½	759 x 476 x 699	LM_-0230DC_	
 Right				
	<i>F pull</i>			1,200
	<i>G, A, L, T and S pulls</i>			1,200
2-high multi-storage	<i>Closed adjustable shelf / Box (2) / Front-to-back. Select orientation for this model** (L = Left-hand R = Right-hand). Add an A at the end of the code to receive surface support combination to attach to surface. Pencil tray. (Example: LMF-0230UCLA).</i>			
 Left	29½ x 18¾ x 27½	759 x 476 x 699	LM_-0230UC_	
 Right				
	<i>F pull</i>			1,348
	<i>G, A, L, T and S pulls</i>			1,348
3-high multi-storage	<i>Closed adjustable shelf with 2 doors / Lateral drawer.</i>			
	29½ x 18¾ x 39½	759 x 476 x 1003	LM_-0330B	
	<i>F pull</i>			1,179
	<i>G, A, L, T and S pulls</i>			1,179

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
3-high multi-storage (cont'd)	35½ x 18¾ x 39½	911 x 476 x 1003	LM_-0336B	
	<i>F pull</i>			1,226
	<i>G, A, L, T and S pulls</i>			1,226
4-high multi-storage	<i>Closed adjustable shelves (2) with 2 doors / Lateral drawer.</i>			
	29½ x 18¾ x 51½	759 x 476 x 1308	LM_-0430B	
	<i>F pull</i>			1,273
	<i>G, A, L, T and S pulls</i>			1,273
	35½ x 18¾ x 51½	911 x 476 x 1308	LM_-0436B	
	<i>F pull</i>			1,324
	<i>G, A, L, T and S pulls</i>			1,324
4-high multi-storage	<i>Closed adjustable shelf with 2 doors / Lateral (2) drawers.</i>			
	29½ x 18¾ x 51½	759 x 476 x 1308	LM_-0430C	
	<i>F pull</i>			1,324
	<i>G, A, L, T and S pulls</i>			1,324
	35½ x 18¾ x 51½	911 x 476 x 1308	LM_-0436C	
	<i>F pull</i>			1,377
	<i>G, A, L, T and S pulls</i>			1,377
5-high multi-storage	<i>Closed adjustable shelves (2) with 2 doors / Lateral (2) drawers.</i>			
	29½ x 18¾ x 63½	759 x 476 x 1613	LM_-0530C	
	<i>F pull</i>			1,404
	<i>G, A, L, T and S pulls</i>			1,404
	35½ x 18¾ x 63½	911 x 476 x 1613	LM_-0536C	
	<i>F pull</i>			1,460
	<i>G, A, L, T and S pulls</i>			1,460
5-high multi-storage	<i>Closed adjustable shelf with 2 doors / Lateral (3) drawers.</i>			
	29½ x 18¾ x 63½	759 x 476 x 1613	LM_-0530D	
	<i>F pull</i>			1,420
	<i>G, A, L, T and S pulls</i>			1,420
	35½ x 18¾ x 63½	911 x 476 x 1613	LM_-0536D	
	<i>F pull</i>			1,523
	<i>G, A, L, T and S pulls</i>			1,523
5-high multi-storage	<i>Full height hanging / Closed adjustable shelf / Front-to-back (3) drawers. Select orientation for this model** (L = Left-hand R = Right-hand).</i>			
 Left	29½ x 18¾ x 63½	759 x 476 x 1613	LM_-0530PC_	
 Right				
	<i>F pull</i>			1,830
	<i>G, A, L, T and S pulls</i>			1,830
5-high multi-storage	<i>Full height hanging / Closed adjustable shelf / Box (2) / Front-to-back (2). Select orientation for this model** (L = Left-hand R = Right-hand). Pencil tray.</i>			
 Left	29½ x 18¾ x 63½	759 x 476 x 1613	LM_-0530PU_	
 Right				
	<i>F pull</i>			1,904
	<i>G, A, L, T and S pulls</i>			1,904

*When facing cabinet: Left-hand indicates front-to-back drawer on left. Right-hand indicates front-to-back drawer on right.


**When facing cabinet: Left-hand indicates opening on left. Right-hand indicates opening on right.



U.S.A. – APRIL 2009

ACCESSORIES FOR STEEL LATERAL AND MULTIFUNCTION FILES

	W x D x H (")	W x D x H (mm)	Code		Price (\$)
Counterweight for 30" file	26.4 x ¼ x 23.3	673 x 6 x 592	LAB-30		119
					
Counterweight for 36" file	32.4 x ¼ x 23.3	823 x 6 x 592	LAB-36		138
					
Counterweight for 42" file	38.4 x ¼ x 23.3	975 x 6 x 592	LAB-42		160
					
Front-to-back rails	15½ x 1 x 1	394 x 25 x 25	LAB-FTB		32 (pack of 2)
					
Drawer dividers	15 x 0.1 x 7	381 x 3 x 178	LAB-DIV		32 (pack of 3)
					

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Magnetic label holder	3 x ½ x 1	76 x 12 x 25	LAB-MLH	16 (pack of 5)
Hanging CD holder	<i>Holds 24 CDs.</i>			
	6 x 12¾ x 6½	152 x 324 x 165	LAB-HCD	22
Compressor for lateral file drawers	<i>One compressor and horizontal track are included.</i>			
	30 x 10¼ x 7	762 x 260 x 178	LAB-COM30	43
	36 x 10¼ x 7	914 x 260 x 178	LAB-COM36	49
	42 x 10¼ x 7	1067 x 260 x 178	LAB-COM42	54
Legal filing kit for file drawers	<i>Includes one black steel drawer extension and one side-to-side file hanging bar. For side-to-side legal filing in 12" (305 mm) pedestal style drawers.</i>			
			LAB-LFK	52

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.





QUORUM MULTICONFERENCE

CONFERENCE TABLES

With its sophisticated, contemporary look and its ingenious and versatile design, the QUORUM MULTICONFERENCE™ collection offers absolute freedom of expression. Whether your needs include impromptu meetings between two colleagues or gatherings of 16 to 24 people, our conference tables can be adapted to a multitude of applications, with technology integration features and a wide choice of finishes, shapes and sizes.

TOPS



Round top



Square top



Boatshape top



A-shape top



Wave top



Racetrack top



Rectangular top



Boatshape top



A-shape top




Wave top




Oval top


BASES



Thermofused laminate base




Thermofused laminate base with cable management



Combined base



Metal T-base



Metal X-base



Metal spider legs



Metal angled legs



Metal square legs




Metal round legs

TECHNOLOGY INTEGRATION



Grommet



Electrical/communication module

CONSTRUCTION

Table surfaces are made of thermofused laminate panels, finished on both sides. Scratch-resistant (45 lb/ft³) tops are 1½" (38 mm) thick and are also offered in high-pressure laminate, adding a thickness of ¼" (1,5 mm). All surface edges are finished with thick thermoplastic polymer edgebanding.

Work surfaces are pre-drilled and the position of the bases is assured with metal-on-metal hardware assembly and metal screws. Easy to assemble, all tables meet BIFMA standards.

The price list includes a column featuring an estimated number of seating places for each table. These numbers are based on the assumption that 24" (610 mm) is the minimum space required for people to work comfortably seated next to each other.

WORK SURFACES

Work surfaces are offered in increments of 12" (300 mm):

- Depths: 36" to 60" (900 to 1500 mm)
- Widths: 36" to 252" (900 to 6300 mm)

One-piece surfaces: 96" (2400 mm) and less


Two-piece surfaces: 108" to 192" (2700 to 4800 mm)

Three-piece surfaces: 204" to 252" (5100 to 6300 mm)

EDGEBANDING

1½" (38 mm) thick tops.


N Edge



Smooth, ⅛" (3 mm) thick edge.


The **N** edge is matched with the finish specified for the surface.

S Edge




Silver edge.

Textured 1 Edge



Textured, ⅝" (4 mm) thick edge.


Textured 2 Edge




The textured 1 et 2 edges are **available (and in matching color) ONLY** when a wood grain finish is specified for the surface.

EDGEBANDING POSITION

Smooth N & S edgbanding



Textured 1 & 2 edgbanding




TWO-TONE APPLICATION

Work surfaces that are available in two or three pieces can be ordered in a combination of two finishes, when N or S edgbanding is specified. In the case of a two-tone application, the first finish specified will be applied to the grey area and the second finish specified will be applied to the rest of the unit.



TECHNOLOGY INTEGRATION

All tables can be ordered with grommets or electrical/communication modules.



GC grommet



PC Electrical/communication module

At the end of the surface code, specify the code for the desired grommet or electrical/communication module. Holes for **G** grommets or **P** modules are pre-drilled in a set position by the manufacturer. After the **G** or **P** code, please add the code corresponding to the number of units:

G1: 1 grommet (center)

G2: 2 grommets (both ends)

G3: 3 grommets (2 at the ends and 1 in the center)


P1: 1 electrical/communication module (center)

P2: 2 electrical/communication modules (both ends)


P3: 3 electrical/communication modules (2 at the ends and 1 in the center)



G1/PC All work surfaces




G2/P2 72" (1800 mm) and wider work surfaces



G3/P3 108" (2700 mm) and wider work surfaces

WIRE MANAGEMENT SYSTEMS

The **LB__WM** thermofused laminate base offers a vertical wire management system with a lockable storage unit. It is designed with a 6" (150 mm) recessed bottom that can be positioned above a floor plug. The hinges of the storage unit easily open up to 110°.



It is possible to add horizontal PVC wire management channels (**LGC-HWMC__S**) under the table's work surface or vertical PVC wire management channels (**LGC-VWMC20S**) on **CB**, **ATL2**, **STL2**, **QTL2** and **TB** bases.

Please refer to the **Accessories** section, p. 110.

CONFERENCE TABLE BASES

Refer to the **Compatibility Table**, p. 89 for the number of bases required for the dimensions of the table's work surface. It is possible to order different types of bases for the same surface. **CB** combined bases are made of thermofused laminate with anodized aluminum extrusions. Metal legs are finished with a silver ultra-resistant, electrostatic paint.

LEVELERS

All bases are equipped with levelers that can be adjusted to a height of 1¼" (31 mm), except for spider legs, which can be adjusted to a height of ½" (12 mm).



LB



LB__WM



CB



TB



XB33



STL2



ATL2



QTL2



VTL2

CODIFICATION

Series	Options		Options
	Finish/Thickness	Edgebanding	
T	5 Thermofused laminate 1½"	N Smooth edge	N — No grommet/No module
	6 High-pressure laminate 1½"	S Silver edge 1 Textured 1 edge 2 Textured 2 edge	
			GC 1 grommet G2 2 grommets G3 3 grommets PC 1 module P2 2 modules P3 3 modules

ORDERING EXAMPLES

Rectangular top, 48" x 96", 1½" thick thermofused laminate, silver edgebanding, 1 grommet.
Finish: One-tone in Hard rock maple.

T5SN-RC4896 GC ERH

Oval top, 48" x 204" (3 pieces), 1½" thick thermofused laminate, #2 textured edgebanding, 3 electrical/communication modules. Finish: One-tone in Dark chocolate.

T52N-048204 P3 DCH

READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.






Please refer to page 3 for complete program details.



COMPATIBILITY TABLE – TOPS / BASES

		BASE OPTIONS													
															
			Thermofused laminate base with or without wire management			Combined base			Metal T-base		Metal X-base	Metal spider legs	Metal angled legs	Metal square legs	Metal round legs
	TOP LENGTHS	NO. OF BASES	LB20__	LB24__	LB30__	CB20	CB24	CB30	TB26	TB33	XB33	STL2	ATL2	QTL2	VTL2
36" DEPTH	36" to 48"	1									•				
	36" to 48"	2										•	•	•	•
	60" to 96"	2							•			•	•	•	•
42" DEPTH	42" to 48"	1									•				
	48"	2										•	•	•	•
	60"	2							•			•	•	•	•
	72" to 96"	2	•			•			•			•	•	•	•
48" DEPTH	48"	1									•				
	48"	2										•	•	•	•
	60"	2							•			•	•	•	•
	72" to 96"	2	•			•			•			•	•	•	•
	108" to 192"	3	•			•			•			•	•	•	•
	204" to 252"	4	•			•			•			•	•	•	•
54" DEPTH	54"	2										•	•	•	•
	60"	2							•			•	•	•	•
	72" to 96"	2	•			•			•			•	•	•	•
	108" to 192"	3	•			•			•			•	•	•	•
	204" to 252"	4	•			•			•			•	•	•	•
60" DEPTH	60"	2										•	•	•	•




	Approx. number of places	Section	W x D (")	X	Y	W x D (mm)	X	Y	Code	All Laminate (\$)	HPL Surfaces (\$)
Round tops  1½" thick. Grommet option, add: GC: \$50. Module option, add: PC: \$350.	4	1	36 x 36			900 x 900			T__N-R36	395	500
	4	1	42 x 42			1050 x 1050			T__N-R42	445	595
	8	1	48 x 48			1200 x 1200			T__N-R48	520	710
	8	1	54 x 54			1350 x 1350			T__N-R54	640	880
	8	1	60 x 60			1500 x 1500			T__N-R60	700	1,000
Specify the finish (5, 6). Specify the edge (N, S, 1, 2).											
Square tops  1½" thick. Grommet option, add: GC: \$50. Module option, add: PC: \$350.	4	1	36 x 36			900 x 900			T__N-SQ36	330	435
	4	1	42 x 42			1050 x 1050			T__N-SQ42	380	525
	8	1	48 x 48			1200 x 1200			T__N-SQ48	450	630
	8	1	54 x 54			1350 x 1350			T__N-SQ54	545	755
	8	1	60 x 60			1500 x 1500			T__N-SQ60	640	895
Specify the finish (5, 6). Specify the edge (N, S, 1, 2).											
Boatshape tops   1½" thick. Grommet option, add: GC: \$50. Module option, add: PC: \$350.	4	1	36 x 36		30	900 x 900		750	T__N-B36	355	465
	4	1	42 x 42		36	1050 x 1050		900	T__N-B42	405	555
	8	1	48 x 48		36	1200 x 1200		900	T__N-B48	480	675
	8	1	54 x 54		42	1350 x 1350		1050	T__N-B54	580	830
	8	1	60 x 60		48	1500 x 1500		1200	T__N-B60	665	960
Specify the finish (5, 6). Specify the edge (N, S, 1, 2).											
A-shape tops   1½" thick. Grommet option, add: GC: \$50. Module option, add: PC: \$350.	4	1	36 x 36		30	900 x 900		750	T__N-A36	360	470
	4	1	42 x 42		36	1050 x 1050		900	T__N-A42	410	555
	8	1	48 x 48		36	1200 x 1200		900	T__N-A48	485	650
	8	1	54 x 54		42	1350 x 1350		1050	T__N-A54	580	775
	8	1	60 x 60		48	1500 x 1500		1200	T__N-A60	650	930
Specify the finish (5, 6). Specify the edge (N, S, 1, 2).											
Wave tops   1½" thick. Grommet option, add: GC: \$50. Module option, add: PC: \$350.	4	1	36 x 36		33	900 x 900		825	T__N-W36	355	465
	4	1	42 x 42		39	1050 x 1050		975	T__N-W42	405	555
	8	1	48 x 48		42	1200 x 1200		1050	T__N-W48	480	675
	8	1	54 x 54		48	1350 x 1350		1200	T__N-W54	580	825
	8	1	60 x 60		54	1500 x 1500		1350	T__N-W60	665	960
Specify the finish (5, 6). Specify the edge (N, S, 1, 2).											
Racetrack tops  1½" thick. Grommet option, add: GC: \$50 / G2*: \$100. Module option, add: PC: \$350 / P2*: \$700. *Tops starting at 72" wide.	6	1	48 x 36			1200 x 900			T__N-RT3648	480	575
	6	1	60 x 36			1500 x 900			T__N-RT3660	535	660
	8	1	72 x 36			1800 x 900			T__N-RT3672	595	765
	8	1	84 x 36			2100 x 900			T__N-RT3684	650	875
	10	1	96 x 36			2400 x 900			T__N-RT3696	700	980
	6	1	48 x 42			1200 x 1050			T__N-RT4248	485	670
	6	1	60 x 42			1500 x 1050			T__N-RT4260	570	765
	8	1	72 x 42			1800 x 1050			T__N-RT4272	645	885
	8	1	84 x 42			2100 x 1050			T__N-RT4284	730	1,015
	10	1	96 x 42			2400 x 1050			T__N-RT4296	815	1,150



	Approx. number of places	Section	W x D (")	X	Y	W x D (mm)	X	Y	Code	All Laminate (\$)	HPL Surfaces (\$)
Racetrack tops (cont'd)	8	1	60 x 48			1500 x 1200			T__N-RT4860	655	845
	10	1	72 x 48			1800 x 1200			T__N-RT4872	730	960
	10	1	84 x 48			2100 x 1200			T__N-RT4884	815	1,095
	12	1	96 x 48			2400 x 1200			T__N-RT4896	900	1,225
	8	1	60 x 54			1500 x 1350			T__N-RT5460	720	1,045
	10	1	72 x 54			1800 x 1350			T__N-RT5472	800	1,135
	10	1	84 x 54			2100 x 1350			T__N-RT5484	885	1,220
	12	1	96 x 54			2400 x 1350			T__N-RT5496	970	1,310

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Racetrack tops




1½" thick. Packed in 2 boxes.
Grommet option, add: GC: \$50 /
G2: \$100 / G3: \$150.
Module option, add: PC: \$350 /
P2: \$700 / P3: \$1,050.
Two-tone combination, specify
N or S edge only.

12	2	108 x 48				2700 x 1200			T__N-RT48108	1,125	1,475
14	2	120 x 48				3000 x 1200			T__N-RT48120	1,210	1,585
14	2	132 x 48				3300 x 1200			T__N-RT48132	1,300	1,695
16	2	144 x 48				3600 x 1200			T__N-RT48144	1,385	1,805
16	2	156 x 48				3900 x 1200			T__N-RT48156	1,470	1,915
18	2	168 x 48				4200 x 1200			T__N-RT48168	1,560	2,020
18	2	180 x 48				4500 x 1200			T__N-RT48180	1,645	2,130
20	2	192 x 48				4800 x 1200			T__N-RT48192	1,735	2,240
12	2	108 x 54				2700 x 1350			T__N-RT54108	1,225	1,580
14	2	120 x 54				3000 x 1350			T__N-RT54120	1,335	1,690
14	2	132 x 54				3300 x 1350			T__N-RT54132	1,440	1,800
16	2	144 x 54				3600 x 1350			T__N-RT54144	1,555	1,920
16	2	156 x 54				3900 x 1350			T__N-RT54156	1,665	2,050
18	2	168 x 54				4200 x 1350			T__N-RT54168	1,770	2,180
18	2	180 x 54				4500 x 1350			T__N-RT54180	1,880	2,315
20	2	192 x 54				4800 x 1350			T__N-RT54192	1,980	2,445

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Racetrack tops




1½" thick. Packed in 2 boxes.
Grommet option, add: GC: \$50 /
G2: \$100 / G3: \$150.
Module option, add: PC: \$350 /
P2: \$700 / P3: \$1,050.
Two-tone combination, specify
N or S edge only.

20	3	204 x 48	60			5100 x 1200	1500		T__N-RT48204	1,995	2,540
22	3	216 x 48	60			5400 x 1200	1500		T__N-RT48216	2,125	2,700
22	3	228 x 48	60			5700 x 1200	1500		T__N-RT48228	2,260	2,870
24	3	240 x 48	60			6000 x 1200	1500		T__N-RT48240	2,390	3,030
24	3	252 x 48	60			6300 x 1200	1500		T__N-RT48252	2,505	3,195
20	3	204 x 54	60			5100 x 1350	1500		T__N-RT54204	2,180	2,760
22	3	216 x 54	60			5400 x 1350	1500		T__N-RT54216	2,290	2,915
22	3	228 x 54	60			5700 x 1350	1500		T__N-RT54228	2,400	3,060
24	3	240 x 54	60			6000 x 1350	1500		T__N-RT54240	2,505	3,215
24	3	252 x 54	60			6300 x 1350	1500		T__N-RT54252	2,615	3,375

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Rectangular tops




1½" thick.
Grommet option, add: GC: \$50 / G2*: \$100.
Module option, add: PC: \$350 / P2*: \$700.
*Tops starting at 72" wide.

6	1	48 x 36				1200 x 900			T__N-RC3648	390	535
6	1	60 x 36				1500 x 900			T__N-RC3660	440	640
8	1	72 x 36				1800 x 900			T__N-RC3672	495	720
8	1	84 x 36				2100 x 900			T__N-RC3684	555	815
10	1	96 x 36				2400 x 900			T__N-RC3696	615	900
6	1	48 x 42				1200 x 1050			T__N-RC4248	420	620
6	1	60 x 42				1500 x 1050			T__N-RC4260	485	730
8	1	72 x 42				1800 x 1050			T__N-RC4272	570	840
8	1	84 x 42				2100 x 1050			T__N-RC4284	655	945
10	1	96 x 42				2400 x 1050			T__N-RC4296	740	1,055



	Approx. number of places	Section	W x D (")	X	Y	W x D (mm)	X	Y	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular tops (cont'd)	8	1	60 x 48			1500 x 1200			T__N-RC4860	520	765
	10	1	72 x 48			1800 x 1200			T__N-RC4872	600	875
	10	1	84 x 48			2100 x 1200			T__N-RC4884	685	980
	12	1	96 x 48			2400 x 1200			T__N-RC4896	775	1,095
	8	1	60 x 54			1500 x 1350			T__N-RC5460	630	850
	10	1	72 x 54			1800 x 1350			T__N-RC5472	705	955
	10	1	84 x 54			2100 x 1350			T__N-RC5484	795	1,065
	12	1	96 x 54			2400 x 1350			T__N-RC5496	880	1,180
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2).										
	12	2	108 x 48			2700 x 1200			T__N-RC48108	985	1,315
	14	2	120 x 48			3000 x 1200			T__N-RC48120	1,075	1,400
	14	2	132 x 48			3300 x 1200			T__N-RC48132	1,165	1,485

Rectangular tops




1½" thick. Packed in 2 boxes.
Grommet option, add: GC: \$50 /
G2: \$100 / G3: \$150.
Module option, add: PC: \$350 /
P2: \$700 / P3: \$1,050.
Two-tone combination, specify
N or S edge only.

16	2	144 x 48			3600 x 1200			T__N-RC48144	1,250	1,595
16	2	156 x 48			3900 x 1200			T__N-RC48156	1,340	1,730
18	2	168 x 48			4200 x 1200			T__N-RC48168	1,425	1,860
18	2	180 x 48			4500 x 1200			T__N-RC48180	1,510	1,990
20	2	192 x 48			4800 x 1200			T__N-RC48192	1,600	2,120
12	2	108 x 54			2700 x 1350			T__N-RC54108	1,100	1,450
14	2	120 x 54			3000 x 1350			T__N-RC54120	1,190	1,560
14	2	132 x 54			3300 x 1350			T__N-RC54132	1,275	1,670
16	2	144 x 54			3600 x 1350			T__N-RC54144	1,365	1,775
16	2	156 x 54			3900 x 1350			T__N-RC54156	1,450	1,885
18	2	168 x 54			4200 x 1350			T__N-RC54168	1,530	1,995
18	2	180 x 54			4500 x 1350			T__N-RC54180	1,620	2,105
20	2	192 x 54			4800 x 1350			T__N-RC54192	1,710	2,215

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Rectangular tops




1½" thick. Packed in 2 boxes.
Grommet option, add: GC: \$50 /
G2: \$100 / G3: \$150.
Module option, add: PC: \$350 /
P2: \$700 / P3: \$1,050.
Two-tone combination, specify
N or S edge only.

20	3	204 x 48	60		5100 x 1200	1500		T__N-RC48204	1,805	2,530
22	3	216 x 48	60		5400 x 1200	1500		T__N-RC48216	1,925	2,690
22	3	228 x 48	60		5700 x 1200	1500		T__N-RC48228	2,040	2,860
24	3	240 x 48	60		6000 x 1200	1500		T__N-RC48240	2,160	3,020
24	3	252 x 48	60		6300 x 1200	1500		T__N-RC48252	2,285	3,185
20	3	204 x 54	60		5100 x 1350	1500		T__N-RC54204	1,905	2,625
22	3	216 x 54	60		5400 x 1350	1500		T__N-RC54216	2,000	2,785
22	3	228 x 54	60		5700 x 1350	1500		T__N-RC54228	2,100	2,950
24	3	240 x 54	60		6000 x 1350	1500		T__N-RC54240	2,200	3,115
24	3	252 x 54	60		6300 x 1350	1500		T__N-RC54252	2,295	3,275

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Boatshape tops



1½" thick.
Grommet option, add: GC: \$50 / G2*: \$100.
Module option, add: PC: \$350 / P2*: \$700.
*Tops starting at 72" wide.

6	1	48 x 36		30	1200 x 900		750	T__N-B3648	430	590
6	1	60 x 36		30	1500 x 900		750	T__N-B3660	495	685
8	1	72 x 36		30	1800 x 900		750	T__N-B3672	570	785
8	1	84 x 36		30	2100 x 900		750	T__N-B3684	630	880
10	1	96 x 36		30	2400 x 900		750	T__N-B3696	695	975
6	1	48 x 42		36	1200 x 1050		900	T__N-B4248	460	630
6	1	60 x 42		36	1500 x 1050		900	T__N-B4260	545	750
8	1	72 x 42		36	1800 x 1050		900	T__N-B4272	660	890
8	1	84 x 42		36	2100 x 1050		900	T__N-B4284	765	1,035
10	1	96 x 42		36	2400 x 1050		900	T__N-B4296	875	1,180




HPL
Surfaces
(\$)

	Approx. number of places	Section	W x D (")	X	Y	W x D (mm)	X	Y	Code	All Laminate (\$)	HPL Surfaces (\$)
Boatshape tops (cont'd)	8	1	60 x 48		36	1500 x 1200		900	T__N-B4860	570	810
	10	1	72 x 48		36	1800 x 1200		900	T__N-B4872	680	950
	10	1	84 x 48		36	2100 x 1200		900	T__N-B4884	790	1,095
	12	1	96 x 48		36	2400 x 1200		900	T__N-B4896	895	1,235
	8	1	60 x 54		42	1500 x 1350		1050	T__N-B5460	645	890
	10	1	72 x 54		42	1800 x 1350		1050	T__N-B5472	715	1,000
	10	1	84 x 54		42	2100 x 1350		1050	T__N-B5484	805	1,115
	12	1	96 x 54		42	2400 x 1350		1050	T__N-B5496	890	1,220

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Boatshape tops




1½" thick. Packed in 2 boxes.
Grommet option, add: GC: \$50 /
G2: \$100 / G3: \$150.
Module option, add: PC: \$350 /
P2: \$700 / P3: \$1,050.
Two-tone combination, specify
N or S edge only.

12	2	108 x 48		36	2700 x 1200		900	T__N-B48108	1,100	1,505
14	2	120 x 48		36	3000 x 1200		900	T__N-B48120	1,190	1,595
14	2	132 x 48		36	3300 x 1200		900	T__N-B48132	1,275	1,685
16	2	144 x 48		36	3600 x 1200		900	T__N-B48144	1,365	1,795
16	2	156 x 48		36	3900 x 1200		900	T__N-B48156	1,450	1,925
18	2	168 x 48		36	4200 x 1200		900	T__N-B48168	1,530	2,055
18	2	180 x 48		36	4500 x 1200		900	T__N-B48180	1,620	2,185
20	2	192 x 48		36	4800 x 1200		900	T__N-B48192	1,710	2,320
12	2	108 x 54		42	2700 x 1350		1050	T__N-B54108	1,160	1,550
14	2	120 x 54		42	3000 x 1350		1050	T__N-B54120	1,255	1,660
14	2	132 x 54		42	3300 x 1350		1050	T__N-B54132	1,365	1,765
16	2	144 x 54		42	3600 x 1350		1050	T__N-B54144	1,470	1,875
16	2	156 x 54		42	3900 x 1350		1050	T__N-B54156	1,580	1,980
18	2	168 x 54		42	4200 x 1350		1050	T__N-B54168	1,690	2,095
18	2	180 x 54		42	4500 x 1350		1050	T__N-B54180	1,800	2,205
20	2	192 x 54		42	4800 x 1350		1050	T__N-B54192	1,910	2,315

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Boatshape tops




1½" thick. Packed in 2 boxes.
Grommet option, add: GC: \$50 /
G2: \$100 / G3: \$150.
Module option, add: PC: \$350 /
P2: \$700 / P3: \$1,050.
Two-tone combination, specify
N or S edge only.

20	3	204 x 48	60	36	5100 x 1200	1500	900	T__N-B48204	1,980	2,770
22	3	216 x 48	60	36	5400 x 1200	1500	900	T__N-B48216	2,115	2,955
22	3	228 x 48	60	36	5700 x 1200	1500	900	T__N-B48228	2,245	3,140
24	3	240 x 48	60	36	6000 x 1200	1500	900	T__N-B48240	2,380	3,330
24	3	252 x 48	60	36	6300 x 1200	1500	900	T__N-B48252	2,505	3,510
20	3	204 x 54	60	42	5100 x 1350	1500	1050	T__N-B54204	2,120	2,845
22	3	216 x 54	60	42	5400 x 1350	1500	1050	T__N-B54216	2,220	3,025
22	3	228 x 54	60	42	5700 x 1350	1500	1050	T__N-B54228	2,320	3,210
24	3	240 x 54	60	42	6000 x 1350	1500	1050	T__N-B54240	2,415	3,400
24	3	252 x 54	60	42	6300 x 1350	1500	1050	T__N-B54252	2,510	3,585

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

A-shape tops




1½" thick.
Grommet option, add: GC: \$50 / G2*: \$100.
Module option, add: PC: \$350 / P2*: \$700.
*Tops starting at 72" wide.

6	1	48 x 36		30	1200 x 900		750	T__N-A3648	425	575
6	1	60 x 36		30	1500 x 900		750	T__N-A3660	490	680
8	1	72 x 36		30	1800 x 900		750	T__N-A3672	565	790
8	1	84 x 36		30	2100 x 900		750	T__N-A3684	625	895
10	1	96 x 36		30	2400 x 900		750	T__N-A3696	690	1,005
6	1	48 x 42		36	1200 x 1050		900	T__N-A4248	470	630
6	1	60 x 42		36	1500 x 1050		900	T__N-A4260	545	750
8	1	72 x 42		36	1800 x 1050		900	T__N-A4272	650	890
8	1	84 x 42		36	2100 x 1050		900	T__N-A4284	745	1,035
10	1	96 x 42		36	2400 x 1050		900	T__N-A4296	845	1,180



	Approx. number of places	Section	W x D (")	X	Y	W x D (mm)	X	Y	Code	All Laminate (\$)	HPL Surfaces (\$)
A-shape tops (cont'd)	8	1	60 x 48		36	1500 x 1200		900	T__N-A4860	575	810
	10	1	72 x 48		36	1800 x 1200		900	T__N-A4872	660	950
	10	1	84 x 48		36	2100 x 1200		900	T__N-A4884	755	1,095
	12	1	96 x 48		36	2400 x 1200		900	T__N-A4896	855	1,235
	8	1	60 x 54		42	1500 x 1350		1050	T__N-A5460	665	870
	10	1	72 x 54		42	1800 x 1350		1050	T__N-A5472	740	975
	10	1	84 x 54		42	2100 x 1350		1050	T__N-A5484	830	1,085
	12	1	96 x 54		42	2400 x 1350		1050	T__N-A5496	915	1,200
	Specify the finish (5, 6). Specify the edge (N, S, 1, 2).										
	12	2	108 x 48		36	2700 x 1200		900	T__N-A48108	1,095	1,495
	14	2	120 x 48		36	3000 x 1200		900	T__N-A48120	1,185	1,585
	14	2	132 x 48		36	3300 x 1200		900	T__N-A48132	1,270	1,675

A-shape tops




1½" thick. Packed in 2 boxes.
Grommet option, add: GC: \$50 /
G2: \$100 / G3: \$150.
Module option, add: PC: \$350 /
P2: \$700 / P3: \$1,050.
Two-tone combination, specify
N or S edge only.

12	2	108 x 48		36	2700 x 1200		900	T__N-A48108	1,095	1,495
14	2	120 x 48		36	3000 x 1200		900	T__N-A48120	1,185	1,585
14	2	132 x 48		36	3300 x 1200		900	T__N-A48132	1,270	1,675
16	2	144 x 48		36	3600 x 1200		900	T__N-A48144	1,355	1,780
16	2	156 x 48		36	3900 x 1200		900	T__N-A48156	1,440	1,915
18	2	168 x 48		36	4200 x 1200		900	T__N-A48168	1,525	2,040
18	2	180 x 48		36	4500 x 1200		900	T__N-A48180	1,615	2,175
20	2	192 x 48		36	4800 x 1200		900	T__N-A48192	1,705	2,310
12	2	108 x 54		42	2700 x 1350		1050	T__N-A54108	1,185	1,515
14	2	120 x 54		42	3000 x 1350		1050	T__N-A54120	1,285	1,600
14	2	132 x 54		42	3300 x 1350		1050	T__N-A54132	1,380	1,710
16	2	144 x 54		42	3600 x 1350		1050	T__N-A54144	1,475	1,825
16	2	156 x 54		42	3900 x 1350		1050	T__N-A54156	1,575	1,930
18	2	168 x 54		42	4200 x 1350		1050	T__N-A54168	1,675	2,035
18	2	180 x 54		42	4500 x 1350		1050	T__N-A54180	1,770	2,145
20	2	192 x 54		42	4800 x 1350		1050	T__N-A54192	1,870	2,260

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

A-shape tops




1½" thick. Packed in 2 boxes.
Grommet option, add: GC: \$50 /
G2: \$100 / G3: \$150.
Module option, add: PC: \$350 /
P2: \$700 / P3: \$1,050.
Two-tone combination, specify
N or S edge only.

20	3	204 x 48	60	36	5100 x 1200	1500	900	T__N-A48204	1,910	2,715
22	3	216 x 48	60	36	5400 x 1200	1500	900	T__N-A48216	2,025	2,880
22	3	228 x 48	60	36	5700 x 1200	1500	900	T__N-A48228	2,145	3,040
24	3	240 x 48	60	36	6000 x 1200	1500	900	T__N-A48240	2,270	3,205
24	3	252 x 48	60	36	6300 x 1200	1500	900	T__N-A48252	2,390	3,375
20	3	204 x 54	60	42	5100 x 1350	1500	1050	T__N-A54204	2,085	2,760
22	3	216 x 54	60	42	5400 x 1350	1500	1050	T__N-A54216	2,180	2,910
22	3	228 x 54	60	42	5700 x 1350	1500	1050	T__N-A54228	2,280	3,075
24	3	240 x 54	60	42	6000 x 1350	1500	1050	T__N-A54240	2,380	3,255
24	3	252 x 54	60	42	6300 x 1350	1500	1050	T__N-A54252	2,475	3,445

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Wave tops



1½" thick.
Grommet option, add: GC: \$50 / G2*: \$100.
Module option, add: PC: \$350 / P2*: \$700.
* Tops starting at 72" wide.


6	1	48 x 36		33	1200 x 900		825	T__N-W3648	420	570
6	1	60 x 36		33	1500 x 900		825	T__N-W3660	485	665
8	1	72 x 36		33	1800 x 900		825	T__N-W3672	555	765
8	1	84 x 36		33	2100 x 900		825	T__N-W3684	620	875
10	1	96 x 36		33	2400 x 900		825	T__N-W3696	685	980
6	1	48 x 42		39	1200 x 1050		975	T__N-W4248	445	620
6	1	60 x 42		39	1500 x 1050		975	T__N-W4260	535	740
8	1	72 x 42		39	1800 x 1050		975	T__N-W4272	650	880
8	1	84 x 42		39	2100 x 1050		975	T__N-W4284	755	1,020
10	1	96 x 42		39	2400 x 1050		975	T__N-W4296	865	1,165



	Approx. number of places	Section	W x D (")	X	Y	W x D (mm)	X	Y	Code	All Laminate (\$)	HPL Surfaces (\$)
Wave tops (cont'd)	8	1	60 x 48		42	1500 x 1200		1050	T__N-W4860	580	825
	10	1	72 x 48		42	1800 x 1200		1050	T__N-W4872	665	960
	10	1	84 x 48		42	2100 x 1200		1050	T__N-W4884	760	1,110
	12	1	96 x 48		42	2400 x 1200		1050	T__N-W4896	860	1,245
	8	1	60 x 54		48	1500 x 1350		1200	T__N-W5460	650	930
	10	1	72 x 54		48	1800 x 1350		1200	T__N-W5472	730	1,040
	10	1	84 x 54		48	2100 x 1350		1200	T__N-W5484	830	1,150
	12	1	96 x 54		48	2400 x 1350		1200	T__N-W5496	920	1,255

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Wave tops




1½" thick. Packed in 2 boxes.
Grommet option, add: GC: \$50 /
G2: \$100 / G3: \$150.
Module option, add: PC: \$350 /
P2: \$700 / P3: \$1,050.
Two-tone combination, specify
N or S edge only.

12	2	108 x 48		42	2700 x 1200		1050	T__N-W48108	1,115	1,515
14	2	120 x 48		42	3000 x 1200		1050	T__N-W48120	1,200	1,605
14	2	132 x 48		42	3300 x 1200		1050	T__N-W48132	1,290	1,695
16	2	144 x 48		42	3600 x 1200		1050	T__N-W48144	1,375	1,805
16	2	156 x 48		42	3900 x 1200		1050	T__N-W48156	1,460	1,935
18	2	168 x 48		42	4200 x 1200		1050	T__N-W48168	1,550	2,065
18	2	180 x 48		42	4500 x 1200		1050	T__N-W48180	1,635	2,200
20	2	192 x 48		42	4800 x 1200		1050	T__N-W48192	1,725	2,330
12	2	108 x 54		48	2700 x 1350		1200	T__N-W54108	1,190	1,585
14	2	120 x 54		48	3000 x 1350		1200	T__N-W54120	1,290	1,695
14	2	132 x 54		48	3300 x 1350		1200	T__N-W54132	1,390	1,805
16	2	144 x 54		48	3600 x 1350		1200	T__N-W54144	1,495	1,915
16	2	156 x 54		48	3900 x 1350		1200	T__N-W54156	1,605	2,020
18	2	168 x 54		48	4200 x 1350		1200	T__N-W54168	1,720	2,130
18	2	180 x 54		48	4500 x 1350		1200	T__N-W54180	1,830	2,240
20	2	192 x 54		48	4800 x 1350		1200	T__N-W54192	1,935	2,355

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Wave tops



1½" thick. Packed in 3 boxes.
Grommet option, add: GC: \$50 /
G2: \$100 / G3: \$150.
Module option, add: PC: \$350 /
P2: \$700 / P3: \$1,050.
Two-tone combination, specify
N or S edge only.

20	3	204 x 48	60	42	5100 x 1200	1500	1050	T__N-W48204	1,995	2,780
22	3	216 x 48	60	42	5400 x 1200	1500	1050	T__N-W48216	2,125	2,965
22	3	228 x 48	60	42	5700 x 1200	1500	1050	T__N-W48228	2,260	3,150
24	3	240 x 48	60	42	6000 x 1200	1500	1050	T__N-W48240	2,390	3,345
24	3	252 x 48	60	42	6300 x 1200	1500	1050	T__N-W48252	2,515	3,525
20	3	204 x 54	60	48	5100 x 1350	1500	1200	T__N-W54204	2,145	2,830
22	3	216 x 54	60	48	5400 x 1350	1500	1200	T__N-W54216	2,245	3,010
22	3	228 x 54	60	48	5700 x 1350	1500	1200	T__N-W54228	2,340	3,195
24	3	240 x 54	60	48	6000 x 1350	1500	1200	T__N-W54240	2,425	3,385
24	3	252 x 54	60	48	6300 x 1350	1500	1200	T__N-W54252	2,510	3,565

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Oval tops





1½" thick.
Grommet option, add: GC: \$50 / G2*: \$100.
Module option, add: PC: \$350 / P2*: \$700.
*Tops starting at 72" wide.



8	1	72 x 42			1800 x 1050			T__N-04272	700	955
8	1	84 x 42			2100 x 1050			T__N-04284	825	1,100
10	1	96 x 42			2400 x 1050			T__N-04296	940	1,240
10	1	72 x 48			1800 x 1200			T__N-04872	750	1,045
10	1	84 x 48			2100 x 1200			T__N-04884	850	1,190
12	1	96 x 48			2400 x 1200			T__N-04896	945	1,330
10	1	72 x 54			1800 x 1350			T__N-05472	795	1,075
10	1	84 x 54			2100 x 1350			T__N-05484	890	1,190
12	1	96 x 54			2400 x 1350			T__N-05496	985	1,300



Specify the finish (5, 6). Specify the edge (N, S, 1, 2).





	Approx. number of places	Section	W x D (")	X	Y	W x D (mm)	X	Y	Code	All Laminate (\$)	HPL Surfaces (\$)
Oval tops  1½" thick. Packed in 2 boxes. Grommet option, add: GC: \$50 / G2: \$100 / G3: \$150. Module option, add: PC: \$350 / P2: \$700 / P3: \$1,050. Two-tone combination, specify N or S edge only.	12	2	108 x 48			2700 x 1200			T__N-048108	1,205	1,600
	14	2	120 x 48			3000 x 1200			T__N-048120	1,305	1,690
	14	2	132 x 48			3300 x 1200			T__N-048132	1,400	1,775
	16	2	144 x 48			3600 x 1200			T__N-048144	1,490	1,885
	16	2	156 x 48			3900 x 1200			T__N-048156	1,580	2,015
	18	2	168 x 48			4200 x 1200			T__N-048168	1,680	2,145
	18	2	180 x 48			4500 x 1200			T__N-048180	1,770	2,280
	20	2	192 x 48			4800 x 1200			T__N-048192	1,860	2,410
	12	2	108 x 54			2700 x 1350			T__N-054108	1,300	1,660
	14	2	120 x 54			3000 x 1350			T__N-054120	1,405	1,765
	14	2	132 x 54			3300 x 1350			T__N-054132	1,515	1,875
	16	2	144 x 54			3600 x 1350			T__N-054144	1,640	1,980
	16	2	156 x 54			3900 x 1350			T__N-054156	1,760	2,095
	18	2	168 x 54			4200 x 1350			T__N-054168	1,880	2,205
	18	2	180 x 54			4500 x 1350			T__N-054180	2,000	2,315
	20	2	192 x 54			4800 x 1350			T__N-054192	2,120	2,420
Specify the finish (5, 6). Specify the edge (N, S, 1, 2).											


Oval tops  1½" thick. Packed in 3 boxes. Grommet option, add: GC: \$50 / G2: \$100 / G3: \$150. Module option, add: PC: \$350 / P2: \$700 / P3: \$1,050. Two-tone combination, specify N or S edge only.	20	3	204 x 48	60		5100 x 1200	1500		T__N-048204	2,150	2,845
	22	3	216 x 48	60		5400 x 1200	1500		T__N-048216	2,285	3,025
	22	3	228 x 48	60		5700 x 1200	1500		T__N-048228	2,415	3,210
	24	3	240 x 48	60		6000 x 1200	1500		T__N-048240	2,545	3,400
	24	3	252 x 48	60		6300 x 1200	1500		T__N-048252	2,675	3,585
	20	3	204 x 54	60		5100 x 1350	1500		T__N-054204	2,330	2,910
	22	3	216 x 54	60		5400 x 1350	1500		T__N-054216	2,415	3,115
	22	3	228 x 54	60		5700 x 1350	1500		T__N-054228	2,500	3,325
	24	3	240 x 54	60		6000 x 1350	1500		T__N-054240	2,595	3,515
	24	3	252 x 54	60		6300 x 1350	1500		T__N-054252	2,680	3,705
Specify the finish (5, 6). Specify the edge (N, S, 1, 2).											


BASES	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Thermofused laminate base 	<i>This base allows you to connect electric cables to a floor plug. WM at the end of the code indicates a base with 110° hinges and a locked storage unit. Specify the laminate finish.</i>			
	20 x 8 x 28	518 x 200 x 713	TNNN-LB20	425
	20 x 8 x 28	518 x 200 x 713	TNNN-LB20WM	540
	24 x 8 x 28	618 x 200 x 713	TNNN-LB24	445
	24 x 8 x 28	618 x 200 x 713	TNNN-LB24WM	565
	30 x 8 x 28	768 x 200 x 713	TNNN-LB30	475
	30 x 8 x 28	768 x 200 x 713	TNNN-LB30WM	590
Combined base 	<i>Laminate with anodized aluminum extrusions. Specify the laminate finish.</i>			
	20 x 6 x 28	530 x 150 x 713	TNNS-CB20	340
	24 x 6 x 28	630 x 150 x 713	TNNS-CB24	355
	30 x 6 x 28	780 x 150 x 713	TNNS-CB30	380

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Metal T-base 	<i>Silver. The top plate allows the mounting of a LGC-PC.</i>			
	30 x 3 x 28	760 x 75 x 713	TNNS-TB26	250
	35 x 3 x 28	888 x 75 x 713	TNNS-TB33	255
Metal X-base 	<i>Silver. The top plate allows the mounting of a LGC-PC.</i>			
	35 x 35 x 28	888 x 888 x 713	TNNS-XB33	410

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Metal spider legs	<i>2 legs. Silver.</i>			
	8 x 2 x 28	212 x 51 x 713	TNNS-STL2	330

Metal angled legs	<i>2 legs. Silver.</i>			
	9 x 2 x 28	228 x 51 x 713	TNNS-ATL2	345

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Metal square legs	<i>2 legs. Silver.</i>			
	2 x 2 x 28	51 x 51 x 713	TNNS-QTL2	210


Metal round legs	<i>2 legs. Silver.</i>			
	2½ x 2½ x 28	64 x 64 x 713	TNNS-VTL2	210

MODULAR TABLES


Try a modular table and you'll never want to use anything else. Highly original and adaptable, our freestanding modular tables can be easily configured to your needs and requirements, allowing you to organize all kinds of presentations, training sessions and meetings.

Explore their potential and multiple functionalities to help you find the ideal solution.


TOPS



BASES



TECHNOLOGY INTEGRATION



CONSTRUCTION

Table surfaces are made of thermofused laminate panels, finished on both sides. Scratch-resistant (45 lb/ft³) tops are 1½" (38 mm) thick and are also offered in high-pressure laminate, adding a thickness of ⅛" (1,5 mm). All surface edges are finished with thick thermoplastic polymer edgebanding.



Work surfaces are pre-drilled and position of the bases is assured with metal-on-metal hardware assembly and metal screws. Easy to assemble, all tables meet BIFMA standards.

Connectors are available to attach two modular tables together, offering a quick and practical way to reconfigure your furniture, without the use of tools. Surfaces with a depth of 24" and 30" (600 and 750 mm) are perforated, ready to receive the connector. **Refer to the Accessories section, p. 110.**

The price list includes a column featuring an estimated number of seating places for each table. These numbers are based on the assumption that 24" (610 mm) is the minimum space required for people to work comfortably seated next to each other.


SURFACES

- Depths: 24" and 30" (600 and 750 mm)
- Widths (depending on shapes): 36" to 96" (900 to 2400 mm), in increments of 6" (150 mm)

EDGEBANDING

1½" (38 mm) thick tops.


N Edge



Smooth, ⅛" (3 mm) thick edge.


The **N** edge is matched with the finish specified for the surface.

S Edge




Silver edge.

Textured 1 Edge



Textured, ⅜" (4 mm) thick edge.

Textured 2 Edge



The textured 1 et 2 edges are **available** (and in matching color) **ONLY** when a wood grain finish is specified for the surface.

EDGEBANDING POSITION

Smooth N & S edgebanding



Textured 1 & 2 edgebanding



MODESTY PANEL

It is possible to order a half-height modesty panel for rectangular or fantail tops. Modesty panels are made of 3/8" (16 mm) thick thermofused laminate panels finished on both sides. A 1 1/2" (38 mm) space between the work surface and the panel allows wires to pass through. Modesty panels are not available for 10° and 15° pentagonal tops.

TWO-TONE APPLICATION

Rectangular or fantail tops with optional modesty panel can be ordered in a combination of two finishes. For two-tone applications, the first finish specified will be applied to the surface (grey area) and the second finish specified will be applied to the modesty panel.

TECHNOLOGY INTEGRATION

All work surfaces can be ordered with grommets or electrical/communication modules. At the end of the surface code, specify the code for the desired grommet or electrical/communication module. Holes for **GC** grommets or **PC** modules are pre-drilled in a set position at the factory.




GC grommet




PC Electrical/
communication
module


Please refer to the illustrations below for the two-tone application, the wood grain direction and the preset position of **GC** grommets or **PC** modules.



Rectangular top
with modesty panel



Fantail top with modesty panel




10° or 15° pentagonal top


WIRE MANAGEMENT SYSTEMS

The **LB__WM** thermofused laminate base offers a vertical wire management system with a lockable storage unit. It is designed with a 6" (150 mm) recessed bottom that can be positioned above a floor plug. The hinges of the storage unit easily open up to 110°. It is possible to add horizontal PVC wire management channels (**LGC-HWMC__S**) under the table's work surface or vertical PVC wire management channels (**LGC-VWMC20S**) on **CB**, **ATL2**, **STL2**, **QTL2**, **VTL2** and **TB** legs.


Please refer to the Accessories section, p. 110.



TNNN-LB20WM



LGC-HWMC__S



LGC-VWMC20S

MODULAR TABLE BASES

Refer to the Compatibility Table on p.100, for the number of bases required for the dimensions of the table's work surface. It is possible to order different types of bases for the same surface. Metal legs are finished with a silver ultra-resistant, electrostatic paint.

LEVELERS

All bases are equipped with levelers that can be adjusted to a height of 1/4" (31 mm), except for spider legs, which can be adjusted to a height of 1/2" (12 mm), and 24" (600 mm) T-bases, which can be adjusted to a height of 3/4" (19 mm).



LB20



LB20WM



TB24



STL2



ATL2

CODIFICATION

Series	Finish/Thickness	Edgebanding	Options	
			Modesty panel	Electrical integration/quantity
T	5 Thermofused laminate 1 1/2"	N Smooth edge S Silver edge	N Without modesty panel	— No grommet/No module GC 1 grommet
	6 High-pressure laminate 1 1/2"	1 Textured 1 edge 2 Textured 2 edge	M With modesty panel	PC 1 electrical/ communication module

ORDERING EXAMPLES

Rectangular top, 30" x 60", 1 1/2" thick thermofused laminate, smooth edgebanding, modesty panel, 1 grommet. Finish: One-tone in Hard rock maple.

T5NM-RCM3060 GC ERH

10° pentagonal top, 24" x 60", 1 1/2" thick thermofused laminate, #1 textured edgebanding, 1 electrical/communication module. Finish: One-tone in Natural cherry.

T51N-PM2460 PC NTL

Fantail top, 24" x 48", 1 1/2" thick high-pressure laminate, smooth edgebanding, modesty panel. Finish: Two-tone in Hard rock maple and Willow grey.

T6NM-FTM2448 ERH/WGR


READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.


Please refer to page 3 for complete program details.



COMPATIBILITY TABLE – TOPS / BASES

		BASE OPTIONS						
RECTANGULAR PENTAGONAL FANTAIL	SURFACE DEPTHS	SURFACE WIDTHS						
			Metal T-base + thermofused laminate base with or without wire management	Metal spider legs + thermofused laminate base with or without wire management	Metal angled legs + thermofused laminate base with or without wire management	Metal T-base	Metal spider legs	Metal angled legs
			1 X TB24 + LB20	STL2 + LB20	ATL2 + LB20	1 X TB24	2 X STL2	2 X ATL2
	24"	48" to 72"	•	•	•	•	•	•
		78" to 96"	•			•	•	•
	30"	48" to 72"	•	•	•	•	•	•
		78" to 96"	•			•	•	•
	24"	36"	•			•	•	•
		42" to 60"	•	•	•	•	•	•
		30"	42" to 60"	•	•	•	•	•

Rectangular tops




1½" thick.
Grommet option, add: GC: \$50.
Module option, add: PC: \$350.

Approx. number of places	W x D (")	X	Y	Z	W x D (mm)	X	Y	Z	Code	All Laminate (\$)	 HPL Surfaces (\$)
2	48 x 24				1200 x 600				T__N-RCM2448	360	465
2	54 x 24				1350 x 600				T__N-RCM2454	390	495
2	60 x 24				1500 x 600				T__N-RCM2460	415	535
2	66 x 24				1650 x 600				T__N-RCM2466	440	575
3	72 x 24				1800 x 600				T__N-RCM2472	470	610
3	78 x 24				1950 x 600				T__N-RCM2478	495	645
3	84 x 24				2100 x 600				T__N-RCM2484	530	690
3	90 x 24				2250 x 600				T__N-RCM2490	565	735
4	96 x 24				2400 x 600				T__N-RCM2496	595	780
2	48 x 30				1200 x 750				T__N-RCM3048	400	530
2	54 x 30				1350 x 750				T__N-RCM3054	425	565
2	60 x 30				1500 x 750				T__N-RCM3060	450	600
2	66 x 30				1650 x 750				T__N-RCM3066	480	645
3	72 x 30				1800 x 750				T__N-RCM3072	510	685
3	78 x 30				1950 x 750				T__N-RCM3078	555	735
3	84 x 30				2100 x 750				T__N-RCM3084	590	785
3	90 x 30				2250 x 750				T__N-RCM3090	625	835
4	96 x 30				2400 x 750				T__N-RCM3096	665	880


Specify the finish (5, 6). Specify the edge (N, S, 1, 2).




HPL
Surfaces
(\$)

	Approx. number of places	W x D (")	X	Y	Z	W x D (mm)	X	Y	Z	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular tops with modesty panel 	2	48 x 24				1200 x 600				T__M-RCM2448	500	595
	2	54 x 24				1350 x 600				T__M-RCM2454	530	630
	2	60 x 24				1500 x 600				T__M-RCM2460	560	675
	2	66 x 24				1650 x 600				T__M-RCM2466	590	715
	3	72 x 24				1800 x 600				T__M-RCM2472	620	760
	3	78 x 24				1950 x 600				T__M-RCM2478	665	810
	3	84 x 24				2100 x 600				T__M-RCM2484	700	860
	3	90 x 24				2250 x 600				T__M-RCM2490	740	910
	4	96 x 24				2400 x 600				T__M-RCM2496	780	955
	2	48 x 30				1200 x 750				T__M-RCM3048	530	665
	2	54 x 30				1350 x 750				T__M-RCM3054	565	700
	2	60 x 30				1500 x 750				T__M-RCM3060	600	745
	2	66 x 30				1650 x 750				T__M-RCM3066	640	795
	3	72 x 30				1800 x 750				T__M-RCM3072	675	845
	3	78 x 30				1950 x 750				T__M-RCM3078	715	895
	3	84 x 30				2100 x 750				T__M-RCM3084	760	950
	3	90 x 30				2250 x 750				T__M-RCM3090	805	1,005
	4	96 x 30				2400 x 750				T__M-RCM3096	850	1,060

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Fantail tops 	1	50 x 24	36	36	13 1/8	1273 x 610	900	900	335	T__N-FTM2436	395	490
	1	58 x 24	42	42	21 1/2	1485 x 610	1050	1050	547	T__N-FTM2442	415	520
	2	67 x 24	48	48	29 7/8	1697 x 610	1200	1200	759	T__N-FTM2448	430	555
	2	75 x 24	54	54	38 1/4	1909 x 610	1350	1350	971	T__N-FTM2454	450	580
	2	83 x 24	60	60	46 1/2	2121 x 610	1500	1500	1183	T__N-FTM2460	470	610
	1	58 x 28	42	42	13 1/8	1485 x 715	1050	1050	335	T__N-FTM3042	445	580
	2	67 x 28	48	48	21 1/2	1697 x 715	1200	1200	541	T__N-FTM3048	475	620
	2	75 x 28	54	54	29 7/8	1909 x 715	1350	1350	759	T__N-FTM3054	495	665
	2	83 x 28	60	60	46 1/2	2121 x 715	1500	1500	971	T__N-FTM3060	535	720


Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

Fantail tops with modesty panel 	1	50 x 24	36	36	13 1/8	1273 x 610	900	900	335	T__M-FTM2436	540	640
	1	58 x 24	42	42	21 1/2	1485 x 610	1050	1050	547	T__M-FTM2442	570	670
	2	67 x 24	48	48	29 7/8	1697 x 610	1200	1200	759	T__M-FTM2448	590	705
	2	75 x 24	54	54	38 1/4	1909 x 610	1350	1350	971	T__M-FTM2454	610	740
	2	83 x 24	60	60	46 1/2	2121 x 610	1500	1500	1183	T__M-FTM2460	640	780
	1	58 x 28	42	42	13 1/8	1485 x 715	1050	1050	335	T__M-FTM3042	605	735
	2	67 x 28	48	48	21 1/2	1697 x 715	1200	1200	541	T__M-FTM3048	640	785
	2	75 x 28	54	54	29 7/8	1909 x 715	1350	1350	759	T__M-FTM3054	665	835
	2	83 x 28	60	60	46 1/2	2121 x 715	1500	1500	971	T__M-FTM3060	700	890


Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

1 1/2" thick. Laminate modesty panel 3/8" thick. 2 supports included. Grommet option, add: GC: \$50. Module option, add: PC: \$350.





	Approx. number of places	W x D (")	X	Y	Z	W x D (mm)	X	Y	Z	Code	All Laminate (\$)	HPL Surfaces (\$)
10° Pentagonal tops 	2	51 3⁄8 x 25 7⁄8	48	25 ½		1304 x 654	1200	648		T__N-PM2448	420	540
	2	57 3⁄8 x 26	54	28 ½		1454 x 661	1350	724		T__N-PM2454	440	575
	2	63 ½ x 26 3⁄8	60	31 ½		1604 x 667	1500	799		T__N-PM2460	465	610
	2	69 x 26 ½	66	34 ½		1754 x 674	1650	874		T__N-PM2466	490	650
	3	75 x 26 7⁄8	72	37 3⁄8		1904 x 681	1800	949		T__N-PM2472	520	685
	3	81 x 27	78	40 3⁄8		2054 x 687	1950	1025		T__N-PM2478	555	730
	3	86 7⁄8 x 27 3⁄8	84	43 3⁄8		2204 x 694	2100	1100		T__N-PM2484	590	780
	2	64 3⁄8 x 32 ¼	60	32		1630 x 818	1500	812		T__N-PM3060	525	710
	2	70 x 31 ½	66	35		1780 x 825	1650	887		T__N-PM3066	555	750
	3	76 x 32 ¾	72	38		1930 x 831	1800	963		T__N-PM3072	580	790
	3	82 x 33	78	40 7⁄8		2080 x 838	1950	1038		T__N-PM3078	610	835
	3	87 7⁄8 x 32 ¼	84	43 7⁄8		2230 x 844	2100	1113		T__N-PM3084	650	875
1 ½" thick. Grommet option, add: GC: \$50. Module option, add: PC: \$350.												


Specify the finish (5, 6). Specify the edge (N, S, 1, 2).


15° Pentagonal tops 	2	53 3⁄8 x 27	48	26 ½		1356 x 683	1200	674		T__N-PM24485	420	540
	2	59 5⁄16 x 27 5⁄16	54	29 ½		1506 x 693	1350	750		T__N-PM24545	440	575
	2	65 ¼ x 27 ¾	60	32 ½		1656 x 703	1500	826		T__N-PM24605	465	610
	2	71 x 28	66	35 ½		1806 x 713	1650	901		T__N-PM24665	490	650
	3	77 x 28 3⁄8	72	38 ½		1956 x 722	1800	977		T__N-PM24725	520	685
	3	83 x 28 7⁄8	78	41 ½		2106 x 732	1950	1053		T__N-PM24785	555	730
	3	88 7⁄8 x 29 ¼	84	44 ½		2256 x 742	2100	1128		T__N-PM24845	590	780
	2	66 ¾ x 33 5⁄8	60	33 ¼		1695 x 854	1500	845		T__N-PM30605	525	710
	2	72 5⁄8 x 34	66	36 ¼		1845 x 864	1650	920		T__N-PM30665	555	750
	3	78 ½ x 34 3⁄8	72	39 ¼		1995 x 874	1800	997		T__N-PM30725	580	790
	3	84 ½ x 34 7⁄8	78	42 ¼		2145 x 884	1950	1072		T__N-PM30785	610	835
	3	90 3⁄8 x 35 ¼	84	45 1⁄8		2295 x 893	2100	1148		T__N-PM30845	650	875
1 ½" thick. Grommet option, add: GC: \$50. Module option, add: PC: \$350.												

Specify the finish (5, 6). Specify the edge (N, S, 1, 2).

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Thermofused laminate base 	<i>This base allows you to connect electric cables to a floor plug. WM at the end of the code indicates a base with 110° hinges and a locked storage unit. Specify the laminate finish.</i>			
	20 x 8 x 28	518 x 200 x 713	TNNN-LB20	425
	20 x 8 x 28	518 x 200 x 713	TNNN-LB20WM	540

Metal T-bases 	2 legs. Silver.			
	23 x 2 x 28	588 x 51 x 713	TNNS-TB24	385

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Metal spider legs 	2 legs. Silver. Aluminum levelers.			
	8 x 2 x 28	212 x 51 x 713	TNNS-STL2	330


Metal angled legs 	2 legs. Silver.			
	9 x 2 x 28	228 x 51 x 713	TNNS-ATL2	345

TRAINING TABLES


Coordinate shapes and sizes in record times as your needs change. With four locking casters and an optional Flip-Top mechanism that allows you to fold the top down, our training tables can be nested together, moved and stored away, depending on your daily activities.

Finally, a training table that truly makes your life easier!


TOPS




Rectangular top



Hexagonal top




Wave top




Trapezoidal top


BASES




T-base with casters




T-base with casters and Flip-Top mechanism




T-base with casters, Flip-Top mechanism and handle



L-base with casters




L-base with casters and Flip-Top mechanism



L-base with casters, Flip-Top mechanism and handle

TECHNOLOGY INTEGRATION



Removable electrical/
communication module

CONSTRUCTION

Table surfaces are made of thermofused laminate panels, finished on both sides. Scratch-resistant (45 lb/ft³) tops are 1" (25 mm) thick and are also offered in high-pressure laminate, adding a thickness of 1/16" (1,5 mm). All surface edges are finished with thick thermoplastic polymer edgebanding.



Work surfaces are pre-drilled and bases are easy to position with metal-on-metal hardware assembly and metal screws. Easy to assemble, all tables meet BIFMA standards.

Connectors are available to attach two training tables together, offering a quick and practical way to reconfigure your workspace, without the use of tools. Surfaces with a depth of 24" and 30" (600 and 750 mm) are perforated, ready to receive the connector. **Refer to the Accessories section, p. 110.**

The price list includes a column featuring an estimated number of seating places for each table. These numbers are based on the assumption that 24" (610 mm) is the minimum space required for people to work comfortably seated next to each other.


SURFACES

- Depths: 24" and 30" (600 and 750 mm)
- Widths: 48" to 72" (1200 to 1800 mm), in increments of 6" (150 mm)

EDGE-BANDING

1" (25 mm) thick tops.


N Edge



Smooth, 1/8" (3 mm) thick edge.

The **N** edge is matched with the finish specified for the surface.

S Edge



Silver edge.

EDGEBANDING POSITION

Smooth N & S edgebanding




TECHNOLOGY INTEGRATION AND WIRE MANAGEMENT SYSTEMS



An LGC-PCS electrical/communication module is available. This removable module can be quickly installed on the work surface, without the use of tools.

It is possible to add horizontal PVC wire management channels (LGC-HWMC__S) under the table's work surface or vertical PVC wire management channels (LGC-VWMC20S) on L- or T-bases. **Please refer to the Accessories section, p. 110.**




BASES FOR TRAINING TABLES

Metal L- and T-bases are available for all work surfaces and are finished with silver ultra-resistant, electrostatic paint. All bases feature 3" (75 mm) diameter casters with brakes. Capacity: 132 lb (60 kg) per caster.

With L- or T-bases with locking casters and an optional Flip-Top mechanism (available with or without a handle) that allows you to fold the top down, our training tables can be nested to help you move and store them away easily.

Examples of the space required to store three tables:



CODIFICATION

Series	Options		
	Finish/Thickness	Edgebanding	
T	1 Thermofused laminate 1"	N Smooth edge	N
	2 High-pressure laminate 1"	S Silver edge	


ORDERING EXAMPLES

Rectangular top, 24" x 60", 1" thick thermofused laminate, smooth edgebanding. Finish: Hard rock maple.

T1NN-RCT2460 ERH

Wave top, 24" x 48", 1" thick high-pressure laminate, silver edgebanding. Finish: Natural cherry.


T2SN-WT2448 NTL

	Approx. number of places	W x D (")	X	Y	W x D (mm)	X	Y	Code	All Laminate (\$)	HPL Surfaces (\$)
Rectangular tops  1" thick.	2	48 x 24			1200 x 600			T__N-RCT2448	230	335
	2	54 x 24			1350 x 600			T__N-RCT2454	255	370
	2	60 x 24			1500 x 600			T__N-RCT2460	295	405
	2	66 x 24			1650 x 600			T__N-RCT2466	330	445
	3	72 x 24			1800 x 600			T__N-RCT2472	370	495
	2	48 x 30			1200 x 750			T__N-RCT3048	250	390
	2	54 x 30			1350 x 750			T__N-RCT3054	285	420
	2	60 x 30			1500 x 750			T__N-RCT3060	315	460
	2	66 x 30			1650 x 750			T__N-RCT3066	350	500
	3	72 x 30			1800 x 750			T__N-RCT3072	390	555


Specify the finish (1, 2). Specify the edge (N, S).




HPL
Surfaces
(\$)

	Approx. number of places	W x D (")	X	Y	W x D (mm)	X	Y	Code	All Laminate (\$)	HPL Surfaces (\$)
Hexagonal tops 	2	48 x 24	36		1200 x 600	900		T__N-HT2448	270	375
	2	54 x 24	42		1350 x 600	1050		T__N-HT2454	300	405
	2	60 x 24	48		1500 x 600	1200		T__N-HT2460	330	440
	2	66 x 24	54		1650 x 600	1350		T__N-HT2466	370	485
	3	72 x 24	60		1800 x 600	1500		T__N-HT2472	405	535
	2	48 x 30	36		1200 x 750	900		T__N-HT3048	295	420
	2	54 x 30	42		1350 x 750	1050		T__N-HT3054	320	450
	2	60 x 30	48		1500 x 750	1200		T__N-HT3060	350	490
	2	66 x 30	54		1650 x 750	1350		T__N-HT3066	390	535
	3	72 x 30	60		1800 x 750	1500		T__N-HT3072	425	585


Specify the finish (1, 2). Specify the edge (N, S).


Wave tops 	2	48 x 24		13¾	1200 x 600		350	T__N-WT2448	270	375
	2	54 x 24		13¾	1350 x 600		350	T__N-WT2454	300	405
	2	60 x 24		13¾	1500 x 600		350	T__N-WT2460	330	440
	2	66 x 24		13¾	1650 x 600		350	T__N-WT2466	370	485
	3	72 x 24		13¾	1800 x 600		350	T__N-WT2472	405	535
	2	48 x 30		19⅝	1200 x 750		500	T__N-WT3048	295	420
	2	54 x 30		19⅝	1350 x 750		500	T__N-WT3054	320	450
	2	60 x 30		19⅝	1500 x 750		500	T__N-WT3060	350	490
	2	66 x 30		19⅝	1650 x 750		500	T__N-WT3066	390	535
	3	72 x 30		19⅝	1800 x 750		500	T__N-WT3072	425	585

Specify the finish (1, 2). Specify the edge (N, S).


Trapezoidal tops 	2	48 x 22		29⅞	1200 x 554		740	T__N-TZT2448	355	465
	2	54 x 22		35	1350 x 554		890	T__N-TZT2454	385	495
	2	60 x 22		41	1500 x 554		1040	T__N-TZT2460	415	535
	2	66 x 22		46⅞	1650 x 554		1190	T__N-TZT2466	450	580
	3	72 x 22		52¾	1800 x 554		1340	T__N-TZT2472	490	625
	2	48 x 27¼		24½	1200 x 693		625	T__N-TZT3048	380	505
	2	54 x 27¼		30½	1350 x 693		775	T__N-TZT3054	405	540
	2	60 x 27¼		36½	1500 x 693		925	T__N-TZT3060	435	580
	2	66 x 27¼		42¼	1650 x 693		1075	T__N-TZT3066	475	620
	3	72 x 27¼		48¼	1800 x 693		1225	T__N-TZT3072	520	670

Specify the finish (1, 2). Specify the edge (N, S).


	W x D x H (")	W x D x H (mm)	Code	Price (\$)
T-bases with casters	<i>2 bases. Silver. Casters with brakes.</i>			
	21 x 2 x 28	531 x 51 x 713	TNNS-MTB24	470

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
T-bases with casters and Flip-Top mechanism	<i>2 bases. Silver. Casters with brakes. Mechanism to flip the tabletop down.</i>			
	21 x 2 x 28	531 x 51 x 713	TNNS-MTBF24	730


	W x D x H (")	W x D x H (mm)	Code	Price (\$)
T-bases with casters Flip-Top mechanism and handle	<i>2 bases. Silver. Casters with brakes. Mechanism to flip the tabletop down.</i>			
	21 x 2 x 28	531 x 51 x 713	TNNS-MTBFH24	875




L-bases with casters	<i>2 bases. Silver. Casters with brakes.</i>			
	21 x 7 x 28	531 x 172 x 713	TNNS-MLB24	590



	W x D x H (")	W x D x H (mm)	Code	Price (\$)
L-bases with casters and Flip-Top mechanism	<i>2 bases. Silver. Casters with brakes. Mechanism to flip the tabletop down.</i>			
	21 x 7 x 28	531 x 172 x 713	TNNS-MLBF24	825




L-bases with casters, Flip-Top mechanism and handle	<i>2 bases. Silver. Casters with brakes. Mechanism to flip the tabletop down.</i>			
	21 x 7 x 28	531 x 172 x 713	TNNS-MLBFH24	965





COMPLEMENTARY FURNITURE

Lectern, marker boards with sliding or hinged doors, mobile board with integrated storage modules, magazine tables and more, our selection of occasional furniture will seduce you. We also offer you a selection of sophisticated bookcase credenzas with rear-mounted grommets or translucent doors, perfect for use with remote controls.


Say "Goodbye" to storage problems!




Bookcase credenzas







Mobile serving cart




Storage cabinet




Phone table




Magazine tables




Marker board with sliding doors



Marker board with doors



Lectern



Mobile board with storage module

CONSTRUCTION

Complementary furniture is made of thermofused laminate panels finished on both sides. Tops are available in thicknesses of 1" or 1½" (25 or 38 mm) and are scratch-resistant (45 lb/ft³). Sides are made of 1" (25 mm) thick thermofused laminate panels. The bookcase credenzas and mobile serving carts are also offered in high-pressure laminate, adding a thickness of 1/16" (1,5 mm) to the tops.


Furniture is delivered knockdown, includes metal-on-metal hardware assemblies for ease of assembly and to help maintain the integrity of the product. All furniture meets BIFMA Standards.

EDGEBANDING

All components are finished with thick thermoplastic polymer edgebanding.

Furniture with 1" and 1½" (25 and 38 mm) thick tops.

N Edge



Smooth, 1/8" (3 mm).

Thick edge. The N edge is matched with the finish specified for the surface.

S Edge



Silver edge.

Textured 1 Edge



Textured, 5/32" (4 mm) thick edge.

The textured 1 et 2 edges are **available (and in matching color) ONLY** when a wood grain finish is specified for the surface.




Textured 2 Edge



EDGEBANDING POSITION




Smooth N & S Edges:

On all four edges of the top for bookcase credenzas, storage cabinets, serving carts and other small occasional tables. On all four edges of the top and bottom for the marker board with doors.



Textured 1 & 2 Edges:

On the front edge of the top for bookcase credenzas and storage cabinets. On the front and back edges of the top for serving carts and other small occasional tables. On the front edge of the top and bottom for marker board with doors.



TWO-TONE APPLICATIONS

Furniture can be ordered in a combination of two finishes, unless otherwise indicated in the price list. In the case of a two-tone application, the first finish specified will be applied to the top and the second finish specified will be applied to the rest of the piece.

TECHNOLOGY INTEGRATION

Bookcase credenzas include a rear-mounted grommet and the shelves have a clearance at the back to allow wires to pass through. The lectern is designed to allow cables for computers or other multimedia devices to pass through.


CASTERS

Serving carts and mobile marker boards are equipped with 3" (75 mm) diameter casters which some have brakes. Capacity of 132 lb (60 kg) per caster. The lectern is equipped with four, 2" (50 mm) black, hidden casters, including two with brakes. Capacity of 88 lb (40 kg) per caster.

DOORS

Hinged doors allow for a 135° opening and include a lock and bumpers. Doors with anodized aluminum frame and translucent insert (optional) allow the use of infrared remote controls to activate electronic devices stored inside, with the doors closed.


Furniture with aluminum doors



LEVELERS

Levelers can be adjusted to a height of 1¼" (31 mm).

HANDLES



C – Cubic, anodized aluminum

CODIFICATION

Series	Options		
	Finish/Thickness	Edgebanding	Translucent doors
T	1 Thermofused laminate 1"	N Smooth edge	– Laminate doors
	2 High-pressure laminate 1"	S Silver edge	T Doors with aluminum frame/translucent insert
	5 Thermofused laminate 1½"	1 Textured 1 edge	
	6 High-pressure laminate 1½"	2 Textured 2 edge	

EXAMPLES OF ORDERS

Bookcase credenza, 1½" thick laminate top, #2 textured edgebanding, doors with aluminum frame and translucent insert. Finish: One-tone in Natural cherry.

T52N-B207236BT NTL

Bookcase credenza, 1" thick high-pressure laminate top, silver edgebanding, laminate doors. Finish: One-tone in Hard rock maple.


T2SN-203636B ERH

Marker board with sliding doors. Finish: One-tone in Dark chocolate.


TNNN-VBX4860C DCH

Magazine table, 1" thick laminate top, smooth edgebanding. Finish: Two-tone in Hard rock maple and Willow grey.

T1NN-ST244818 ERH/WGR

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	2 18" bookcases with door at each end, 1 adjustable shelf. Lock. 1 36" bookcase with doors in the center. 1 adjustable shelf. Lock. Grommet on the back. Specify T at the end of the code for center doors with anodized aluminum frame and translucent insert.				
	72 x 20 x 36	1800 x 500 x 914	T__N-B207236B	1,820	2,260
	72 x 20 x 36	1800 x 500 x 914	T__N-B207236BT	2,210	2,600
	1" thick top. Specify the finish (1, 2). Specify the edge (N, S).				
	72 x 20 x 36½	1800 x 500 x 927	T__N-B207236B	1,920	2,370
	72 x 20 x 36½	1800 x 500 x 927	T__N-B207236BT	2,310	2,715
	1½" thick top. Specify the finish (5, 6). Specify the edge (N, S, 1, 2).				
	36 x 20 x 36	900 x 500 x 914	T__N-203636B	1,180	1,440
	36 x 20 x 36	900 x 500 x 914	T__N-203636BT	1,580	1,820
	1" thick top. Specify the finish (1, 2). Specify the edge (N, S).				
	36 x 20 x 36½	900 x 500 x 927	T__N-203636B	1,230	1,495
	36 x 20 x 36½	900 x 500 x 927	T__N-203636BT	1,635	1,870
	1½" thick top. Specify the finish (5, 6). Specify the edge (N, S, 1, 2).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	Open storage space. Bookcase with doors. 1 adjustable shelf. Lock. 4 casters, 2 with brakes. Specify T at the end of the code for doors with anodized aluminum frame and translucent insert.				
	36 x 20 x 36	900 x 500 x 914	T__N-MS203636	1,315	1,595
	36 x 20 x 36	900 x 500 x 914	T__N-MS203636T	1,750	2,100
	1" thick top. Specify the finish (1, 2). Specify the edge (N, S).				
	36 x 20 x 36½	900 x 500 x 927	T__N-MS203636	1,370	1,650
	36 x 20 x 36½	900 x 500 x 927	T__N-MS203636T	1,800	2,150
	1½" thick top. Specify the finish (5, 6). Specify the edge (N, S, 1, 2).				
	3 adjustable shelves. 1 fixed shelf. Lock. Specify T at the end of the code for doors with anodized aluminum frame and translucent insert.				
	36 x 20 x 77	900 x 500 x 1930	T1_N-203677B	1,735	–
	36 x 20 x 77	900 x 500 x 1930	T1_N-203677BT	2,380	–
	1" thick top. Specify the edge (N, S).				
	36 x 20 x 77½	900 x 500 x 1943	T5_N-203677B	1,860	–
	36 x 20 x 77½	900 x 500 x 1943	T5_N-203677BT	2,665	–
	1½" thick top. Specify the edge (N, S, 1, 2).				

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Phone tables	<i>Open storage space.</i>			
	20 x 20 x 36	500 x 500 x 914	T1_N-PH202036	505
	1" thick top. Specify the edge (N, S).			
	20 x 20 x 36½	500 x 500 x 927	T5_N-PH202036	530
	1½" thick top. Specify the edge (N, S, 1, 2).			


Magazine tables	<i>Open storage space.</i>			
	24 x 24 x 18	600 x 600 x 450	T1_N-ST242418	495
	1" thick top. Specify the edge (N, S).			
	24 x 24 x 18½	600 x 600 x 463	T5_N-ST242418	540
	1½" thick top. Specify the edge (N, S, 1, 2).			


Magazine tables	<i>Open storage space.</i>			
	48 x 24 x 18	1200 x 600 x 450	T1_N-ST244818	590
	1" thick top. Specify the edge (N, S).			
	48 x 24 x 18½	1200 x 600 x 463	T5_N-ST244818	655
	1½" thick top. Specify the edge (N, S, 1, 2).			


Magazine tables	<i>Open storage space.</i>			
	24 x 24 x 18	600 x 600 x 450	T1_N-STB242418	535
	1" thick top. Specify the edge (N, S).			
	24 x 24 x 18½	600 x 600 x 463	T5_N-STB242418	585
	1½" thick top. Specify the edge (N, S, 1, 2).			


Magazine tables	<i>Open storage space.</i>			
	48 x 24 x 18	1200 x 600 x 450	T1_N-STB244818	625
	1" thick top. Specify the edge (N, S).			
	48 x 24 x 18½	1200 x 600 x 463	T5_N-STB244818	695
	1½" thick top. Specify the edge (N, S, 1, 2).			

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Café height table	<i>Café height table with a silver cross base.</i>				
	30 x 30 x 42½	750 x 750 x 1080	T_S-R3042XB	745	895
	1½" thick top. Specify the finish (5, 6). Specify the edge (N, S, 1, 2).				

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Marker board with sliding doors	<i>High-pressure laminate surface for dry-erase marker. Accessory tray along bottom of board. Non-magnetic surface. 1 tone finish only. Open board overall width: 117½" (2938 mm).</i>			
	60 x 4 x 48	1500 x 105 x 1200	TNNN-VBX4860C	1,395

Marker board with doors	<i>Laminate surface for dry-erase marker. Accessory tray along bottom of board. Non-magnetic surface. Inside face of doors covered in natural cork. Hooks for paper pad 180° hinges.</i>			
	54 x 5 x 41¼	1368 x 130 x 1049	T1_N-VBX4054	955
	1" thick top. Specify the edge (N, S).			
	54 x 5 x 42½	1368 x 130 x 1081	T5_N-VBX4054	1,045
	1½" thick top. Specify the edge (N, S, 1, 2).			

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Lectern	<i>1 fixed shelf. 1 adjustable shelf. 1 storage space. Wiring access. 4 casters, 2 with brakes. 1 tone finish only.</i>			
	24 x 18 x 47	600 x 448 x 1177	TNNN-LC241846	825

Mobile board with storage module	<i>High-pressure laminate surface for dry-erase marker. Non-magnetic surface. 1 accessory tray included. Silver metal. 4 storage spaces. 2 fixed shelves. Casters with brakes. 1 tone finish only.</i>			
	54 x 25 x 65	1350 x 622 x 1629	TNNN-MWB5465	1,245


ACCESSORIES FOR QUORUM MULTICONFERENCE




READY TO SHIP IN 5 DAYS!

Several suggested layouts, components and accessories identified by this pictogram are part of the **Lacasse quick delivery program**.

Please refer to page 3 for complete program details.




	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Electrical/communication module	2 electric outlets. Can accommodate 2 jack models for AMP or Panduit fax, telephone or computer. 72" cord included. Anodized aluminum.			
	8¼ x 4¾ x 3	212 x 110 x 75	LGC-PC	350
Removable electrical/communication module	3 electric outlets. Can accommodate 2 jack models for AMP or Panduit fax, telephone or computer. 72" cord included. Anodized aluminum. Installs on a 1" thick surface only.			
	10 x 5½ x 3	255 x 140 x 75	LGC-PCS	310
Rectangular grommet	Silver plastic.			
	3½ x 2¾ x 1	90 x 55 x 25	LGC-GC	50

	W x D x H (")	W x D x H (mm)	Code	Price (\$)
Table connector	To link two modular or training tables. 2 per package. Zinc-finish metal.			
	6 x 2¼ x ¼	150 x 60 x 6	LGC-UP	105
Flush plate	To link and level two surfaces. 10 per package. Black metal.			
	7 x 1½ x ¼	175 x 38 x 3	LGC-FLP	55
Horizontal wire channel	Self-adhesive. Installs under the surface. Supports most power bars. Silver plastic.			
	20 x 2¼ x 3¼	500 x 60 x 80	LGC-HWMC24S	70
	44 x 2¼ x 3¼	1100 x 60 x 80	LGC-HWMC48S	80
	68 x 2¼ x 3¼	1700 x 60 x 80	LGC-HWMC72S	95
Vertical wire channel	Self-adhesive. Installs to base or leg. 2 lengths of 20" each. Silver plastic.			
	20 x 5/8 x 1	500 x 6 x 27	LGC-VWMC20S	70
Plastic drawer	Black.			
	20 x 16½ x 2½	500 x 419 x 64	LGC-DR20P	130

SUGGESTIONS


T5_N-PLAN01



Not shown in the product catalog:

QST5_N-PLAN01	\$1,610
1 QST5_N-RT4896	
2 QSTNNS-CB24	
1½" thick laminate (5).	


T5_N-PLAN02



Not shown in the product catalog:

QST5_N-PLAN02	\$1,960
1 QST5_N-RT4896PC	
2 QSTNNS-CB24	
1½" thick laminate (5), electrical/communication module (PC).	


T5_N-PLAN03



Not shown in the product catalog:

QST5_N-PLAN03	\$3,780
1 QST5_N-PM24605	
2 QST5_M-RCM2472	
1 QSTNNN-LB20	
5 QSTNNN-STL2	
1½" thick laminate (5).	


T5_N-PLAN04



Not shown in the product catalog:

QST5_N-PLAN04	\$4,830
1 QST5_N-PM24605PC	
2 QST5_M-RCM2472PC	
1 QSTNNN-LB20	
5 QSTNNN-STL2	
1½" thick laminate (5), electrical/communication modules (PC).	


T1_N-PLAN05



Not shown in the product catalog:

QST1_N-PLAN02	\$700
1 QST1_N-RCT2448	
1 QSTNNS-MTB24	
1" thick laminate (1).	


T1_N-PLAN06



Not shown in the product catalog:

QST1_N-PLAN06	\$765
1 QST1_N-RCT2460	
1 QSTNNS-MTB24	
1" thick laminate (1).	

T1_N-PLAN07



Not shown in the product catalog:

QST1_N-PLAN07	\$840
1 QST1_N-RCT2472	
1 QSTNNS-MTB24	
1" thick laminate (1).	

TECHNICAL PERFORMANCES

THERMOFUSED LAMINATE (TFL):

- Depending on the furniture collection, Lacasse casegoods have TFL surfaces and side panels made of particleboard panels of 1" (25,4 mm) or 1½" (38 mm) thick finished with a mar-resistant high-performance thermofused laminate (45 lbs/ft³). The particleboard panels are laminated on both sides for proper balance.
- TFL technology consists on a decorative paper impregnated with reactive melamine resins which is thermally fused to a substrate (particleboard). The heat and pressure produces a **permanent thermal bond** between the melamine resins, the decorative paper and the substrate. The bonding process results in a clear, hard and non-porous surface.
- TFL panels, unlike wood, will not gouge or dent.
- Delamination is not possible, due to the manufacturing process.
- TFL panels carry a 25-year warranty.

HIGH-PRESSURE LAMINATE (HPL):

- Certain collections are also available with HPL surfaces made of 1 1/16" (27 mm) or 1 9/16" (40 mm) thick particleboard finished with high-pressure laminate (laminate plus a 1/32" (0,8 mm) black backing).
- HPL technology consists of multiple layers of Kraft paper saturated with phenolic resin, a decorative layer of paper saturated with melamine resin, and a very thin top sheet of heavily saturated melamine resin. The high-pressure laminate sheet is then glued to a substrate (particleboard).
- HPL panels offer a good wear and impact resistance.
- HPL panels carry a 5-year warranty.

OFFICE FURNITURE SOLUTIONS

Founded in 1956, Groupe Lacasse has manufacturing facilities throughout North America. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Office Furniture Solutions.



1 888 522.2773 | www.groupelacasse.com

