

2006 Chrysler Sebring Sdn

JRCP41 4dr Sdn Touring

Photo may not represent exact vehicle or selected equipment.

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

TABLE OF CONTENTS

TABLE OF CONTENTS - 2006 JRCP41 4dr Sdn Touring

Selected Model & Options
Standard Equipment
Weight Rating
Color Availability
Warranty Information
Technical Specifications

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 2

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

VEHICLE DETAILS

SELECTED MODEL - 2006 JRCP41 4dr Sdn Touring

<u>Code</u>	<u>Description</u>
JRCP41	2006 Chrysler Sebring Sdn 4dr Sdn Touring

SELECTED VEHICLE COLORS - 2006 JRCP41 4dr Sdn Touring

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2006 JRCP41 4dr Sdn Touring

<u>Code</u>	<u>Description</u>	<u>Front Wt</u>	<u>Rear Wt</u>
26K	26K CUSTOMER PREFERRED ORDER SELECTION PKG -inc: 2.7L FFV V6 engine, 4-speed auto trans *Not available in California, Maine, Massachusetts, New York, or Vermont*	0.00	0.00
B8__	CLOTH LOW-BACK FRONT BUCKET SEATS (STD) (REQ: 2_K CPOS Pkg)	0.00	0.00
BRT	4-WHEEL ANTI-LOCK DISC BRAKES (ABS) -inc: traction control	0.00	0.00
DGL	4-SPEED AUTOMATIC TRANSMISSION (STD)	0.00	0.00
EEE	2.7L 24-VALVE DOHC FFV V6 ENGINE	0.00	0.00
NAA	FEDERAL EMISSIONS	0.00	0.00
__	NATIONAL REGION (STD)	0.00	0.00
__	NATIONAL DELIVERY	0.00	0.00
P__	STANDARD PAINT (STD)	0.00	0.00
TPG	P205/60R16 ALL-SEASON BSW TIRES (STD)	0.00	0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM
©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

VEHICLE DETAILS

SELECTED OPTIONS - 2006 JRCP41 4dr Sdn Touring

<u>Code</u>	<u>Description</u>	<u>Front Wt</u>	<u>Rear Wt</u>
OPTIONS TOTAL		0	0
Total Weight			
As spec'd curb weight			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 4

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 JRCP41 4dr Sdn Touring

EPA FUEL ECONOMY RATINGS

- City 21/hwy 28 (2.7L engine/4-speed auto trans)
- City 21/hwy 28 (2.7L FFV engine/4-speed auto trans w/gas)
- City 15/hwy 20 (2.7L FFV engine/4-speed auto trans w/E85/gas ethan. mix)

EXTERIOR

- Body-color fascia w/dark gray grille
- Body-color body-side molding
- Halogen headlamps w/headlamp-off delay timer
- Dual pwr exterior mirrors
- Tinted glass
- Front/rear solar tinted glass
- Variable-intermittent windshield wipers w/washer
- Front license plate bracket
- Body-color door handles
- Under-hood insulation

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 5

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 JRCP41 4dr Sdn Touring

INTERIOR

- Cloth low-back front bucket seats-inc: manual driver lumbar adjust, 2-way head restraints
- 60/40 split-folding rear seat
- Full length floor console w/cupholders
- Front/rear floor mats
- Sport steering wheel
- Tilt steering column
- Instrumentation-inc: 120-mph speedometer, tachometer
- Warning lamps-inc: door & decklid ajar
- Pwr windows w/driver one-touch express up/down
- Pwr door locks
- Keyless illuminated entry
- Cruise control
- Pwr trunklid release
- Sentry key theft deterrent system
- Air conditioning
- Rear window defroster
- AM/FM stereo w/CD player-inc: (4) speakers, CD changer controls, fixed antenna
- Highline door trim
- Passenger seat back map pocket
- Dual visor vanity mirrors
- Satin silver instrument panel bezel
- Instrument panel storage bin
- Trunk lamp
- Vinyl shift knob
- Auxiliary 12V pwr outlet

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 6

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 JRCP41 4dr Sdn Touring

- Trunk dress-up

MECHANICAL

- 2.7L MPI DOHC 24-valve V6 engine
- 4-speed automatic transmission
- Lock-up torque converter
- Brake/park interlock
- Front wheel drive
- 510 CCA maintenance-free battery
- 120-amp alternator
- Touring suspension
- Front/rear stabilizer bars
- P205/60R16 all-season BSW tires
- 16" x 6.5" aluminum wheels
- Compact spare tire
- Pwr rack & pinion steering
- Pwr front disc/rear drum brakes
- 16 gallon fuel tank w/tethered cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 7

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 JRCP41 4dr Sdn Touring

SAFETY

- Driver/front passenger air bags
- Front height adjustable shoulder belts
- Rear center 3-point seat belt
- Rear door child safety locks
- Child seat upper tether anchors
- Child seat anchor system (LATCH) ready
- Internal emergency trunk release
- Brake/park interlock
- Single low note horn

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 8

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

VEHICLE DETAILS

WEIGHT RATINGS - 2006 JRCP41 4dr Sdn Touring

Front Gross Axle Weight Rating:

Rear Gross Axle Weight Rating:

Gross Vehicle Weight Rating: 0

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 9

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

COLOR AVAILABILITY

COLOR CHART - 2006 JRCP41 4dr Sdn Touring

EXTERIOR	INTERIOR	
	Slat Gray (DV)	Taup (L5)
Bright Silver Metallic (S2)	X	X
Brilliant Black Crystal Prl (XR)	X	X
Magnesium Pearl (PK)	X	X
Midnight Blue Pearl (B8)	X	X
Satin Jade Pearl (P4)	X	X
Silver Steel Metallic (A4)	X	X
Stone White (W1)	X	X

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 10

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

WARRANTY INFORMATION

WARRANTY INFORMATION - 2006 JRCP41 4dr Sdn Touring

WARRANTY

Basic: 3 Years/36,000 Miles

Drivetrain: 3 Years/36,000 Miles

Corrosion: 5 Years/100,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 11

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2006 JRCP41 4dr Sdn Touring

ENGINE

Engine Order Code	* EEE
Engine Type	* FFV V6
Displacement	2.7L/164 CID
SAE Net Horsepower @ RPM	200 @ 5800
SAE Net Torque (lb ft) @ RPM	190 @ 4850

TRANSMISSION

Transmission order code	DGL
Transmission Type Description	* 4-Speed Automatic w/OD
Drive Train	Front Wheel Drive

MILEAGE

City EPA fuel economy estimate	21.00
Hwy EPA fuel economy estimate	28.00
City cruising range	336.00
Hwy cruising range	448.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 12

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2006 JRCP41 4dr Sdn Touring

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	2.84
Second Gear Ratio (:1)	1.57
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	- TBD -
Clutch size (in)	
Final Drive Axle Ratio (:1)	2.60

ELECTRICAL

Battery	1
Battery cold cranking Amps @ 0 F	510.00
Alternator	
Alternator Amps	120.00

COOLING SYSTEM

Cooling system capacity	8.00
-------------------------	------

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 13

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2006 JRCP41 4dr Sdn Touring

WEIGHT INFORMATION

Base curb weight

* - TBD -

TRAILERING

Max Trailer Wt. Max Tongue Load

Dead Weight Hitch (lb)

1,000.00

100.00

Weight Distributing Hitch (lb)

- TBD -

- TBD -

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 14

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2006 JRCP41 4dr Sdn Touring

SUSPENSION		Front	Rear	
Suspension Type		Short/long arm	Low-arm multi-link	
Suspension Type (cont.)				
Shock Absorber Diameter (mm)		- TBD -	- TBD -	
Stabilizer Bar Diameter (in)		- TBD -	- TBD -	
BRAKES				
Brake type		Pwr		
ABS System		* Yes		
		Front	Rear	
Disc		Yes	* Yes	
Rotor Diam x Thickness (in)		11.1 x 1.0	* 10.6 x 0.35	
Drum			*	
Drum Diam x Width (in)			*	
TIRES		Front	Rear	Spare
Tire Order Code		TPG	TPG	TBC
Tire Size		P205/60R16	P205/60R16	Compact
WHEELS		Front	Rear	Spare
Wheel Size		16 x 6.5	16 x 6.5	- TBD -
Wheel Type		Aluminum	Aluminum	- TBD -
STEERING				
Steering type		Pwr Rack & Pinion		
Ratio (:1)				
Overall		17.70		
Lock-to-Lock Turns		3.10		
Turning Diameter				
Curb-to-Curb		36.80		
Wall-to-Wall		- TBD -		
FUEL TANK		Main		
Capacity		16.00		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2006 JRCP41 4dr Sdn Touring

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 16

2006 Chrysler Sebring Sdn 4dr Sdn Touring JRCP41

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2006 JRCP41 4dr Sdn Touring

EXTERIOR DIMENSIONS

Wheelbase (in)	108.00
Length, Overall (in)	190.70
Width, Max w/o mirrors (in)	70.60
Height, Overall (in)	54.90
Tread Width	
Tread Width, Front	60.2
Tread Width, Rear	60.2
Min Ground Clearance (in)	- TBD -

CARGO AREA DIMENSIONS

Liftover Height (in)	- TBD -
Trunk Volume	16.0

INTERIOR DIMENSIONS

Passenger Capacity	5	
Passenger Volume (ft³)	94.00	
EPA Classification	Midsize	
Seating Position	Front	Second
Head Room (in)	37.60	35.80
Leg Room (in)	42.30	38.10
Shoulder Room (in)	55.20	54.70
Hip Room (in)	52.50	53.10

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 5:40:16 PM

Page 17