


April 10, 2006
800-424-2432



WORKING
FOR
YOU



Terms & Conditions	Terms & Conditions	2
Archive Library Furniture	General Information	4
Archive Study Tables	Rectangular Tables	6
	Square and Round Tables	8
Archive Study Carrels	Single Face Carrels	10
	Double Face Carrels	12
Archive Stand-up Computer Stations	Single Face Stations	14
	Double Face Stations	16
Archive Shelving	42" High Shelving	18
	60" High Shelving	20
	82" High Shelving	22
Archive End Panels	End Panels - Single Face	24
	End Panels - Double Face	26
Archive Periodical Shelving	42" High Periodical Shelving	28
	60" High Periodical Shelving	30
	82" High Periodical Shelving	32
Archive Accessory Units	Storage/Accessories	34
	Newspaper Display Units	36
	Atlas and Dictionary Stands	38
	Rolling Book Carts	40
Archive Seating	General Information	42
	Sled Base Wood Chairs	44
	4-Leg Wood Chairs	46
Archive Circulation Desk	General Information	48
	Typicals	50
Product Locator	Product Locator	54
Index	Index	58

Terms & Conditions

Terms of Sale

ALL PRICES LISTED HEREIN ARE DELIVERED PRICING.

Net 30 days. All prices are subject to review annually for changes in accordance with state contract regulations. All custom/nonstandard products are subject to a fifty percent (50%) advance deposit.

KI reserves the right to use its own or commercial carriers for the "best way" to ship, at its sole discretion.

The electronic version of the price list is the prevailing document.

Sales Policy

Possession of this price list does not constitute authority to purchase and/or sell products contained herein.

New Accounts

New accounts require the approval of a KI sales representative, credit references and a valid tax exempt or resale certificate where applicable. KI also accepts Mastercard and Visa.

Acknowledgements

Every order is acknowledged. Orders will be manufactured and invoiced based upon the information on the acknowledgement. If there is any discrepancy, please notify KI immediately. Orders are accepted by KI per terms on the acknowledgement. All acknowledgements contain an estimated shipping date. Your order may actually ship earlier than the estimated shipping date, depending on the backlog at the time. If you do not want the merchandise earlier than the specified date, please write "Do not ship for arrival before ____." on your purchase order.

Fax Orders

Orders may be sent to KI via FAX. Use the 800 Number for order faxing. The KI FAX number is: 800-405-2264

If a confirming order is sent to KI, the order must be marked "Confirming Order. Original order sent via FAX." KI will not be responsible for any duplication of orders caused by unmarked hard copy, confirming orders or orders sent via FAX more than once.

Freight and Fuel Surcharge Fee

KI reserves the right to apply a 1% Freight and Fuel surcharge to customer orders. This surcharge may vary over time due to prevailing economic conditions.

Rights and Warranties

North American (U.S., Canada, Mexico) Lifetime Warranty

The following KI product warranty applies to products manufactured after May 31, 1997.

This warranty is given to the initial purchaser and is valid for as long as the product is owned by the initial purchaser. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to KI within the Applicable Warranty Period, KI at its option will either repair or replace the defective product with a comparable component or product, or provide a refund of the purchase price. The **Lifetime Warranty** applies to all product regardless of the number of shifts the product is used each day except as listed below:

All KI branded products (except as noted below)		Lifetime (as defined above)
<ul style="list-style-type: none">Intellect® classroom productsIvy League™ classroom products (except lift lid supports)RoomScape® Residence Hall products (no exceptions)Wood Residence Hall products (except Sustain® Products)CrossRoads® Library productsGadgetz™ desktop accessories360°® Classroom products		Fifteen (15) Years
<ul style="list-style-type: none">Wharton™ LecternAuditorium Seating productsSite Furnishing indoor productsDrawer/door slidesResin Edge TablesValueLite® TablesFixed Seating products (except springs & bushings)Uniframe® table frames, table tops with bullnose edge and convertible benchesElectrical productsSystemWall® movable wallsBalance® OverheadsSustain® Residence Hall productsDuraLite® TablesArchive		Ten (10) Years
<ul style="list-style-type: none">Contract Stacking Chairs and Contract TablesPedestal SeatingTandem and Modular SeatingKI Healthcare products		Ten (10) Years (single 8-hour shift)
<ul style="list-style-type: none">Heroic™ Seating		Ten (10) Years (24 hour use)
<ul style="list-style-type: none">Institutional Folding Chairs, Folding Tables & Accessories1000, 6000, 501 and 500 Series chairsStoolsChair casters, table casters and storage castersIvy League™ lift lid supportsPneumatic cylinders on All Terrain® tables		Five (5) Years
<ul style="list-style-type: none">Site Furnishing outdoor products		Three (3) Years
<ul style="list-style-type: none">High wear parts such as wood veneers, fabrics, other covering material/finishes, foam, glides, springs, bushings and user adjustable worksurface mechanisms.		One (1) Year
<ul style="list-style-type: none">Non-standard products		One (1) Year
<ul style="list-style-type: none">Third Party Supplied Product		Suppliers Warranty

This warranty does not apply to damage caused by a carrier, alterations to the product not expressly authorized by KI, nor to products considered to be of a consumable nature such as bulbs, light ballasts and surge suppression products. It also does not apply to "Customer's Own Material" (i.e., material supplied by the customer that is not a standard KI product offering) used in the manufacture of KI products. KI does not warranty the matching of color, grain or texture except to within commercially acceptable standards. A product will not be considered defective, and KI will not be obligated to replace it, if the product is subject to any of KI's written planning, installation or user guides, and is not installed or used as recommended therein.

EXCEPT AS STATED ABOVE, KI MAKES NO EXPRESS OR IMPLIED WARRANTIES AS TO ANY PRODUCT AND IN PARTICULAR MAKES NO WARRANTY OF FITNESS FOR ANY PARTICULAR USE. AT KI'S OPTION, PRODUCT REPAIR, REPLACEMENT, OR REFUND OF PURCHASE PRICE IS THE CUSTOMER'S EXCLUSIVE REMEDY FOR ANY AND ALL PRODUCT DEFECTS.

KI shall not be liable for consequential, economic or incidental damages arising from any product defect. International Warranties may differ.

C.O.M. Fabric Requirements

Fabrics must be approved for upholsterability and flammability prior to acceptance of an order. Upon approval, a 1' square sample swatch must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics or vinyl.

For exact production yardage requirements, call: 1-800-454-9796, ext. 2707.

For products shipped from Green Bay, WI facility, ship material to:
KI GreenBay
Attn: C.O.M. Storage
1330 Bellevue St.
Green Bay, WI 54302

For products shipped from Manitowoc, WI facility, ship material to:
KI Manitowoc
Attn: C.O.M. Storage
1400 S. 41st St.
Manitowoc, WI 54220

For products shipped from Pembroke, Ontario facility, ship material to:
KI Pembroke
Attn: C.O.M. Storage
Pembroke, Ontario K8A 6X7

For products shipped from Bonduel, WI facility, ship material to:
KI Bonduel
Attn: C.O.M. Storage
204 West South St.
Bonduel, WI 54107

For products shipped from Pontotoc, MS or Tupelo, MS facility, ship material to:
KI Tupelo
Attn: C.O.M. Storage
2112 Green St.
Tupelo, MS 38804

For products shipped from Los Angeles, CA facility, ship material to:
KI-LA
Attn: C.O.M. Storage
6500 S. Avalon Boulevard
Los Angeles, CA 90003-1934

For products shipped from Madisonville, KY facility, ship material to:
KI-KY
Attn: C.O.M. Storage
200 Commerce Drive
Madisonville, KY 42431



UPS Shipment Limitations

Maximum weight per package - 150 pounds. Maximum size per package - 130 inches in length and girth combined, with no single dimension exceeding 108 inches.

Title to Merchandise

Title to merchandise shall pass to the buyer upon delivery by KI to the carrier. For purposes of risk of loss, all shipments are F.O.B. factory. Buyer acknowledges that once KI delivers the goods to the carrier, title to the goods and risk of loss will pass to the buyer. If the goods are damaged by the carrier while in transit, the buyer has the sole obligation of seeking any appropriate recourse against the carrier.

Freight Terms

Freight charges will be prepaid on all shipments unless special arrangements have been made.

Delivered pricing is based on shipment to the 48 U.S. contiguous states. For shipments destined to other U.S. states, possessions or territories, delivery will be made to a pre-arranged port.

Normal delivery is dock-to-dock. Special requests such as inside delivery, lift-gate service, residential delivery, etc. are subject to additional charges. All accessororial charges not requested on purchase order will be the responsibility of the consignee.

KI reserves the right to select the "best way" shipment method and means.

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been made between the customer and KI.

Redelivery of Freight

When redelivery of merchandise is required because customer is not ready to accept merchandise, and no notification of this fact is given to the factory at least two weeks prior to the scheduled ship date, the actual costs for freight, restocking and rehandling, plus 5% of the order value, will be billed to the customer.

Shipment Damage Claims

All merchandise is packaged to comply with carrier requirements. All shipments should be carefully inspected by the consignee before acceptance, and the delivering carrier should be requested to record any damage or shortage. If further damage is found after delivery, immediate inspection by the delivering carrier should be requested. Notification of concealed damages must be made to the delivering carrier within 15 days after delivery of merchandise. Carrier liability ceases after 15 days. Damaged freight must be kept at the point of delivery in the original packing for inspection by the carrier. CAUTION: After obtaining a clear receipt for shipment, the delivering carrier is no longer responsible for damage or shortages.

Shortage Claims

Shortage claims reported after 10 days beyond shipment date will not be honored.

Unopened Shipment Damage Claims

Neither KI nor the carrier will be responsible for concealed damage claims if shipments are left unopened. Notification of concealed damages must be made to the delivering carrier within 15 days after delivery of merchandise.

Lost Shipments

KI issues a copy of bill of lading to consignee on date of shipment. If KI shipment is not received within 30 days of shipment date, notify KI. Neither KI nor carrier will assume obligation for lost or damaged shipment claims after 9 months of shipping date.

Flammability Standards - Seating

California Technical Bulletin 117 (CA 117) - All seating products manufactured by KI meet or exceed the standards set forth in California Technical Bulletin 117 and are labeled accordingly.

California Technical Bulletin 133 (CA 133) - KI offers numerous products that can be manufactured to meet the flammability requirements set forth in California Technical Bulletin 133. For products to meet the requirements of the open-flame test, changes in materials are made. Restrictions are placed on fabric selections and product type. When ordering product to comply with CA 133, the "FR" option must be selected in the model number string. Please see individual sections in the price list for additional cost and lead-times, which vary between products.

Flammability Standards - Panels

ASTM E84 (equivalent to UL 723 and National Fire Protection Association, NFPA 255) is the test method used to determine the Flame Spread and Smoke Developed Indices of the system, consisting of the core substrate, fabric covering and adhesive. NFPA 101, Life Safety Code, defines acceptable Flame Spread and Smoke Developed Indices that have been adopted by the Federal and many State and Local Governments as law in the form of building codes and regulations. Panel cores have been judged acceptable for the use with UL Recognized Component Office Panel Fabrics. Contact KI for the current list of fabrics that are acceptable for use.

Revised Orders

Orders requiring changes to the product or additional options will not incur additional costs unless orders have been processed. Orders revised after being manufactured are subject to additional upcharge.

Changes and Cancellations

Orders entered and acknowledged cannot be changed or cancelled without KI's consent. The customer is responsible for all costs incurred, and a minimum cancellation or change charge of 25% will be invoiced if an order is cancelled or changed within 15 working days of shipment.

Due to the handmade nature of Site Furnishings fiberglass products, orders cannot be changed or cancelled without KI's consent. The customer is responsible for all costs incurred.

Orders for nonstandard products are not cancellable.

Repair and Replacement

Any labor charges for correcting a manufacturing problem must be submitted and approved before correction is undertaken, if the units are under warranty. Labor charges will not be paid if the estimate was not submitted and approved prior to labor being completed.

Returns

KI will not permit return of materials without written consent if materials shipped are as acknowledged. Return shipments when accepted are subject to a rehandling, restocking charge, in accordance with the state contract after the merchandise is received and inspected. All freight or express charges must be prepaid on return shipments; otherwise, they will not be accepted. Damaged materials and all items specially built to order cannot be returned under any conditions.

Inquiries

All inquiries and correspondence should be directed to:
KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
Phone: 1-800-424-2432

Archive Library Furniture

General Information

SPECIFICATIONS

Study Table Top

Tabletop is 1-1/4" thick, particleboard core construction with .05" high pressure laminate facer and .026" backer on the underside. All four edges shall be banded with a .05 thick laminate self edge, 3mm PVC edge band or 3/8" x 1-1/4" solid wood edge laminated to core after application of the facer laminate. The underside of the top shall be fitted with 3/4" x 3/4" solid wood rails screwed to the top. Table tops are offered without grommets, with grommets, or with PowerUp® modules. Grommets and PowerUp® modules fit in the same size top cutout. For grommet and PowerUp® options, placement on table top will either be in the table center or offset to one edge. Offset grommet or PowerUp® locations will be centered on the longest outside edge of the table and 10-1/2" from the table edge to the center of the grommets or PowerUp®. For round and square tables, grommet or PowerUp® placement on the outer edge of the table will be centered on the outer edge between two legs.

Study Table Legs

The legs are attached to the apron using dovetail joinery, a unique screw-fastening method and solid wood mitered blocks with heavy-duty screws and anchoring bolt. The legs are 2-1/4" square glued up face to face. All of the edges are eased with a 3/16" radius. For tables with grommets or PowerUp®, cords are managed by the vertical leg wire manager or the wood routed wireway. Leg wireway is scuff-resistant, high-impact rigid PVC plastic and is fastened to the leg with full-length adhesive bond. The solid wood routed wireway is 1" wide and 3/4" deep and runs from the bottom of the leg to just under the intersection with the apron. 1/4" solid wood cap attaches with (6) knurled thumbscrews. Both are UL approved.

Study Table Aprons

A 7/8" thick x 3-7/8" high solid oak or maple apron rail is fit between the legs on all four sides of the table. The apron rails are screwed to the underside of the top.

Study Table Glides

Each leg has a 1-1/8" diameter nylon based adjustable glide with a 1-1/2" threaded system.

Study Table Worksurface Height

Standard height is 29". Optional 27" or 32" heights may be specified.

Study Table Routed Wireway

Solid wood routed wireway, 1" wide x 3/4" deep runs from bottom of leg to just under intersection with apron. 1/4" solid wood cap attaches with (6) knurled thumbscrews. UL approved.

Study and Stand-up Carrels Top

The worksurface is 1-1/4" thick x 33-1/2" x

28" deep, particleboard core construction with .05" high pressure laminate facer and .026" backer on the underside. Three edge styles, solid wood (34S), PVC (74P), and self edge (64E). The worksurface is attached to the end panels and back with a 21" long, 16-gauge steel "L" bracket screwed into brass inserts in the panel and then screwed into the top of the worksurface.

Study and Stand-up Carrels End Panels

The end panels are 3/4" thick particleboard core construction with Grade B oak or maple veneer on both faces. The vertical edges of the panel are enhanced with matching edge banding. The panels have brass inserts for mounting the worksurface at four different heights (25", 27", 29" and 32" ADA heights). End panels for study and stand-up carrels are machined on one side.

Study and Stand-up Carrels Shared Panels

The intermediate panels are the same construction as the end panels, however, the worksurface and shelf inserts are on both sides of the panel. Shared panels for study and stand-up carrels are machined on both sides.

Study and Stand-up Carrels Back Panels

The back panels are 3/4" thick, 5-ply plywood construction with Grade B oak or maple veneer on both faces. The top and bottom edges of the panel are banded. The top edge is located 6-1/2" down from the top of the end panels and 4" up from the bottom. Back panels are attached to end panels using cam-lock fasteners. Double-faced units share 1-3/4" thick back panel.

Study and Stand-up Carrels Shelf

The storage shelf shall be 3/4" thick x 33-1/2" or 10" deep, particleboard core construction. Both faces will be covered with select oak or maple veneers and banded on the exposed edge. The study carrel shelf is located 15" above the worksurface and will accommodate a 17" monitor. The stand-up carrel shelf is located 30" below the worksurface. Shelf is connected to end panels with shoulder screw and insert in panel and removable connectors in shelf bottom. Each end and intermediate panel has a pair of round steel nail-on glides with u-shaped steel reinforcement bracket.

Power and Data Management

Study tables, study carrels, and stand-up computer stations are available with grommets, PowerUp® system or the Connect™single circuit electrical system. The PowerUp® module is 6-1/4" long x 3" wide x 2-1/2" high. The module is constructed of textured polycarbonate and meets UL-VO minimum requirements. The module has one duplex receptacle (110 volts) and two ports for data connectors. The standard

module will accommodate most data connectors. The customer purchases the data connectors. The module has a dampened spring-loaded mechanism to allow the unit to open for use and close when not in use. Module comes standard with a 9 ft. cord and 3-prong plug. For both grommets and the PowerUp® system, the underside of the table is provided with a plastic channel (cord management trough, which covers the bottom of the module. This channel, furnished with metal dividers, is provided for the routing of the power supply cords and data lines. For starter and adder carrels with grommets or PowerUp® modules, round cutouts in the end panels allow wires to pass through from one unit to the other. PowerUp® door extrusion and vertical plastic wire manager are standard. The Connect™system is recommended whenever two or more PowerUp® modules per worksurface are specified (refer to Connect™price list, code KI-11326). The single-circuit 15-amp Connect™system supplies power to six laptops or three PCs. It plugs into a standard power outlet source and links up to six modules. UL listed for safety. Cords are further managed by the vertical leg wire manager, which comes standard with grommets, the PowerUp® system or the Connect™system. Leg wireway is scuff-resistant, high-impact rigid PVC plastic, and is fastened to the leg with full-length adhesive bond.

Shelving End Panel

The end panels are 3/4" thick, particleboard core construction with Grade B oak or maple veneer on both faces. The vertical edges of the panel are enhanced with matching edge banding. Top and bottom shelf assemblies are attached to end panels with hex head bolts threading into brass spreading dowel inserts. Holes for adjustable shelves are drilled vertically on 1-1/4" centers. Adder units are attached with 1/4" through bolts and nuts.

Shelving Shared Panel

Same construction as the end panels except brass inserts are replaced with through holes. Shared panels for shelving are machined on both sides.

Top shelf is 3/4" thick solid select oak or maple construction. The flush-fitting cornice rail at the face sides is 3/4" thick x 3" high solid oak or maple and is attached with 1-1/4" thick wood cleats and corner blocks. Pre-assembled box with a finished outer kick rail enables shelving to be assembled in the vertical position. Bottom shelf is set into place and positioned by stop rails attached to the bottom. Shelves are 3/4" thick solid oak or maple construction with the front edge to be select oak or maple with matching color and grain. The adjustable shelves are placed onto L-shaped support brackets with a non-sliding rubber coating to prevent accidental removal. Top shelves are attached using 3/4" x 3/4" wood cleats and spacer block. Adjustable shelves are mounted at 1-1/4" space inter-

vals. The fixed middle shelf is mounted using a shoulder bolt and cam-lock housing. The shoulder bolt screws into the hole used for shelf-height adjustment.

Periodical Shelving

End panels, shared panels, and top and bottom shelf assembly construction are the same as standard shelving. Flippable shelves are mounted using cam-lock studs, which are screwed into the end panel shelf adjustment holes. A 3/4" solid wood shelf with a 1/2" x 1-1/2" stop rail is mounted at an angle of approximately 45° so that periodicals can be easily viewed. The shelf pivots and can be flipped up to lay flat for storage access below.

Descending Platform Book Truck

Truck sides and bottom are 3/4" plywood with top edge banded. No seams show where side panels adjoin. Descending platform is 3/4" plywood with plastic laminate top surface. Platform is guided on rollers and supported by spring compression. As the platform is loaded, it descends toward the bottom of the truck. A 25 lb. load moves the platform down 3". A 50 lb. load moves the platform to the bottom of the truck. The truck is mounted on four swivel casters.

Dictionary Stand

End panels are constructed of 3/4" particleboard core with Grade B oak or maple veneer. The vertical edges of the panel are banded with wood veneer tape. The top and bottom surfaces are attached to the end panel using mortise and tenon joinery and unique screw attachment. The top surface is constructed of 1-1/4" particle board with a plastic laminate worksurface (customer-specified). One 3/4" adjustable shelf has a 20" adjustability range using steel pins and drilled holes.

Atlas Stand

End panels are constructed of 3/4" particleboard core with Grade B oak or maple veneer. The vertical edges of the panel are banded with wood veneer tape. The top and bottom surfaces are attached to the end panel using mortise and tenon joinery and a unique screw attachment. The top surface is constructed of 1-1/4" particle board core with a plastic laminate worksurface (customer-specified). Five 3/4" plywood sliding shelves have a 1/2" x 1-1/2" stop rail at the edge of each shelf.

Newspaper Display Unit End Panels/Shared Panels

End panels are constructed of 3/4" particleboard core with Grade B oak or maple veneer. The vertical edges of the panel are banded with wood veneer tape. End panels for newspaper display units are machined on one side. Shared panels for newspaper display units are machined on both sides.

Newspaper Display Unit Top



Shelf/Cornice Unit

Shelf is 3/4" thick, solid select oak or maple construction. The flush-fitting cornice rail at the face sides is 3/4" thick x 3" high solid oak or maple and is attached with 1-1/4" thick wood cleats and corner blocks.

Newspaper Display Unit Base

Pre-assembled box has a finished outer kick rail which enables shelving to be assembled in the vertical position. Bottom shelf is set into place and positioned by stop rails attached to the bottom. Two adjustable shelves are 3/4" thick solid oak or maple construction with the front edge in select oak or maple with matching color and grain. Two 1" thick rails mounted on the end panels are notched to hold eight newspaper sticks at an angle for easy removal and display.

Rolling Book Cart

All end panels and shelves are 3/4" plywood with oak or maple veneer. The verticle edges of the panel are banded with wood veneer tape. Shelves are attached to the end panels using mortise and tenon joinery. Bottom shelf is reinforced with wood cleat screwed into the shelf and end panels. Casters are 4" diameter twin wheel and either all swivel or two swivel and two stationary. Two cart sizes: 30" wide x 35" high x 15" deep with two shelves and 40" wide x 41" high x 15" deep with two shelves.

Rolling Book Cart With Slanted Shelves

All end panels and shelves are 3/4" particle board core with Grade B with oak or maple veneer. The verticle edges of the panel are banded with wood veneer tape. Shelves are attached to the end panels using mortise and tenon joinery. Bottom shelf is reinforced with wood cleat screwed into the shelf and end panels. Casters are 4" diameter twin wheel and either all swivel or two swivel and two stationary. Two cart sizes: 30" wide x 35" high x 16.5" deep with two shelves slanted inward with slanted shelf backs, and 40" wide x 41" high x 16.5" deep with two shelves slanted inward with slanted shelf backs.

[illegible]

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

OPTIONS

Wood Leg Wireway

If grommets or PowerUp® modules are ordered, a routed wood leg wireway may be ordered in place of the standard wireway. Add RL to end of model number for routed wood leg wireway option and add \$120 to list.

Electrical Ganging

Contact KI for electrical ganging of multiple tables.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----





Shipping

Shipped **k.d. freight excluded f.o.b.**
Madisonville, Kentucky 42431 factory.
Freight class #85.

Specifications and prices are subject to change without prior notice.

Archive Study Tables

Square and Round Tables

	Features	D x W	MODEL NUMBER								Approx. Packaged Weight
			Basic Model	Edge Style	Height	Grom./ PowerUp	Grom./ Module Color	Wood Finish	Surface Finish	Edge Color	
  ART Square Table • 1 grommet or PowerUp® module or no grommet	Oak	42 x 42"	ART4242O	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	129#
	Maple	42 x 42"	ART4242M	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	129#
	Oak	48 x 48"	ART4848O	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	134#
	Maple	48 x 48"	ART4848M	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	134#
  ART Round Table • 1 grommet or PowerUp® module or no grommet	Oak	48"	ART48RO	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	149#
	Maple	48"	ART48RM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	149#

A

B

C

D

E

F

G

H

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

64E = 1-1/4" Self-edge

74P = 1-1/4" PVC edge

34S = 1-1/4" Wood band edge

C Select height.

27 = Junior height - 27"

29 = Adult height - 29"

32 = ADA wheelchair height - 32"

D Grommet/PowerUp

1G = 1 Grommet; add \$67

1P = 1 PowerUp module; add \$115

NG = No grommets

Standard placement of grommets is in center of table.

Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard.

E Select grommet/module color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

F Select wood finish.
 (for table edge & legs)
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 Stained finish colors add \$25

G Select surface finish.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

H Select edge color.
 Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Archive Study Tables

Square and Round Tables



1-1/4"
Self-edge
(64E)



1-1/4"
PVC Edge
(74P)



1-1/4" Wood Band Edge
(34S)

\$ 971

1101

1142

1297

\$ 991

1125

1166

1324

\$ 1074

1217

1262

1433

\$ 1380

1546

\$ 1409

1579

\$ 1526

1709

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

OPTIONS

Wood Leg Wireway

If grommets or PowerUp® modules are ordered, a routed wood leg wireway may be ordered in place of the standard wireway. Add RL to end of model number for routed wood leg wireway option and add \$120 to list.

Electrical Ganging

Contact KI for electrical ganging of multiple tables.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight excluded f.o.b. Madisonville, Kentucky 42431** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Archive Study Carrels

Single Face Carrels

	Features	D x W	MODEL NUMBER									
			Basic Model	Edge Style	Height	Task Light	Grom./ PowerUp	Grom./ Module Color	Wood Finish	Surface Finish	Edge Color	
 <p>ARC Study Carrel Starter Unit-Single Face</p> <ul style="list-style-type: none"> • Straight panel or base • 1 grommet or 1 PowerUp® module • Standard placement of grommets is in right rear corner of unit • Provide a plan layout indicating grommet location on the worksurface, if other than standard. • With or without task light • Adjustable or wheelchair-height adjustable 	Oak	30 x 36"	ARCS3036SO	□□□	□□□□	□□□	□□	□□	□□□	□□□	□□□	
	Maple	30 x 36"	ARCS3036SM	□□□	□□□□	□□□	□□	□□	□□□	□□□	□□□	
 <p>ARC Study Carrel Adder Unit-Single Face</p> <ul style="list-style-type: none"> • Straight panel or base • 1 grommet or 1 PowerUp® module • Standard placement of grommets is in right rear corner of unit • Provide a plan layout indicating grommet location on the worksurface, if other than standard. • With or without task light • Adjustable or wheelchair-height adjustable 	Oak	30 x 34 1/2"	ARCS3036AO	□□□	□□□□	□□□	□□	□□	□□□	□□□	□□□	
	Maple	30 x 34 1/2"	ARCS3036AM	□□□	□□□□	□□□	□□	□□	□□□	□□□	□□□	
			A	B	C	D	E	F	G	H	I	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

64E = 1-1/4" Self-edge
74P = 1-1/4" PVC edge
34S = 1-1/4" Wood band edge

C Select height (worksurface).

AH = Adjustable height-25", 27", 29"
AH32 = Adjustable wheelchair height-25", 27", 29", 32"

D Select task light

1TL = 1 Task light; add \$138
NL = No task light

E Select grommet/PowerUp

1G = 1 Grommet-standard
1P = 1 PowerUp module; add \$48

F Select grommet/module color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

G Select wood finish (for table edge & base).
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Stained finish colors add \$44

H Select surface finish.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

I Select edge color.
Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Single Face Carrels

Approx.
Packaged
Weight



1-1/4"
Self-edge
(64E)



1-1/4"
PVC Edge
(74P)



1-1/4" Wood Band Edge
(34S)

178#

\$ 1952

\$ 1993

\$ 2159

178#

2855

2915

3157

123#

\$ 1465

\$ 1497

\$ 1620

123#

2060

2103

2278

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----



Shipping

Shipped **k.d. freight excluded f.o.b.**
Madisonville, Kentucky 42431 factory.
 Freight class #100.

Specifications and prices are subject to change without prior notice.

Archive Study Carrels

Double Face Carrels

	Features	D x W	MODEL NUMBER									
			Basic Model	Edge Style	Height	Task Light	Grom./ PowerUp	Grom./ Module Color	Wood Finish	Surface Finish	Edge Color	
 <p>ARCD</p> <p>Study Carrel Starter Unit-Double Face</p> <ul style="list-style-type: none"> • Straight panel or base • 2 grommets or 2 PowerUp® modules (1 per worksurface) • Standard placement of grommets is in right rear of unit • Provide a plan layout indicating grommet location on the worksurface, if other than standard. • With or without task light • Adjustable or wheelchair-height adjustable 	Oak	60 x 36"	ARCD6036SO	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Maple	60 x 36"	ARCD6036SM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
 <p>ARCD</p> <p>Study Carrel Adder Unit-Double Face</p> <ul style="list-style-type: none"> • Straight panel or base • 2 grommets or 2 PowerUp® modules • Standard placement of grommets is in right rear of unit • Provide a plan layout indicating grommet location on the worksurface, if other than standard. • With or without task light • Adjustable or wheelchair-height adjustable 	Oak	60 x 34 1/4"	ARCD6036AO	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Maple	60 x 34 1/4"	ARCD6036AM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
				A	B	C	D	E	F	G	H	I

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

64E = 1-1/4" Self-edge

74P = 1-1/4" PVC edge

34S = 1-1/4" Wood band edge

C Select height (worksurface).

AH = Adjustable height-25", 27", 29"

AH32 = Adjustable wheelchair height-25", 27", 29", 32"

D Select task light

2TL = 2 Task lights (1 per worksurface); add \$277

NL = No task light

E Select grommet/PowerUp

2G = 2 Grommets (one per worksurface-standard)

2P = 2 PowerUp modules (one per worksurface); add \$97

F Select grommet/module color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

G Select wood finish (for table edge & base).

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Stained finish colors add \$44

H Select surface finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

I Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Double Face Carrels

Approx.
Packaged
Weight



1-1/4"
Self-edge
(64E)



1-1/4"
PVC Edge
(74P)



1-1/4" Wood Band Edge
(34S)

313#

\$ 3096

\$ 3161

\$ 3422

313#

4022

4107

4447

203#

\$ 2241

\$ 2289

\$ 2477

203#

3029

3094

3350

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----



Shipping

Shipped **k.d. freight excluded f.o.b.**
Madisonville, Kentucky 42431 factory.
 Freight class #100.

Specifications and prices are subject to change without prior notice.

Archive Stand-up Computer Stations

Single Face Stations

	Features	D x W	MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Edge Style	Grom./PowerUp	Grom./Module Color	Wood Finish	Surface Finish	Edge Color	
 <p>ARSU Stand-up Computer Station Starter Unit - Single Face</p> <ul style="list-style-type: none"> • O.P.A.C. - Online Patron Access Center • Straight panel or base • 1 grommet or 1 PowerUp® module • Standard placement of grommet is in right rear corner of worksurface. • Provide a plan layout indicating grommet location on the worksurface, if other than standard. • 39" high worksurface 	Oak	30 x 36"	ARSUS3036SO	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	169#
	Maple	30 x 36"	ARSUS3036SM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	169#
 <p>ARSU Stand-up Computer Station Adder Unit - Single Face</p> <ul style="list-style-type: none"> • O.P.A.C. - Online Patron Access Center • Straight panel or base • 1 grommet or 1 PowerUp® module • Standard placement of grommet is in right rear corner of worksurface. • Provide a plan layout indicating grommet location on the worksurface, if other than standard. • 39" high worksurface 	Oak	30 x 34 ¹ / ₄ "	ARSUS3036A0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	123#
	Maple	30 x 34 ¹ / ₄ "	ARSUS3036AM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	123#

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select edge style.

64E = 1-1/4" Self-edge
74P = 1-1/4" PVC edge
34S = 1-1/4" Wood band edge

- C** Select grommet/PowerUp

1G = 1 Grommet-standard
1P = 1 PowerUp module; add \$48

- D** Select grommet/module color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

- E** Select wood finish (for table edge & legs)

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 Stained finish colors add \$44

- F** Select surface finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

- G** Select edge color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive Stand-up Computer Stations

Single Face Stations



1-1/4"
Self-edge
(64E)

\$ 1954
2855



1-1/4"
PVC Edge
(74P)

\$ 1994
2916



1-1/4" Wood Band Edge
(34S)

\$ 2160
3158

\$ 1465
2060

\$ 1497
2103

\$ 1620
2278

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping


Shipped **k.d. freight excluded f.o.b.**
Madisonville, Kentucky 42431 factory.
Freight class #100.

Specifications and prices are subject to change
without prior notice.





Stand-up Computer Station Starter Unit - Double Face

- O.P.A.C. - Online Patron Access Center
- Straight panel or base
- 2 grommets or 2 PowerUp® modules
- Standard placement of grommets is in right rear corner of worksurface.
- Provide a plan layout indicating grommet location on the worksurface, if other than standard.
- 39" high worksurface



Stand-up Computer Station Adder Unit - Double Face

- O.P.A.C. - Online Patron Access Center
- Straight panel or base
- 2 grommets or 2 PowerUp® modules
- Standard placement of grommets is in right rear corner of worksurface.
- Provide a plan layout indicating grommet location on the worksurface, if other than standard.
- 39" high worksurface

			MODEL NUMBER							Approx. Packaged Weight
			Basic Model	Edge Style	Grom./ PowerUp	Grom./ Module Color	Wood Finish	Surface Finish	Edge Color	
Features	D x W									
 ARSU Stand-up Computer Station Starter Unit - Double Face <ul style="list-style-type: none">• O.P.A.C. - Online Patron Access Center• Straight panel or base• 2 grommets or 2 PowerUp® modules• Standard placement of grommets is in right rear corner of worksurface.• Provide a plan layout indicating grommet location on the worksurface, if other than standard.• 39" high worksurface	Oak	60 x 36"	ARSUD6036SO	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	299#	
	Maple	60 x 36"	ARSUD6036SM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	299#	
 ARSU Stand-up Computer Station Adder Unit - Double Face <ul style="list-style-type: none">• O.P.A.C. - Online Patron Access Center• Straight panel or base• 2 grommets or 2 PowerUp® modules• Standard placement of grommets is in right rear corner of worksurface.• Provide a plan layout indicating grommet location on the worksurface, if other than standard.• 39" high worksurface	Oak	60 x 34 ⁷ / ₄ "	ARSUD6036AO	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	203#	
	Maple	60 x 34 ⁷ / ₄ "	ARSUD6036AM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	203#	

A

B

C

D

E

F

G

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.

A Select basic model.

- | | |
|------------|--|
| B | Select edge style. |
| 64E | = 1-1/4" Self-edge |
| 74P | = 1-1/4" PVC edge |
| 34S | = 1-1/4" Wood band edge |
| C | Select grommet/PowerUp |
| 2G | = 2 Grommets (one per work-surface-standard) |
| 2P | = 2 PowerUp modules (one per worksurface); add \$97 |
| D | Select grommet/module color.
Refer to color addendum at ki.com or in
KI Price List or KI Fabrics & Finishes
binder. |
| E | Select wood finish. (for table edge &
legs)
Refer to color addendum at ki.com or in |

Stained finish colors add \$44

- F** Select surface finish.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.
- G** Select edge color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive Stand-up Computer Stations

Double Face Stations



1-1/4"
Self-edge
(64E)

\$ 3096
4022



1-1/4"
PVC Edge
(74P)

\$ 3161
4107



1-1/4" Wood Band Edge
(34S)

\$ 3424
4447

\$ 2241
3029

\$ 2289
3094

\$ 2477
3350

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight excluded f.o.b.**
Madisonville, Kentucky 42431 factory.
Freight class #100.

Specifications and prices are subject to change
without prior notice.

Archive Shelving

42" High Shelving

MODEL	D x W	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Wood Type	Back Panel	Wood Finish	
 ARF	Shelving Starter Unit - Single Face <ul style="list-style-type: none">• Straight base only• Straight end panel• With or without back panel• 2 adjustable and 1 fixed shelf• Solid wood shelving	10 x 37 ¹ / ₂ "	ARFS4210S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	38#
		12 x 37 ¹ / ₂ "	ARFS4212S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43#
 ARF	Shelving Adder Unit - Single Face <ul style="list-style-type: none">• Straight end panel only• With or without back panel• 2 adjustable and 1 fixed shelf• Solid wood shelving	10 x 36 ¹ / ₄ "	ARFS4210A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	32#
		12 x 36 ¹ / ₄ "	ARFS4212A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	35#
 ARF	Shelving Starter Unit - Double Face <ul style="list-style-type: none">• Straight base only• Straight end panel• With or without back panel• 4 adjustable and 2 fixed shelves• Solid wood shelving	20 x 37 ¹ / ₂ "	ARFD4220S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	72#
		24 x 37 ¹ / ₂ "	ARFD4224S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	88#
 ARF	Shelving Adder Unit - Double Face <ul style="list-style-type: none">• Straight end panel only• With or without back panel• 4 adjustable and 2 fixed shelves• Solid wood shelving	20 x 36 ¹ / ₄ "	ARFD4220A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60#
		24 x 36 ¹ / ₄ "	ARFD4224A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	71#
			A	B	C	D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood type.

O

= Oak

M

= Maple
- C** Select back panel.

BP

= Back panel; add \$116

NP

= No back panel
- D** Select wood finish.

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$52

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

INFORMATION

Back Panel Weights
When ordering shelving with back panels add the following weights:
42" high add 15#
60" high add 20#
82" high add 27#



Archive Shelving

42" High Shelving

Oak	Maple
\$ 650	\$ 687
674	712
\$ 512	\$ 542
543	574
\$ 1018	\$ 1084
1080	1149
\$ 854	\$ 909
897	953

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight excluded f.o.b. Madisonville, Kentucky 42431** factory.
Freight class #125.

Specifications and prices are subject to change without prior notice.

Archive Shelving

60" High Shelving

MODEL	D x W	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Wood Type	Back Panel	Wood Finish	
 ARF	Shelving Starter Unit - Single Face <ul style="list-style-type: none">• Straight base only• Straight end panel• With or without back panel• 4 adjustable and 1 fixed shelf• Solid wood shelving	10 x 37 ¹ / ₂ "	ARFS6010S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	50#
		12 x 37 ¹ / ₂ "	ARFS6012S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	61#
 ARF	Shelving Adder Unit - Single Face <ul style="list-style-type: none">• Straight end panel only• With or without back panel• 4 adjustable and 1 fixed shelf• Solid wood shelving	10 x 36 ¹ / ₄ "	ARFS6010A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	41#
		12 x 36 ¹ / ₄ "	ARFS6012A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	47#
 ARF	Shelving Starter Unit - Double Face <ul style="list-style-type: none">• Straight base only• Straight end panel• With or without back panel• 8 adjustable and 2 fixed shelves• Solid wood shelving	20 x 37 ¹ / ₂ "	ARFD6020S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	100#
		24 x 37 ¹ / ₂ "	ARFD6024S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	116#
 ARF	Shelving Adder Unit - Double Face <ul style="list-style-type: none">• Straight end panel only• With or without back panel• 8 adjustable and 2 fixed shelves• Solid wood shelving	20 x 36 ¹ / ₄ "	ARFD6020A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	80#
		24 x 36 ¹ / ₄ "	ARFD6024A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	92#
			A	B	C	D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood type.

☐ = Oak

☐ = Maple
- C** Select back panel.

BP = Back panel; add \$140

NP = No back panel
- D** Select wood finish.

(for table edge & legs)

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$64

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

INFORMATION

Back Panel Weights
When ordering shelving with back panels add the following weights:
42" high add 15#
60" high add 20#
82" high add 27#



Archive Shelving

60" High Shelving

Oak	Maple
\$ 777	\$ 825
823	875
\$ 620	\$ 657
658	699
\$ 1264	\$ 1350
1359	1451
\$ 1058	\$ 1127
1120	1194

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight excluded f.o.b. Madisonville, Kentucky 42431** factory.
Freight class #125.

Specifications and prices are subject to change without prior notice.

Archive Shelving

82" High Shelving

MODEL	D x W	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Wood Type	Back Panel	Wood Finish	
 ARF	Shelving Starter Unit - Single Face <ul style="list-style-type: none">• Straight base only• Straight end panel• With or without back panel• 6 adjustable and 1 fixed shelf• Solid wood shelving	10 x 37 1/2"	ARFS8210S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	65#
		12 x 37 1/2"	ARFS8212S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	76#
 ARF	Shelving Adder Unit - Single Face <ul style="list-style-type: none">• Straight end panel only• With or without back panel• 6 adjustable and 1 fixed shelf• Solid wood shelving	10 x 36 1/4"	ARFS8210A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	51#
		12 x 36 1/4"	ARFS8212A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	61#
 ARF	Shelving Starter Unit - Double Face <ul style="list-style-type: none">• Straight base only• Straight end panel• With or without back panel• 12 adjustable and 2 fixed shelves• Solid wood shelving	20 x 37 1/2"	ARFD8220S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	128#
		24 x 37 1/2"	ARFD8224S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	149#
 ARF	Shelving Adder Unit - Double Face <ul style="list-style-type: none">• Straight end panel only• With or without back panel• 12 adjustable and 2 fixed shelves• Solid wood shelving	20 x 36 1/4"	ARFD8220A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	101#
		24 x 36 1/4"	ARFD8224A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	116#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select wood type.

O

 = Oak

M

 = Maple
- C

Select back panel.

BP

 = Back panel; add \$183

NP

 = No back panel
- D

Select wood finish.

(for table edge & legs)

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$70

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

INFORMATION

Back Panel Weights
When ordering shelving with back panels add the following weights:
42" high add 15#
60" high add 20#
82" high add 27#



Archive Shelving

82" High Shelving

Oak		Maple	
\$	927	\$	988
	995		1058
\$	745	\$	792
	788		838
\$	1586	\$	1697
	1711		1833
\$	1297	\$	1386
	1400		1495

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight excluded f.o.b. Madisonville, Kentucky 42431** factory.
Freight class #125.

Specifications and prices are subject to change without prior notice.

Archive End Panels

End Panels - Single Face

MODEL		D x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Wood Type	Wood Finish	
 AREPS	End Panel - Single Face 42" <ul style="list-style-type: none">• For use as an accessory item for steel shelving• Not machined• No hardware included• Will not accept standard Archive wood shelving	10 x 42"	ARESPSTR4210	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	6#
		12 x 42"	ARESPSTR4212	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	7#
End Panel - Single Face 60"		10 x 60"	ARESPSTR6010	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8#
		12 x 60"	ARESPSTR6012	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10#
End Panel - Single Face 82"		10 x 82"	ARESPSTR8210	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10#
		12 x 82"	ARESPSTR8212	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select wood type.

O

= Oak

M

= Maple

C

Select wood finish.
(for edge & sides)
Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.
Stained finish colors add \$20

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive End Panels

End Panels - Single Face

Oak	Maple
\$ 315	\$ 343
329	355
\$ 406	\$ 440
432	467
\$ 498	\$ 537
522	565

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **assembled f.o.b. Madisonville, Kentucky 42431** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Archive End Panels

End Panels - Double Face

MODEL		D x W	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Wood Type	Wood Finish	
 AREPS	End Panels - Double Face 42" <ul style="list-style-type: none">• For use as an accessory item for steel shelving• Not machined• No hardware included• Will not accept standard Archive wood shelving	20 x 42"	AREDSTR4220	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
		24 x 42"	AREDSTR4224	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14#
	End Panels - Double Face 60"	20 x 60"	AREDPSTR6020	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
		24 x 60"	AREDPSTR6024	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	20#
	End Panels - Double Face 82"	20 x 82"	AREDPSTR8220	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	22#
		24 x 82"	AREDPSTR8224	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	27#
						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select wood type.

O

= Oak

M

= Maple

C

Select wood finish.
(for edge & sides)
Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.
Stained finish colors add \$32

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive End Panels

End Panels - Double Face

Oak	Maple
\$ 373	\$ 415
397	443
\$ 515	\$ 573
564	627
\$ 603	\$ 672
652	727

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **assembled f.o.b. Madisonville, Kentucky 42431** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Archive Periodical Shelving

42" High Periodical Shelving

			MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Wood Type	Wood Finish	
 ARPER	42" Periodical Shelving Starter Unit - Single Face <ul style="list-style-type: none">• Straight base only with back panel• 2 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	12 x 37½ x 42"	ARPERS4212S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	69#
		16 x 37½ x 42"	ARPERS4216S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	86#
 ARPER	42" Periodical Shelving Adder Unit - Single Face <ul style="list-style-type: none">• Straight base only with back panel• 2 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	12 x 36¼ x 42"	ARPERS4212A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62#
		16 x 36¼ x 42"	ARPERS4216A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	75#
 ARPER	42" Periodical Shelving Starter Unit - Double Face <ul style="list-style-type: none">• Straight base only with back panel• 4 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	24 x 37½ x 42"	ARPERD4224S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	114#
 ARPER	42" Periodical Shelving Adder Unit - Double Face <ul style="list-style-type: none">• Straight base only with back panel• 4 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	24 x 36¼ x 42"	ARPERD4224A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	98#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood type.

☐ = Oak

☐ = Maple
- C** Select wood finish.
(for edge, shelves, & side panels)
Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.
Stained finish colors add \$71

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive Periodical Shelving

42" High Periodical Shelving

Oak	Maple
\$ 2364	\$ 2599
2425	2667
\$ 2014	\$ 2215
2052	2255
\$ 3755	\$ 4130
\$ 3368	\$ 3704

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight excluded f.o.b. Madisonville, Kentucky 42431** factory.
Freight class #125.

Specifications and prices are subject to change without prior notice.

Archive Periodical Shelving

60" High Periodical Shelving

MODEL		D x W x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Wood Type	Wood Finish	
 ARPER	60" Periodical Shelving Starter Unit - Single Face <ul style="list-style-type: none">• Straight base only with back panel• 3 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	12 x 37½ x 60"	ARPERS6012S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	91#
		16 x 37½ x 60"	ARPERS6016S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	107#
 ARPER	60" Periodical Shelving Adder Unit - Single Face <ul style="list-style-type: none">• Straight base only with back panel• 3 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	12 x 36½ x 60"	ARPERS6012A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	77#
		16 x 36½ x 60"	ARPERS6016A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	94#
 ARPER	60" Periodical Shelving Starter Unit - Double Face <ul style="list-style-type: none">• Straight base only with back panel• 6 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	24 x 37½ x 60"	ARPERD6024S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	146#
 ARPER	60" Periodical Shelving Adder Unit - Double Face <ul style="list-style-type: none">• Straight base only with back panel• 6 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	24 x 36½ x 60"	ARPERD6024A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	122#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood type.
 O = Oak
 M = Maple
- C** Select wood finish.
(for edge, shelves, & side panels)
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Stained finish colors add \$71

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive Periodical Shelving

60" High Periodical Shelving

Oak	Maple
\$ 2760	\$ 3037
2843	3127
\$ 2406	\$ 2648
2450	2696
\$ 4432	\$ 4874
\$ 4010	\$ 4410

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight excluded f.o.b. Madisonville, Kentucky 42431** factory.
Freight class #125.

Specifications and prices are subject to change without prior notice.

Archive Periodical Shelving

82" High Periodical Shelving

		MODEL	D x W x H	MODEL NUMBER			Approx. Packaged Weight
				Basic Model	Wood Type	Wood Finish	
 ARPER	82" Periodical Shelving Starter Unit - Single Face <ul style="list-style-type: none">• Straight base only with back panel• 5 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	12 x 37½ x 82"	ARPERS8212S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	111#	
		16 x 37½ x 82"	ARPERS8216S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	131#	
 ARPER	82" Periodical Shelving Adder Unit - Single Face <ul style="list-style-type: none">• Straight base only with back panel• 5 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	12 x 36¼ x 82"	ARPERS8212A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	96#	
		16 x 36¼ x 82"	ARPERS8216A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	110#	
 ARPER	82" Periodical Shelving Starter Unit - Double Face <ul style="list-style-type: none">• Straight base only with back panel• 10 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	24 x 37½ x 82"	ARPERD8224S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	184#	
 ARPER	82" Periodical Shelving Adder Unit - Double Face <ul style="list-style-type: none">• Straight base only with back panel• 10 adjustable pivoted shelves• Starter Unit - straight end panel• Adder Unit - straight end panel only	24 x 36¼ x 82"	ARPERD8224A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	152#	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select wood type.

O

= Oak

M

= Maple
- C

Select wood finish.

(for edge, shelves, & side panels)

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$71

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

82" High Periodical Shelving

Oak	Maple
\$ 3870 3933	\$ 4256 4325
\$ 3460 3519	\$ 3807 3870
\$ 4735	\$ 5207
\$ 4327	\$ 4760



Special Carton Marking

N/C

Shipped **k.d.** freight excluded f.o.b.

Madisonville, Kentucky 42431 factory.
Freight class #125.

Specifications and prices are subject to change without prior notice.

	MODEL	D x W x H	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Wood Type	Wood Finish	Surface Finish	Pull Color	
 CRD	Descending Platform Book Truck <ul style="list-style-type: none"> Sits under the Book Return Module 4 swivel casters 	22 x 26 x 26 ⁷ / ₈ "	CRDBT	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			84#
 CRD	Wood Mobile Pedestal <ul style="list-style-type: none"> Box/Box/File - (2) 6" drawers and (1) 12" drawer 	24 ¹ / ₄ x 16 ¹ / ₄ x 27 ¹ / ₈ "	CRDMP	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60#

A
B
C
D
E

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive Accessory Units

Storage/Accessories

Oak	Maple
\$ 2300	\$ 2531
\$ 997	\$ 1098

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled f.o.b. Madisonville, Kentucky 42431** factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Archive Accessory Units

Newspaper Display Units

			MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Wood Type	Wood Finish	
MODEL	D x W x H					
 ARNWS	Newspaper Display Starter Unit <ul style="list-style-type: none">• 2 heights• Straight end panels• Standard with 3 display rods	12 x 37½ x 60"	ARNEW6012S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	619#
		12 x 37½ x 82"	ARNEW8212S	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	767#
 ARNWS	Newspaper Display Adder Unit <ul style="list-style-type: none">• 2 heights• Straight end panels• Standard with 3 display rods	12 x 36½ x 60"	ARNEW6012A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	529#
		12 x 36½ x 82"	ARNEW8212A	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	640#
			A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood type.
 O = Oak
 M = Maple
- C** Select wood finish.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Stained finish colors add \$67

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive Accessory Units

Newspaper Display Units

Oak

Maple

\$ 2358

\$ 2594

2521

2773

\$ 1952

\$ 2146

2102

2314

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight excluded f.o.b.**
Madisonville, Kentucky 42431 factory.
 Freight class #100.

Specifications and prices are subject to change
 without prior notice.

Archive Accessory Units

Atlas and Dictionary Stands

				MODEL NUMBER					
				Basic Model	Edge Style	Wood Finish	Surface Finish	Edge Color	
MODEL	Features	D x W x H							
 ARATL	Atlas Stand <ul style="list-style-type: none">• Straight end panels• 5 sliding shelves	Oak	29 x 36 x 45"	ARATLASO	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Maple	29 x 36 x 45"	ARATLASM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
 ARDCT	Dictionary Stand <ul style="list-style-type: none">• Straight end panels• 1 adjustable shelf	Oak	29 x 36 x 45"	ARDICTNO	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Maple	29 x 36 x 45"	ARDICTNM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
				A	B	C	D	E	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.

64E

74P

34S

= 1-1/4" Self-edge

= 1-1/4" PVC edge

= 1-1/4" Wood band edge
- C** Select wood finish.

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$67
- D** Select surface finish.

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI

- E** Select edge color.

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.




FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive Accessory Units

Atlas and Dictionary Stands

Approx. Packaged Weight	 1-1/4" Self-edge (64E)	 1-1/4" PVC Edge (74P)	 1-1/4" Wood Band Edge (34S)
111#	\$ 2159	\$ 2203	\$ 2385
111#	2375	2425	2625
79#	\$ 1561	\$ 1593	\$ 1725
79#	1716	1751	1898

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **assembled f.o.b. Madisonville, Kentucky 42431** factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Archive Accessory Units

Rolling Book Carts

MODEL			MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Wood Type	Wood Finish	Casters	
 ARTRK	Rolling Book Cart - 30" Wide <ul style="list-style-type: none">• 3 flat shelves• Lower shelf clearance 12"• Middle shelf clearance 11-1/2"	15 x 30 x 35"	ARTRK3530	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	34#
 ARTRK	Rolling Book Cart - 40" Wide <ul style="list-style-type: none">• 3 flat shelves• Lower shelf clearance 15-1/2"• Middle shelf clearance 13-1/2"	15 x 40 x 41"	ARTRK4140	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	46#
 ARTRK	Rolling Book Cart with Slanted Shelves <ul style="list-style-type: none">• 2 double face slanted shelves• 1 flat shelf• Lower shelf clearance 11"• Middle shelf clearance 13-3/4"	16 1/2 x 30 x 35"	ARTRK3530SL	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49#
 ARTRK	Rolling Book Cart with Slanted Shelves <ul style="list-style-type: none">• 2 double face slanted shelves• 1 flat shelf• Lower shelf clearance 16"• Middle shelf clearance 10-3/4"	16 1/2 x 40 x 41"	ARTRK4140SL	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	54#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select wood type.

O

 = Oak

M

 = Maple
- C

Select wood finish.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$67
- D

Select casters.

4ST

 = 2 Swivel/2 stationary casters

4SW

 = 4 Swivel casters

FINISH INFORMATION

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive Accessory Units

Rolling Book Carts

Oak	Maple
\$ 690	\$ 759
\$ 789	\$ 866
\$ 966	\$ 1061
\$ 1137	\$ 1251

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. Madisonville, Kentucky 42431** factory. Freight class #100.

Specifications and prices are subject to change without prior notice.

Archive Seating

General Information

SPECIFICATIONS

Sled Base Chair Back Posts

Back posts shall be made of 5/4 stock, finished to 1" thickness.

Sled Base Chair Front Posts

Front posts shall be made of 5/4 stock and finished to a 1" thickness.

Sled Base Chair Side Rails

Side rails shall be made of 5/4 stock, finished to 3/4" thickness.

Sled Base Chair Side Stretchers

Side stretchers shall be made of 5/4 stock, finished to 3/4" thickness.

Sled Base Chair Back Panel

The back panel shall be made from 1" molded hardwood plywood with oak face veneers. Back is attached to back posts w/ (4) 1-1/2" long tapping screws covered by flush plugs.

Sled Base Chair Front Rail

The front rail shall be made of 4/4 stock finished to a 3/4" thickness and double doweled to the front posts using 7/16" x 1-3/4" dowels.

Sled Base Chair Cross Stretchers

Cross stretcher shall be made of 5/4 stock, finished to a 1" thickness and double doweled to back posts using 7/16" x 1-3/4" dowels.

Sled Base Chair Wood Seat

Seats shall be made of 4/4 stock, mechanically glued with radiused front corners. Seat is screwed to corner blocks with (4) 1-1/2" long tapping screws.

Sled Base Chair Corner Blocks

Corner blocks shall further reinforce the frame and are glued and screwed into place using (2) 1-1/2" tapping screws.

Sled Base Chair Glides

5/8" diameter x 1/4" thick Nylon glides are tapped into the ends of each post.

Sled Base Chair Dimensions

- 18" Seat Height
- 18" Sitting Depth
- 21" Overall Depth
- 18" Overall Width
- 32" Overall Height

4-Leg Chair Back Posts

Back posts shall be made of 5/4 stock, steam bent to shape and finished to 1" thickness.

4-Leg Chair Front Posts

Front posts shall be made of 8/4 stock and tapered on two inside faces. The front outside corners are shaped to a 3/4" radius. Finished size is 1-3/4" x 1-3/4" at the top and 1-1/4" x 1-1/4" at the bottom.

4-Leg Chair Side Rails

Side rails shall be made of 4/4 stock, finished to 13/16" thickness x 2" wide and double doweled to the front and back posts

using 5/8" x 2" dowels.

4-Leg Chair Side Stretchers

Side stretchers shall be made of 4/4 stock, finished to 13/16" x 13/16". The stretchers shall be fastened to the front and back posts using 9/16" chucks with each joint pinned to further reinforce the joint.

4-Leg Chair Top Slat

The top slat shall be made of 4/4 stock finished to 13/16" thickness and steam bent to a 24" radius. The top slat shall be shaped to form and double doweled to the back posts using 3/8" x 1-1/2" dowels.

4-Leg Chair Bottom Slat

The bottom slat shall be made of 4/4 stock, steam bent to a 24" radius, finished to 13/16" thickness x 3-3/8" wide and double doweled to the back posts using 3/8" x 1-1/2" dowels.

4-Leg Chair Banisters

Banisters shall be made of 6/4 stock finished 3/8" x 1" wide, steam bent to shape and mortised into the top and bottom slats.

4-Leg Chair Front Rail

The front rail shall be made of 4/4 stock, finished to 13/16" x 2" wide and double doweled to the front posts using 3/8" x 2" dowels.

4-Leg Chair Cross Stretchers

Cross stretchers shall be made of 4/4 stock, finished to 13/16" x 13/16" and fastened to the side stretchers using 9/16" chucks with each joint pinned to further reinforce the joint.

4-Leg Chair Wood Seat

Seats shall be made of 5/4 stock, surfaced to 13/16" prior to being defect ripped on a straight-line rip saw. Individual seat pieces shall not exceed 3-1/2". Seat stock will be mechanically glued to ensure uniform coating of polyvinyl acetate emulsion glue prior to being clamped using a pneumatic torque drive to insure proper pressure on glue joints. Seat blanks will be double surfaced prior to shaping to form and saddling. Seat shall be gained into bottom slat and fastened to each back post by one 12 x 2-1/4" tapping screw concealed by a wood button. Two 12 x 2" tapping screws secure the seat to the front rail and one 12 x 2" tapping screw shall secure the seat to each side rail.

4-Leg Chair Corner Blocks

Corner blocks shall further reinforce the frame and are glued and screwed in place. Two 10 x 1-1/4" twin fast screws and one 12 x 2-1/4" tapping screw shall secure each block to the frame.

4-Leg Chair Glue

The glue used in final chair assembly shall be polyvinyl alcohol ester blend with polyvinyl acetate.



4-Leg Chair Glides

7/8" diameter rubber cushion chrome-plated glides are standard.



Archive Seating

Sled Base Wood Chairs

MODEL	MODEL NUMBER				Approx. Packaged Weight
	Basic Model	Wood Type	Wood Finish	Upholstery Color	
 ARCHR	ARCHRSB18	0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		23#
 ARCHR	ARCHRSB18U	0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	25#
<div><div>A</div><div>B</div><div>C</div><div>D</div></div>					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood type.
0 = Oak
- C** Select wood finish.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Stained finish colors add \$20
- D** Select upholstery grade and color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.

	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing
Delivered Pricing	Fabric Grade	Fabric Grade	Fabric Grade	Vinyl Group	Pallas Fabric	Pallas Fabric	Pallas Fabric	Pallas Fabric
Unupholstered	1 & C.O.M.	2	3	2	Group P1	Group P2	Group P3	Group P4

\$ 306

N/A	\$ 361	\$ 384	\$ 396	\$ 361	\$ 413	\$ 484	\$ 512	\$ 546
-----	--------	--------	--------	--------	--------	--------	--------	--------





Special Carton Marking

Shipping
Shipped **assembled f.o.b. Madisonville,
Kentucky 42431** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Archive Seating

4-Leg Wood Chairs

MODEL	SEAT HEIGHT	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Wood Type	Wood Finish	Upholstery Color	
 CRCHR	4-Leg Wood Chair <ul style="list-style-type: none">• No arms• No upholstery• 3 sizes - 14", 16", 18"	14"	CRCHR14	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	29#
		16"	CRCHR16	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	32#
		18"	CRCHR18	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	35#
 CRCHR	4-Leg Wood Chair <ul style="list-style-type: none">• No arms• Upholstered seat• 3 sizes - 14", 16", 18"	14"	CRCHRU14	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31#
		16"	CRCHRU16	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	34#
		18"	CRCHRU18	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	37#
 CRCHR	4-Leg Wood Chair <ul style="list-style-type: none">• With recessed arms• No upholstery• 18" size only	18"	CRCHRA18	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	45#
 CRCHR	4-Leg Wood Chair <ul style="list-style-type: none">• With recessed arms• Upholstered seat• 18" size only	18"	CRCHRAU18	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	47#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The ☐ indicates that a choice is required.
•The absence of the ☐ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select wood type.

M

 = Maple

O

 = Oak
- C

Select wood finish.

Refer to color addendum at [ki.com](#) or in KI Price List or KI Fabrics & Finishes binder.

Stained finish colors add \$20
- D

Select upholstery grade and color.

Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Stains
Specially stained edges beyond the KI standard offering (as shown under Edge Color column in color addendum) are also available. Contact KI.



Archive Seating

4-Leg Wood Chairs

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 370								
370								
370								
N/A	\$ 439	\$ 469	\$ 483	\$ 439	\$ 505	\$ 537	\$ 595	\$ 629
N/A	439	469	483	439	505	537	595	629
N/A	451	480	495	451	516	549	605	639
\$ 515								
N/A	\$ 585	\$ 614	\$ 630	\$ 585	\$ 651	\$ 683	\$ 739	\$ 774

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. Madisonville, Kentucky 42431** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Archive Circulation Desk

General Information

SPECIFICATIONS

Top

Joints are secured with mortise and tenon construction, glued and screwed. Desktop is 1-1/4" thick, particleboard core construction with .05" high-pressure laminate facer and .026" thick backer on the underside.

Cabinet Construction

All desk modules are flush-front design of 3/4" thick solid-panel construction. The front panels are 3/4" thick, 5-ply plywood with Grade B oak or maple veneer. All exterior faces are matched for color and grain. The side panels are 3/4" thick particleboard with Grade B oak or maple veneers and banded on the exposed edge with wood veneer tape.

Adjustable Shelves

Adjustable storage shelves are 3/4" thick, 5-ply plywood construction with select oak or maple veneer and banded on exposed edge with solid oak or maple. Shelves are adjustable in 1-1/4" increments.

Hinged Doors

Doors are 3/4" thick, MDF core construction with Grade B oak or maple veneer on both sides. All four edges are banded with solid oak or maple edge. Each door shall be fitted with brushed aluminum or flat black pull and lock.

Storage Drawers


All drawer fronts are 3/4" thick, MDF core construction with Grade B oak or maple veneer on both sides. All four edges are banded with solid oak or maple edge. Each drawer shall be fitted with brushed aluminum or flat black pull and lock.

Heights

Depending on the component, various heights are available: 27", 29", 32" and 39" may be specified.


NOTE:

To specify adjoining units, work from left to right (as viewed from inside the unit). Circulation desks will be manufactured to assemble as one unit.



Archive Circulation Desk

Typicals




Typical U-Shape Circulation Desk

Work Space: 240 sq. ft.
Oak Budget List Price: \$20,240
Maple Budget List Price: \$22,195

Circulation Desk Features:

- (A) Book return modules
- (B) Cupboard storage unit
- (C) Extended desk modules
- (D) 90° corner shelf unit
- (E) Open storage unit
- (F) Descending platform book truck
- (G) Mobile pedestal



Typical C-Shape Circulation Desk

Work Space: 132 sq. ft.
Oak Budget List Price: \$19,320
Maple Budget List Price: \$20,585

Circulation Desk Features:

- (A) Book return module
- (B) Extended desk modules
- (C) Mobile pedestal
- (D) Rolling book cart
- (E) Descending platform book truck
- (F) 60"x12" starter/adder
- (G) Cupboard storage unit
- (H) Logix Square Planters





Note:

Drawing is required prior to quote for circulation desks. Contact KI.



Archive Circulation Desk

Typicals





Typical O-Shape Circulation Desk

Work Space: 250 sq. ft.
Oak Budget List Price: \$19,205
Maple Budget List Price: \$21,160

Circulation Desk Features:

- Ⓐ Extended desk modules
- Ⓑ 90° corner shelf modules
- Ⓒ Book return module
- Ⓓ Open storage unit
- Ⓔ Descending platform book truck
- Ⓕ Mobile pedestal
- Ⓖ Cupboard storage unit



Typical L-Shape Circulation Desk


Work Space: 216 sq. ft.
Oak Budget List Price: \$14,260
Maple Budget List Price: \$15,640

Circulation Desk Features:


- Ⓐ Extended desk modules
- Ⓑ Open storage unit
- Ⓒ 90° corner shelf module
- Ⓓ Book return module
- Ⓔ Cupboard storage unit
- Ⓕ Transaction counter
- Ⓖ Descending platform book truck
- Ⓗ Mobile pedestal



Book Return Module Inside View



Book Return Module Outside View




90° Corner Shelf Outside View








Note:

Drawing is required prior to quote for circulation desks. Contact KI.

Archive Circulation Desk

Typicals









	Description	Size H x D x W	Wood Species	No edge option			
					64E	74P	34S
Standard Desk Module 	• 1 grommet or one PowerUp module	29 x 31½ x 36	Oak		\$ 1,064	\$ 1,093	\$ 1,121
		32 x 31½ x 36					
		39 x 31½ x 36					
		29 x 31½ x 36	Maple		1,150	1,179	1,208
		32 x 31½ x 36					
		39 x 31½ x 36					
Extended Desk Module 	• Knife bracket supports center of unit • 2 grommets or 2 PowerUp modules	29 x 31½ x 71¼	Oak		1,351	1,380	1,409
		32 x 31½ x 71¼					
		39 x 31½ x 71¼					
		29 x 31½ x 71¼	Maple		1,524	1,581	1,610
		32 x 31½ x 71¼					
		39 x 31½ x 71¼					
90° Corner Module 	• 2 adjustable shelves • 1 fixed shelf	29 x 31½ x 31½	Oak		2,185	2,271	2,329
		39 x 31½ x 31½					
		29 x 31½ x 31½	Maple		2,386	2,444	2,530
		39 x 31½ x 31½					
Book Return Module with Slot 	• For use with descending platform book truck • Book slot opening measure 18" W X 4" H	39 x 31½ x 36	Oak		1,208	1,236	1,265
		39 x 31½ x 36	Maple		1,294	1,323	1,380

Upcharges		
For grommets	add	\$ 67/ea.
For PowerUp	add	\$ 115/ea.
For stain finish	add	\$ 44/module



Archive Circulation Desk

Typicals


							
	Description	Size H x D x W	Wood Species	No edge option	64E	74P	34S
Cupboard Storage Unit 	<ul style="list-style-type: none"> • 1 adjustable shelf • 1 fixed shelf • Brushed aluminum or flat black pulls 	39 x 31½ x 36	Oak		\$ 1,581	\$ 1,639	\$ 1,668
		39 x 31½ x 36	Maple		1,725	1,783	1,811
Open Storage Unit 	<ul style="list-style-type: none"> • 2 adjustable shelves • 2 fixed shelves 	39 x 31½ x 36	Oak		\$ 1,380	\$ 1,438	\$ 1,466
		39 x 31½ x 36	Maple		1,524	1,581	1,610
Transaction Counter 	<ul style="list-style-type: none"> • For use with extended desk module • Veneer with wood banding 	10¾x9 x 71¼	Oak	\$ 863			
		10¾x9 x 71¼	Maple	978			

Upcharges


For grommets	add	\$ 67/ea.
For PowerUp	add	\$ 115/ea.
For stain finish	add	\$ 44/module

Product Locator

Archive Study Tables



ART3660M
Rectangular Tables: Rectangular Table
Page: 6




ART4242M
Square and Round Tables: Square Table
Page: 8




ART48RM
Square and Round Tables: Round Table
Page: 8


Archive Study Carrels




ARCS3036AM
Single Face Carrels: Study Carrel Adder
Unit-Single Face
Page: 10



ARCS3036SM
Single Face Carrels: Study Carrel Starter
Unit-Single Face
Page: 10




ARCD6036AM
Double Face Carrels: Study Carrel Adder
Unit-Double Face
Page: 12




ARCD6036SM
Double Face Carrels: Study Carrel Starter
Unit-Double Face
Page: 12


Archive Stand-up Computer Stations




ARSUS3036AM
Single Face Stations: Stand-up Computer
Station Adder Unit - Single Face
Page: 14



ARSUS3036SM
Single Face Stations: Stand-up Computer
Station Starter Unit - Single Face
Page: 14




ARSUD6036AM
Double Face Stations: Stand-up Computer
Station Adder Unit - Double Face
Page: 16




ARSUD6036SM
Double Face Stations: Stand-up Computer
Station Starter Unit - Double Face
Page: 16


Archive Shelving




ARFD4220A
42" High Shelving: Shelving Adder Unit -
Double Face
Page: 18




ARFD4220S
42" High Shelving: Shelving Starter Unit -
Double Face
Page: 18




ARFS4210A
42" High Shelving: Shelving Adder Unit -
Single Face
Page: 18



ARFS4210S
42" High Shelving: Shelving Starter Unit -
Single Face
Page: 18




ARFD6020A
60" High Shelving: Shelving Adder Unit -
Double Face
Page: 20




ARFD6020S
60" High Shelving: Shelving Starter Unit -
Double Face
Page: 20




Archive Shelving




ARFS6010A
60" High Shelving: Shelving Adder Unit -
Single Face
Page: 20




ARFS6010S
60" High Shelving: Shelving Starter Unit -
Single Face
Page: 20



ARFD8220A
82" High Shelving: Shelving Adder Unit -
Double Face
Page: 22




ARFD8220S
82" High Shelving: Shelving Starter Unit -
Double Face
Page: 22



ARFS8210A
82" High Shelving: Shelving Adder Unit -
Single Face
Page: 22

Archive Shelving



ARFS8210S
82" High Shelving: Shelving Starter Unit -
Single Face
Page: 22

Archive End Panels



ARESPSTR4210
End Panels - Single Face: End Panel -
Single Face 42"
Page: 24

ARESPSTR6010
End Panels - Single Face: End Panel -
Single Face 60"
Page: 24

ARESPSTR8210
End Panels - Single Face: End Panel -
Single Face 82"
Page: 24




AREDPSTR4220
End Panels - Double Face: End Panels -
Double Face 42"
Page: 26


AREDPSTR6020
End Panels - Double Face: End Panels -
Double Face 60"
Page: 26

AREDPSTR8220
End Panels - Double Face: End Panels -
Double Face 82"
Page: 26

Archive Periodical Shelving




ARPERD4224A
42" High Periodical Shelving: 42"
Periodical Shelving Adder Unit - Double
Face
Page: 28




ARPERD4224S
42" High Periodical Shelving: 42"
Periodical Shelving Starter Unit - Double
Face
Page: 28



ARPERS4212A
42" High Periodical Shelving: 42"
Periodical Shelving Adder Unit - Single Face
Page: 28




ARPERS4212S
42" High Periodical Shelving: 42"
Periodical Shelving Starter Unit - Single
Face
Page: 28




ARPERD6024A
60" High Periodical Shelving: 60"
Periodical Shelving Adder Unit - Double Face
Page: 30

Product Locator


Archive Periodical Shelving




ARPERD6024S
60" High Periodical Shelving: 60"
Periodical Shelving Starter Unit - Double
Face
Page: 30




ARPERS6012A
60" High Periodical Shelving: 60"
Periodical Shelving Adder Unit - Single Face
Page: 30



ARPERS6012S
60" High Periodical Shelving: 60"
Periodical Shelving Starter Unit - Single
Face
Page: 30




ARPERD8224A
82" High Periodical Shelving: 82"
Periodical Shelving Adder Unit - Double
Face
Page: 32




ARPERD8224S
82" High Periodical Shelving: 82"
Periodical Shelving Starter Unit - Double
Face
Page: 32

Archive Periodical Shelving



ARPERS8212A
82" High Periodical Shelving: 82"
Periodical Shelving Adder Unit - Single Face
Page: 32



ARPERS8212S
82" High Periodical Shelving: 82"
Periodical Shelving Starter Unit - Single
Face
Page: 32


Archive Accessory Units



CRDBT
Storage/Accessories: Descending Platform
Book Truck
Page: 34




CRDMP
Storage/Accessories: Wood Mobile Pedestal
Page: 34




ARNEW6012A
Newspaper Display Units: Newspaper
Display Adder Unit
Page: 36



ARNEW6012S
Newspaper Display Units: Newspaper
Display Starter Unit
Page: 36




ARATLASM
Atlas and Dictionary Stands: Atlas Stand
Page: 38




ARDICTNM
Atlas and Dictionary Stands: Dictionary
Stand
Page: 38


Archive Accessory Units




ARTRK3530
Rolling Book Carts: Rolling Book Cart - 30"
Wide
Page: 40



ARTRK3530SL
Rolling Book Carts: Rolling Book Cart with
Slanted Shelves
Page: 40



ARTRK4140
Rolling Book Carts: Rolling Book Cart - 40"
Wide
Page: 40



ARTRK4140SL
Rolling Book Carts: Rolling Book Cart with
Slanted Shelves
Page: 40



Archive Seating




ARCHRSB18

Sled Base Wood Chairs: Sled Base Wood

Chair

Page: 44



ARCHRSB18U

Sled Base Wood Chairs: Sled Base Wood

Chair

Page: 44



CRCHR14

4-Leg Wood Chairs: 4-Leg Wood Chair

Page: 46



CRCHRA18

4-Leg Wood Chairs: 4-Leg Wood Chair

Page: 46



CRCHRAU18

4-Leg Wood Chairs: 4-Leg Wood Chair

Page: 46



CRCHRU14

4-Leg Wood Chairs: 4-Leg Wood Chair

Page: 46

Index

Model No.	Description	Page	Model No.	Description	Page
ARATLASM	Atlas and Dictionary Stands: Atlas Stand	38	ART3660M	Rectangular Tables: Rectangular Table	6
ARCD6036AM	Double Face Carrels: Study Carrel Adder Unit-Double Face	12	ART4242M	Square and Round Tables: Square Table	8
ARCD6036SM	Double Face Carrels: Study Carrel Starter Unit-Double Face	12	ART48RM	Square and Round Tables: Round Table	8
ARCHRSB18	Sled Base Wood Chairs: Sled Base Wood Chair	44	ARTRK3530	Rolling Book Carts: Rolling Book Cart - 30" Wide	40
ARCHRSB18U	Sled Base Wood Chairs: Sled Base Wood Chair	44	ARTRK3530SL	Rolling Book Carts: Rolling Book Cart with Slanted Shelves	40
ARCS3036AM	Single Face Carrels: Study Carrel Adder Unit-Single Face	10	ARTRK4140	Rolling Book Carts: Rolling Book Cart - 40" Wide	40
ARCS3036SM	Single Face Carrels: Study Carrel Starter Unit-Single Face	10	ARTRK4140SL	Rolling Book Carts: Rolling Book Cart with Slanted Shelves	40
ARDICTNM	Atlas and Dictionary Stands: Dictionary Stand	38	CRCHR14	4-Leg Wood Chairs: 4-Leg Wood Chair	46
AREDPSTR4220	End Panels - Double Face: End Panels - Double Face 42"	26	CRCHRA18	4-Leg Wood Chairs: 4-Leg Wood Chair	46
AREDPSTR6020	End Panels - Double Face: End Panels - Double Face 60"	26	CRCHRAU18	4-Leg Wood Chairs: 4-Leg Wood Chair	46
AREDPSTR8220	End Panels - Double Face: End Panels - Double Face 82"	26	CRCHRU14	4-Leg Wood Chairs: 4-Leg Wood Chair	46
ARESPSTR4210	End Panels - Single Face: End Panel - Single Face 42"	24	CRDBT	Storage/Accessories: Descending Platform Book Truck	34
ARESPSTR6010	End Panels - Single Face: End Panel - Single Face 60"	24	CRDMP	Storage/Accessories: Wood Mobile Pedestal	34
ARESPSTR8210	End Panels - Single Face: End Panel - Single Face 82"	24			
ARFD4220A	42" High Shelving: Shelving Adder Unit - Double Face	18			
ARFD4220S	42" High Shelving: Shelving Starter Unit - Double Face	18			
ARFD6020A	60" High Shelving: Shelving Adder Unit - Double Face	20			
ARFD6020S	60" High Shelving: Shelving Starter Unit - Double Face	20			
ARFD8220A	82" High Shelving: Shelving Adder Unit - Double Face	22			
ARFD8220S	82" High Shelving: Shelving Starter Unit - Double Face	22			
ARFS4210A	42" High Shelving: Shelving Adder Unit - Single Face	18			
ARFS4210S	42" High Shelving: Shelving Starter Unit - Single Face	18			
ARFS6010A	60" High Shelving: Shelving Adder Unit - Single Face	20			
ARFS6010S	60" High Shelving: Shelving Starter Unit - Single Face	20			
ARFS8210A	82" High Shelving: Shelving Adder Unit - Single Face	22			
ARFS8210S	82" High Shelving: Shelving Starter Unit - Single Face	22			
ARNEW6012A	Newspaper Display Units: Newspaper Display Adder Unit	36			
ARNEW6012S	Newspaper Display Units: Newspaper Display Starter Unit	36			
ARPERD4224A	42" High Periodical Shelving: 42" Periodical Shelving Adder Unit - Double Face	28			
ARPERD4224S	42" High Periodical Shelving: 42" Periodical Shelving Starter Unit- Double Face	28			
ARPERD6024A	60" High Periodical Shelving: 60" Periodical Shelving Adder Unit- Double Face	30			
ARPERD6024S	60" High Periodical Shelving: 60" Periodical Shelving Starter Unit- Double Face	30			
ARPERD8224A	82" High Periodical Shelving: 82" Periodical Shelving Adder Unit - Double Face	32			
ARPERD8224S	82" High Periodical Shelving: 82" Periodical Shelving Starter Unit - Double Face	32			
ARPERS4212A	42" High Periodical Shelving: 42" Periodical Shelving Adder Unit - Single Face	28			
ARPERS4212S	42" High Periodical Shelving: 42" Periodical Shelving Starter Unit - Single Face	28			
ARPERS6012A	60" High Periodical Shelving: 60" Periodical Shelving Adder Unit - Single Face	30			
ARPERS6012S	60" High Periodical Shelving: 60" Periodical Shelving Starter Unit - Single Face	30			
ARPERS8212A	82" High Periodical Shelving: 82" Periodical Shelving Adder Unit - Single Face	32			
ARPERS8212S	82" High Periodical Shelving: 82" Periodical Shelving Starter Unit - Single Face	32			
ARSUD6036AM	Double Face Stations: Stand-up Computer Station Adder Unit - Double Face	16			
ARSUD6036SM	Double Face Stations: Stand-up Computer Station Starter Unit - Double Face	16			
ARSUS3036AM	Single Face Stations: Stand-up Computer Station Adder Unit - Single Face	14			
ARSUS3036SM	Single Face Stations: Stand-up Computer Station Starter Unit - Single Face	14			



**You make the rules.
We make the rest.®**

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what you need. And, we make it. The same applies to our service, distribution channels...everything we do. It's all built around knowing what you want and giving you the choice. KI solutions work, because we're working for you.

KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI is a registered trademark
of Krueger International, Inc.
Working for You is a registered
trademark of Krueger International, Inc.

© 2006 KI
All Rights Reserved.
Litho in USA.
Code KI-I 1436/KI/PDF/0406