



MISSION

OUR JOB is caring for people.

OUR PASSION is creating innovative patient handling solutions that improve the performance of Emergency Care Providers and enhance the quality of care that they provide.

OUR PURSUIT is delivering the best quality products, service, and support, with the highest level of integrity and professionalism, treating each customer just as we would want to be treated ourselves.

That's The Ferno Way!

VISION

To take Ferno, the pioneer and innovator of patient handling equipment, to the pinnacle of the industry by producing safe, quality, **customer-inspired products** that exceed the expectations of those we serve.

VALUES

Quality

We will provide and deliver products that not only meet tangible needs, but exceed the expectations of the customer. Quality in customer care, support, personnel, products and processes will inevitably define our company and employees and ultimately drive our success.

Teamwork

Our approach is to offer a collaborative environment where team members are encouraged to share ideas and work together for productive solutions. Our goal is to gain commitment and employ our set of values.

Integrity

Our dedication is to give honest service, both internally and externally, and uphold our exceptionally high standard of excellence and deliver on our promises.

Empathy

Our focus is to listen; to the customer, to our fellow employees and to our competitors. We will achieve great things by listening and understanding. Our objective is to use what we have heard and translate that to proactive, creative solutions.

Innovation

We drive to discover new ways of creating value, to create new practices, processes, services and products of value internally and to the needs that benefit our customers.

Humility

We must all commit to continuous improvement and display a willingness to change, based on demand and feedback from our customers. Admitting our mistakes, learning from them and never underestimating our competition will aid in keeping our company revered and successful in the marketplace. We must be Champions for Change.

Customer Focus

Our drive to succeed as a business is directly related to our ability to interact, listen to and understand the customer's needs and exceed their expectations for product performance and service. We must actively develop long-lasting partnerships with our customers and respond quickly and diligently to not only their needs, but to the needs of the overall marketplace. Customer focus and the highest level of customer satisfaction is the foundation of our business.

1] PATIENT HANDLING	
ambulance cots	4-10, 18
accessories	12-15
restraints	16
fasteners	17
stair chairs	11, 19
stretchers	20-23
2] AMBULANCE SAFETY	
defibrillator mounts	24, 25
oxygen cylinder mounts	25
3] IMMOBILIZATION	
backboards	26, 27
ked	28, 29
scoop stretchers	30
head immobilizers	31
c-collar	31
splints	32, 33
4] PEDIATRICS	34, 35
5] PATIENT CARE	
trauma kits, bags, vests	36-41
O2 bags	38, 39
oxygen & airway equipment	42, 43
6] FIRE RESCUE	
basket stretchers	44-46
rescue accessories	47
rescue stretchers	48
SAR packs	49
rescue boat	50
7] HOSPITAL SURGE & MCI	
surge bed	51
evacuation chair	51
8] INFORMATION	2, 3, 52, 53
9] SPECIFICATIONS	54, 55



PROGRAMS



On-Site Demonstration

Free on-site demonstrations are available for all Ferno® ambulance cots and stair chairs, so you can try before you buy. Our team of sales professionals will bring product directly to your service and demonstrate equipment functions and benefits. Call Ferno customer service to arrange a visit.



Financing

Ferno® provides a variety of financing and leasing options. Financing is available on the full range of Ferno products, and equipment is shipped directly from Ferno.

Extended warranties, preventive maintenance plans and other options can also be added to your lease or finance plan. Call 877-733-0911 or e-mail us at info@ferno.com for more information and a quote for your service.

Trade-In Program

Trade-in allowances are available on select models of Ferno® Ambulance Cots and Stair Chairs. Trade-ins are accepted for same-class product from Ferno or competitors. For more information and available discounts, contact Ferno customer service.

Technical Support

Whenever you need technical specifications, have repair or maintenance questions, or need other information about your Ferno® product, contact our Technical Support Department at **866-986-3776** or by e-mail at qualityproducts@ferno.com. We have knowledgeable, dedicated Technical Support staff ready to assist you with any question you have about your Ferno® product.

Service Options

Cot Care®: Hands-on training program designed to assist agencies with reducing their maintenance costs on Ferno cots, stair chairs, and fasteners. Conducted at the Ferno facilities in Wilmington, Ohio, or on site at your agency, the Cot Care® Program authorizes staff to perform Ferno equipment maintenance for their agency.

EMSAR®: Preventive maintenance, maintenance service and repair service is available nationwide through EMSAR, Ferno's authorized service provider. Skilled EMSAR service technicians are available in your area to come right to your location.

For EMSAR locations near you, or for Cot Care schedules, contact Ferno® customer service.

Operation Safe EMS™

To enhance your safety, Ferno® has partnered with McNeil & Company to produce the **Operation Safe EMS™** Program. This CD-based, interactive training program is available free of charge and covers all aspects of operator and patient safety during patient transfer and transport, including techniques for safe lifting, the development of critical thinking skills, and an application and evaluation of the skills you learn from the program. The program materials are easily integrated into an individual or group training program.

To obtain a copy of the CD, visit www.OperationSafeEMS.com



SAFETY

Total Safety Solutions: Ferno's Family of Products are designed, engineered, and tested for maximum operator safety with features and functionality that help maintain proper body mechanics and reduce provider stress and risk of injury. Ferno's family of products also provide maximum patient safety with industry leading stability that reduces the chances for patient drops.

Every product goes through a rigorous process:

Engineering & Design

Every Ferno® ambulance cot and stair chair is designed and engineered for the optimal geometry to reduce situations that can cause tips, flips, and other incidents that lead to loss of control and stability. Whatever the patient size, whatever the scenario, Ferno® equipment provides maximum stability during ambulance loading and unloading, and while extricating and moving patients.

Ergonomics

Every Ferno® product is designed with innovative features to ensure you maintain optimum lifting posture regardless of the environment. For every situation, for every kind of move or lift, there's a Ferno® product with unique features designed to help you reduce or eliminate strain, keep control, and maintain proper body mechanics.

Testing

When you're on scene, in the middle of a call, your equipment has to work, without question, every time. All Ferno® products undergo rigorous testing in our test lab and in the field to meet our stringent standards and to ensure maximum performance in any environment and on every call.

Environmental Application

Every patient scene is unique, and every service has its own operating environment that includes geography, terrain, demographics, and protocols. Having the right piece of equipment for the situation is crucial to maintaining safety for you and your patients. That's why Ferno® has created the most comprehensive selection of patient-handling products; products that provide solutions to your everyday challenges.

Education and Training

Safety goes beyond your equipment; it means the physical and mental preparation needed to safely respond to any scene. To help you do this, Ferno® has developed Operation Safe EMS™, a free education and training program that teaches physical development, safe patient-handling techniques, and scene evaluation. To get your free copy, register at www.OperationSafeEMS.com

Ferno® Safety Solutions:



POWERFlexx® + Powered Ambulance Cot with unassisted 700 lb lift capacity



EZ Glide® Tracked Stair Chair glides 500 lb down stairs



35X X-Frame Cot with EZ Pull™ Release System



93H H-Frame Cot with Level Transport & Multi- Position Load Frame



28Z Chair Cot with Unparalleled Maneuverability



Najo® Series Backboards with Multiple-Environment Options



Scoop™ EXL Stretcher for Safer Full-Body Immobilization



Immobilization and Splinting Devices for Every Situation



K.E.D.® Extrication Device for automotive and confined-space extrication



Emergency Stretchers and Chairs for Fast, Limited-Access Situations



Basket and Rescue Stretchers for Confined Space and Technical Rescue

POWERflexx® + POWERED COT

The POWERflexx®+ System provides advanced power management and an in-the-fastener charging system to keep you powered on every call, without having to carry around extra batteries or take them out to charge. As soon as you lock the cot into the fastener, the Integrated Charging System (ICS) is activated and charges the battery.

The POWERflexx®+ Powered Ambulance Cot also provides 700 lb unassisted lifting. The cot does all the lifting, not the operator, reducing situations where operators may injure their back.

The POWERflexx®+ delivers superior stability and center of gravity with a wide wheel base, proper positioning of the motor and battery, and carefully engineered X-frame geometry. This stability reduces your chance of flipping or tipping a cot, which reduces the chance of injury to you or your patients.



Specifications

	Length Max	Length Min	Width	Bed Height Range	Max Load Height	Max Load Weight	Lifting Capacity	Load Limit Load Position	Load Limit Lowest Position	Power
Imperial	83 in.	61 in.	24 in.	13-41 in.	33 in.	133 lb	700 lb	700 lb	1000 lb	24 V DC
Metric	211 cm	155 cm	61 cm	33-104 cm	84 cm	60 kg	318 kg	318 kg	450 kg	24 V DC

- 1 700 lb Lifting Capacity** raises the patient weight without lift assistance.
- 2 All-Metal Frame Construction** provides strength, long service life, and exceptional performance with heavy patients.
- 3 Five-Position Drop Frame** and multi-position foot-end lift bar reduce the cot length by 15" for movement in confined spaces, and provide true 360° turning radius in the lowest position.
- 4 Eliminate Battery Management** with the optional Integrated Charging System (ICS).
- 5 Wide Thumb Controls** provide effective gripping and control from a variety of positions with or without gloves.
- 6 Reflective Labeling** provides nighttime visibility for added safety (includes optional personalized graphics - see order form on P. 53).
- 7 24 Volt DC POWERPack** with hydraulic actuator and dual-lifting cylinders provides smooth and reliable lifting.



5



6



7



Complete Bariatric Solution with bariatric push-pull handles, 1000 lb load capacity in the lowest position, and optional LBS Bariatric Board (see p.12)

POWERflexx® Powered Cot.....	PT5600
ICS Integrated Charging System.....	Call for Configurations
LBS Bariatric Board (shown).....	CA6100
LBS Jr.....	0822184
Additional POWERPac.....	0822220

Additional Accessories on pp. 12-16
 Fasteners on p. 17
 Incubator Transporters on p. 34

35X PROFlex[®] X-FRAME COT

Ferno's 35X PROFlex[®] X-frame Ambulance Cot provides industry-leading stability and safety. A longer, fixed front leg in the X-Frame and carefully-engineered geometry create a low center of gravity and minimal flex. This stability reduces your chance of flipping or tipping a cot, which reduces the chance of injury to you or your patients.



Specifications

	Length Max	Length Min	Width	Bed Height Range	Max Load Height	Weight	Load Limit Load Position	Load Limit Lowest Position
Imperial	79 in.	64 in.	24 in.	14-40 in.	35 in.	92 lb	700 lb	1100 lb
Metric	201 cm	162 cm	61 cm	35-102 cm	89 cm	42 kg	317 kg	500 kg

- 1 Superior Stability and Center of Gravity** come from a longer, fixed front leg in the X-frame, a rigid C-channel running the length of the cot, and carefully-engineered frame geometry.
- 2 Five-Position Drop Frame** provides better leverage for lifting and loading, reduces the cot length by 15" for movement in confined spaces, and provides true 360° turning radius in the lowest position.
- 3 All-Metal Frame Construction** provides strength, long service life, and exceptional performance with heavy patients.
- 4 Wider Bed Surface and Head Frame** provide comfort and support for various size patients and extra elbow room during intubation and CPR.
- 5 Complete Bariatric Solution** with bariatric push-pull handles, 1100 lb load capacity in the lowest position, and optional LBS and LBS Jr. Bariatric Board (see p. 12).



35X with LBS



The 35X EZ Pull™ Release System reduces wrist strain and helps you position yourself before assuming the weight of the cot, so you can maintain optimum lifting posture and reduce strain on your lower back. EZ Pull handles are located on the upper and lower lift bars for operators of different heights.

35X PROFlexx® X-Frame Cot	PT3570
35X PROFlexx® XST StatTrac®	PT3575
LBS Bariatric Board (shown)	CA6100
LBS Jr. Bariatric Board	0822184

Additional Accessories on pp. 12-16
Fasteners on p. 17
Incubator Transporters on p. 34

93H PROFlexx® H-FRAME COT

Ferno's exclusive 93H PROFlexx® H-frame Ambulance Cot provides operators with easy lifting and loading thanks to the adjustable foot-end load frame. Operators can achieve optimum lifting posture when raising the cot from bed height and when loading the cot into an ambulance, reducing situations that may cause injury.

The 93H PROFlexx® also features an **exclusive** transport position, which keeps the bed surface level to provide maximum stability and a lower center of gravity when rolling the raised cot with a patient on it. This stability reduces your chance of flipping or tipping a cot, which reduces the chance of injury to you or your patients.



Multi-position foot-end load frame helps operators achieve optimum lifting posture for safe lifting and loading, and keeps patients' feet away from operators.

Specifications

	Length Max	Length Min	Width	Height Max	Height Min	Load Height	Weight	Load Limit Lowest Position
Imperial	83 in.	67 in.	24 in.	36 in.	11 in.	30 in.	98 lb	650 lb
Metric	211 cm	170 cm	61 cm	91 cm	28 cm	77 cm	44 kg	295 kg

- 1 Exclusive Transport Position** provides maximum stability and patient comfort when rolling the raised cot with a patient on it.
- 2 Multi-Position Foot-End Load Frame** helps operators achieve optimum lifting posture for safe lifting and loading, and keeps patients' feet away from operators.
- 3 One-Hand Drop Frame** provides improved maneuvering in tight spaces, as well as an intermediate position for shorter users.
- 4 Sturdy H-frame Construction** with large powder-coated tubing improves stability.
- 5 All-Metal Frame Construction** provides strength, long service life, and exceptional performance with heavy patients.



Versatile Bariatric Solution
with optional LBS Jr. Bariatric Board (see p. 12)



93H PROFlexx® H-Frame Cot w/ Adjustable Frame & Universal Sidearms	PT9341
93H PROFlexx® H-Frame Cot w/ Adjustable Frame & Swing Down Sidearms	PT9342
93H PROFlexx® H-Frame Cot w/ Fixed Operator Frame & Universal Sidearms	PT9343
93H PROFlexx® H-Frame Cot w/ Fixed Operator Frame & Swing Down Sidearms	PT9344
93HST PROFlexx® StatTrac®	PT9360
LBS Bariatric Board	CA6100
LBS Jr. Bariatric Board	0821936

Additional Accessories on pp. 12-16
Fasteners on p. 17
Incubator Transporters on p. 34

Exclusive transport position provides maximum stability when rolling the raised cot with a patient on it.

28Z PROFlexx® CHAIR COT

The 28Z PROFlexx® Chair Cot provides maximum versatility for patient transport in confining environments.

The maneuverability and flexibility of transforming Ferno's 28Z PROFlexx® from a cot to chair allows you to respond in confining environments such as tight hallways, narrow staircases, and small elevators without transferring the patient. The 28Z's light weight, superior stability and load capacity, and flexible handling features reduce situations that may cause injury to you or your patient.

- 1 Versatile Patient Transport** with easy transition from cot to chair position provides maneuverability and flexibility in challenging structural environments without the need to transfer patients.
- 2 Unparalleled Maneuverability** with 48" length in chair position provides the shortest length of any cot in the market for working in confining areas such as tight hallways, small elevators, and narrow staircases.
- 3 Lightest-Weight** roll-in style cot on the market at 69 lb, making it easier to operate.



1



Accessories not included

- 4 All-Metal Frame Construction** provides strength, long service life, and exceptional performance with heavy patients.
- 5 Ergonomic One-Hand Release** mechanism changes cot into one of three locked positions (chair | intermediate | cot)

28Z PROFlexx® Chair Cot PT2805
 28Z PROFlexx® Chair Cot w/Hard Tray PT2810

*Additional Accessories on pp. 12-16
 Fasteners on p. 17*



Specifications

	Cot Height Folded	Cot Height Raised	Load Height	Length Folded	Length Raised	Overall Width	Chair Max Height	Chair Width	Chair Depth	Weight	Load Limit
Imperial	9 in.	33 in.	27 in.	80 in.	75 in.	25 in.	55 in.	25 in.	48 in.	69 lb	700 lb
Metric	22 cm	84 cm	68 cm	204 cm	190 cm	63 cm	140 cm	63 cm	122 cm	31.2 kg	318 kg

EZ Glide® STAIR CHAIR

The EZ Glide® Evacuation Stair Chair glides patient loads up to 500 lb down stairs without carrying or lifting. Ferno's industry-leading one-inch track-to-ground clearance and front swivel wheels provide superior maneuverability over carpet and in confined spaces such as stair landings.

59T EZ-Glide® w/Track; ABS Panels PT5900
 59T EZ-Glide® Evacuation Chair PT5909

Additional Accessories on pp. 14-15
Restraints on p. 16



Evacuation Chair option is available for civilian use in emergency evacuation situations. Visit evacuation.ferno.com or go to page 51 for more information.



Accessories not included

- 1** 1" Track-to-Ground Clearance provides easier maneuverability over all surfaces, even with tracks deployed.
- 2** Extending Footrest and lower track angle increase patient sense of security.
- 3** All-Metal Frame Construction provides strength, long service life, and exceptional performance with heavy patients.
- 4** Removable ABS panels provide easy cleaning and disinfecting of the chair.
- 5** 5-Position Lift Bar and handles reduce the strain of lifting and provide maximum control for operators of various heights



Rear Lift Bar Positions:
 37½, 44, 50½, 57, 63½ in.
 (95, 112, 128, 145, 161cm)

Front Lift Handle Positions:
 5½, 9, 12¼, 15¾, 19 in.
 (14, 22, 31, 40, 48 cm)

Specifications

	Height	Width Overall	Width Seat	Depth Max Open	Depth Min Open	Depth Seat	Depth Folded	Weight	Load Limit
Imperial	37½ in.	20½ in.	16½ in.	51 in.	28 in.	16½ in.	8 in.	33 lb	500 lb
Metric	95 cm	52 cm	42 cm	130 cm	73 cm	42 cm	20 cm	15 kg	227 kg

BARIATRIC ACCESSORIES

There's no need to buy a separate, dedicated bariatric stretcher. Ferno® Bariatric Solutions allow you to adapt standard Ferno® cots on-scene to safely transfer and transport bariatric patients. The LBS and LBS Jr. Bariatric Board and Ferno® bariatric accessories attach quickly and easily to a Ferno® cot, and fold for easy storage when not in use. Compatible with the 35X, 93H, and POWERFlex®.

The **LBS Junior** has the same great benefits of the LBS but features folding "wings" for better maneuverability through doorways. 29/42 in. width. Comes with Manta™ Transfer Sheet. Includes one set of restraint extenders.

LBS Junior, POWERFlex® and 35X 0822184
LBS Junior, 93H 0821936

The **LBS Bariatric Board** quickly attaches to the Ferno® 35X, 93H, and POWERFlex® Ambulance Cots. Comes with Manta™ Transfer Sheet. Includes one set of restraint extenders.

LBS Bariatric Board CA6100

The **LBS Mattress** provides added patient comfort and folds away for easy storage. LBS: 70 x 36 x 2 in. (22½ in. wide at head end)
 LBS Jr: 70 x 27½ x 2 in. (23½ in. wide at head end)

LBS Mattress CA6101
Junior Mattress 0314050

The **Manta™ Transfer Sheet** is quickly deployed and provides multiple handholds for moving patients weighing up to 800 lb.
 45 x 78 in. (115 x 222 cm)

Manta Transfer Sheet PT1320

The **LBS Carrying Case** provides added convenience when deploying and storing the LBS.

LBS Carrying Case for Mattress Only CA6095
LBS Carrying Case for LBS, Mattress, and Hardware CA6096

The **Bariatric Tow Package** attaches to the cot's head-end load frame to allow the cot to be pulled up ramps by a winch.

Bariatric Tow Package 0822121

Ferno® **Restraint Extenders** provide additional length to regular size restraints for the transport of bariatric patients.

1 ft. 0313942
2 ft. 0313659
3 ft. 0313670

Ferno® **Bariatric Push-Pull Handles** allow operators to walk in an upright position with optimum body mechanics, while they push or pull a cot in its lowest, most stable position. Quick-release mounting blocks allow fast and easy attachment and removal of the handles.

Angled (head end or foot end), for cot 0822147
Straight (head end or foot end), for cot 0822148
Angled, for LBS Junior 0822112
Straight, for LBS Junior 0822146



LBS Junior Bariatric Board



LBS Junior Mattress



LBS Bariatric Board



LBS Mattress



Manta™ Transfer Sheet



LBS Carrying Case



Bariatric Tow Package



Restraint Extenders



Straight Handle



Angled Handle

STORAGE ACCESSORIES

Oxy-Clip™ O2 Bottle Holder

Specify Cot



Oxy-Clip2™ O2 Bottle Holder

CA5903



Foot-End O2 Bracket

Specify 93H or 35X Cot



Head-End O2 Bracket

CA5330



PacRac™ Equipment Platform

Specify Cot



Equipment Bracket-Extra Hand

CA5250



35X X02 Oxygen Mounting System

CA5320



Eclipse Flashlight Holder

082-2145



Sof-Net Head-End Storage Pouch

CA6507 - 35X, 93H, & POWERFlexx



Sof-Shelf Storage Tray

for 35P and 93H



Sidarm Pouches

Specify Cot



Medi-Pac™ Accessory Pack

CA2520



Also available in StatTrac® version CA6407

Hard Metal Lower Tray

Specify Cot



513-10 Series IV Poles

Call for Specifications



513-LBS IV Pole

Call for Specifications



513-13 Series IV Poles

Call for Specifications



HANDLING ACCESSORIES

Swing-out Lift Handles

7 in. for 28Z 0822137



Swing-out Lift Handles

10 in. for 28Z 0822136



Pull-out Lifting Handles

For POWERFlexx 0822140



Dialysis Kickstand

Specify Cot



Universal Sidearm

Must order with cot



28Z Lead Handle

0822139



Cot Height Limiting Kit

For 35P CA6500
For 35X 0822244



Transfer Board

length:45" width:18" thick:3/16"
0107992



Beasy Trans™ Transfer Board

0779487



EZ Glide™ Headrest

CA5900



EZ Glide® IV Pole

0821976



EZ Glide® Rear Lift Handles

Locking - CA5906



EZ Glide® Stair Chair Secure Lock Mount

0822072



EZ Glide® Stair Chair Wall Mount

0822096



EZ Glide® Stair Chair Storage Cover

0314023



EZ Glide® Stair Chair Storage Cabinet

0506534



PATIENT CARE ACCESSORIES

Patient Care Accessories

FERNO₂[™] CPR Mask: Latex-free mask with storage case.
FERNO₂ CPR Mask RO2820

Ferno[®] CPR Board: Provides a firm surface and helps properly position the patient's head during CPR. 23¼"x17"x¼"
Ferno CPR Board RO6720

Weather Shield: Keeps patient dry in inclement weather.
Weather Shield 0313924

Patient Shield: Minimizes the transfer of pathogens between patient and patient handlers, equipment and the environment.
Patient Shield CA6503

SickSak: Emesis bag with secure closure comes in cases of 144 bags.
SickSak 0822409

Ferno[®] Blankets and Sheets

- Cot Pillow CA3660
- Acrylic-Blend Blanket, Blue EB3520
- Quilted Nylon Blanket, Red EB3530
- Wool-Blend Blanket, Gray EB3540
- Fire Blanket, Maroon EB3560
- Fire Blanket w/Case EB6800
- Fitted Sheet for POWERFlex[®] (50/case) 0314039
- Fitted Sheet for PROFlex[®] Series (50/case) 0314045
- RESQ Pillow/Blanket EB700YP

Mattresses

All Ferno[®] mattresses are made from heat-sealed, heavy-duty vinyl for resistance to blood and bodily fluids, and for easy cleaning.

Model 360: Compatible with Model 35A, Model 30NM, and Model 93ES cots. Available in burgundy and orange. 73"x18"x3"
Model 360 Mattress (orange) 0313691
Model 360 Mattress (burgundy) 0313692

Model 359-8: Compatible with the Model 28 cot. Available in burgundy and orange. Head-End: 51½"x17"x2" Foot-End: 22"x17"x2"
Model 359-8 Mattress (orange) 0311220
Model 359-8 Mattress (burgundy) 0313099

Model 460: Compatible with Model 35A, Model 30NM, and Model 93ES cots. Available in burgundy and orange. 71"x17½"x4½"
Model 460 Mattress (orange) 0312720
Model 460 Mattress (burgundy) 0313063

PROFlex[®]: Compatible with 35 and 93 PROFlex[®] series cots. 73½"x 19"x 3" (21" wide at head-end)
PROFlex w/Hook Attachment 0313920
PROFlex w/Hook Attachment and Transfer Board Pocket 0314028

POWERFlex[®]: Compatible with POWERFlex[®] cots. 79½"x19"x3" (21" wide at head-end)
POWERFlex w/Hook Attachment 0313997
POWERFlex w/Hook Attachment and Transfer Board Pocket 0314029

28Z PROFlex[®]: Compatible with 28Z PROFlex[®] cots. Head-End: 52"x17½"x2½" Foot-End: 21½"x15½"x2.5"
28Z PROFlex Mattress 0314031



FERNO₂[™] CPR Mask



Ferno[®] CPR Board



Weather Shield



Patient Shield



SickSak



Cot Pillow



Fitted Sheets



RESQ Pillow/Blanket



Acrylic-Blend Blanket



Nylon Blanket



Fire Blanket & Case



360 Mattress



359-8 Mattress



460 Mattress



PROFlex[®] Mattress



POWERFlex[®] Mattress



28Z Mattress

RESTRAINTS

417-1 Shoulder Harness

This primary-use patient restraint system is required in many states and vital for crash survival. Features two adjustable shoulder straps and an adjustable two-piece torso strap, with automotive-type metal buckles and hardware. Available in black, burgundy or orange.

Shoulder Harness Cot Restraint RS4170



Shoulder Harness Restraint



430 Series Cot Restraints

430 Series Cot Restraints

Two-piece, primary-use patient restraints made of 2" nylon webbing with automotive-type metal buckles. Available in black, burgundy or orange.

Two-Piece 5' Cot Restraint Strap RS4325

Two-Piece 7' Cot Restraint Strap RS4327

Two-Piece 9' Cot Restraint Strap RS4329



430P Series Restraint Straps



Fastrap™ Restraint System

430P Series Restraint Straps

One- or two-piece, secondary-use patient restraints made of 2" polypropylene webbing with side-release, snap-lock, plastic buckles. Available in black, burgundy or orange.

One-Piece 7' Restraint Straps RS4017

One-Piece 9' Restraint Straps (burgundy only) RS4019

Two-Piece 5' Restraint Straps RS4025

Two-Piece 7' Restraint Straps RS4027

Two-Piece 9' Restraint Straps (black only) RS4029



Backboard Strap Kit



773P Series Speed-Clip Restraints

773 Series Speed-Clip Restraints

Two-piece patient restraints with swivel speed-clips for backboards with pins. Made of 2" nylon/polyester webbing with automotive-type metal buckle or polypropylene webbing with plastic buckle. Available in black, burgundy or orange.

Two-Piece 5' Speed-Clip - Nylon/Polyester (burg, orange, blk) RS7733

Two-Piece 7' Speed-Clip - Nylon/Polyester (black) RS7734

Two-Piece 7' Speed-Clip - Polypropylene (black) RS7730

Backboard Strap Kits with set of three straps and a storage pouch.

One-Piece, 7', Nylon/Polyester(with pouch) (orange, black) RS4390

Two-Piece 5' Speed-Clip - Nylon/Polyester (no pouch) (black) RS7731

Two-Piece 7' Speed-Clip - Nylon/Polyester (no pouch) (black) RS7732

Fastrap™ Quick Restraint System

The Ferno Fastrap™ Quick Restraint System features a color-coded, 10-point, six-strap system designed to rapidly secure patients to backboards and other devices. Compatible with Ferno Millennia™, NAJO®, Wooden Backboards, and Scoop™ Stretchers

Fastrap™ Quick Restraint System RS7700



Over-the-Lap Wrist Restraints



Wrist Restraints-Cot Sidearm

Extremity Restraints

Extremity Restraints securely hold legs and arms of unconscious patients in place. Available in burgundy or orange.

Over-the-Lap Wrist Restraints RS4140

Wrist Restraints - Cot Sidearm RS4141

Ankle Restraints RS4150



Ankle Restraints



Restraint Strap Retractor

Restraint Strap Retractor

Keeps patient restraints available, organized, and off the ground.


Restraint Strap Retractor, Pair RS4100

COT FASTENERS

175-1 Cot Fastener

- Permanent wall mount for rear fastener rail
- Permanent floor mount for front antler
- Compatible with 30, 35A, 93ES, 35X, 93H, and POWERFlex® Cots


Model 175-1 CF1751



175-2 Cot Fastener

- Permanent floor mount for rear fastener rail
- Permanent floor mount for front antler
- Compatible with 30, 35A, 93ES, 35X, 93H, and POWERFlex® Cots


Model 175-2 CF1752



175-3 Cot Fastener

- Removable floor mount for rear fastener rail
- Removable floor mount for front antler
- Single positioning of floor mounts
- Both sections of fastener are removable permitting easy cleaning of the ambulance floor and side wall
- Compatible with 30, 35A, 93ES, 35X, 93H, and POWERFlex® Cots


Model 175-3 CF1753



175-4 Cot Fastener

- Same as Model 175-3 but with extra set of floor mounting plates allowing alternate installation: Side and/or Center
- Compatible with 30, 35A, 93ES, 35X, 93H, and POWERFlex® Cots

Model 175-4 CF1754



175-5 Cot Fastener

- Permanent wall mount for rear fastener rail
- Removable floor mount for front antler
- Removable front fastener allows easy cleaning of the ambulance floor
- Compatible with 30, 35A, 93ES, 35X, 93H, and POWERFlex® Cots

Model 175-5 CF1755


185 StatTrac® Cot Fastener

- Straight-in track design eliminates cot drift
- May be installed for side or center positioning
- Compatible with 35A, 35 series, 93 series, and POWERFlex® Cots

Model 185 StatTrac® Short (86") CF1850

Model 185 StatTrac® Medium (96") CF1855


Model 185 StatTrac® Long (103") CF1856



173-2 Cot Fastener

- Permanent floor mount for rear fastener hook
- Permanent floor mount for front antler
- Compatible with Model 28Z and Model 28 Chair Cots


Model 173-2 CF1732



173-3 Cot Fastener

- Removable floor mount for rear fastener hook
- Removable floor mount for front antler
- Compatible with Model 28Z and Model 28 Chair Cots

Model 173-3 CF1733



COTS LIGHTWEIGHT / VALUE

Ferno® Lightweight Value Cots

The **Ferno® 35A and 93ES Ambulance Cots** provide exceptional value for X-frame and H-frame cot users. These cots weigh under 80 lb and have a proven record of dependability with over 20 years of use by services all over the world. A full range of options and accessories (pp. 12-16) enhance patient care and help reduce situations that may lead to patient or operator injury.

StatTrac® Models are available for use with Ferno's unique, heavy-duty track fastening system (see pp. 17).

*Accessories on pp. 12-16
Fasteners on p. 17*

35A X-Frame Cot



30NM Level Cot

35A Mobile Transporter™ X-Frame Cot

- Model 35A PT3500
- Model 35AST StatTrac® PT3530
- Model 35ANM Non-Magnetic, Burgundy Only PT3510
- Model 255 StoNet™ 0819503

30NM Non-Magnetic MRI Cot: Most popular cot for use with MRI and in specialized medical treatment areas where the cot must be non-magnetic. The Model 30 is super-lightweight at 54 lb and features a load-in style frame (**35A-NM also available**).

- Model 30NM PT3010

93ES Squadmate™ H-Frame Cot

- Model 93ES PT9300
- Model 93ESST StatTrac®, Burgundy Only PT9310



93ES H-Frame Cot

Specifications

Model	Max Length	Min Length	Width	Max Height	Min Height	Load Height	Weight	Load Limit
35A	79 in. (200 cm)	63 in. (160 cm)	24 in. (61 cm)	40 in. (101 cm)	9 in. (23 cm)	32 in. (80 cm)	74 lb (34 kg)	500 lb (227 kg)
30NM	76 in. (193 cm)	64 in. (162 cm)	22 in. (56 cm)	32 in. (82 cm)	12 in. (31 cm)	32 in. (82 cm)	54 lb (25 kg)	400 lb (182 kg)
93ES	81 in. (206 cm)	66 in. (168 cm)	21 in. (53 cm)	33 in. (84 cm)	9 in. (23 cm)	30 in. (77 cm)	74 lb (34 kg)	500 lb (227 kg)

STAIR CHAIRS LIGHTWEIGHT / VALUE

Ferno® Value Stair Chairs

The Ferno® Model 40/42/48 Series Stair Chairs provide exceptional value to services looking for a basic stair chair. The chairs function well in confined spaces and feature a narrow profile in the folded position for easy storage. Vinyl-coated nylon seats are easy to clean and resist stains, blood, and bodily fluids.

Model 40 Stair Chair: Features two 5" stationary rear wheels to enable the EMT to move the patient over most surfaces with minimal effort. Long, multi-position, telescoping front handles help the foot-end operator maintain optimum lifting posture, and maneuver the chair without interference from the patient's feet.

- Model 40 Stair Chair w/Vinyl Cover PT4000
- Model 40-OS Economy Stair Chair PT4010
- Model 40 Stair Chair Carrying Case BG3855



Model 40-OS

An economy version of the Model 40, without the telescoping front handles.

Model 40



Model 42 Stair Chair: Features two 4" rear stationary wheels and two 2" low-profile front guide wheels to allow the Model 42 to roll over most carpeted or hard surfaces. Four lifting handles with nonslip handgrips enable EMTs to move the patient safely and easily.

- Model 42 Stair Chair w/Vinyl Cover (Not Shown) PT4200
- Stair Chair Carrying Case BG3840

Model 48 Stair Chair: Identical to the Model 42, only 4" narrower. Ideal for use in airplanes, boats, restaurants and all areas where access is severely limited.

- Model 48 Stair Chair PT4800
- Stair Chair Carrying Case BG3840

Model 48



Specifications

Model	Height	Width	Depth Open	Depth Folded	Weight	Load Limit
40	36 in. (91 cm)	20 in. (51 cm)	27 in. (69 cm)	7 in. (18 cm)	19 lb (9 kg)	350 lb (159 kg)
40-OS	36 in. (91 cm)	20 in. (51 cm)	28 in. (72 cm)	7 in. (18 cm)	14 lb (6 kg)	350 lb (159 kg)
42	37 in. (95 cm)	19 in. (49 cm)	24 in. (61 cm)	6 in. (16 cm)	19 lb (9 kg)	350 lb (159 kg)
48	37 in. (95 cm)	16 in. (40 cm)	24 in. (61 cm)	6 in. (16 cm)	18 lb (8 kg)	350 lb (159 kg)

STRETCHERS

Emergency Stretchers

Ferno's Folding Emergency Stretchers are simple, flat stretchers useful for transferring patients who have no suspected spinal injury. They feature lightweight aluminum frames and heavy duty, bacteriostatic, vinyl-coated nylon covers that resist stains, blood and bodily fluids. Each stretcher includes two 5' quick-release patient restraints and is available in burgundy or orange.

Model 12 Emergency Stretcher: Exclusive slimline center hinges enable stretcher to fold for compact storage.

Model 12 PT1200
 Model 385-A Storage Case BG3850

Model 12-C Emergency Breakaway Stretcher: Stretcher halves separate for easy positioning without moving the patient.

Model 12-C PT1250
 Model 385-A Storage Case BG3850

Model 11 Emergency Stretcher with Wheels: Convenient trigger-release, folding 4" wheels and posts can be used on the street.

Model 11 PT1100
 Model 385-A Storage Case BG3850

Model 9 Adjustable Backrest Emergency Stretcher with Wheels: Head-end frame section telescopes to shorten stretcher and backrest is adjustable to eight angles (0° to 75°).

Model 9 PT9000
 Model 385-F Storage Case BG3855

Emergency Stretcher Accessories

Model 533 Wheel Cups, 7" AA5333
 Model 533-4 Wheel Cups, 4" AA5331
 Model 534 Recessed Post Cups AA5334
 Model 535 Raised Post Cups AA5335
 Model 559 Wall Hooks AA5590



for value options, visit www.Saver-EMS.com



Model 12



Model 12-C



Model 11



Model 9



Model 385-A

Specifications

Model	Length	Length Folded	Width	Height	Weight	Load Limit
12	74 in. (187 cm)	37 in. (94 cm)	19 in. (47 cm)	1 in. (3 cm)	9 lb (4 kg)	350 lb (159 kg)
12-C	74 in. (187 cm)	47 in. (119 cm)	19 in. (47 cm)	1 in. (3 cm)	10 lb (5 kg)	350 lb (159 kg)
11	74 in. (187 cm)	37 in. (94 cm)	19 in. (47 cm)	8 in. (21 cm)	15 lb (7 kg)	350 lb (159 kg)
9	74 in. (187 cm)	37 in. (94 cm)	19 in. (47 cm)	6 in. (16 cm)	17 lb (8 kg)	350 lb (159 kg)

STRETCHERS

107 Series Stretcher Chairs

Ferno® Combination Stretcher Chairs are designed to serve as a wheeled chair, a stair chair, and a flat stretcher. Sturdy, lightweight aluminum frames provide long-term durability, while the vinyl-coated nylon covers wear well and are easy to clean and maintain. Each stretcher includes two 5' quick-release patient restraints and is available in burgundy or orange.

Model 107: Head-end posts double as lift handles and support legs, and fold for storage. Folding foot-end wheels snap into position.

Model 107 PT1070
 Model 385-A Storage Case BG3850

Model 107-B4: Fixed head-end posts provide support and fixed foot-end wheels allow easy maneuvering. Folding foot-end handles provide excellent grip.

Model 107-B4 PT1075
 Model 385-F Storage Case BG3855

Model 107-C: Fixed head-end posts with fixed wheels at both ends allow rolling like a chair or loading into a specialty ambulance. Folding handles at both ends.

Model 107-C PT1076
 Model 385-F Storage Case BG3855

Ferno Rescue Seat

The Model 44 is constructed of tough reinforced vinyl that is easy to clean and resists blood and bodily fluids. Four handles assist in moving the patient short distances and the Rescue Seat can remain underneath the patient when placed onto a cot to avoid additional transfer. Includes a convenient storage pouch that attaches to the cot frame. Available in burgundy and orange.

Model 44 Rescue Seat PT4400



Model 107



Model 107-B4



Model 107-C



Model 385-F



Specifications

Model	Length	Width	Height	Chair Height	Depth	Weight	Load Limit
107	73 in. (185 cm)	20 in. (51 cm)	9 in. (22 cm)	53 in. (135 cm)	25 in. (64 cm)	21 lb (10 kg)	350 lb (159 kg)
107-B4	74 in. (188 cm)	20 in. (51 cm)	6 in. (15 cm)	54 in. (137 cm)	26 in. (65 cm)	19 lb (9 kg)	350 lb (159 kg)
107-C	74 in. (188 cm)	20 in. (51 cm)	6 in. (15 cm)	54 in. (137 cm)	26 in. (65 cm)	25 lb (11 kg)	350 lb (159 kg)
Rescue Seat	19 in. (48 CM)	18 in. (46 cm)			19 in. (48 cm)	2 lb (1 kg)	350 lb (159 kg)

STRETCHERS

108 Series Pole Stretchers

All Ferno® Pole Stretchers feature heavy-duty aluminum poles for easy handling and heavy-duty, vinyl-coated nylon covers that resist stains, blood and bodily fluids. Nonslip hand grips help EMTs keep a firm grasp on the stretcher. Each stretcher is available in burgundy or orange.

Model 108-F Pole Stretcher: Folds lengthwise and rolls for compact storage.

Model 108-F PT1086

Model 108 Pole Stretcher: The simplest pole stretcher available. Rolls up for easy storage.

Model 108 PT1080

for value options,
visit www.Saver-EMS.com



Model 108-A Single-Fold Pole Stretcher:

Folds lengthwise for compact storage. Feet provide ground clearance. Available in both 81 in. (206 cm) and 90 in. (229 cm) lengths.

Model 108-A 81 in. Single-Fold Pole Stretcher PT1082

Model 108-A 90 in. Single-Fold Pole Stretcher PT1083

Model 108-AF Double-Fold Pole Stretcher:

Folds lengthwise and crosswise for compact storage. Available in both 81 in. (206 cm) and 90 in. (229 cm) lengths.

Model 108-AF 81 in. Double-Fold Pole Stretcher PT1084

Model 383-B Storage Case BG3830

Model 108-AF 90 in. Double-Fold Pole Stretcher, Orange 0101084

Model 108-AF 90 in. Double-Fold Pole Stretcher, Burgundy 0107739

Specifications

Model	Length	Length Folded	Width	Width Folded	Height	Weight	Load Limit
108	84 in. (212 cm)		22 in. (55 cm)		2 in. (4 cm)	8 lb (4 kg)	350 lb (159 kg)
108-F	84 in. (213 cm)	42 in. (107 cm)	22 in. (55 cm)	9¾ in. (25 cm)	2 in. (5 cm)	8 lb (4 kg)	350 lb (159 kg)
108-A	81/90 (212/229)		22 in. (55 cm)	4 in. (10 cm)	6 in. (14 cm)	12 lb (6 kg)	350 lb (159 kg)
108-AF	81 in. (206 cm)	40 in. (103 cm)	22 in. (55 cm)	4 in. (10 cm)	6 in. (15 cm)	12 lb (5 kg)	350 lb (159 kg)

STRETCHERS

Pole Stretchers

Ferno® Model 108-D Disaster Litter: An economical, lightweight litter designed for disaster use. Features an aluminum frame and easy-to-decontaminate polypropylene mesh cover and restraints.

Disaster LitterPT7969

Ferno® Model 108-T Tactical Litter: A super-strong, military-style litter designed for tactical, HazMat-CBRN Decon, USAR and disaster use. Follows US military Spec MIL-L-49511B and is available in OD green.

Tactical LitterPT7970



Flexible Stretchers

Flexible Stretchers are made using 18-ounce nylon and solid oak slats, with heat-sealed seams to protect the slats and reinforce the overall construction. Options include built-in restraints and built-in body bag.

131 - Flexible StretcherPT1310

137 - Flexible Stretcher w/ Built-in RestraintsPT1370

135- Combo Flexible Stretcher/Body BagPT1350

Specifications

Model	Length Open	Length Folded	Width Open	Width Folded	Height Open	Height Folded	Weight	Load Limit
108-D	90 in. (229 cm)	45 in. (114 cm)	22 in. (55 cm)	9 in. (23 cm)	6 in. (15 cm)	4 in. (10 cm)	13 lb (6 kg)	350 lb (159 kg)
108-T	92 in. (234 cm)	47 in. (118 cm)	23 in. (57 cm)	8 in. (19 cm)	6 in. (14 cm)	7 in. (18 cm)	17 lb (8 kg)	1200 lb (544 kg)
131	74½ in. (189 cm)		26½ in. (67 cm)				16 lb (7 kg)	500 lb (227 kg)
137	76½ in. (194 cm)		26½ in. (67 cm)				18 lb (8 kg)	500 lb (227 kg)
135	77 in. (196 cm)		27 in. (69 cm)				17 lb (8 kg)	500 lb (227 kg)

DEFIBRILLATOR MOUNTS

Defibrillator Mounts

Increase the safety of your crews and patients during patient transport. An unsecured defibrillator can become a dangerous projectile in an ambulance compartment, resulting in severe injury or death to those inside. Avoid unnecessary risk with a Ferno® defibrillator mount.

Easy Installation onto a counter top or bench

Quick Release Mechanism allows easy locking and unlocking of a defibrillator for grab-and-go convenience on-scene

Swivel Base provides easy positioning and viewing of the defibrillator during patient care

M-200 Defibrillator Mount: The Ferno® M-200 Defibrillator Mount Kit is designed to secure the Physio Control® Lifepak® 12 and Lifepak 15 with or without bags.

Model M-200 0822238

M-201 Defibrillator Mount: The Ferno® M-201 Defibrillator Mount Kit is designed to secure the Physio Control® Lifepak® 12 with AC adapter.

Model M-201 0822239

P-300 Defibrillator Mount: The Ferno® P-300 Defibrillator Mount Kit is designed to secure the Philips® HeartStart MRx defibrillator.

Model P-300 0822240



M-200



M-201



P-300

Specifications

Model	Width	Depth	Depth (With Base)	Height	Height (Latch Closed)	(Latch Open)
M-200	12½ in. (32 cm)	12 in. (30 cm)			15¼ in. (38 cm)	21 in. (53 cm)
M-201	15¾ in. (39 cm)	12 in. (30 cm)			17¾ in. (45 cm)	23½ in. (60 cm)
M-300	14¼ in. (36 cm)	14½ in. (37 cm)			15 in. (38 cm)	21½ in. (54 cm)
Z-102	10½ in. (26 cm)	9¼ in. (23 cm)		2½ in. (6 cm)		
Z-103	12¼ in. (31 cm)	12¼ in. (31 cm)	13¼ in. (34 cm)	3¼ in. (8 cm)		

Z-102 Defibrillator Mount: The Ferno® Z-102 Defibrillator Mount Kit is designed to secure the Zoll® M Series® Defibrillators with Extreme Pack II and NIBP.

Model Z-102 0822242



Z-102

Z-103 Defibrillator Mount: The Ferno® Z-103 Defibrillator Mount Kit is designed to secure the Zoll® E Series® defibrillators with soft or hard case.

Model Z-103 0822236



Z-103

Ferno Cylinder Brackets: Ferno® cylinder brackets safely and securely hold “D” or “E” size oxygen cylinders in place to eliminate swaying, tipping, and rattling. Various mounting options are available.

- Model 521 Universal Cylinder Bracket AA5210
- Floor-Mounted Cylinder Base, Single AA5150
- Floor-Mounted Cylinder Base, Dual AA5160
- Wall-Mounted Cylinder Base, Single AA5190
- Wall-Mounted Cylinder Base, Dual AA5200



Universal Bracket







Wall Mounts



Floor Mounts

Additional Mounts

Use this chart to check for compatibility of Medical Equipment Mount configurations with common monitors and ventilators.
Call for compatibility with your specific equipment model and configuration.

				
LIFEPAK® 10	✓	✓	na	na
LIFEPAK® 12	✓	✓	✓	✓
Zoll®	✓	✓	✓	✓
Pulmonetic LTV®	✓	✓	na	✓
Philips	✓	✓	✓	✓
Biomed MVP-10	✓	✓	na	✓
Biomed Crossvent II	✓	✓	na	✓
Biomed low-flow Blender	✓	✓	na	✓
Impact Model 754 Univent	✓	✓	na	✓
Welch Allyn ProPaq	✓	✓	na	✓
	SURFACE MOUNT	WALL MOUNT	OVERHEAD MOUNT	T-BAR MOUNT

BACKBOARDS LONGBOARDS

NAJO® Backboards

NAJO® Backboards feature a unique blend of advanced plastics and foams, creating a strong, yet lightweight backboard. One-piece, HDPE construction is impervious to all bodily fluids, is easy to decontaminate, and provides 100% x-ray translucency. The boards are also buoyant and can be used to float a patient in water.

RediHold

NAJO® RediHold®	NB1100
NAJO® RediHold® w/10 Pins	NB1110
NAJO® RediHold® w/18 Pins	NB1118

RediWide

NAJO® RediWide®	NB2200
NAJO® RediWide® w/10 Pins	NB2210
NAJO® RediWide® w/18 Pins	NB2218

Lite

NAJO® Lite Board	NB5500
NAJO® Lite Board w/10 Pins	NB5510
NAJO® Lite Board w/18 Pins	NB5518

RediBoard

NAJO® RediBoard®	NB3300
NAJO® RediBoard® w/10 Pins	NB3310
NAJO® RediBoard® w/18 Pins	NB3318



Head Immobilizer & C-collar on p. 31



Restraints on p. 16

NAJO® Options

Color Options: NAJO® Backboards are available in standard colors: red, orange, blue, green and yellow. Custom colors can be accommodated for larger orders (50 qty minimum). Also available in a "split color" version, taking two of the standard colors and applying them to opposite ends of the backboard (25 qty minimum).

Custom Graphics: All NAJO® Backboards can be ordered with custom graphics. Place your name or logo on the board to distinguish your boards from other services. Graphics are permanent and cannot be removed (see p. 53 for Graphics Order Form).



NAJO RediHold



NAJO RediWide



NAJO Lite



NAJO RediBoard

Specifications

Model	Length	Width	Height	Weight	Floatation	Load Limit
NAJO RediHold	72 in. (183 cm)	16 in. (41 cm)	1¾ in. (4½ cm)	16 lb (7 kg)	136 lb (62 kg)	600 lb (272 kg)
NAJO RediWide	72 in. (183 cm)	18 in. (46 cm)	1¾ in. (4½ cm)	16 lb (7 kg)	172 lb (78 kg)	600 lb (272 kg)
NAJO Lite	72 in. (183 cm)	16 in. (41 cm)	1¾ in. (4½ cm)	14.5 lb (7 kg)	154 lb (69 kg)	450 lb (204 kg)
NAJO RediBoard	72 in. (183 cm)	16 in. (41 cm)	2¼ in. (6 cm)	16 lb (7 kg)	276 lb (125 kg)	600 lb (272 kg)

Sports Board

- NAJO® Sports Board™ NB4400
- NAJO® Sports Board™ w/10 Pins NB4410
- NAJO® Sports Board™ w/18 Pins NB4418

Water Rescue

- NAJO® Water Rescue Board
(Available in White, Blue, Red, Yellow, and Orange) NB6000

Millennia™ Boards

The Millennia™ Plastic Backboard design features a tapered shape for movement in confined spaces and a slick surface for easy patient transfer. The Millennia™ is lightweight with a 350-pound load capacity and the foam-filled construction is X-ray translucent. Includes speed-clip pins.

- Millennia™ Plastic Backboard - 16 in.
(Available in Burgundy, Blue, Orange, and Yellow) IE8000
- Millennia™ Plastic Backboard - 18 in.
(Available in Burgundy, Blue, Orange, Yellow and White) IE8050

Aluminum Backboards

Ferno's Aluminum Backboard features lightweight, durable, textured aluminum that won't delaminate or chip and is easy to keep clean. Folds in half for convenient storage in a variety of ambulance compartments. Includes three orange 9' nylon patient restraints with quick-release metal buckles.

- Model 60 Aluminum Board IE6000
- Model 60-2 Aluminum Board w/ Runners IE6020
- Model 60-4 Aluminum Board w/ Runners, Extra Length IE6040



Sports Board



Water Rescue



Millennia



Aluminum Backboards

Specifications

Model	Length	Width	Height	Weight	Floatation	Load Limit
NAJO Sports Board	80 in. (203 cm)	20 in. (51 cm)	2¼ in. (6 cm)	27 lb (12 kg)	360 lb (163 kg)	1000 lb (454 kg)
NAJO Water Rescue	72 in. (183 cm)	16 in. (41 cm)	2 in. (6 cm)	14 lb (6 kg)	122 lb (55 kg)	450 lb (204 kg)
Millennia 16"	72 in. (183 cm)	16 in. (41 cm)	2 in. (5 cm)	11 lb (5 kg)		350 lb (159 kg)
Millennia 18"	72 in. (183 cm)	18 in. (46 cm)	2 in. (5 cm)	12 lb (6 kg)		350 lb (159 kg)

Model	Length Open	Length Folded	Width	Height Open	Height Folded	Weight	Load Limit
60	71¼ in. (181 cm)	36 in. (91 cm)	18 in. (46 cm)	1½ in. (4 cm)	2½ in. (6 cm)	17½ lb (8 kg)	350 lb (159 kg)
60-2	72¼ in. (183 cm)	36 in. (91 cm)	18 in. (46 cm)	2¼ in. (6 cm)	3 in. (7 cm)	14 lb (6 kg)	350 lb (159 kg)
60-4	78 in. (198 cm)	39 in. (98 cm)	18 in. (46 cm)	2¼ in. (6 cm)	3 in. (7 cm)	15 lb (7 kg)	350 lb (159 kg)

The Original Ferno K.E.D.®

The Original Ferno K.E.D.® is a versatile means of immobilizing and extricating patients from auto accidents or confined spaces. The wrap-around design provides horizontal flexibility for easy application and vertical rigidity for maximum support of the spine, neck, and head during extrication. The K.E.D.® immobilizes the torso, head and neck, enabling prompt extrication while minimizing risks of further injury. X-rays or advanced life-support procedures can be performed with the K.E.D.® in place.

The Ferno K.E.D.® includes wrap-around vest, Adjusta-Pad neck roll, two head straps and a carrying case. Heavy-duty, vinyl-coated nylon is durable and easy to clean and the K.E.D.® stores rolled up, ready for immediate use.

K.E.D.® Model 125 IE1250
 Replacement Head and Chin straps 0819928



Specifications

Model	Length	Length Rolled in Case	Width	Width Rolled in Case	Height	Weight	Load Limit
Ferno K.E.D.	33 in. (84 cm)	35 in. (89 cm)	32 in. (81 cm)	11 in. (28 cm)	6 in. (15 cm)	8 lb (3 kg)	500 lb (227 kg)

K.E.D.® PRO

The Ferno K.E.D.® Pro

The new Ferno KED® PRO provides all of the confined space extrication benefits of the original KED®, with additional features for vertical rescue. The KED® PRO has a continuous, one-piece leg strap that runs up the spine of the KED® PRO and forms a continuous loop for connection to ropes and carabineers. Metal buckles provide additional security to ensure maximum patient safety during vertical extrication.

The KED® PRO also features a split chest flap and easy-release top strap for chest exposure required during examination. Head and chin straps are made with plastic-coated, closed-cell foam for resistance to body fluids, and multi-piece head-pads fasten together for easier filling of void areas. Includes backpack style carrying case with storage pockets.

K.E.D.® PRO0314063



Specifications

Model	Length	Length Rolled in Case	Width	Width Rolled in Case	Height	Weight	Load Limit
K.E.D. Pro	33 in. (84 cm)	33 in. (84 cm)	32 in. (81 cm)	10 in. (25 cm)	8 in. (20 cm)	10 lb (4.5 kg)	550 lb (250 kg)

SCOOPS

Scoop EXL™ Stretcher

Ferno's Scoop EXL™ Stretcher provides superior comfort and safety to patients who need spinal immobilization. The Scoop EXL™ eliminates the need for log-roll maneuvers, significantly decreasing movement to the cervical spine. The two hinged, interlocking pieces allow operators to bring the two halves together beneath the patient and gently scoop them up. The Scoop EXL™ is made from X-ray translucent, lightweight, high-impact, composite materials. Includes three restraints.

- Scoop EXL™ Stretcher w/ Burgundy Restraints PT6550
- Scoop EXL™ Stretcher w/ Black Restraints and Pins PT6560

A study in the Jan-March, 2006 issue of *Prehospital Emergency Care Journal* indicates the Ferno® Scoop EXL Stretcher "was found to be as effective as, if not superior to, the standard of care, a rigid long backboard" when used for spinal immobilization.

- learn more at www.ferno.com/scoopexl



Folding Design
provides compact storage in ambulance compartments



Adjustable Length
accommodates multiple-height patients



Double-Locking Aluminum Hinge
allows one or both ends to be separated for application to a patient



Model 65 Scoop™ Stretcher

All aluminum scoop uncouples at either or both ends. Includes three burgundy or black restraints.

- Model 65 Scoop™ Stretcher PT6500
- Model 65 Scoop™ Stretcher w/ Black Restraints and Pins PT6520
- Scoop Storage Case, Orange BG3852



Specifications

Model	Length Max	Length Min	Folded Length	Width	Height Min	Height Max	Weight	Load Limit
Scoop EXL	79 in. (201 cm)	65 in. (165 cm)	47 in. (120 cm)	17 in. (43 cm)	3 in. (7 cm)	4 in. (9 cm)	18 lb (8 kg)	350 lb (150 kg)
65 Scoop	79 in. (201 cm)	65 in. (165 cm)	47 in. (120 cm)	17 in. (43 cm)	3 in. (7 cm)	3 in. (8 cm)	18 lb (8 kg)	350 lb (150 kg)

IMMOBILIZERS

Universal Head Immobilizer

The Ferno® Universal Head Immobilizer features two PVC dip-coated, closed-cell foam head supports, a universal attachment base and two durable head straps. Provides minimal interference with X-ray, MRI, or CT procedures, will not absorb blood or bodily fluids, and fits all Ferno® wooden, aluminum and plastic backboards. Head supports can be used on standard backboards, or inverted for use on the Scoop™ Stretcher.

Universal Head Immobilizer	IE4450
Replacement Head and Chin straps	0819724
Replacement Head Blocks, Pair	0819882
Replacement Base Plate	0819883



Universal Head Immobilizer

Head Immobilizer EXL

The Ferno® Head Immobilizer EXL provides all the great features of the Universal Head Immobilizer with a unique shape specifically designed to fit the Ferno® Scoop™ EXL.

Head Immobilizer EXL	0314044
----------------------------	---------



Head Immobilizer EXL

HeadHugger® Head Immobilizer

The Ferno HeadHugger® Disposable Head Immobilizer provides low-cost head immobilization for services that have difficulty retrieving equipment. Constructed of specially-treated, heavy-grade, water-resistant corrugated material, the HeadHugger® features independent support panels that fold around the patient's head and are held in place with hook-and-loop fasteners. Radiolucent and provides minimal interference with MRI or CT procedures.

HeadHugger® Head Immobilizer (10/case)	IE4550
HeadHugger® Head Immobilizer (100/case)	IE4560



Head Hugger

Wizloc® Cervical Collar

The universal design of the WizLoc® Cervical Collar fits a wide range of patient sizes ranging from 2 years old through adult. It features fast 3-step application and adjustment, with unique self-centering mandibular support and adjustable occipital support with keyhole lockpin. The WizLoc® provides greater control, greater patient comfort, and a better fit than other c-collars, which means safer conditions for the patient. Provides minimal interference with X-ray or MRI procedures and can be decontaminated for re-use up to 10 times. Available in high visibility neon pink, or OD green.

Wizloc® Cervical Collar (3/pk)	IE4490
Wizloc® Cervical Collar, OD Green	0819759



Wizloc OD Green

Wizloc

SPLINTING

FernoTrac™ Traction Splints

FernoTrac™ Traction Splints provide mechanical traction to relieve pain and reduce the possibility of vascular and nerve damage in patients with long-bone fractures of the lower extremities. All straps have simple, step-by-step instructions sewn directly onto them. Available in adult and pediatric sizes.

FernoTrac™ Adult Traction Splint	SP4440
FernoTrac™ Pediatric Traction Splint	SP4430
FernoTrac™ Traction Splints - Set of One Adult & One Pedi	SP4410
Replacement Leg Straps Plus Adjustable Ankle Strap, 444	0313035
Replacement Leg Straps Plus Adjustable Ankle Strap, 443	0313036



Traction Splints

Ferno® Vacuum Splints

Ferno® Vacuum Splints provide the best possible support with the least amount of effort. Durable, vinyl-coated nylon is easily conformed to an injured extremity as the evacuation pump extracts air, moving tiny polystyrene beads closer together to form a moldable cast. Hook-and-loop adjustable straps hold the splints securely in place.

Ferno® Vacuum Splint Kit	SP1900
Ferno® Vacuum Splint - Small	SP1901
Ferno® Vacuum Splint - Medium	SP1902
Ferno® Vacuum Splint - Large	SP1904
Replacement Vacuum Pump	SP1903

The Full-Body Vacuum Mattress immobilizes the patient in a secure position as it conforms to any body shape.

Full-Body Vacuum Mattress	SP1920
---------------------------	--------



Vacuum Splint Kit

Vacuum Mattress

Ferno® Frac-Care Kit

The Ferno® Frac-Care Kit features versatile limb splints that can be used as lefts or rights. Kit includes adult arm splint, adult leg splint, arm/shoulder immobilizer, child arm splint, child leg splint, straps, and a carrying case. Provides minimal interference with X-ray or MRI procedures.

Ferno® Frac-Care Kit	SP9606
----------------------	--------



Frac-Care Kit

Ferno® Air Splints

Ferno® Air Splints simultaneously provide splinting and stop superficial bleeding. Applies quickly with zippers and inflates with natural lung pressure. X-ray translucent.

Hand and Wrist Splint	SP7700
Half-Arm Splint	SP7701
Full-Arm Splint	SP7702
Foot and Ankle Splint	SP7703
Half-Leg Splint	SP7704
Full-Leg Splint	SP7705
Air Splint Kit (all splints listed above)	SP7645



Air Splints

Cardboard Splints

Cardboard Splints are designed for splinting upper and lower extremities. White, heavy-duty, corrugated cardboard or center-foam cardboard, with absorbent material provides practical, rigid support. Splints feature $\frac{3}{4}$ " push-out holes for gauze ties. Provide minimal interference with X-ray or MRI procedures.

Heavy-Duty Cardboard

12", single	SP1500
12", 25 per case	SP1501
18", single	SP1510
18", 25 per case	SP1512
24", 25 per case	SP1522
34", 25 per case	SP1571

Center-Foam Cardboard

12", 25 per case	SP1505
18", single	SP1530
18", 25 per case	SP1535
24", single	SP1540
34", single	SP1573



Heavy-Duty Cardboard

Center-Foam Cardboard

Saver™ Cardboard Splint

Water-resistant, waxed cardboard construction and perforated for easy application. Minimal interference with X-ray or MRI procedures.

Saver™ Cardboard Splint (10 pk)	SP2210
---------------------------------	--------



Saver Cardboard Splint

Padded-Board Splints

Complete set of six heavy-duty padded-board splints. Made of plywood with foam padding and vinyl covering sealed for easy cleaning and disinfection.

Padded-Board Splint	SP1872
---------------------	--------



Padded-Board Splints

SAM® Splints

SAM® Splints are made of 0.02" strips of soft aluminum and closed-cell foam material that can be easily contoured to provide suitable splinting for all extremities on all size patients. The coating does not stain and is reusable with proper cleaning. X-ray translucent.

36", rolled	SP1122
Finger Splint, 10/pk	SP1213



SAM Splint

Finger Splint Kit

Soft aluminum splints are malleable and are easily molded. Kit contains 5 different splint sizes for a total of 25 splints. X-ray translucent.

Finger Splint Kit	SP9701
-------------------	--------



Finger Splint

PEDIATRIC TRANSPORT

Pedi-Mate® Restraint System

The Pedi-Mate® Pediatric Restraint System quickly adapts to any ambulance cot to safely transport children ranging in size from 10-40 lb (4.5-18 kg). Fully-adjusting five-point harness system securely holds patient. Nontoxic, easy-to-clean vinyl rolls compactly for storage.

Pedi-Mate® BB6780



Pedi-Mate

Pedi-Pal® Child Transport Seat

The Pedi-Pal® Child Transport Seat transports pediatric patients 21-40 lb and up to 40" tall in an upright position. It can be placed on a Ferno cot, in a rearward-facing captain's chair in an ambulance, or in the rear passenger seat of any licensed vehicle. Quickly folds flat for easy storage. Complies with FMVSS standards.

Pedi-Pal® Child Transport Seat PT2220



Pedi-Pal

Baby Pod™ II

The Baby Pod™ II is designed to safely transport infant-sized pediatric patients. Features a lightweight carbon fiber outer shell lined with a shock absorbent foam inner layer, and transparent shields for viewing the baby. Includes patient-positioning vacuum mattress with pump and carrying/storage case.

Baby Pod™ II PT3119



Baby Pod II

Specifications

Model	Length	Width	Height	Weight
Pedi-Mate	32 in. (80 cm)	19 in. (48 cm)		3 lb (1 kg)
Pedi-Pal (Chair)	25 in. (64 cm)	15 in. (38 cm)	21 in. (53 cm)	16 lb (41 kg)
(Storage)	25 in. (64 cm)	15 in. (38 cm)	8 in. (20 cm)	16 lb (41 kg)
Baby Pod II	39 in. (99 cm)	17 in. (43 cm)	12 in. (30 cm)	20 lb (9 kg)

Incubator Transporters

Ferno® can provide incubator transporter versions of our full line of cots including the POWERFlex®, Model 35X PROFlex® Series, Model 93H PROFlex® Series, 28Z PROFlex®, 28A, Model 30 Series, Model 26, and Model 12-2. The incubator transporters are modified with an interface for most **Drager/Air-Shields**, **Airborne/OHMEDA**, and **ATOM** incubators and are designed for ground and/or aeromedical use.

Please contact Ferno® for more information and pricing on the various incubator transporters. To provide you with a complete quotation we will need the following information:

- > Make and model of the incubator to be used with the transporter
- > Model of stretcher already being used for adult patient transport
- > Make and model of aircraft, if applicable (i.e. BK117 or EC145)



Specifications for incubator transports vary per model. Available upon request.

PEDIATRIC IMMOBILIZATION

Medkids® Baby Board

The Medkids® Baby Board helps maintain cervical neutral alignment in infants, with the self-contained Pneumatic Positioning Device (PPD). Accommodates a wide range of thoracic elevation requirements without extra padding and does not interfere with invasive or non-invasive equipment. Made of durable Dupont® Cordura® and is X-ray translucent.

Medkids® Baby Board BB6760



Baby Board

Medkids® Pedi-Sleeve

The Medkids® Pedi-Sleeve fits over standard adult backboards to adapt them to pediatric immobilization for patients ranging in size from 12 lb (5kg) to 60 lb (27 kg). Features repositionable, crescent-shaped compressible head blocks, restraint straps, and a self-contained Pneumatic Positioning Device (PPD).

Medkids® Pedi-Sleeve BB6770



Pedi-Sleeve

Pedi-Pac™

The Pedi-Pac™ serves as a spine immobilizer for transport, as well as a restraint system for children from 28 in. to 54 in. tall and weighing 20 to 90 lb (9 to 41 kg). Features cot-fastening loops, adjustable head support, color-coded straps, sewn-in lifting handles at both ends for easy handling in confined areas, head and chin straps, and a carrying case.

Pedi-Pac™ IE7800



Pedi-Pac

Specifications

Model	Length	Width	Height	Weight
Baby Board	23 in. (58 cm)	11 in. (28 cm)	1 in. (3 cm)	6 lb (3 kg)
Pedi-Sleeve	40 in. (101 cm)	20 in. (50 cm)	1 in. (3 cm)	3 lb (2 kg)
Pedi-Pac	48 in. (122 cm)	9 in. (23 cm)	1 in. (3 cm)	7 lb (3 kg)

EMS BAGS TRAUMA BAGS

Ferno® Trauma Bags

Ferno's Professional Trauma Bags are designed for years of dependable use under all conditions and are backed by a limited LIFETIME WARRANTY. Each bag includes durable features such as DuPont® Cordura® construction, YKK® zippers, and dual-density, Plastazote® structural foam. Additional features include removable stiffeners and inserts for custom configuration, concealed shoulder straps, reflective labels, and a replaceable bottom that protects the bag from wet ground.

First-In Trauma Bag

Ferno® Trauma Bag

MB5113



15x11.5x14.5 in. / 38x29x37 cm

available in red, blue, green

Professional Trauma Bag

Ferno® Professional Trauma Bag

MB5107



21x12x14 in. / 53x30x36 cm

available in red, blue, orange

Professional ALS Bag

Ferno® Professional ALS Bag

MB5108



21x12x14 in. / 53x30x36 cm

available in red, blue, orange

Trauma Responder II Bag

Ferno® Trauma Responder II Bag

MB5103



17x9x15.5 in. / 43x23x39 cm

available in red, blue

Professional Trauma Mini-Bag

Ferno® Professional Trauma Mini-Bag

MB5117



13.5x3x9.5 in. / 34x8x24 cm

available in red, blue

Intubation Ultra Mini-Bag

Ferno® Intubation Ultra Mini-Bag

MB5130



11.5x5.5x2 in. / 28x14x5 cm

available in blue only

Professional Intubation Mini-Bag

Ferno® Professional Intubation Mini-Bag

MB5115



13x3x9.5 in. / 33x8x24 cm

available in red, blue, orange

Professional Intravenous Mini-Bag

Ferno® Professional Intravenous Mini-Bag

MB5116



9x4.5x3.5 in. / 23x11x9 cm

available in red, blue

Saver™ Bags

Saver Bags provide exceptional value to EMS providers with a variety of features such as padded compartments for organizing supplies, heavy-duty zippers, and Cordura® nylon construction. Available in red or blue.

Rucksack w/Airway Roll

Ferno® Rucksack w/Airway Roll Kit 0819859
 Ferno® Rucksack 0005150
 Orange Airway Roll MB5151



MB5150 20x14x8 in. / 51x36x20 cm available in green only
 MB5151 19.5x34 / 50x86 cm available in orange only

Saver™ First Responder Bag

Saver™ First Responder Bag MB2100



19x11x8 in. / 48x28x20 cm available in red and blue

Saver™ Trauma Responder II Bag

Saver™ Trauma Responder II Bag MB2102



19.5x12x8.5 in. / 50x30x22 cm available in red and blue

Luno Bag

Ferno® Luno Bag MB5148



16x10.5x8 in. / 41x27x20 cm available in orange only

Saver™ Trauma Responder III Bag

Saver™ Trauma Responder III Bag MB2103



19x15.5x8.5 in. / 48x39x22 cm available in red and blue

Luno Plus Bag

Ferno® Luno Plus Bag MB5149



21x11x8 in. / 53x28x20 cm available in orange only

Saver™ ALS Bag

Saver™ ALS Bag MB2130



22x13x10 in. / 56x33x25 cm available in red and blue

EMS BAGS TRAUMA O2 BAGS

Ferno® Trauma O2 Bags

Ferno's Professional Trauma O2 Bags are made for years of dependable use under all conditions and are backed by a LIMITED LIFETIME WARRANTY. Each bag includes durable features such as DuPont® Cordura® construction, YKK® zippers, and dual-density, Plastazote® structural foam. Additional features include removable stiffeners and inserts for custom configuration, concealed shoulder straps, reflective labels, and a replaceable bottom that protects the bag from wet ground.

Oxygen Tank Compatibility

Tank Size

Trauma/Air Management Bag II - MB5110	"D" & "Jumbo D"
Trauma/Air Management Bag III - MB5111	"D" & "Jumbo D"
Airway Management/Oxygen Bag - MB5100	"D" & "Jumbo D"
Model 5120 Oxygen Carry Bag - MB5120	"D"
Model 5121 Oxygen Carry Bag - MB5121	"E"
Model 5122 Oxygen Carry Bag - MB5122	"Jumbo D"
Saver O2 Backpack - MB2140	"D" & "Jumbo D"
Saver O2 Duffel Kit - MB2120	"D" & "Jumbo D"
Saver Trauma O2 Kit - MB2110	"Jumbo D"

Trauma/Air Management Bag II

Ferno® Trauma/Air Management Bag II

MB5110



25x11x15 in. / 64x28x38 cm

available in red, blue, and green

Trauma/Air Management Bag III

Ferno® Trauma/Air Management III

MB5111



26x18.5x12.5 in. / 66x47x32 cm

available in red, blue, green, and orange

Airway Management/Oxygen Bag

Ferno® Airway Management/Oxygen Bag

MB5100



23x9.5x13 in. / 58x24x33 cm

available in red, blue, and orange

Model 5120 Oxygen Carry Bag

Ferno® Oxygen Carry Bag 5120

MB5120



22x6x9 in. / 56x15x23 cm

available in red, blue, orange, and green

Model 5121 Oxygen Carry Bag

Ferno® Oxygen Carry Bag 5121

MB5121



33.5x4.5x9 in. / 85x11x23 cm

available in red and blue

Model 5122 Oxygen Carry Bag

Ferno® Oxygen Carry Bag 5122

MB5122



22.5x8.5x11 in. / 57x22x28 cm

available in blue only

SAVER BAGS

Saver™ O2 Backpack

Saver™ O2 Backpack

MB2140



18.5x9.5x22.5 in. / 47x24x57 cm

available in red and blue

Saver™ O2 Duffel Kit

Saver™ O2 Duffel Kit

MB2120



27x14x10.5 in. / 69x36x27 cm

available in red and blue

Saver™ Oxygen Bags

Saver™ Bags provide exceptional value to EMS providers with a variety of features such as padded compartments for organizing supplies, heavy-duty zippers, and Cordura® nylon construction.

Saver Trauma O2 Kit

Saver Trauma O2 Kit

MB2110



26.5x16x10 in. / 67x41x25 cm

available in red and blue

ERC Backpack

The Emergency Respiratory Backpack provides convenient organization and quick access to resuscitation equipment, gas-powered suction, and oxygen. Compartments are labeled and a flap provides quick access to the oxygen regulator. Carry the bag as a backpack for hands-free operation or as a duffel bag. The bag holds one "Jumbo D" cylinder or a Spiracle "DD" Lite carbon fiber cylinder. Available in green.

ERC Backpack

ERC Backpack

MB3000



22.5x12x9.5 in. / 57x30x24 cm

available in green only

Ferno® Responder Vests

Ferno's Responder Vests are strong and durable with the storage, convenience and visibility you need on-scene. Vests are packed with features including adjustable straps to ensure comfortable fit, reflective stripes on back and front, and a back pocket that holds six reflective assignment tags attachable by hook and loop. YKK® zippers and DuPont® Cordura® construction ensure long life. Machine washable. Available in blue and red.

5104 Responder Vest features five large, easily-accessible storage pockets with hook-and-loop closures.

5104 Responder Vest EV5104

5105 Responder II Vest features two deluxe front-zippered pockets with elastic loops and pouch, and five large, easily accessible storage pockets with hook-and-loop closures.

5105 Responder II Vest EV5105

5106 Trauma Responder II Mesh Vest features mesh material front and back to keep responders cool.

5106 Trauma Responder II Mesh Vest EV5106

Responder Vest Titles

First Responder	EMT	Paramedic
Law Enforcement	Command	Triage
Staging	Safety	Treatment
Transport	Medical	Rescue
Rehab	Blank (no title)	



5104



5105



5106

EMS BAGS TRAUMA SUPPLY KITS

First Call Kit

The First Call Kit is designed for first responders on the scene. Treat injuries fast with bandages, dressings, equipment and supplies. Comes complete in a Saver™ First Responder Bag (see p.37). Visit www.FernoEMS.com and search "TK2100" for a complete list of kit contents.

First Call KitTK2100



First Call Kit

BLS Kit

The BLS Kit comes complete with all of your Basic Life Support needs and is packed into your choice of a Ferno® Trauma Response III Bag or Ferno® Professional Trauma Bag (see p. 36). Visit www.FernoEMS.com and search "TK5107" for a complete list of kit contents.

BLS Kit with Ferno® Professional Trauma BagTK5107
 BLS Kit with Saver™ Trauma Response III BagTK2103



BLS Kit



Ferno® Professional Trauma Bag



Saver™ Trauma Response III Bag

ALS Kit

The ALS Kit comes complete with all of your Advanced Life Support needs and is packed into your choice of Saver™ ALS Bag or Ferno® Professional ALS Bag (see pp. 36, 37). Visit www.FernoEMS.com and search "TK5108" for a complete list of kit contents.

ALS Kit with Ferno® Professional ALS BagTK5108
 ALS Kit with Saver™ ALS BagTK2130



Ferno® Professional ALS Bag



Saver™ ALS Bag

BLS Replacement Kit

The BLS Replacement Kit replenishes the BLS and ALS kits on this page and includes all bandages and dressings listed with BLS Kits, plus eye wash, nitrile gloves, burn sheet, alcohol prep pads, antibiotic ointment, and bee sting kit.

BLS Replacement KitFA0003



ALS Kit

Trauma & Airway Management

Designed for the professional first responder, this kit contains a complete selection of BLS supplies, plus an adult oxygen module built around Ferno's BRAVO2™ all-brass regulator and bag valve mask with refill valve. Packed into your choice of the Ferno® Trauma/Air Management Bag III or Saver™ Trauma O2 Kit (pp. 38, 39). Visit www.FernoEMS.com and search "TK5111" for a complete list of kit contents.

Trauma & Airway Management Kit w/Ferno® Air Mgmt. Bag III... TK5111
 Trauma & Airway Management Kit w/Saver™ Trauma O2 KitTK2110



Ferno® Air Mgmt. Bag III



Saver™ Trauma O2 Kit



Trauma & Air Management

Airway Mgmt. & Resuscitation

This kit contains all the necessary equipment and supplies for pediatric and adult resuscitation and airway management during patient transport. Features a D-size oxygen cylinder, a superior quality BRAVO2™ brass regulator with liter flow (0-25 LPM), and two DISS fittings, all packed into a Ferno® Trauma/Air Management Bag II (p. 38). Visit www.FernoEMS.com and search "TK5110" for a complete list of kit contents.

Airway Management & Resuscitation KitTK5110



Airway Management & Resuscitation

FERNO₂ OXYGEN & AIRWAY EQUIPMENT

FERNO₂™ ORO2 Regulators

Model 816: 0-25LPM, 2 DISS Ports	RO8160
Model 817: 0-25LPM, 2 DISS Ports, Int'l Gauge	RO8170
Model 818: 0-25LPM, constant flow only	RO8180
Model 818d: 0-25LPM DISS, constant flow only (not shown)	RO8181
Model 819: 0-25LPM, constant flow, Int'l Gauge	RO8190
Model 804: CGA 540 Inlet, 1 DISS Port	RO8040

FERNO₂™ BRAVO2™ Brass Regulators

Model 830: 0-25LPM, 2 DISS Ports	RO8300
Model 831: 0-25LPM, 2 DISS Ports, Int'l Gauge	RO8310
Model 832: 0-25LPM, constant flow only	RO8320
Model 833: 0-25LPM, constant flow, Int'l Gauge	RO8330

FERNO₂™ ORO2 Flow Control Valves

Model 900 w/DISS male outlet & BARB outlet	RO9000
Model 901 w/BARB outlet	RO9010

FERNO₂™ Bag Mask Resuscitators

Silicone BVM - Adult	RB1210
Silicone BVM - Infant/Child	RB1220
Silicone BVM - Infant	RB1230
Disposable Bag Mask Resuscitator - Adult	RB1100
Disposable Bag Mask Resuscitator - Child	RB1110
Disposable Bag Mask Resuscitators - Infant	RB1120

FERNO₂™ Resuscitation Masks

Silicone Mask - Size 5 Adult	RB1330043
Silicone Mask - Size 4 Adult	RB1330054
Silicone Mask - Size 3 Child	RB1330055
Silicone Mask - Size 2 Infant/Child	RB1325
Silicone Mask - Size 1 Infant	RB1320
Disposable Cuffed Mask - Size 1 Infant	RB131008
Disposable Cuffed Mask - Size 3 Child	RB131004
Disposable Cuffed Mask - Size 5 Adult	RB131005

Green Oxygen Pressure Hose

Hose w/Two Female DISS Fittings, 6 ft	RO2600
Hose w/One 1/8" Male NPT & One Female DISS fitting, 6 ft	RO2610
Hose w/DISS Fittings, 20 ft	RO2620

FERNO₂™ Carbon Fiber O2 Cylinders

'DD'-Lite Bottle w/870 Post Valve & On/Off toggle	RO2050
'DD'-Lite Bottle w/540 Post Valve	RO2060
'EE'-Lite Bottle w/870 Post Valve & On/Off toggle	RO2100
'EE'-Lite Bottle w/540 Post Valve	RO2110

FERNO₂™ Aluminum Oxygen Cylinders

Aluminum O2 Cylinder - "C" Size	RO2500
Aluminum O2 Cylinder - "D" Size	RO2510
Aluminum O2 Cylinder - "Jumbo D" Size	RO2520
Aluminum O2 Cylinder - "E" Size	RO2530



ORO₂



BRAVO₂



ORO₂ Valves



Silicone Resuscitators

Disposable Resuscitators



Silicone Masks

Disposable Masks



O₂ Hoses



Aluminum Cylinders



Carbon Fiber Cylinders

FERNO₂[™] Micro-Manager O2 Administrator[™]

- Micro-Mgr. w/5 10 lpm Orifices..... RO1000
- Micro-Mgr. w/5 10 lpm Orifices & 6 Hose..... RO1010

Replacement package of 5 qty. DISS x Barb lpm fittings. Precision metered orifices to deliver specific lpm flow for use with Micro Manager O2 Administrator Assembly.

- for 2 lpm..... RO6002
- for 4 lpm..... RO6004
- for 6 lpm..... RO6006
- for 10 lpm..... RO6010
- for 15 lpm..... RO6015

FERNO₂[™] Mini-Manager O2 Administrator[™]

- Mini-Manager O2 Administrator[™]..... RO9050

FERNO₂[™] Multi-Manager O2 Administrator[™]

- Multi-Manager O2 Administrator[™]..... RO9080
- Protective Storage Hard Case w/ Foam Insert..... RO9081



Micro-Manager



Mini-Manager



Multi-Manager

FERNO₂[™] OX-Series Inhalator Valve

- Model 302 Inhalator Valve..... RO3020
- Model 302-10 Inhalator, 6' hose & single use adult mask..... RO3021
- Model 500 Inhalator/Exhalation Valve Assembly..... RO5000

FERNO₂[™] HFOC[™] Oxygen Conservor

- Model 301-10 for use with NPB PMR-II adult bag resuscitators..... RO3010
- Model 301 for use with 22 mm bag inlet ports..... RO3011
- 15 mm. I.D. x 22 mm. O.D. Adapter..... RO3012
- 23 mm. I.D. x 28 mm. O.D. Adapter..... RO3013
- 26 mm. I.D. x 31 mm. O.D. Adapter..... RO3014
- Silicon Rubber Adapter (use w/P/N 25220322 O.D. Adapter to connect Bag/Mask Resuscitators w/ 22 mm. male inlets)..... RO3015

FERNO₂[™] MVP Suction Unit

- FERNO2 MVP Suction Unit..... SU1320
- MVP Replacement Canister w/ Large Bore Catheter..... SU1330
- Medium Bore Catheter for MVP Suction Unit..... SU1331
- Small Bore Catheter for MVP Suction Unit..... SU1332



OX-Series Inhalator Valve



HFOC Resuscitator Refill Valve



MVP

RESCUE STRETCHERS

Titan Series Rescue Stretchers

The Titan Rescue Basket Stretcher is a redesign of the classic Stokes military-style stretcher. A one-inch diameter top rail makes it easier to handle when carried for extended periods, and reinforced double tubing at the head and foot ends provides extra strength. Features SträtLoad™ attachment points for secure attachment of lifting bridles, Durathene™ netting, and UHMW-PE Back Support. Surpasses the US Military's MIL-L-37957A specification for strength.

Stainless Steel Construction

- Titan Stainless Steel One-piece Regular Stretcher.....RE1101
- Titan Stainless Steel One-piece Tapered Stretcher.....RE1100
- Titan Stainless Steel 32 One-piece Extra Wide Stretcher.....RE1102
- Titan Stainless Steel Two-piece Regular Stretcher.....RE1103
- Titan Stainless Steel Two-piece Tapered Stretcher.....RE1104




SträtLoad™ Attachment points provide secure bridle attachment



LocSaf™ Connectors provide failsafe connection of two-piece stretchers



Titan Split



Regular



Tapered



Extra Wide



Specifications

Steel Models	Length	Width	Height	Weight	Titanium Models	Length	Width	Height	Weight
Regular	83 in. (211 cm)	23 in. (58 cm)	7 in. (18 cm)	31 lb (14 kg)	Tapered	83 in. (211 cm)	23 in. (58 cm)	7 in. (18 cm)	13½ lb (6 kg)
Tapered	83½ in. (212 cm)	23½ in. (60 cm)	7 in. (18 cm)	31 lb (14 kg)	SträtLoad™	83 in. (211 cm)	23 in. (58 cm)	7 in. (18 cm)	13½ lb (6 kg)
Extra Wide	83 in. (211 cm)	32 in. (81 cm)	7 in. (18 cm)	42 lb (19 kg)	2-Piece Tapered	83 in. (211 cm)	23 in. (58 cm)	7 in. (18 cm)	16½ lb (7 kg)
2-Piece Regular	83 in. (211 cm)	23 in. (58 cm)	7 in. (18 cm)	31 lb (14 kg)	2-Piece SträtLoad	83 in. (211 cm)	23 in. (58 cm)	7 in. (18 cm)	16½ lb (7.4 kg)
2-Piece Tapered	83½ in. (212 cm)	23½ in. (60 cm)	7 in. (18 cm)	31 lb (14 kg)					

BASKET STRETCHERS

71 Series Basket Stretchers

The Model 71 Series Basket Stretchers are constructed of a high-density polyethylene shell supported by a permanently attached, heavy-duty, aluminum frame. Molded-in runners and handholds make them easy to handle, even over rough terrain. Brass grommets are strategically located for quick use with Model 418-1 Adjustable Lifting Bridle. Easily replaceable closed-cell foam pad is attached inside the stretcher for patient comfort. The stretcher is chemical, UV, rust, and corrosion resistant. Four two-piece 5' quick-release patient restraints are included.

Model 71 Basket Stretcher

Model 71 Basket StretcherPT7100

Model 71-S Two-Piece Basket Stretcher

Separates in half for compact storage or backpacking to a rescue site.

Model 71-S Two-Piece Basket StretcherPT7130

Model 71-M Non-Metallic Basket Stretcher

Features a plastic-coated frame, plastic rivets, wooden runners and hook-and-loop closure restraints.

Model 71-M Non-Metallic Basket StretcherPT7120

Model 513-4 IV Pole for 71 Basket StretcherCA5134


71 Basket Stretcher Carrying CaseBG3870

71-S Basket Stretcher Carrying CaseBG3871



Gazelle Steel Basket Stretchers

The Gazelle Series Stretchers are a basic rescue stretcher designed to be used in raise/lower operations. The stretcher features all-carbon steel with MIG-welded, tubular-frame construction and carefully designed frame geometry for the ultimate strength. Replaceable Durathene™ netting will not corrode and provides safety and comfort for the patient.



Gazelle Regular Basket Stretcher:

Accommodates any backboard.

Gazelle Regular Basket StretcherRE1105

Gazelle Tapered Basket Stretcher

Allows easier access in confined areas.

Gazelle Tapered Basket StretcherRE1106

Gazelle Confined Space Basket Stretcher

Allows for entry into and egress from most confined spaces.

Gazelle Confined Space Basket StretcherRE1107

Gazelle Stretcher Replacement MeshRE1123



Specifications


Model 71 Series	Length	Width	Height	Weight	Gazelle Series	Length	Width	Height	Weight
71	86 in. (218 cm)	24 in. (61 cm)	8 in. (19 cm)	23 lb (10 kg)	Regular	82½ in. (211 cm)	24 in. (62 cm)	7¼ in. (18 cm)	28½ lb (13 kg)
71-S	86 in. (218 cm)	24 in. (61 cm)	8 in. (19 cm)	24 lb (11 kg)	Tapered	82½ in. (211 cm)	24 in. (62 cm)	7¼ in. (18 cm)	28½ lb (13 kg)
71-M	86 in. (218 cm)	24 in. (61 cm)	9 in. (25 cm)	28 lb (13 kg)	Confined Space	82½ in. (211 cm)	18 in. (46 cm)	7¼ in. (18 cm)	26½ lb (12 kg)

RESCUE STRETCHERS

Advantage Basket Stretcher

The Advantage Basket Stretcher features a fully-internal stainless steel frame with a 11 kN (2500 lb) strength rating, and an outer HDPE shell attached to the top tube. This allows the secondary rail to be completely exposed to provide full options for tying in your patient for the most technical rescue. The Advantage also features our patented StratLoad™ attachment points and a replaceable closed-cell foam pad inside the stretcher for patient comfort.


Advantage Basket Stretcher RE1125



Bradco Stretcher System

The Bradco Stretcher System is packed with features including heavy-duty, all-aluminum frame construction, a high-density polyethylene shell, and patient support and restraint system. The spring-suspended patient support and restraint system supports the patient several inches off the bottom frame for a smooth and comfortable ride. A double flap cover and restraint strap system provides maximum security. Load capacity rating of 11 kN (2,500 lb).


Bradco Stretcher System RE0123



UT2000 Rescue Litter

The UT2000 Rescue Litter is an outstanding choice for backcountry, high angle and general rescue scenarios. It offers extreme adaptability to diverse situations and delivers high performance at an incredibly low weight. Made of two equal parts that snap together to form a basket litter that can also be used as a sled or cargo carrier. Each half acts as a pack-frame that allows the user to load it with the gear required for the rescue mission. Each frame comes complete with a set of lifting straps. Available in yellow, red, and OD green.

UT2000 Rescue Litter RE4200



Specifications

Model	Length	Width	Height	Weight
Advantage	85 in. (216 cm)	23.5 in. (60 cm)	7 in. (18 cm)	31 lb (14 kg)
Bradco	77 in. (203 cm)	24 in. (64 cm)	8 in. (20 cm)	39½ lb (18 kg)
UT2000	71 in. (180 cm)	17½ in. (44 cm)		15.4 lb (7 kg)

RESCUE ACCESSORIES

Basket Stretcher Accessories

IV Pole: Attaches to a handhold of the 71 series basket stretcher and folds when not in use.

513-4 IV Pole CA5134

Eclipse Flashlight Holder: Easily attaches to stretcher to provide light during patient care or illuminate your path during transport.

Eclipse Flashlight Holder 0822145

Patient Weather Shield: Keeps patient dry in inclement weather.

Patient Weather Shield Call for Availability

Adjustable Lifting Bridle: Features locking steel carabiners and independently adjustable bridle.

Adjustable Lifting Bridle RS4199

Floatation Collar: Attaches to stretcher to provide 45 pounds of buoyancy during water rescue.

Floatation Collar CA4710

Traverse Hard Eye Litter Bridle: Compatible with any style litter. "O" right for top tie-in point is rated 134kN (30,000 lb)

Hard Eye Litter Bridle RE1508

Traverse 540°™ Rescue Belay

UL™ Certified to NFPA 1983 (2001 Ed) General Use
Passes BCCTR's Belay Competence Drop Test Criteria

Developed specifically to meet the needs of rescue system belays, the 540°™ Rescue Belay is a self-locking device that meets demanding drop-test criteria (able to hold falling loads quickly while limiting the peak force). This well-engineered device is easy to rig and the symmetrical design reduces the risk of improper loading. A built-in release lever releases the tension on the belay rope, eliminating the need for a release hitch.

Small Belay: Designed for use with kernmantle rescue ropes from 11.5 to 13 mm. Weight: 1 lb 6 oz (624 g). MBS: 5,171 lb (23 kN).

Large Belay: Designed for use with kernmantle rescue ropes from 11 to 11.6 mm. Weight: 1 lb 6 oz (624 g). MBS: 6,070 lb (27 kN).

Traverse 540° Rescue Belay RR0100

F.R.E.D.

Ferno® Rescue Emergency Dummy

The Ferno® Rescue Emergency Dummy (F.R.E.D.) is the ideal training aid to simulate handling and carrying a person during rescue situations. The dummy can be filled with a sand/sawdust mixture up to 121 lb to simulate the weight of an adult and is 57" tall. F.R.E.D. is made from heavy-duty, rip stop PVC with heavy-duty stitching that is UV resistant and water repellent. Foot heels are re-enforced for dragging and a ring of Velcro® on the abdomen section and hands helps keep F.R.E.D. secured when being moved.

Ferno® Rescue Emergency Dummy 0822127



IV Pole



Flashlight Holder



Weather Shield



Lifting Bridle



Floatation Collar



Hard Eye Bridle



Large Belay



Small Belay




RESCUE STRETCHERS

Traverse® Rescue Stretcher (TRS)

Designed and constructed for both horizontal and vertical casualty evacuations. The lightweight and compact roll-up design makes this stretcher ideal for high-angle and confined-space rescue, as well as backcountry wilderness and helicopter operations. The wrap-around concept gives the patient a feeling of security and protects arms and sides from injury during evacuation procedures.

Traverse Rescue Stretcher (TRS) RE1900



TRS

LifeSaver

The Ferno® LifeSaver Stretcher is a modern version of the traditional Neil Robertson stretcher. Designed to provide quick, easy use in horizontal and vertical lift situations where minimum bulk is important. Features full-length, 5 mm ribs interwoven by tough 1000 denier, high-tenacity nylon fabric to provide full body splinting in a very narrow patient package.

LifeSaver RE1700



LifeSaver

Tablu Tri-Fold Stretcher

The Tablu Tri-Fold Stretcher represents the ultimate in simplicity and durability. It is ideal for vehicle extraction because of its compact size and rapid employment. The Tablu is made of lightweight aluminum and has zero risk of the fire hazards, cracking, warping, and gouging that's common with plastic and composite boards in tactical and vehicle operations. The Tablu has generous handholds and accepts all common strap systems.

Tablu Tri-Fold Stretcher 0108025



Tablu

Specifications

Model	Length	Length Folded	Width	Width Folded	Weight	Load Limit
TRS	79½ in. (202 cm)		33 in. (84 cm)		17.5 lb (8 kg)	900 lb (408 kg)
LifeSaver	60 in. (153 cm)		40 in. (102 cm)	6 in. (15 cm)	11 lb (5 kg)	300 lb (136 kg)
Tablu	71½ in. (182 cm)	25 in. (63 cm)	16 in. (41 cm)	16 in. (41 cm)	12 lb (5.5 kg)	500 lb (227 kg)

RESCUE PACKS/BAGS

Cirque II Patrol Fanny Pack

The Cirque Patrol Fanny Packs are made for patrollers who like to go light and fast! Numerous pockets and double-loop elastic retainers organize gear and keep it where you put it. A large bottom pocket with compression straps can store a bailout rope or light jacket and the waist belt has pockets that can be reached while wearing the pack. Features a personal escape-line compartment, compression straps and a built-in key-chain holder. For heavy loads, an optional shoulder harness attaches to the pack and provides better weight distribution. Available in black/black or black/red.

Cirque II Patrol Fanny Pack RE0080



Cirque II

Sith 50 SAR Pack

The Sith 50 SAR is an Alpine-style pack with 3,050 cubic inch capacity for patrollers who need a lot of room, or for serious technical rescue specialists. The internal frame incorporates a polyethylene framesheet along with two aluminum stays, giving you superb stability. The coated 405D rip stop nylon is tough and water-resistant. Features include snowboard straps, shovel pouch, fixed top lid with lash straps, dual daisy chain, two ice-axe loops, hydration-system pocket, and a shoulder harness keeper. Available in orange.

Sith 50 SAR Pack RE0050



Sith 50 SAR Pack

Kigali Backpacks

Designed as a medical pack for Ski Patrol, the Traverse Kigali organizes and carries equipment for anyone responding away from the roadside, whether on foot, skis, ATV, or mountain bike. Multiple pockets organize equipment for efficient access. The large top-opening main compartment has additional compartments for large dressings, hydration systems and includes a large sleeve with retaining strap to safely hold a "D" size oxygen cylinder. Two external pockets are configured with double-elastic loops and pockets to organize small items. A full suspension system with aluminum stays, padded shoulder straps, and waist belt lets the pack ride comfortably all day, even when fully loaded. Built-in rain cover protects a loaded pack in wet conditions. Available in black/black or red/black.

Kigali 30 Backpack (30 litre) RE0030

Kigali 35 Backpack (35 litre) RE0035

Kigali 45 Backpack (45 litre) RE0045



Kigali Backpack

Raincover

Specifications

Model	Length	Width	Height	Capacity
Cirque II	4 in. (10 cm)	15 in. (38 cm)	11 in. (28 cm)	
Sith				3050 cu. in. (50L)

Model	Width	Height	Capacity
Kigali 30	19 in. (48 cm)	30 in. (76 cm)	1830 cu. in. (30 L)
Kigali 35	13 in. (33 cm)	21 in. (53 cm)	2135 cu. in. (35 L)
Kigali 45	15 in. (38 cm)	23 in. (58 cm)	2750 cu. in. (45 L)

RESCUE BOAT

Traverse Rescue® Polar 75 Boat

The Traverse Rescue® Polar 75 Boat is designed for swiftwater rescue, ice rescue, or can be used as a sled on ice and snow. It is constructed of military grade Hypalon® fabric to provide durability in extreme environments for resistance to cuts, scrapes, tears and abrasions. The fabric is also resistant to sun, oil, grease and solvents. It takes 20 seconds to deploy when inflated with a single SCBA air tank. One inflation point inflates 3 internal air chambers. Open end design at bow and stern provides easy access to the transport floor from the water and provides a viewing window to the victim for rescuers sitting on the boat.

The Polar 75 Boat has 6 tow rings that can withstand 2500 pounds of pressure and provide anchor points for swift water rescue or towing the boat across ice and snow. There are also 16 interior grab handles and 6 carry handles providing plenty of handholds. It comes with a durable carrying case for easy storage and two double-sided paddles.



Polar 75 Boat Case

Polar 75 Boat NAUPOLAR75



Specifications

Model	Length	Width	Tube Diameter	Weight	Load Limit
Polar 75 Boat	173 in. (439 cm)	51 in. (130 cm)	14 in. (36 cm)	70½ lb (32 kg)	2304 lb (1045 kg)

HOSPITAL SURGE

Ferno® Surge Bed

The Ferno® Surge Bed has been designed to help you provide a fast, effective, and economical response to mass casualty and hospital surge situations. It supports up to 500 lb so you can provide care to almost any size patient. Includes shock legs on the middle and foot-end support legs to elevate the foot-end of the bed for shock treatment.

The Ferno® Surge Bed folds for easy storage and transport, and sets up in seconds with easy-to-follow instructions that are sewn into the bed. An optional IV pole and mattress are also available.

Ferno Surge Bed Only.....	0108024
Surge Bed IV Pole.....	0087174
Surge Bed Mattress.....	0314109
Surge w/ Mattress and IV Pole.....	0000909



Specifications

Model	Length	Width	Weight	Load Limit
Surge Bed	79 in. (201 cm)	28 in. (71 cm)	19 lb (8.6 kg)	500 lb (227 kg)

EZ-Glide® Evacuation Chair

Evacuate individuals quickly, safely, and easily from multiple level buildings with Ferno's EZ Glide® Evacuation Chair. The EZ Glide® Track System carries the weight down stairs, allowing one person to evacuate individuals up to 200 lb, and two people to evacuate individuals up to 500lb.

EZ Glide Evacuation Chair.....	PT5909
EZ Glide IV Pole.....	0821976
EZ Glide Storage Cover.....	0314023
EZ Glide Aluminum Storage Cabinet.....	0506534
EZ Glide Evacuation Chair Wall Mount.....	0822096
EZ Glide Evacuation Chair Secure Lock Mount.....	0822072



easy-to-follow visual instructions on back of chair



Specifications

	Height	Width Overall	Width Seat	Depth Max Open	Depth Min Open	Depth Seat	Depth Folded	Weight	Load Limit
Imperial	37½ in.	20½ in.	16½ in.	51 in.	28 in.	16 in.	8 in.	33 lb	500 lb
Metric	95 cm	52 cm	42 cm	130 cm	73 cm	41 cm	20 cm	15 kg	227 kg

GENERAL INFORMATION

Terms of Sale

Government-Funded Agencies will be granted "Net 30 Day" Open Accounts by providing the following information:

1. Name of government agency
2. Telephone and FAX numbers
3. Billing address (must be domestic location)
4. Shipping address
5. List of authorized purchasers (if restricted)
6. Purchase Order number requirements

Payment may also be made using Federal Smart Pay Credit Cards, which will be charged at the time your order is shipped.

Individuals and all others are expected to pay at the time the order is placed. Ferno welcomes credit cards (American Express, MasterCard, or Visa), and checks and money orders in U.S. dollars. Sorry, no C.O.D.

Bids or Quotations

You can mail, fax, or email bids or quotations to: Bid Department, Ferno-Washington, Inc., 70 Weil Way, Wilmington, Ohio 45177; 888-388-1349 fax, or email bid@ferno.com.

Freight Policy/Shipping

All orders will be shipped by the most efficient and cost-effective ground transportation (UPS, DHL, truck, or USPS). Orders are shipped F.O.B. Wilmington, Ohio. Shipping charges are prepaid and will be added to the invoice. Air freight or other special shipping arrangements can be made at the customer's request. Special shipping charges are prepaid and will be added to the invoice. Special-order and out-of-stock items will be back ordered and shipped as soon as possible; the customer will be notified of back orders. Partial orders will be shipped unless the customer provides other instructions.

Call Ferno for current shipping rates and to obtain a shipping quote.

Returning Merchandise

Please report any shipment error immediately upon receipt by calling Ferno Customer Relations at 877-733-0911. If we make an error filling or shipping your order, we will gladly rectify the mistake at no cost to you. Prior to returning any merchandise, contact Ferno Customer Relations for a Return Material Authorization Number and a return shipping address, and be sure to have your invoice or packing slip available. Note: Returned merchandise must be sent freight prepaid and must be received in new and salable condition. Items returned because of customer preference are subject to a 20% restocking fee. Some goods may not be returned for credit. Such goods include sterilized items, rubber items, items more than 90 days old, and special orders.

Damaged Goods Claims

All claims for merchandise that is damaged during transit must be made by the customer directly to the carrier within 10 days of receipt of goods. Please save all boxes and packing material until you have filed your claim.

Mailing Preference

Periodically we will mail or Email you information and offers for Ferno products. If you do not wish to receive such mailings, call Ferno Customer Service at 877-733-0911 to be removed from our mailing list.

Conditions of Sale

Ferno-Washington, Inc., (Ferno) reserves the right to accept or reject any and all orders, regardless of the manner in which the order is made. Orders become valid, and the sale shall be deemed made in Wilmington, Clinton County, Ohio.

All sales are subject to the laws of the State of Ohio and the venue for all disputes shall be in the courts of Ohio. Any terms or conditions set forth in the buyer's purchase order shall not materially alter terms and conditions set forth herein.

Disclaimers

Photos of products are subject to change and may differ from the exact model numbers. Contact Ferno Customer Service for the latest features and accessories included with specific model numbers. General specifications are rounded to the nearest whole or half number. General specifications are subject to change.

Limited Warranty

Ferno products are warranted to be free from defects in material and workmanship for a period of one year, except as follows:

- ▶ External finishes (gelcoat, paint, powdercoat, decals, etc.) are warranted for 90 days.
- ▶ Soft goods (webbing, vinyl, fabric, foam, etc.) are warranted for 90 days.
- ▶ Second stock product and product purchased from consignment inventory are warranted for 90 days.
- ▶ Ambulance cots and ambulance transporters (except external finish and soft goods) are warranted for 2 years.
- ▶ EZ Glide® Chairs are warranted for 2 years.
- ▶ 59-E Evacuation Chairs are warranted for 15 years.
- ▶ EMS bags (replaceable bottom excluded) are warranted for lifetime replacement. (Damage caused by accident, abuse, misuse or improper care will be repaired at a reasonable charge for which you will be informed prior to the repair work being done.)
- ▶ Backboards are warranted for lifetime replacement. (Damage caused by accident, abuse, misuse or improper care will be repaired at a reasonable charge for which you will be informed prior to the repair work being done.)
- ▶ Integrated Charging System (ICS) is warranted for 2 years.

Ferno repairs are warranted for 90 days from the date of repair.

This limited warranty applies only when you use and care for the product as described in the instructions provided with the product. Improper use and care may void this warranty. The warranty period begins the date the product was first purchased by you as the original end-user or the date you as the original end-user receive it if you have proof of the delivery date. This Limited Warranty is not transferable or assignable in any manner. Shipping charges are not covered by this limited warranty. Ferno is not liable for shipping damages or damages sustained through using the product.

Non-Ferno products sold by Ferno retain the product manufacturer's original warranties and guarantees. Such warranties and guarantees, if any, are solely those of the product manufacturer. Ferno offers no warranties or guarantees of any kind additional to those of the product manufacturer, nor does Ferno assume any liability for products manufactured by others.

In addition to our standard warranty, extended warranties are also available for many products. At the time you purchase your Ferno emergency product you can purchase an extended warranty for your cot for an additional fee. These extended warranties include service and repair for the term of the extended warranty and can also include preventative maintenance services. Call us at 877-733-0911 or e-mail us at info@ferno.com for more information and a quote for your service.

Limitation of Liability

If a product is proven defective, Ferno will repair or replace it, or, at its option, refund the item's purchase price. In no event is Ferno liable for more than the selling price of the product. The purchaser accepts these terms in lieu of all damages.

Except for the limited warranty above, Ferno makes no other warranties, either expressed or implied. Ferno makes no implied warranties of merchantability and fitness for a particular purpose for its own product or for the products of others. In no event will Ferno be liable for any indirect or consequential damages sustained in connection with the delivery, use, or performance of its products.

Under breach of limited warranty any legal action for breach of the limited warranty must be filed within one year of the date the breach is or should have been discovered.

Limited Warranty Claims and Disputes

Contact Ferno Customer Service promptly if you receive a product from Ferno that you suspect is defective. A representative will assist you with the claim procedure. Before sending any product to Ferno obtain a return authorization number from Ferno Customer Service.

Contact

Ferno Customer Relations
Toll-Free 877.733.0911 / Telephone 937.382.1451
Toll-Free Fax 888.388.1349 / Fax 937.382.1191
Email info@ferno.com
Website www.FernoEMS.com

Visit our Group Company Web Sites:

Traverse Rescue www.traverserescue.com
 Ferno Aviation www.fernoaviation.com
 Spiracle (Oxygen & Airway) www.spiracle.com
 Saver www.saver-ems.com
 Ferno Military www.fernomilitarysystems.com
 Ferno Mortuary www.fernomortuary.com
 Ferno International www.fernointernational.com

GRAPHICS ORDER FORM

COT GRAPHICS

1] Select Product Being Personalized (arrows show graphic placement)

35X PROFlexx




POWERFlexx



93H PROFlexx



28Z PROFlexx



EZ Glide



2] Select Font Case & Font Style for Personalization

Times New Roman *Brush Script* **Arial Black** Eurostyle *Swiss 721 BT* Square 721 BT

ALL CAP LETTERS Upper/Lower Case Letters (all letters are printed centered, in black only)

3] Indicate Text for Personalization

26 Characters Max, Including Spaces (for 35X, 93H, 28Z)

10 Characters Max, Including Spaces (for POWERFlexx, EZ Glide)


NAJO GRAPHICS

1] Select Product Being Personalized

All standard lettering is 2" high, black. CAPS, and positioned in the center of the board. MAXIMUM 25 CHARACTERS/SPACES per line

Pins

- 0
 10
 18



RediHold® | Qty ____ RediBoard® | Qty ____ RediWide® | Qty ____ Sports Board | Qty ____ Lite | Qty ____

3] Color (choose one)

Blue Green Red Yellow Orange Other | Specify _____
 Split Color Head Color _____ Foot Color _____

4] Customer Contact Information

Name _____

Address _____

City _____

State _____

Zip _____

Phone _____

Email _____

PO# _____

Signature _____

Date _____

INTERNAL USE ONLY

Customer Order # _____

Ferno PO# _____

SPECIFICATIONS

COTS



	POWERflex®	35X PROFlexx®	93H PROFlexx®
	PT5600	PT3570	PT9340
Length			
Maximum	83 in. (211 cm)	79 in. (201 cm)	83 in. (211 cm)
Minimum	61 in. (155 cm)	64 in. (162 cm)	67 in. (170 cm)
Width	24 in. (61 cm)	24 in. (61 cm)	24 in. (61 cm)
Height			
Maximum	41 in. (104 cm)	38.5 in. (102 cm)	36 in. (91 cm)
Minimum	13 in. (33 cm)	13¾ in. (35 cm)	11 in. (28 cm)
Max Loading Height	33 in. (84 cm)	35 in. (89 cm)	30 in. (76 cm)
Weight	133 lb (60 kg)	92 lb (42 kg)	98 lb (45 kg)
Lift Capacity	700 lb (318 kg)	n/a	n/a
Load Capacity			
Loading Position	700 lb (318 kg)	700 lb (317 kg)	650 lb (295 kg)
Lowest Position	1000 lb (450 kg)	1100 lb (500 kg)	650 lb (295 kg)
Wheel Diameter	6 in. (15 cm)	6 in. (15 cm)	6 in. (15 cm)
Power	24V DC	n/a	n/a
Color Option	Red & Blue	Red & Blue	Red & Blue
Fastener Compatibility	175, Stat Trac	175, Stat Trac	175, Stat Trac

CHAIRS



	EZ Glide®	Model 40	Model 40-OS
	PT5900	PT4000	PT4010
Height	37½ in. (95 cm)	36 in. (91 cm)	36 in. (91 cm)
Width			
Overall	20½ in. (52 cm)	20 in. (51 cm)	20 in. (51 cm)
Seat	16½ in. (42 cm)		
Depth			
Maximum Open	51 in. (130 cm)		
Minimum Open	28 in. (73 cm)	27 in. (69 cm)	28 in. (72 cm)
Seat	16½ in. (42 cm)		
Folded	8 in. (20 cm)	7 in. (18 cm)	7 in. (18 cm)
Weight	33 lb (15 kg)	19 lb (9 kg)	14 lb (6 kg)
Load Limit	500 lb (227 kg)	350 lb (159 kg)	350 lb (159 kg)



28Z PROFlexx®	35A	93ES	30NM
PT2805	PT3500	PT9300	PT3010
80 in. (204 cm)	79 in. (200 cm)	81 in. (206 cm)	76 in. (193 cm)
48 in. (122 cm)	63 in. (160 cm)	66 in. (168 cm)	64 in. (162 cm)
25 in. (63 cm)	24 in. (61 cm)	21 in. (53 cm)	22 in. (56 cm)
33 in. (84 cm)	40 in. (101 cm)	33 in. (84 cm)	32 in. (81 cm)
9 in. (22 cm)	9 in. (23 cm)	9 in. (23 cm)	12 in. (31 cm)
27 in. (68 cm)	32 in. (80 cm)	30 in. (77 cm)	32 in. (81 cm)
69 lb (31.2 kg)	74 lb (34 kg)	74 lb (34 kg)	54 lb (25 kg)
n/a	n/a	n/a	
700 lb (318 kg)	500 lb (227 kg)	500 lb (227 kg)	400 lb (182 kg)
700 lb (318 kg)	500 lb (227 kg)	500 lb (227 kg)	400 lb (182 kg)
6 in. (15 cm)	5 in. (13 cm)	5 in. (13 cm)	5 in. (13 cm)
n/a	n/a	n/a	n/a
Red & Blue	Anodized Silver	Anodized Silver	Silver
173	175, Stat Trac	175, Stat Trac	175



Model 42	Model 48	
PT4200	PT4800	
37 in. (95 cm)	37 in. (95 cm)	
23 in. (59 cm)	19 in. (48 cm)	
24 in. (61 cm)	24 in. (61 cm)	
6 in. (16 cm)	6 in. (16 cm)	
19 lb (9 kg)	19 lb (9 kg)	
350 lb (159 kg)	350 lb (159 kg)	

INDEX

B

Backboards

Aluminum Backboards	27
Millennia Boards	27
NAJO Lite	26
NAJO RediBoard	26
NAJO RediHold	26
NAJO RediWide	26
NAJO Sports Board	27
NAJO Water Rescue	27

Basket Stretcher Accessories

Adjustable Lifting Bridle	47
Eclipse Flashlight Holder	13, 47
Floatation Collar	47
IV Pole	47
Patient Weather Shield	47

Basket Stretchers

Advantage Basket Stretcher	46
Bradco Stretcher System	46
Gazelle Confined Space Basket Stretcher	45
Gazelle Regular Basket Stretcher	45
Gazelle Stretcher Replacement Mesh	45
Gazelle Tapered Basket Stretcher	45
Model 71 Basket Stretcher	45
Model 71-M Non-Metallic Basket Stretcher	45
Model 71-S Two-Piece Basket Stretcher	45
Titan Stainless Steel 32 One-piece Extra Wide Stretcher	44
Titan Stainless Steel One-piece Regular Stretcher	44
Titan Stainless Steel One-piece Tapered Stretcher	44
Titan Stainless Steel Two-piece Regular Stretcher	44
Titan Stainless Steel Two-piece Tapered Stretcher	44
UT2000 Rescue Litter	46

C

Cervical Collars

Wizloc Cervical Collar	31
------------------------	----

Cot Accessories

Bariatric Accessories	
Bariatric Push-Pull Handles	12
Bariatric Tow Package	12
LBS Bariatric Board	5, 7, 9, 12
LBS Carrying Case	12
LBS Junior	12
LBS Junior Mattress	12
LBS Mattress	12
Manta Transfer Sheet	12
Restraint Extenders	12
Handling Accessories	
28Z Lead Handle	14
28Z Swing-out Lift Handles	14
Beasy Trans Transfer Board	14
Cot Height Limiting Kit for 35X	14
Dialysis Kickstand	14
Pull-out Lifting Handles	14

Transfer Board	14
Universal Sidearm	14
ICS Integrated Charging System	5
Patient Care Accessories	
28Z PROFlexx Mattress	15
Acrylic-Blend Blanket	15
Cot Pillow	15
Ferno2 CPR Mask	15
Ferno CPR Board	15
Fire Blanket	15
Fitted Sheet	15
Model 359-8 Mattress	15
Model 360 Mattress	15
Model 460 Mattress	15
Patient Shield	15
POWERFlexx Mattress	15
PROFlexx Mattress	15
Quilted Nylon Blanket	15
RESQ Pillow/Blanket	15
Weather Shield	15
Wool-Blend Blanket	15
Storage Accessories	
35X XO2 Oxygen Mounting System	13
513-10 Series IV Poles	13
513-13 Series IV Poles	13
Eclipse Flashlight Holder	13
Equipment Bracket- Extra Hand	13
Foot-End O2 Bracket	13
Hard Metal Lower Tray	13
Head-End O2 Bracket	13
LBS IV Poles	13
Medi-Pac Accessory Pack	13
Oxy-Clip2 O2 Bottle Holder	13
Oxy-Clip O2 Bottle Holder	13
PacRac Equipment Platform	13
Sidearm Pouches	13
Sof-Net Head-End Storage Pouch	13
Sof-Shelf Storage Tray	13

Cots

28Z PROFlexx Chair-Cot	10
30NM Non-Magnetic MRI Cot	18
35A Mobile Transporter X-Frame Cot	18
35X PROFlexx	7
93ES Squadmate H-Frame Cot	18
93H PROFlexx	9
POWERFlexx Powered Cot	5

F

Fasteners

173-2 Cot Fastener	17
173-3 Cot Fastener	17
175-1 Cot Fastener	17
175-2 Cot Fastener	17
175-3 Cot Fastener	17
175-4 Cot Fastener	17
175-5 Cot Fastener	17
185 StatTrac Cot Fastener	17
Ferno Rescue Emergency Dummy (F.R.E.D.)	47
Ferno Rescue Seat	21

H

Head Immobilizers

HeadHugger Head Immobilizer	31
Head Immobilizer EXL	31
Universal Head Immobilizer	31

K

K.E.D.	28
K.E.D. Pro	29

O

Oxygen & Airway Bags

Airway Management/Oxygen Bag	38
ERC Backpack	39
Model 5120 Oxygen Carry Bag	38
Model 5121 Oxygen Carry Bag	38
Model 5122 Oxygen Carry Bag	38
Trauma/Air Management Bag II	38
Trauma/Air Management Bag III	38

Oxygen & Airway Equipment

Aluminum O2 Cylinder- C Size	42
Aluminum O2 Cylinder- D Size	42
Aluminum O2 Cylinder- E Size	42
Aluminum O2 Cylinder- Jumbo D Size	42
Bag Mask Resuscitators	42
BRAVO2 Brass Regulators	42
DD-Lite Carbon Fiber O2 Cylinders	42
EE-Lite Carbon Fiber O2 Cylinders	42
Floor-Mounted Cylinder Base	25
Green Oxygen Pressure Hose	42
HFOC Oxygen Conserver	43
Micro-Manager O2 Administrator	43
Mini-Manager O2 Administrator	43
Multi-Manager O2 Administrator	43
MVP Suction Unit	43
ORO2 Flow Control Valves	42
ORO2 Regulators	42
OX-Series Inhalator Valve	43
Resuscitation Masks	42
Universal Cylinder Bracket	25
Wall-Mounted Cylinder Base	25

P

Pediatric Immobilization

Medkids Baby Board	35
Medkids Pedi-Sleeve	35
Pedi-Pac	35

Pediatric Transport

Baby Pod II	34
Incubator Transporters	34
Pedi-Mate Restraint System	34
Pedi-Pal Child Transport Seat	34

R

Rescue Packs/Bags

Cirque II Patrol Fanny Pack	49
-----------------------------	----

Kigali Backpacks	49	Stretchers	
Sith 50 SAR Pack	49	Disaster Litter	23
Rescue Stretchers		Emergency Stretchers	20
LifeSaver	48	Flexible Stretchers	23
Tablu Tri-Fold Stretcher	48	Pole Stretchers	22, 23
Traverse Rescue Stretcher	48	Stretcher Chairs	21
Responder Vests	39	Tactical Litter	23
Restraints		Surge Bed	50
417-1 Shoulder Harness	16	Surge Bed Accessories	
430P Series Restraint Straps	16	Surge Bed IV Pole	50
430 Series Cot Restraints	16	Surge Bed Mattress	50
773 Series Speed-Clip Restraints	16		
Extremity Restraints	16	T	
Fastrap Quick Restraint System	16		
Restraint Strap Retractor	16	Trauma Bags	
S		First-In Trauma Bag	36
Saver Bags		Intubation Ultra Mini-Bag	36
Saver ALS Bag	37	Luno Bag	37
Saver First Responder Bag	37	Luno Plus Bag	37
Saver O2 Backpack	38	Professional ALS Bag	36
Saver O2 Duffel Kit	38	Professional Intravenous Mini-Bag	36
Saver Trauma O2 Kit	39	Professional Intubation Mini-Bag	36
Saver Trauma Responder II Bag	37	Professional Trauma Bag	36
Saver Trauma Responder III Bag	37	Professional Trauma Mini-Bag	36
Scoops		Rucksack w/Airway Roll	37
Model 65 Scoop Stretcher	30	Trauma Responder II Bag	36
Scoop EXL Stretcher	30	Trauma Supply Kits	
Splinting		Airway Mgmt. & Resuscitation Kit	41
Air Splints	32	ALS Kit	40
Cardboard Splints	33	BLS Kit	40
FernoTrac Traction Splints	32	BLS Replacement Kit	40
Finger Splint Kit	33	First Call Kit	40
Frac-Care Kit	32	Trauma & Airway Management Kit	41
Padded-Board Splints	33	Traverse 540° Rescue Belay	47
SAM Splints	33		
Saver Cardboard Splint	33		
Vacuum Mattress	32		
Vacuum Splints	32		
Stair Chair Accessories			
Aluminum Storage Cabinet	14, 50		
EZ Glide Headrest	14		
EZ Glide IV Pole	14, 50		
EZ Glide Stair Chair Secure Lock Mount	14, 50		
EZ Glide Stair Chair Storage Cover	14, 50		
Rear Lift Handles	14		
Stair Chair Wall Mount	14, 50		
Stair Chairs			
EZ Glide Evacuation Chair	50		
Model 40	19		
Model 40-OS	19		
Model 42	19		
Model 48	19		
Stretcher Accessories			
Post Cups	20		
Raised Post Cups	20		
Recessed Post Cups	20		
Storage Case	21, 22		
Wall Hooks	20		
Wheel Cups	20		



P 877.733.0911
F 888.388.1349
info@ferno.com

70 Weil Way
Wilmington, Ohio 45177

www.FernoEMS.com

For more information, contact your local Ferno Dealer or Regional Sales Manager