

**Pennsylvania  
New Jersey  
Delaware  
Maryland**

# **Implementation Guideline**

For

**Electronic Data Interchange**

TRANSACTION SET

# **867**

**Historical Usage  
Ver/Rel 004010**

## Table of Contents

Summary of Changes.....	4
General Notes.....	7
Pennsylvania Notes .....	8
Maryland Notes .....	9
New Jersey Notes .....	11
Delaware Notes .....	12
How to Use the Implementation Guideline .....	13
X12 Structure .....	14
Data Dictionary for 867 Historical Usage .....	15
Segment: ST Transaction Set Header .....	19
Segment: BPT Beginning Segment for Product Transfer and Resale .....	20
Segment: N1 Name (8S=LDC Name) .....	21
Segment: N1 Name (SJ=ESP Name).....	22
Segment: N1 Name (G7=Renewable Energy Provider Name).....	23
Segment: N1 Name (8R=Customer Name) .....	24
Segment: REF Reference Identification (11=ESP Account Number).....	25
Segment: REF Reference Identification (12=LDC Account Number).....	26
Segment: REF Reference Identification (45=LDC Old Account Number) .....	27
Segment: PTD Product Transfer and Resale Detail (SU=Summary).....	28
Segment: REF Reference Identification (6W=Channel Number).....	29
Segment: QTY Quantity .....	30
Segment: DTM Date/Time Reference (150=Service Period Date) .....	33
Segment: DTM Date/Time Reference (151=Service Period Date) .....	34
Segment: PTD Product Transfer and Resale Detail (RT=Rate).....	35
Segment: REF Reference Identification (LO=Load Profile) .....	36
Segment: REF Reference Identification (NH=LDC Rate Class) .....	37
Segment: REF Reference Identification (PR=LDC Rate Sub-Class) .....	38
Segment: QTY Quantity .....	39
Segment: MEA Measurements .....	40
Segment: DTM Date/Time Reference (150=Service Period Date) .....	42
Segment: DTM Date/Time Reference (151=Service Period Date) .....	43
Segment: PTD Product Transfer and Resale Detail (PM=Meter Detail).....	44
Segment: REF Reference Identification (MG=Meter Number).....	45
Segment: REF Reference Identification (MT=Meter Type) .....	46
Segment: REF Reference Identification (NH – LDC Rate Class).....	47
Segment: REF Reference Identification (TU=Type of Metering).....	48
Segment: QTY Quantity .....	49
Segment: MEA Measurements .....	50
Segment: DTM Date/Time Reference (150=Service Period Start) .....	52
Segment: DTM Date/Time Reference (151=Service Period End) .....	53
Segment: PTD Product Transfer and Resale Detail (FG=Scheduling Determinants).....	54
Segment: REF Reference Identification (LF=Loss Factor) .....	55
Segment: REF Reference Identification (LO=Load Profile) .....	56
Segment: REF Reference Identification (NH=LDC Rate Class) .....	57
Segment: REF Reference Identification (PR=LDC Rate Sub-Class).....	58
Segment: REF Reference Identification (BF=LDC Bill Cycle).....	59
Segment: REF Reference Identification (SV=Service Voltage) .....	60
Segment: REF Reference Identification (MG=Meter Number).....	61
Segment: REF Reference Identification (KY=Special Meter Configuration) .....	62
Segment: REF Reference Identification (AN=Aggregate Net Energy Meter Role) .....	63
Segment: QTY Quantity (KC=Peak Load Contribution) .....	65
Segment: DTM Date/Time Reference (007=PLC Effective Date) .....	66
Segment: QTY Quantity (KZ=Network Service Peak Load) .....	67
Segment: SE Transaction Set Trailer.....	69
Example: Historical Usage Summarized by Account .....	70
Example: Historical Usage Summarized by Rate .....	71
Example: Historical Usage Summarized by Meter .....	72
Example: Historical Usage Requested by Renewable Energy Provider .....	73

**March 15, 2025**

Version 7.0

Example: Pennsylvania, Maryland & New Jersey Net Metering / Customer Generation .....	73
Example: Pennsylvania Effective Dates for PLC/NSPL .....	77

## Summary of Changes

June 29, 1999 Version 1.0	Initial Release. Changes made since last draft: <ul style="list-style-type: none"> <li>Changed “EGS” to “ESP” and “EDC” to “LDC” throughout the guideline. Added notes page with “LDC Definitions” and “ESP Definitions”.</li> <li>Added “How to use the implementation guideline” page. In addition, changed all headers to the true X12 definition. Also corrected the Table on Page 4 to reflect X12 definitions and added the words “X12 Structure” to the title on that page.</li> </ul>
July 21, 1999 Version 1.0a	<ul style="list-style-type: none"> <li>Added Note for New Jersey to indicate all utilities plan to send summarized data by account (SU loop). No utility plans to send the data by meter (PM loop)</li> <li>Added note to clarify the utility will send the <u>current</u> transmission obligation and capacity obligation values. Historical Capacity and Transmission obligation is NOT being sent via this transaction.</li> <li>Corrected words in Example for transmission and capacity obligation.</li> <li>Added clarifying comment to SU loop to indicate there should be one SU loop for each unit of measurement (applies to all states).</li> </ul>
October 1, 1999 Version 1.0c	<ul style="list-style-type: none"> <li>Added Delaware Delmarva Information</li> <li>Moved rules from the data dictionary to the Notes section of the implementation guide.</li> <li>Clarified the PTD loops to indicate that there must be one loop per unit of measure.</li> <li>Clarifications to several NJ Use items.</li> <li>Clarification to examples.</li> </ul>
November 4, 1999 Version 1.1	This is a FINAL version for Pennsylvania and New Jersey
December 23, 1999 Draft version 1.1MD1	<ul style="list-style-type: none"> <li>Add Maryland use to document – the changes were added to the version 1.1 of the regional standards</li> <li>Added Data Dictionary</li> <li>Added Table of Contents</li> </ul>
January 17, 2000 Draft version 1.1MD2	Clarified REF*45 only used when LDC sending transaction.
February 24, 2000 Version 1.1MD3	Clarified use of Old Acct Number (REF*45) for MD
March 31, 2000 Version 1.1MD4	<ul style="list-style-type: none"> <li>Clarified use of FG loop for MD</li> <li>Add load profile and LDC rate code to FG loop for MD future use</li> <li>This transaction is considered FINAL for Maryland</li> </ul>
May 14, 2000 Version 1.2	This document is a new finalized version of PA and MD. NJ is still using Version 1.1.
August 11, 2000 Version 1.2a	Indicate PSEG will use the PTD01=PM loop, rather than the PTD01=SU loop.
September 10, 2000 Version 1.3	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware (Delmarva only).
October 19, 2001 Version 1.3rev01	<ul style="list-style-type: none"> <li>Incorporate Delaware Electric Coop (DEC) information for Delaware</li> <li>Incorporate PA Change Control 028 – change REF*11 from optional to conditional if supplier of record is requesting usage</li> </ul>
December 13, 2001 Version 1.3rev02	<ul style="list-style-type: none"> <li>Incorporate NJ Change Control to allow sending of LDC rate code and LDC load Profile in the “FG” loop. <ul style="list-style-type: none"> <li>Incorporate DE Change Control to allow sending of LDC rate code and LDC load Profile in the “FG” loop. Indicate not used by DEC.</li> </ul> </li> </ul>
January 9, 2002 Version 2.0	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
December 10, 2003 Version 2.0.1	Incorporate changes for NJ – add TOU values to both PTD*SU and PTD*PM loops. FG loop – make REF*NH required, add optional REF*BF. Add REF*TU to PTD*PM loop.
May 12, 2004 Version 2.0.2	Incorporate changes for PA Change Control 040. This allows TOU information to be provided optionally.

January 20, 2006 Version 2-0-3D	<ul style="list-style-type: none"> <li>• Incorporate NJ Change Control 005 (NJ CleanPower program changes)</li> <li>• Incorporate NJ Change Control 006 to reflect current practices</li> </ul>
October 23, 2006 Version 2-0-4D	<ul style="list-style-type: none"> <li>• Incorporate PA Change Control 043 (Add K4 – kilovolt amperes)</li> <li>• Incorporate NJ Change Control 009 (NJ Clean Power – RECO unmetered)</li> <li>• Incorporate NJ Change Control 011 (Clarify PSEG use of LDC Rate Type)</li> </ul>
November 3, 2006 Version 2-0-5D	<ul style="list-style-type: none"> <li>• Incorporate NJ Change Control 012 (Change Billing Cycle (REF*BF) to indicate it will be required for all utilities. PSEG and RECO will be implementing in 1Q 2007).</li> </ul>
February 12, 2007 Version 2-0-6F	<ul style="list-style-type: none"> <li>• Considered FINAL for PA and NJ</li> </ul>
July 4, 2009 Version 2-0-8D	<ul style="list-style-type: none"> <li>• Incorporate NJ Change Control PSEG-E-HU (Indicate PSEG will send SU loop, will send REF*NH in FG loop) Incorporate PA Change Control 049 (PTD*FG, QTY*KC, QTY*KZ required for PJM participants) Incorporate PA Change Control 052 (REF*BF required for PJM participants)</li> <li>• Incorporate PA Change Control 053 (REF*NH required for PJM participants)</li> <li>• Incorporate PA Change Control 054 (REF*LO required for PJM participants)</li> <li>• Incorporate PA Change Control 055 (PECO modifications RT loop)</li> <li>• Incorporate MD Change Control RM17-HU</li> </ul>
January 24, 2010 Version 2.1	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
November 4, 2010 Version 2.1.1D	<ul style="list-style-type: none"> <li>• Incorporate PA Change Control 65 (REF*LF and REF*SV required for First Energy)</li> <li>• Incorporate PA Change Control 71 (add QTY01=KA as optional)</li> <li>• Incorporate MD Change Control – Admin (Admin/Cleanup for MD)</li> </ul>
February 28, 2011 Version 3.0	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
February 16, 2012 Version 3.01	<ul style="list-style-type: none"> <li>• Incorporate PA Change Control 081 (Clarify RT loop)</li> <li>• Incorporate PA Change Control 085 (REF*KY)</li> <li>• Incorporate PA Change Control 090 (REF03 in REF*KY)</li> <li>• Incorporate PA Change Control 093 (admin updates)</li> <li>• Incorporate MD Change Control 008 (clarify PEPCO HU/HI support)</li> <li>• Incorporate MD Change Control 010 (PEPCO AMI Support)</li> </ul>
March 8, 2013 Version 6.0	<ul style="list-style-type: none"> <li>• Moving to v6.0 to align versions across all transaction sets</li> <li>• Cleaned up references to Allegheny and APS throughout document</li> <li>• Incorporate PA Change Control 087 (add DTM segments to be used with QTY*KC and QTY*KZ to denote current and future values)</li> <li>• Incorporate PA Change Control 095 (REF03 in REF*KY)</li> <li>• Incorporate PA Change Control 101 (remove AMT*LD from request; rescinds CC 58)</li> <li>• Incorporate PA Change Control 102 (increase REF*BF length in Data Dictionary)</li> <li>• Incorporate PA Change Control 103 (uniform net meter consumption reporting)</li> <li>• Incorporate MD Change Control 014 (make REF*LF &amp; REF*SV same as PA)</li> </ul>
March 17, 2014 Version 6.1	<ul style="list-style-type: none"> <li>• Incorporate PA Change Control 114 (add REF*PR to PTD*FG &amp; PTD*RT loops)</li> <li>• Incorporate MD Change Control 026 (PHI new CIS; changes to 867HU)</li> <li>• Incorporate MD Change Control 029 (uniform net meter data reporting)</li> <li>• Incorporate MD Change Control 030 (Net Meter Indicator in REF*KY)</li> <li>• Incorporate NJ Change Control Electric 015 (Net Meter Indicator in REF*KY)</li> <li>• Incorporate NJ Change Control Electric 016 (uniform net meter data reporting)</li> <li>• Incorporate NJ Change Control Electric 019 (ACE new CIS: changes to 867HU/HI)</li> <li>• Incorporate NJ Change Control Electric 028 (clarify RECO support of 867HU)</li> <li>• Incorporate NJ Change Control Electric 031 (RECO removal from IG)</li> <li>• Incorporate NJ Change Control Electric 032 (PSE&amp;G admin updates)</li> </ul>
February 18, 2015 Version 6.2	<ul style="list-style-type: none"> <li>• Incorporate NJ Change Control Electric 035 (REF*MG in PTD*FG to Optional)</li> <li>• Incorporate MD Change Control 037 (clean up MD notes section)</li> </ul>

March 14, 2017 Version 6.3	<ul style="list-style-type: none"> <li>• Incorporate NJ Change Control Electric 038 (Future PLC value/date for JCPL)</li> <li>• Incorporate MD Change Control 043 (Future PLC value/date for Potomac Edison)</li> <li>• Incorporate MD Change Control 045 (Aggregate Net Energy Metering family identifier in REF*AN)</li> </ul>
March 18, 2018 Version 6.4	<ul style="list-style-type: none"> <li>• Incorporate PA Change Control 140 (Update to REF*KY gray box)</li> <li>• Incorporate PA Change Control 147 (Incorporate Citizens &amp; Wellsboro into IG)</li> <li>• Incorporate NJ Change Control Electric 044 (Update to REF*KY gray box)</li> <li>• Incorporate MD Change Control 050 (Update to REF*KY gray box)</li> </ul>
March 22, 2019 Version 6.5	<ul style="list-style-type: none"> <li>• Incorporate PA Change Control 149 (Add PA Use to REF*AN)</li> <li>• Incorporate MD Change Control 054 (Add new REF02 qualifiers to REF*AN)</li> <li>• Incorporate MD Change Control 056 (Clarify BGE Historical Usage in MD Notes)</li> <li>• Incorporate NJ Change Control Electric 048 (NJ Note – End of Clean Power Choice)</li> </ul>
March 31, 2020 Version 6.6	<ul style="list-style-type: none"> <li>• Incorporate PA Change Control 151v2 (FirstEnergy PA net meter data reporting)</li> <li>• Incorporate PA Change Control 152 (Default months from 12 to 24)</li> <li>• Incorporate NJ Change Control Electric 051 (Default months from 12 to 24)</li> <li>• Incorporate MD Change Control 058 (Default months from 12 to 24)</li> </ul>
March 25, 2022 Version 6.7	<ul style="list-style-type: none"> <li>• Incorporate MD Change Control 063 (Add DE notes for default 24 months)</li> </ul>
April 29, 2023 Version 6.8	<ul style="list-style-type: none"> <li>• Incorporate MD Change Control 068v2 (Add Energy Assistance support)</li> </ul>
April 30, 2024 Version 6.9	<ul style="list-style-type: none"> <li>• Incorporate PA Change Control 172 (Add PA Note for HU Matrix)</li> <li>• Incorporate MD Change Control 083 (Add MD Note for HU Matrix)</li> </ul>
March 15, 2025 Version 7.0	<ul style="list-style-type: none"> <li>• Incorporate PA Change Control 173 (Add PECO support for REF*AN)</li> <li>• Incorporate NJ Change Control Electric 057v3 (JCPL Net update for Net Metering)</li> </ul>

## General Notes

Use	<ul style="list-style-type: none"> <li>Historical Usage will be provided to an ESP upon Request. The request will be made using the 814E and 814HU documents.</li> <li>Historical Usage can be requested for an entity that is already a customer of the ESP</li> <li>Historical Usage can be requested for any customer that has not restricted the release of their historical usage. This is state dependent, some states allow this scenario, others do not.</li> <li>The Historical Usage Transaction Set is sent by the LDC only one time per ESP request. No corrections or changes will be transmitted. The Historical Usage data is correct for the point in time that is it requested. Subsequent adjustments to Historical Usage will not be transmitted to the ESP.</li> <li>If providing history totalized for an account, use “SU” (Summary) in PTD01, else if providing history by meter, use “PM” (Physical Meter) in PTD01.</li> </ul>
LDC Definitions:	<p>The term LDC (Local Distribution Company) in this document refers to the utility. Each state may refer to the utility by a different acronym:</p> <ul style="list-style-type: none"> <li>EDC – Electric Distribution Company (Pennsylvania, Delaware)</li> <li>LDC – Local Distribution Company (New Jersey)</li> <li>EC – Electric Company (Maryland)</li> </ul>
ESP Definitions:	<p>The term ESP (Energy Service Provider) in this document refers to the supplier. Each state may refer to the supplier by a different acronym:</p> <ul style="list-style-type: none"> <li>EGS – Electric Generation Supplier (Pennsylvania)</li> <li>TPS – Third Party Supplier (New Jersey)</li> <li>ES – Electric Supplier (Delaware)</li> <li>ES – Electricity Supplier (Maryland)</li> </ul>
Renewable Energy Provider Definition:	<p>The term Renewable Energy Provider in this document refers to the party that provides Renewable Energy Credits (RECs). This party does not provide generation to the account. Each state may refer to the Renewable Energy Provider by a different acronym:</p> <ul style="list-style-type: none"> <li>GPM – Green Power Marketer (New Jersey)</li> </ul> <p><b>Note:</b> The transaction will either have an ESP or a Renewable Energy Provider, but not both.</p>

## Pennsylvania Notes

The Pennsylvania default is 24 months of Historical Usage

### Requirements for uniform support of Net Metered Customers

SU (Account Services Summary) Loop –reports consumption summarized/totalized for account by unit of measure for net metered customers. (Citizens & Wellsboro, First Energy, PPL, and UGI support)

1. All PA EDCs (Excluding FirstEnergy)
    - a. When the customer's consumption is greater than generation for a given service period, the KH will be reported as net consumption (QTY01 w/actual = QD or estimated = KA) with the total generation subtracted from total consumption.
    - b. When the customer's generation is greater than consumption for a given service period, the KH will be reported as net generation (actual = 87 or estimated = 9H) with the total consumption subtracted from total generation).
    - c. In either scenario, the QTY02 will never be signed negative.
  2. FirstEnergy Companies
    - a. Instead of reporting net KH in the SU loop, FirstEnergy will report the consumption and generation separately in their own loop. The REF\*6W Channel ID will identify the appropriate loop
      - i. REF\*6W\*1 – Loop reports consumption (delivered) KH (QTY01 w/actual = QD or estimated = KA)
      - ii. REF\*6W\*2 – Loop reports generation (received) KH (QTY01 w/actual = 87 or estimated = 9H)
- RT (Rate) Loop –reports consumption summarized/totalized by rate and by unit of measure for net metered customers. (PECO supports)
    1. When the customer's consumption is greater than generation for a given service period, the KH will be reported as net consumption (QTY01 w/actual = QD or estimated = KA) with the total generation subtracted from total consumption.
    2. When the customer's generation is greater than consumption for a given service period, the KH will be reported as net generation (actual = 87 or estimated = 9H) with the total consumption subtracted from total generation).
    3. In either scenario, the QTY02 will never be signed negative.
  - PM (Meter Detail) Loop – reports consumption provided by meter by unit of measure for net metered customers: (Duquesne only)
    1. Single meter reporting both in and out flow.
      - a. When the customer's consumption is greater than generation for a given service period, the KH will be reported as net consumption (QTY01 w/actual = QD or estimated = KA) with the total generation subtracted from total consumption.
      - b. When the customer's generation is greater than consumption for a given service period, the KH will be reported as net generation (actual = 87 or estimated = 9H) with the total consumption subtracted from total generation).
      - c. In either scenario, the QTY02 will never be signed negative.

### Historical Usage Matrix for Pennsylvania

PA Change Control 172 approved Historical Usage Matrix version dated February 8<sup>th</sup>, 2024. The file named PA\_Historical Usage Matrix\_20240208.xlsx will be available for download from the PAPUC Website under Electricity > Electronic Data Exchange > EDEWG Files.

## Maryland Notes

### Demand

- Measured/Billed Demand – add note to Demand segment to indicate PE, BGE, Pepco and Delmarva do not store measured demand, and will send Billed demand.

### Historical Usage Reporting

- As per MD CC 058, the Maryland default is 24 months of Historical Usage data.
- BG&E:** Historical Usage requests are processed as follows...

LIN05	Scenario	REF1P (Accepted Request)	867 Action
LIN05 =HU	HU available on non-interval account	No REF1P sent	867HU sent
LIN05 =HU	HU not available	REF1P = HUU	No 867 sent
LIN05 =HU	HU available on interval account (AMI & MV90)	No REF1P sent	867HU sent
LIN05 = HI	HI available (AMI & MV90) NOTE: MV90 aggregated to 60 minutes (15 min available on CDWeb)	No REF1P sent	867HI sent
LIN05 = HI	Neither historical interval detail or summary data available	REF1P = HIU	No 867 sent
LIN05 = HI	HI data unavailable BUT summary HU data is available	REF1P = HIU	867HU sent
LIN05 = HI	HI request on non-interval account	REF1P = UMA	867HU sent

- Delmarva MD & PEPCO MD:** The supplier will receive 867HU for non-interval billed accounts and the 867HI for interval billed accounts. Historical Usage requests will be processed as follows:

LIN05	Scenario	REF1P Code	867 Action
LIN05 = HU	HU available on non-interval account	No REF1P sent	867HU sent
LIN05 = HU	HU not available	REF1P = HUU	No 867 sent
LIN05 = HI	HI available	No REF1P sent	867HI sent
LIN05 = HI	Neither historical interval detail or summary data available	REF1P = HIU	No 867 sent
LIN05 = HI	HI data unavailable BUT summary HU data is available	No REF1P sent	867HU sent
LIN05 = HI	HI request on non-interval account	No REF1P sent	867HU sent

### Historical Usage Reporting Level

- Potomac Edison Note:** PE will provide an 867HU (Monthly Historical Information) for all Historical usage (HU) requests. Requests for historical interval data must be made outside of EDI.
- Providing historical monthly data
  - Delmarva, PEPCO, Potomac Edison & BGE– totaled to account level (PTD\*SU loop)

### Net Meter Data Reporting Requirements

- Maryland EDI Change Control 029 adopted uniform net meter data reporting for Maryland. Utility support as of December 2014...
  - BGE – est. by end of 1Q 2015
  - PHI (Delmarva & PEPCO) – with new CIS
  - Potomac Edison (FE) –by end of 2Q 2015 (IU/HIU)

### Net Meter Data Reporting Requirements (Cont.)

- SU (Account Services Summary) Loop –reports consumption summarized/totalized for account by unit of measure for net metered customers. (Delmarva, PEPCO, Potomac Edison and BGE)

1. When the customer's consumption is greater than generation for a given service period, the KH will be reported as net consumption (QTY01 w/actual = QD or estimated = KA) with the total generation subtracted from total consumption.
2. When the customer's generation is greater than consumption for a given service period, the KH will be reported as net generation (actual = 87 or estimated = 9H) with the total consumption subtracted from total generation).
3. In either scenario, the QTY02 will never be signed negative.

Maryland Energy Assistance Program

MD PC55 regulations require Suppliers to be certified by the Maryland PSC to serve customer receiving Energy Assistance. MD EDI CC68v2 addresses changes to the EDI 867 Historical Usage & 867 Historical Interval Usage to support PC55 implementation as follows...

- Add REF\*EA (Energy Assistance Customer) to provide the current status of the customer's Energy Assistance in the Utility System at the time of the Historical Usage transaction from the utility
  - It remains the sole responsibility of the Supplier to confirm the Energy Assistance status directly with the customer and/or the Office of Home Energy Programs (OHEP).

The REF\*EA is not indicative of the customer's Energy Assistance status in the event the customer is receiving assistance for Gas commodity only or if customer moved into utility service territory and was previously receiving Energy Assistance.

Historical Usage Matrix for Maryland

MD Change Control 083 approved Historical Usage Matrix version dated February 12<sup>th</sup>, 2024. The file named MD\_Historical Usage Matrix\_20240212.xlsx will be available for download from the MD PSC Website under Electricity > Working Groups > EDI Standards

## Historical Usage Information

## New Jersey Notes

As per Change Control NJE051, the New Jersey default is 24 months of Historical Usage data.

**Atlantic City Electric:** Effective with new CIS, the supplier will receive 867HU for non-interval billed accounts and the 867HI for interval billed accounts. Historical Usage requests will be processed as follows:

LIN05	Scenario	REF1P Code	867 Action
LIN05 = HU	HU available on non-interval account	No REF1P sent	867HU sent
LIN05 = HU	HU not available	REF1P = HUU	No 867 sent
LIN05 = HI	HI available	No REF1P sent	867HI sent
LIN05 = HI	Neither historical interval detail or summary data available	REF1P = HIU	No 867 sent
LIN05 = HI	HI data unavailable BUT summary HU data is available	No REF1P sent	867HU sent
LIN05 = HI	HI request on non-interval account	No REF1P sent	867HU sent

**Rockland Electric Company:** follows the New York EDI 867 Historical Usage standard. The NY standard does not include PTD\*FG loop which is required for the other NJ electric utilities in PJM.

- Rockland Electric sends PLC in REFPR segment of BQ loop
- NSPL is provided manually upon request, contact Rockland Electric for details

## Net Meter Data Reporting Requirements

NJ EDI Change Control Electric 016 mandates specific data requirements in support of net metered customers

- SU (Account Services Summary) Loop –reports consumption summarized/totalized for account by unit of measure for net metered customers. (used by Atlantic City Electric)
  1. When the customer's consumption is greater than generation for a given service period, the KH will be reported as net consumption (QTY01 w/actual = QD or estimated = KA) with the total generation subtracted from total consumption.
  2. When the customer's generation is greater than consumption for a given service period, the KH will be reported as net generation (actual = 87 or estimated = 9H) with the total consumption subtracted from total generation).
  3. In either scenario, the QTY02 will never be signed negative.
- SU (Account Services Summary) Loop –reporting both consumption and billed usage for net metered customers. (used by PSE&G Only)
  1. Reports customer's billed usage in the QTY01 = QD. This value is the billed usage amount which is the net of the generation/consumption.
  2. Reports customer's actual KH consumption in the MEA segment. The QTY01 less the MEA03 = customer's generation KH.
  3. In either location (QTY02/MEA03) the value will never be signed negative.
- SU (Account Services Summary) Loop –reports both consumption and generation in separate SU loops. (used by FirstEnergy/JCP&L Only)
  1. In the consumption loop, the KH usage will be reported in quantity delivered (actual = QD or estimated = KA) and the REF\*6W Delivery Channel will be "1".
  2. In the generation loop, the KH usage will be reported as generation delivered (actual = 87 or estimated = 9H). The REF\*6W Delivery Channel will be "2".

**NJ Clean Power  
Choice**

3. The QTY02 will never be signed negative.

Pursuant to Board Order, Docket No. QO18040393, the Clean Power Choice Program is coming to an end effective February 28, 2019. The EDI segments and data elements used for Clean Power Choice will remain in the EDI Implementation Guidelines to support any cancel/rebill scenarios or for future use in the event another program is established that may need these data elements.

**Historical Usage  
Information**

## **Delaware Notes**

As per MD EDI CC 063, the Delaware default is 24 months of Historical Usage data.

# How to Use the Implementation Guideline

**Segment:** **REF** Reference Identification  
**Position:** 030  
**Loop:** LIN  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

This section is used to show the X12 Rules for this segment. You must look further into the grayboxes below for State Rules.

<b>Notes:</b>	Recommended by UIG		
<b>PA Use:</b>	Must be identical to account number as it appears on the customer’s bill, excluding punctuation (spaces, dashes, etc.). Significant leading and trailing zeros must be included.		
	Request:	Required	
	Accept Response:	Required	
	Reject Response:	Required	
<b>NJ Use:</b>	Same as PA		
<b>Example:</b>	REF*12*2931839200		

The "Notes:" section generally contains notes by the Utility Industry Group (UIG).

This section is used to show the individual State's Rules for implementation of this segment.

One or more examples.

## Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>X12 Attributes</u>
Must Use	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification	M ID 2/3
		12	Billing Account	
			LDC assigned account number for end use customer.	
Must Use	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

This column shows the use of each data element. If state rules differ, this will show "Conditional" and the conditions will be explained in the appropriate grayboxes.

These are X12 code descriptions, which often do not relate to the information we are trying to send. Unfortunately, X12 cannot keep up with our code needs so we often change the meanings of existing codes. See graybox for the UIG or state definitions.

This column shows the X12 attributes for each data element. Please refer to Data Dictionary for individual state rules.

M = Mandatory, O = Optional, X = Conditional

AN = Alphanumeric, N# = Decimal value, ID = Identification, R = Real

1/30 = Minimum 1, Maximum 30

# 867 Historical Usage X12 Structure

Functional Group ID=**PT**

## Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BPT	Beginning Segment for Product Transfer and Resale	M	1		
			LOOP ID - N1			5	
	080	N1	Name	O	1		
	120	REF	Reference Identification	O	12		

## Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
			LOOP ID - PTD			>1	
Must Use	010	PTD	Product Transfer and Resale Detail	M	1		
	030	REF	Reference Identification	O	20		
			LOOP ID - QTY			>1	
	110	QTY	Quantity	O	1		
	160	MEA	Measurements	O	40		
	210	DTM	Date/Time Reference	O	10		

## Summary:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
			LOOP ID - CTT			1	
	010	CTT	Transaction Totals	O	1		n1
Must Use	030	SE	Transaction Set Trailer	M	1		

## Transaction Set Notes

1. The number of line items (CTT01) is the accumulation of the number of LIN segments. If used, hash total (CTT02) is the sum of the value of quantities (QTY02) for each QTY segment.

## Data Dictionary for 867 Historical Usage

<i>Appl Field</i>	<i>Field Name</i>	<i>Description</i>	<i>EDI Element</i>	<i>Loop / Related EDI Qualifier</i>	<i>Data Type</i>
1	Purpose Code	Transaction Set Purpose	BPT01 = <b>52</b>		X(2)
2	Transaction Reference Number	Unique Number identifying this transaction.	BPT02		X(30)
3	System Date	Date this transaction was generated from sender's system	BPT03		9(8)
4	Report Type Code	Code to identify this transaction contains detailed usage information	BPT04 = <b>DD</b>	BPT01 = <b>52</b>	X(2)
5	LDC Name	LDC's Name	N102	N1: N101 = <b>8S</b>	X(60)
6	LDC Duns	LDC's DUNS Number or DUNS+4 Number	N104	N1: N101 = <b>8S</b> N103 = <b>1</b> or <b>9</b>	X(13)
7	ESP Name	ESP's Name	N102	N1: N101 = <b>SJ</b>	X(60)
8	ESP Duns	ESP's DUNS Number or DUNS+4 Number	N104	N1: N101 = <b>SJ</b> N103 = <b>1</b> or <b>9</b>	X(13)
8.3	Renewable Energy Provider Name	Renewable Energy Provider 's Name	N102	N1: N101 = <b>G7</b>	X(60)
8.4	Renewable Energy Provider Duns	Renewable Energy Provider 's DUNS Number or DUNS+4 Number	N104	N1: N101 = <b>G7</b> N103 = <b>1</b> or <b>9</b>	X(13)
9	Customer Name	Customer Name	N102	N1: N101 = <b>8R</b>	X(60)
10	ESP Account Number	ESP Customer Account Number	REF02	N1: N101 = <b>8R</b> REF01 = <b>11</b>	X(30)
11	LDC Account Number	LDC Customer Account Number	REF02	N1: N101 = <b>8R</b> REF01 = <b>12</b>	X(30)
11.2	LDC Account Number - unmetered	LDC Customer Account Number – Unmetered	REF03	N1: N101 = <b>8R</b> REF01 = <b>12</b> REF03 = <b>U</b>	X(80)
12	Old Account Number	Previous LDC Customer Account Number	REF02	N1: N101 = <b>8R</b> REF01 = <b>45</b>	X(30)
<b><u>PTD Loop for Historical Usage that is Summarized/Totalized by Account (PTD01 = SU)</u></b>					
A PTD Loop will be provided for each type of consumption measured for the overall account (PTD01=SU) or by meter (PTD01 = PM) or by rate (PTD01=RT) in addition to the PTD loop that provides Scheduling Determinants when appropriate					
13	Loop Identification	Indicates if usage is provided totalized or by meter.	PTD01 = <b>SU</b>		X(2)
13.1	Channel Number	Indicates Channel Number	REF02	PTD: REF01= <b>6W</b>	X(30)
13.2	Quantity Qualifier	Represents whether the quantity is actual or estimated: <b>KA</b> = Estimated Quantity Delivered <b>QD</b> = Actual Quantity Delivered <b>87</b> = Actual Quantity Received (Net Meter) <b>9H</b> = Estimated Quantity Received (Net Meter)	QTY01		X(2)
13.3	Quantity Delivered	Represents quantity of consumption delivered for billing period.	QTY02		9(15)
13.4	Quantity Delivered Unit of Measurement	Indicates unit of measurement for quantity of consumption delivered during billing period.	QTY03		X(2)

13.5	Consumption	Represents quantity of consumption delivered for service period. Contains the difference in the meter readings (or as measured by the meter) multiplied by various factors, excluding Power Factor.	MEA03	MEA02 = <b>PRQ</b>	9(9).9(4)
13.6	Unit of Measure	Unit of measure for readings.	MEA04		X(2)
13.7	Measurement Significance Code	Code used to benchmark, qualify, or further define a measurement value.	MEA07		X(2)
13.8	Service Period Start	Start date of the period for which these readings are provided	DTM02	QTY: DTM01 = <b>150</b>	X(8)
13.9	Service Period End	End date of the period for which these readings are provided	DTM02	QTY: DTM01 = <b>151</b>	X(8)
<b><u>PTD Loop for Historical Usage that is Summarized/Totalized by Rate (PTD01 = RT)</u></b>					
A PTD Loop will be provided for each type of consumption measured for the overall account (PTD01=SU) or by meter (PTD01 = PM) or by rate (PTD01=RT) in addition to the PTD loop that provides Scheduling Determinants when appropriate					
15.1	Loop Identification	Indicates if usage is provided totalized or by meter.	PTD01 = <b>RT</b>		X(2)
15.2	Profile Group	A code for the Load Profile used for this rate. Differs by LDC. Codes posted on LDC's Web site.	REF02	PTD: REF01= <b>LO</b>	X(30)
15.3	LDC Rate Code	Code indicating the rate a customer is being charged by LDC per tariff. Codes posted on LDC's Web site	REF02	PTD: REF01= <b>NH</b>	X(30)
15.4	LDC Rate Sub-Class	Code to provide further classification of LDC Rate Code	REF02	PTD: REF01= <b>PR</b>	X(30)
15.5	Quantity Qualifier	Represents whether the quantity is actual or estimated: <b>KA</b> = Estimated Quantity Delivered <b>QD</b> = Actual Quantity Delivered <b>87</b> = Actual Quantity Received (Net Meter) <b>9H</b> = Estimated Quantity Received (Net Meter)	QTY01		X(2)
15.6	Quantity Delivered	Represents quantity of consumption delivered for billing period.	QTY02	QTY01	9(15)
15.7	Quantity Delivered Unit of Measurement	Indicates unit of measurement for quantity of consumption delivered during billing period.	QTY03		X(2)
15.8	Consumption	Represents quantity of consumption delivered for service period. Contains the difference in the meter readings (or as measured by the meter) multiplied by various factors, excluding Power Factor.	MEA03	MEA02 = <b>PRQ</b>	9(9).9(4)
15.9	Unit of Measure	Unit of measure for readings.	MEA04		X(2)
15.10	Measurement Significance Code	Code used to benchmark, qualify, or further define a measurement value.	MEA07		X(2)
15.11	Service Period Start	Start date of the period for which these readings are provided	DTM02	QTY: DTM01 = <b>150</b>	X(8)

15.12	Service Period End	End date of the period for which these readings are provided	DTM02	QTY: DTM01 = <b>151</b>	X(8)
<b><u>PTD Loop for Historical Usage that is provided by Meter (PTD01 = PM)</u></b>					
A PTD Loop will be provided for each type of consumption measured for the overall account (PTD01=SU) or by meter (PTD01 = PM) or by rate (PTD01=RT) in addition to the PTD loop that provides Scheduling Determinants when appropriate					
21	Loop Identification	Indicates if usage is provided totaled or by meter.	PTD01 = <b>PM</b>		X(2)
22	Meter Number	Serial number of this specific meter (may have multiple meters)	REF02	PTD: REF01 = <b>MG</b>	X(30)
23	Meter Type	Code indicating type of consumption measured & interval at which measurements are taken.	REF02	PTD: REF01 = <b>MT</b>	X(5)
24	Type of metering used for billing	Indicates the type of metering information that will be sent on the 867 transaction.	REF02= <b>41</b> (off peak) <b>42</b> (on peak) <b>43</b> (intermediate) or <b>51</b> (totalizer)	NM1: REF01 = <b>TU</b> REF03 = Meter Type (See REF*MT)	X(2)
24.1	Quantity Qualifier	Represents whether the quantity is actual or estimated: <b>KA</b> = Estimated Quantity Delivered <b>QD</b> = Actual Quantity Delivered <b>87</b> = Actual Quantity Received (Net Meter) <b>9H</b> = Estimated Quantity Received (Net Meter)	QTY01		X(2)
25	Quantity Delivered	Represents quantity of consumption delivered for billing period.	QTY02	QTY01	9(15)
26	Quantity Delivered Unit of Measurement	Indicates unit of measurement for quantity of consumption delivered during billing period.	QTY03		X(2)
27	Consumption	Represents quantity of consumption delivered for service period. Contains the difference in the meter readings (or as measured by the meter) multiplied by various factors, excluding Power Factor.	MEA03	MEA02 = <b>PRQ</b>	9(9).9(4)
28	Unit of Measure	Unit of measure for readings.	MEA04		X(2)
29	Measurement Significance Code	Code used to benchmark, qualify, or further define a measurement value.	MEA07		X(2)
30	Service Period Start	Start date of the period for which these readings are provided	DTM02	QTY: DTM01 = <b>150</b>	X(8)
31	Service Period End	End date of the period for which these readings are provided	DTM02	QTY: DTM01 = <b>151</b>	X(8)
<b><u>PTD Loop for Scheduling Determinants (PTD01 = FG)</u></b>					
This PTD provides Scheduling Determinants when appropriate					

32	Loop Identification	Indicates if usage is provided totalized or by meter.	PTD01 = <b>FG</b>		X(2)
33	Loss Factor	Loss Factor	REF02	PTD:REF01= <b>LF</b>	X(30)
34	Profile Group	A code for the Load Profile used for this customer. Differs by LDC. Codes posted on LDC's Web site.	REF02	PTD: REF01= <b>LO</b>	X(30)
35	LDC Rate Code	Code indicating the rate a customer is being charged by LDC per tariff. Codes posted on LDC's Web site	REF02	PTD: REF01= <b>NH</b>	X(30)
36	LDC Rate Sub-Class	Code to provide further classification of LDC Rate Code	REF02	PTD: REF01= <b>PR</b>	X(30)
37	LDC Billing Cycle	LDC Cycle on which the bill will be rendered	REF02	PTD: REF01= <b>BF</b>	X(4)
38	Service Voltage	Service voltage	REF02	PTD:REF01= <b>SV</b>	X(30)
39	Meter Number	Meter Number	REF02	PTD: REF01= <b>MG</b>	X(2)
40	Special Meter Configuration Code	Used to convey there's a special meter present on the account. For example, Net Metering	REF02	PTD: REF01 = <b>KY</b>	X(3)
40.1	Special Meter Configuration Information	PPLU-used to report the max K1 (demand) the special meter supports	REF03	PTD: REF01 = <b>KY</b>	X(80)
41	Aggregate Net Energy Meter Role	The role of the customer account in the Aggregate Net Energy Meter family	REF02	PTD: REF01= <b>AN</b>	X(30)
42	Peak Load Contribution	Peak load contributions provided to PJM for Installed Capacity calculation (coincident with PJM Peak).	QTY02	PTD: QTY01 = <b>KC</b>	9(15)
43	Unit of Measure	Indicates unit of measurement for quantity of consumption delivered during billing period.	QTY03 = <b>K1</b>	PTD: QTY01 = <b>QD</b>	X(2)
44	Network Service Peak Load	Customer's peak load contribution provided to PJM for the Transmission Service calculation (coincident with LDC peak).	QTY02	PTD: QTY01 = <b>KZ</b>	9(15)
45	Quantity Delivered Unit of Measurement	Indicates unit of measurement for quantity of consumption delivered during billing period.	QTY03 = <b>K1</b>	PTD: QTY01 = <b>QD</b>	X(2)

**Segment:** **ST** Transaction Set Header  
**Position:** 010  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the start of a transaction set and to assign a control number  
**Syntax Notes:**  
**Semantic Notes:** 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

**Comments:**

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	ST*867*000000001

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>		
<b>Must Use</b>	<b>ST01</b>	<b>143</b>	<b>Transaction Set Identifier Code</b> Code uniquely identifying a Transaction Set	<b>M ID 3/3</b>
			867 Product Transfer and Resale Report	
<b>Must Use</b>	<b>ST02</b>	<b>329</b>	<b>Transaction Set Control Number</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	<b>M AN 4/9</b>

**Segment:** **BPT** **Beginning Segment for Product Transfer and Resale**  
**Position:** 020  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the beginning of the Product Transfer and Resale Report Transaction Set and transmit identifying data  
**Syntax Notes:** 1 If either BPT05 or BPT06 is present, then the other is required.  
**Semantic Notes:** 1 BPT02 identifies the transfer/resale number.  
 2 BPT03 identifies the transfer/resale date.  
 3 BPT08 identifies the transfer/resale time.  
 4 BPT09 is used when it is necessary to reference a Previous Report Number.

**Comments:**

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	BPT*52*1999070112300001*19990701*DD

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>		
<b>Must Use</b>	<b>BPT01</b>	<b>353</b>	<b>Transaction Set Purpose Code</b> Code identifying purpose of transaction set	<b>M ID 2/2</b>
			52 Response to Historical Inquiry Response to a request for historical meter reading.	
<b>Must Use</b>	<b>BPT02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>O AN 1/30</b>
			A unique transaction identification number assigned by the originator of this transaction. This number should be unique over all time.	
<b>Must Use</b>	<b>BPT03</b>	<b>373</b>	<b>Date</b> Date (CCYYMMDD)	<b>M DT 8/8</b>
			The transaction creation date – the date that the data was processed by the application system.	
<b>Must Use</b>	<b>BPT04</b>	<b>755</b>	<b>Report Type Code</b> Code indicating the title or contents of a document, report or supporting item	<b>O ID 2/2</b>
			DD Distributor Inventory Report Usage	

**Segment:** **N1** Name (8S=LDC Name)  
**Position:** 080  
**Loop:** N1  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To identify a party by type of organization, name, and code  
**Syntax Notes:** 1 At least one of N102 or N103 is required.  
2 If either N103 or N104 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.  
2 N105 and N106 further define the type of entity in N101.

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	N1*8S*LDC COMPANY*1*007909411

## Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>		
<b>Must Use</b>	<b>N101</b>	<b>98</b>	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual 8S Consumer Service Provider (CSP) LDC	<b>M ID 2/3</b>
<b>Must Use</b>	<b>N102</b>	<b>93</b>	<b>Name</b> Free-form name LDC Company Name	<b>X AN 1/60</b>
<b>Must Use</b>	<b>N103</b>	<b>66</b>	<b>Identification Code Qualifier</b> Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	<b>X ID 1/2</b>
<b>Must Use</b>	<b>N104</b>	<b>67</b>	<b>Identification Code</b> Code identifying a party or other code LDC D-U-N-S Number or D-U-N-S + 4 Number	<b>X AN 2/20</b>

**Segment:** **N1** Name (SJ=ESP Name)  
**Position:** 080  
**Loop:** N1  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To identify a party by type of organization, name, and code  
**Syntax Notes:** 1 At least one of N102 or N103 is required.  
2 If either N103 or N104 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.  
2 N105 and N106 further define the type of entity in N101.

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	N1*SJ*ESP COMPANY*9*007909422ESP1

## Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>		
<b>Must Use</b>	<b>N101</b>	<b>98</b>	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual SJ Service Provider ESP	<b>M ID 2/3</b>
<b>Must Use</b>	<b>N102</b>	<b>93</b>	<b>Name</b> Free-form name ESP Company Name	<b>X AN 1/60</b>
<b>Must Use</b>	<b>N103</b>	<b>66</b>	<b>Identification Code Qualifier</b> Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	<b>X ID 1/2</b>
<b>Must Use</b>	<b>N104</b>	<b>67</b>	<b>Identification Code</b> Code identifying a party or other code ESP D-U-N-S Number or D-U-N-S + 4 Number	<b>X AN 2/20</b>

**Segment:** **N1** Name (G7=Renewable Energy Provider Name)  
**Position:** 080  
**Loop:** N1  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To identify a party by type of organization, name, and code  
**Syntax Notes:** 1 At least one of N102 or N103 is required.  
2 If either N103 or N104 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.  
2 N105 and N106 further define the type of entity in N101.

<b>PA Use:</b>	Not used
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Not used
<b>MD Use:</b>	Not used
<b>Example:</b>	N1*G7*RENEWABLE COMPANY*9*007909422GPM

## Data Element Summary

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>N101</b>	<b>98</b>	<b>Entity Identifier Code</b> Code identifying an organizational entity, a physical location, property or an individual G7 Entity Providing the Service Renewable Energy Provider	<b>M ID 2/3</b>
<b>Must Use</b>	<b>N102</b>	<b>93</b>	<b>Name</b> Free-form name Renewable Energy Provider Company Name	<b>X AN 1/60</b>
<b>Must Use</b>	<b>N103</b>	<b>66</b>	<b>Identification Code Qualifier</b> Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	<b>X ID 1/2</b>
<b>Must Use</b>	<b>N104</b>	<b>67</b>	<b>Identification Code</b> Code identifying a party or other code Renewable Energy Provider D-U-N-S Number or D-U-N-S + 4 Number	<b>X AN 2/20</b>

**Segment:** **N1** Name (8R=Customer Name)  
**Position:** 080  
**Loop:** N1  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To identify a party by type of organization, name, and code  
**Syntax Notes:** 1 At least one of N102 or N103 is required.  
 2 If either N103 or N104 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.  
 2 N105 and N106 further define the type of entity in N101.

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	N1*8R*JANE DOE

#### Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>		
<b>Must Use</b>	<b>N101</b>	<b>98</b>	<b>Entity Identifier Code</b>	<b>M ID 2/3</b>
			Code identifying an organizational entity, a physical location, property or an individual	
			8R Consumer Service Provider (CSP) Customer	
			End Use Customer	
<b>Must Use</b>	<b>N102</b>	<b>93</b>	<b>Name</b>	<b>X AN 1/60</b>
			Free-form name	
			Customer Name as it appears on the customer's bill	

**Segment:** **REF** **Reference Identification (11=ESP Account Number)**  
**Position:** 120  
**Loop:** N1  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 12  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**

<b>PA Use:</b>	Conditional: Required if it was previously provided on an 814 to the LDC and the ESP is the supplier of record.
<b>NJ Use:</b>	Optional if it was previously provided on an 814 to the LDC and the ESP is the supplier of record.
<b>DE Use:</b>	Conditional: Required if it was previously provided on an 814 to the LDC and the ESP is the supplier of record.
<b>MD Use:</b>	Optional if it was previously provided on an 814 to the LDC and the ESP is the supplier of record.
<b>Example:</b>	REF*11*8645835

#### Data Element Summary

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification 11 Account Number ESP-assigned account number for end use customer.	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X AN 1/30</b>

**Segment:** **REF** **Reference Identification (12=LDC Account Number)**  
**Position:** 120  
**Loop:** N1  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 12  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Required - Must be identical to account number as it appears on the customer's bill, excluding punctuation (spaces, dashes, etc.). Significant leading and trailing zeros must be included.
<b>NJ Use:</b>	Same as PA
<b>DE Use:</b>	Same as PA
<b>MD Use:</b>	Same as PA
<b>Example:</b>	REF*12*519703123457

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification 12 Billing Account LDC-assigned account number for end use customer.	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X AN 1/30</b>

**Segment:** **REF** **Reference Identification (45=LDC Old Account Number)**

**Position:** 120

**Loop:** N1

**Level:** Heading

**Usage:** Optional

**Max Use:** 12

**Purpose:** To specify identifying information

**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Required if account number changed in the last 60 days. <b>Note:</b> Only used when LDC is sending this transaction.
<b>NJ Use:</b>	Same as PA
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used by BGE, PEPCO, or Delmarva. PE: Required if the account number has changed in the last 60 days.
<b>Example:</b>	REF*45*451105687500

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification 45 Old Account Number LDC's previous account number for the end use customer.	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X AN 1/30</b>

**Segment:** **PTD** **Product Transfer and Resale Detail (SU=Summary)**  
**Position:** 010  
**Loop:** PTD  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data  
**Syntax Notes:** 1 If either PTD02 or PTD03 is present, then the other is required.  
 2 If either PTD04 or PTD05 is present, then the other is required.

**Semantic Notes:**

**Comments:**

<b>PA Use:</b>	Required if providing Historical Usage summarized/totalized by account. There must be one loop for each unit of measurement.
<b>NJ Use:</b>	Same as PA
<b>DE Use:</b>	Same as PA
<b>MD Use:</b>	Same as PA
<b>Examples:</b>	PTD*SU

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>		
<b>Must Use</b>	<b>PTD01</b>	<b>521</b>	<b>Product Transfer Type Code</b>	<b>M ID 2/2</b>
			Code identifying the type of product transfer	
			SU	Summary
				Consumption Summarized/Totalized for Account by unit of measure.

**Segment:** **REF** Reference Identification (6W=Channel Number)  
**Position:** 030  
**Loop:** PTD  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 20  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Used by FirstEnergy: Channel 1 = Delivered kWh and Channel 2 = Received kWh
<b>NJ Use:</b>	Used by FirstEnergy: Channel 1 = Delivered kWh and Channel 2 = Received kWh
<b>DE Use:</b>	N/A
<b>MD Use:</b>	N/A
<b>Example:</b>	REF*6W*1

#### Data Element Summary

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification 6W Sequence Number Channel Number	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Channel Number	<b>X AN 1/30</b>

**Segment:** QTY Quantity  
**Position:** 110  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**

<b>Notes:</b>	Each QTY/MEA/DTM loop conveys consumption information about one metering period.
<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	QTY*QD*5210*KH

## Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>Des.</b>	<b>Element</b>		
	QTY01	673	<b>Quantity Qualifier</b> Code specifying the type of quantity	<b>M ID 2/2</b>
			KA Estimated Quantity Delivered Used when the quantity delivered is an estimated quantity.	
			QD Actual Quantity Delivered Used when the quantity delivered is an actual quantity.	
			87 Actual Quantity Received (Net Metering) Used when the net generation quantity received is actual.	
			9H Estimated Quantity Received (Net Metering) Used when the net generation quantity received is estimated.	
<b>Must Use</b>	QTY02	380	<b>Quantity</b> Numeric value of quantity	<b>X R 1/15</b>
<b>Must Use</b>	QTY03	355	<b>Unit or Basis for Measurement Code</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	<b>M ID 2/2</b>
			K1 Kilowatt Demand (KW) Represents potential power load measured at predetermined intervals	
			K2 Kilovolt Amperes Reactive Demand (KVAR) Reactive power that must be supplied for specific types of customer's equipment; billable when kilowatt demand usage meets or exceeds a defined parameter	
			K3 Kilovolt Amperes Reactive Hour (KVARH) Represents actual electricity equivalent to kilowatt hours; billable when usage meets or exceeds defined parameters	
			K4 Kilovolt Amperes (KVA)	
			KH Kilowatt Hour (KWH)	

<b>Segment:</b>	<b>MEA</b> Measurements
<b>Position:</b>	160
<b>Loop:</b>	QTY
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	40
<b>Purpose:</b>	To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.</li> <li>2 If MEA05 is present, then MEA04 is required.</li> <li>3 If MEA06 is present, then MEA04 is required.</li> <li>4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.</li> <li>5 Only one of MEA08 or MEA03 may be present.</li> </ol>
<b>Semantic Notes:</b>	1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.
<b>Comments:</b>	1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

<b>Notes:</b>	The MEA segment is sent for each QTY loop. The MEA will indicate the “time of use” that applies to the QTY. If meter readings are included in the MEA, they will indicate the “time of use” that the meter readings apply to.
<b>PA Use:</b>	Optional field for time of use other than totalizer (MEA07=51). Optional for time of use equal to totalizer (MEA07=51) if that is the only time of use on the account.
<b>NJ Use:</b>	Must use for time of use other than totalizer (MEA07=51). Optional for time of use equal to totalizer (MEA07=51) if that is the only time of use on the account.  Note: For PSE&G net metered customer, the customer’s actual KH consumption is reported in the MEA03. The MEA03 less the QTY02 equals customer generation.
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Examples:</b>	MEA**PRQ*14*K1***51 (If meter measures multiple things, you need to send multiple QTY loops, one for each unit of measurement).

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	MEA02	738	<b>Measurement Qualifier</b> Code identifying a specific product or process characteristic to which a measurement applies PRQ Consumption	<b>O ID 1/3</b>
Must Use	MEA03	739	<b>Measurement Value</b> The value of the measurement Represents quantity of consumption delivered for service period. Contains the difference in the meter readings (or as measured by the meter) multiplied by various factors, excluding Power Factor.	<b>X R 1/20</b>
Must Use	MEA04	355	<b>Unit or Basis for Measurement Code</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken K1 Kilowatt Demand Represents potential power load measured at predetermined intervals K2 Kilovolt Amperes Reactive Demand Reactive power that must be supplied for specific types of customer's equipment; billable when kilowatt demand usage meets or exceeds a defined parameter K3 Kilovolt Amperes Reactive Hour	<b>M ID 2/2</b>

Represents actual electricity equivalent to kilowatt hours; billable when usage meets or exceeds defined parameters

K4 Kilovolt Amperes (KVA)

K5 Kilovolt Amperes Reactive

KH Kilowatt Hour

Must Use      MEA07      935      **Measurement Significance Code**      **O   ID 2/2**

Code used to benchmark, qualify or further define a measurement value

41 Off Peak

42 On Peak

43 Intermediate

51 Total

Totalizer

66 Shoulder

**Segment:** **DTM** Date/Time Reference (150=Service Period Date)  
**Position:** 210  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:****Comments:**

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	DTM*150*19990630

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b> Code specifying type of date or time, or both date and time 150 Service Period Start	<b>M ID 3/3</b>
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b> Date expressed as CCYYMMDD	<b>X DT 8/8</b>

**Segment:** **DTM** Date/Time Reference (151=Service Period Date)  
**Position:** 210  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:****Comments:**

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	DTM*151*19990701

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b> Code specifying type of date or time, or both date and time 151 Service Period End	<b>M ID 3/3</b>
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b> Date expressed as CCYYMMDD	<b>X DT 8/8</b>

**Segment:** **PTD** **Product Transfer and Resale Detail (RT=Rate)**

**Position:** 010

**Loop:** PTD

**Level:** Detail

**Usage:** Mandatory

**Max Use:** 1

**Purpose:** To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data

**Syntax Notes:**

- 1 If either PTD02 or PTD03 is present, then the other is required.
- 2 If either PTD04 or PTD05 is present, then the other is required.

**Semantic Notes:**

**Comments:**

<b>PA Use:</b>	Required if providing Historical Usage summarized/totalized by rate. Note: Different rates may have different bill periods.
<b>NJ Use:</b>	Not Used
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Examples:</b>	PTD*RT

### Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>Des.</b>	<b>Element</b>		
	PTD01	521	<b>Product Transfer Type Code</b>	<b>M ID 2/2</b>
			Code identifying the type of product transfer	
			RT	Rate
				Consumption Summarized/Totalized for Rate.

**Segment:** **REF** Reference Identification (LO=Load Profile)

**Position:** 030

**Loop:** PTD

**Level:** Detail

**Usage:** Optional

**Max Use:** 20

**Purpose:** To specify identifying information

**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Required for PJM participants using this loop
<b>NJ Use:</b>	Not Used
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	REF*LO*GS

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>X12 Attributes</b>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification LO Load Planning Number Load profile	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X AN 1/30</b>

**Segment:** **REF** Reference Identification (NH=LDC Rate Class)

**Position:** 030

**Loop:** PTD

**Level:** Detail

**Usage:** Optional

**Max Use:** 20

**Purpose:** To specify identifying information

**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Required for PJM participants using this loop
<b>NJ Use:</b>	Not Used
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	REF*NH*GS1

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification NH LDC Rate Code	<b>M ID 2/3</b>
Must Use	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X AN 1/30</b>

**Segment:** **REF** Reference Identification (PR=LDC Rate Sub-Class)  
**Position:** 030  
**Loop:** PTD  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 20  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.  
**Comments:**

<b>PA Use:</b>	Conditional: If maintained by utility, must be sent for each meter that is used for billing purposes. This segment must also be sent when account has UNMETERED services available for generation service.
<b>NJ Use:</b>	Not Used
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	REF*PR*123

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification PR Price Quote Number LDC Rate Subclass – Used to provide further classification of a rate.	<b>M ID 2/3</b>
Must Use	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X AN 1/30</b>

**Segment:** QTY Quantity  
**Position:** 110  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**

<b>Notes:</b>	Each QTY/MEA/DTM loop conveys consumption information about one metering period.
<b>PA Use:</b>	Required
<b>NJ Use:</b>	Used by PSE&G
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	QTY*QD*5210*KH

## Data Element Summary

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>QTY01</b>	<b>673</b>	<b>Quantity Qualifier</b> Code specifying the type of quantity	<b>M ID 2/2</b>
			KA Estimated Quantity Delivered Used when the quantity delivered is an estimated quantity.	
			QD Actual Quantity Delivered Used when the quantity delivered is an actual quantity.	
			87 Actual Quantity Received (Net Metering) Used when the net generation quantity received is actual.	
			9H Estimated Quantity Received (Net Metering) Used when the net generation quantity received is estimated.	
<b>Must Use</b>	<b>QTY02</b>	<b>380</b>	<b>Quantity</b> Numeric value of quantity	<b>X R 1/15</b>
<b>Must Use</b>	<b>QTY03</b>	<b>355</b>	<b>Unit or Basis for Measurement Code</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	<b>M ID 2/2</b>
			K1 Kilowatt Demand (KW) Represents potential power load measured at predetermined intervals	
			K2 Kilovolt Amperes Reactive Demand (KVAR) Reactive power that must be supplied for specific types of customer's equipment; billable when kilowatt demand usage meets or exceeds a defined parameter	
			K3 Kilovolt Amperes Reactive Hour (KVARH) Represents actual electricity equivalent to kilowatt hours; billable when usage meets or exceeds defined parameters	
			K4 Kilovolt Amperes (KVA)	
			KH Kilowatt Hour (KWH)	

**Segment: MEA Measurements****Position:** 160**Loop:** QTY**Level:** Detail**Usage:** Optional**Max Use:** 40**Purpose:** To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)**Syntax Notes:** 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.

2 If MEA05 is present, then MEA04 is required.

3 If MEA06 is present, then MEA04 is required.

4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.

5 Only one of MEA08 or MEA03 may be present.

**Semantic Notes:** 1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.**Comments:** 1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

<b>Notes:</b>	The MEA segment is sent for each QTY loop. The MEA will indicate the “time of use” that applies to the QTY. If meter readings are included in the MEA, they will indicate the “time of use” that the meter readings apply to.
<b>PA Use:</b>	Optional field for time of use other than totalizer (MEA07=51). Optional for time of use equal to totalizer (MEA07=51) if that is the only time of use on the account.
<b>NJ Use:</b>	Used by PSE&G
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Examples:</b>	MEA**PRQ*14*K1***51 (If meter measures multiple things, you need to send multiple QTY loops, one for each unit of measurement).

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>MEA02</b>	<b>738</b>	<b>Measurement Qualifier</b> Code identifying a specific product or process characteristic to which a measurement applies PRQ Consumption	<b>O ID 1/3</b>
<b>Must Use</b>	<b>MEA03</b>	<b>739</b>	<b>Measurement Value</b> The value of the measurement Represents quantity of consumption delivered for service period. Contains the difference in the meter readings (or as measured by the meter) multiplied by various factors, excluding Power Factor.	<b>X R 1/20</b>
<b>Must Use</b>	<b>MEA04</b>	<b>355</b>	<b>Unit or Basis for Measurement Code</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken K1 Kilowatt Demand Represents potential power load measured at predetermined intervals K2 Kilovolt Amperes Reactive Demand Reactive power that must be supplied for specific types of customer's equipment; billable when kilowatt demand usage meets or exceeds a defined parameter K3 Kilovolt Amperes Reactive Hour Represents actual electricity equivalent to kilowatt hours; billable when usage meets or exceeds defined parameters K4 Kilovolt Amperes (KVA)	<b>M ID 2/2</b>

			K5	Kilovolt Amperes Reactive	
			KH	Kilowatt Hour	
Must Use	MEA07	935	<b>Measurement Significance Code</b>		<b>O ID 2/2</b>
			Code used to benchmark, qualify or further define a measurement value		
			41	Off Peak	
			42	On Peak	
			43	Intermediate	
			51	Total	
				Totalizer	
			66	Shoulder	

**Segment:** **DTM** Date/Time Reference (150=Service Period Date)  
**Position:** 210  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:****Comments:**

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Used by PSE&G
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	DTM*150*19990630

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b> Code specifying type of date or time, or both date and time 150 Service Period Start	<b>M ID 3/3</b>
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b> Date expressed as CCYYMMDD	<b>X DT 8/8</b>

**Segment:** **DTM** Date/Time Reference (151=Service Period Date)  
**Position:** 210  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:****Comments:**

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Used by PSE&G
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	DTM*151*19990701

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b> Code specifying type of date or time, or both date and time 151 Service Period End	<b>M ID 3/3</b>
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b> Date expressed as CCYYMMDD	<b>X DT 8/8</b>

**Segment:** **PTD** Product Transfer and Resale Detail (PM=Meter Detail)

**Position:** 010

**Loop:** PTD

**Level:** Detail

**Usage:** Mandatory

**Max Use:** 1

**Purpose:** To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data

**Syntax Notes:** 1 If either PTD02 or PTD03 is present, then the other is required.

2 If either PTD04 or PTD05 is present, then the other is required.

**Semantic Notes:**

**Comments:**

<b>Notes:</b>	This PTD Loop will be used when providing Historical Usage by meter. There must be one loop for each unit of measurement for each meter.
<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required if providing Historical Usage by Meter; otherwise, not used. <b>Note:</b> No LDCs are using this loop
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Examples:</b>	PTD*PM

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	PTD01	521	<b>Product Transfer Type Code</b> Code identifying the type of product transfer	<b>M</b> <b>ID 2/2</b>
			PM	Physical Meter Information
				Consumption Provided by Meter by unit of measure.

**Segment:** **REF** Reference Identification (MG=Meter Number)

**Position:** 030

**Loop:** PTD

**Level:** Detail

**Usage:** Optional

**Max Use:** 20

**Purpose:** To specify identifying information

**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required if providing Historical Usage by Meter; otherwise, not used.
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	REF*MG*87876567

#### Data Element Summary

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification MG Meter Number Meter ID Serial Number	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X AN 1/30</b>

**Segment:** **REF** Reference Identification (MT=Meter Type)  
**Position:** 030  
**Loop:** PTD  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 20  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Optional
<b>NJ Use:</b>	Required if providing Historical Usage by Meter; otherwise, not used.
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	REF*MT*KHMON

### Data Element Summary

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>X12 Attributes</b>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification MT Meter Type	<b>M ID 2/3</b>

### Billing Data Types and Interval Frequencies

<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier When REF01 is MT, the meter type is expressed as a five-character field. The first two characters are the type of consumption, the last three characters are the metering interval. "COMBO" is used for a meter that records more than one measurement. Valid values can be a combination of the following values:	<b>X AN 1/30</b>
-----------------	--------------	------------	--	------------------

### Type of Consumption

K1	Kilowatt Demand
K2	Kilovolt Amperes Reactive Demand
K3	Kilovolt Amperes Reactive Hour
K4	Kilovolt Amperes
K5	Kilovolt Amperes Reactive
KH	Kilowatt Hour
T9	Thousand Kilowatt Hours

### Metering Interval

Nnn	Number of minutes from 001 to 999
ANN	Annual
BIA	Bi-annual
BIM	Bi-monthly
DAY	Daily
MON	Monthly
QTR	Quarterly

For Example:

KHMON	Kilowatt Hours Per Month
K1015	Kilowatt Demand per 15 minute interval

### Other Valid Codes

COMBO	This code is used to indicate that the meter has multiple measurements, e.g., one meter that measures both kWh and Demand.
-------	--

**Segment:** **REF** Reference Identification (NH – LDC Rate Class)  
**Position:** 030  
**Loop:** PTD  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 20  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Not Used
<b>NJ Use:</b>	Not Used
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	REF*NH*GS1

#### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification NH LDC Rate Code	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

**Segment:** **REF** Reference Identification (TU=Type of Metering)  
**Position:** 030  
**Loop:** PTD  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 20  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Not Used
<b>NJ Use:</b>	Not Used
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	REF*TU*41*K1MON REF*TU*42*K1MON REF*TU*51*K1MON <div>Multiple TU's will usually be sent on each 867!!!</div>

### Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>X12 Attributes</b>
	<b>Des.</b>	<b>Element</b>		
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification TU Trial Location Code Used to indicate the type of metering information that will be sent on the 867 transaction.	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier 41 Off Peak 42 On Peak 43 Intermediate 51 Totalizer	<b>X AN 1/30</b>
<b>Must Use</b>	<b>REF03</b>	<b>352</b>	<b>Description</b> A free-form description to clarify the related data elements and their content Meter Type (see REF*MT for valid codes). "COMBO" is not a valid code for this element.	<b>X AN 1/80</b>

**Segment:** **QTY** Quantity  
**Position:** 110  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**

<b>Notes:</b>	Each QTY/MEA/DTM loop conveys consumption information about one metering interval.
<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required if providing Historical Usage by Meter; otherwise, not used.
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	QTY*QD*5210*KH

## Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>Des.</b>	<b>Element</b>		
	<b>QTY01</b>	<b>673</b>	<b>Quantity Qualifier</b> Code specifying the type of quantity	<b>M ID 2/2</b>
			KA Estimated Quantity Delivered Used when the quantity delivered is an estimated quantity.	
			QD Actual Quantity Delivered Used when the quantity delivered is an actual quantity.	
			87 Actual Quantity Received (Net Metering) Used when the net generation quantity received is actual.	
			9H Estimated Quantity Received (Net Metering) Used when the net generation quantity received is estimated.	
<b>Must Use</b>	<b>QTY02</b>	<b>380</b>	<b>Quantity</b> Numeric value of quantity	<b>X R 1/15</b>
<b>Must Use</b>	<b>QTY03</b>	<b>355</b>	<b>Unit or Basis for Measurement Code</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	<b>M ID 2/2</b>
			K1 Kilowatt Demand (KW) Represents potential power load measured at predetermined intervals	
			K2 Kilovolt Amperes Reactive Demand (KVAR) Reactive power that must be supplied for specific types of customer's equipment; billable when kilowatt demand usage meets or exceeds a defined parameter	
			K3 Kilovolt Amperes Reactive Hour (KVARH) Represents actual electricity equivalent to kilowatt hours; billable when usage meets or exceeds defined parameters	
			K4 Kilovolt Amperes (KVA)	
			KH Kilowatt Hour (KWH)	

**Segment: MEA Measurements****Position:** 160**Loop:** QTY**Level:** Detail**Usage:** Optional**Max Use:** 40**Purpose:** To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)**Syntax Notes:** 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.

2 If MEA05 is present, then MEA04 is required.

3 If MEA06 is present, then MEA04 is required.

4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.

5 Only one of MEA08 or MEA03 may be present.

**Semantic Notes:** 1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.**Comments:** 1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

<b>Notes:</b>	The MEA segment is sent for each QTY loop. The MEA will indicate the “time of use” that applies to the QTY. If meter readings are included in the MEA, they will indicate the “time of use” that the meter readings apply to.
<b>PA Use:</b>	Not Used
<b>NJ Use:</b>	Must use for time of use other than totalizer (MEA07=51). Optional for time of use equal to totalizer (MEA07=51) if that is the only time of use on the account.
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Examples:</b>	MEA**PRQ*14*K1***51 (If meter measures multiple things, you need to send multiple QTY loops, one for each unit of measurement).

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>MEA02</b>	<b>738</b>	<b>Measurement Qualifier</b> Code identifying a specific product or process characteristic to which a measurement applies	<b>O ID 1/3</b>
			PRQ Consumption	
<b>Must Use</b>	<b>MEA03</b>	<b>739</b>	<b>Measurement Value</b> The value of the measurement	<b>X R 1/20</b>
			Represents quantity of consumption delivered for service period. Contains the difference in the meter readings (or as measured by the meter) multiplied by various factors, excluding Power Factor.	
<b>Must Use</b>	<b>MEA04</b>	<b>355</b>	<b>Unit or Basis for Measurement Code</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	<b>M ID 2/2</b>
			K1 Kilowatt Demand	
			Represents potential power load measured at predetermined intervals	
			K2 Kilovolt Amperes Reactive Demand	
			Reactive power that must be supplied for specific types of customer's equipment; billable when kilowatt demand usage meets or exceeds a defined parameter	
			K3 Kilovolt Amperes Reactive Hour	
			Represents actual electricity equivalent to kilowatt hours; billable when usage meets or exceeds defined parameters	
			K4 Kilovolt Amperes (KVA)	
			K5 Kilovolt Amperes Reactive	

Must Use	MEA07	935	KH	Kilowatt Hour	
			<b>Measurement Significance Code</b>		<b>O ID 2/2</b>
			Code used to benchmark, qualify or further define a measurement value		
			41	Off Peak	
			42	On Peak	
			43	Intermediate	
			51	Total	
				Totalizer	
			66	Shoulder	

**Segment:** **DTM** **Date/Time Reference (150=Service Period Start)**  
**Position:** 210  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:****Comments:**

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required if providing Historical Usage by Meter; otherwise, not used.
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	DTM*150*19990630

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b> Code specifying type of date or time, or both date and time 150 Service Period Start	<b>M ID 3/3</b>
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b> Date expressed as CCYYMMDD	<b>X DT 8/8</b>

**Segment:** **DTM** **Date/Time Reference (151=Service Period End)**  
**Position:** 210  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:****Comments:**

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required if providing Historical Usage by Meter; otherwise, not used.
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	DTM*151*19990701

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b> Code specifying type of date or time, or both date and time 151 Service Period End	<b>M ID 3/3</b>
<b>Must Use</b>	<b>DTM02</b>	<b>373</b>	<b>Date</b> Date expressed as CCYYMMDD	<b>X DT 8/8</b>

**Segment:** **PTD** Product Transfer and Resale Detail (FG=Scheduling Determinants)  
**Position:** 010  
**Loop:** PTD  
**Level:** Detail  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the start of detail information relating to the transfer/resale of a product and provide identifying data  
**Syntax Notes:** 1 If either PTD02 or PTD03 is present, then the other is required.  
 2 If either PTD04 or PTD05 is present, then the other is required.

**Semantic Notes:****Comments:**

<b>Notes:</b>	This PTD Loop will be used to provide Scheduling Determinants, such as the Capacity Obligation (a.k.a. Load Responsibility) and Transmission Obligation for PJM customers.
<b>PA Use:</b>	Required for PJM Customers
<b>NJ Use:</b>	Required for PJM Customers
<b>DE Use:</b>	Same as NJ
<b>MD Use:</b>	Required for PJM customers
<b>Examples:</b>	PTD*FG

**Data Element Summary**

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	PTD01	521	<b>Product Transfer Type Code</b> Code identifying the type of product transfer	<b>M</b> ID 2/2
			FG	Flowing Gas Information Scheduling Determinants: This loop will provide information required by PJM.

**Segment:** **REF** Reference Identification (LF=Loss Factor)

**Position:** 030

**Loop:** PTD

**Level:** Detail

**Usage:** Optional

**Max Use:** 20

**Purpose:** To specify identifying information

**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Request:	Not Used
	CE Accept Response:	Required for First Energy Companies; Optional for others
	All other Accept Responses:	Not Used
	Reject Response:	Not Used
<b>NJ Use:</b>	Not Used	
<b>DE Use:</b>	Not Used	
<b>MD Use:</b>	Same as PA	
<b>Example:</b>	REF*LF*2	

### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>X12 Attributes</u>
Must Use	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification LF Load Planning Number Loss Factor	M ID 2/3
Must Use	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

**Segment:** **REF** Reference Identification (LO=Load Profile)  
**Position:** 030  
**Loop:** PTD  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 20  
**Purpose:** To specify identifying information  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
 2 If either C04003 or C04004 is present, then the other is required.  
 3 If either C04005 or C04006 is present, then the other is required.  
**Semantic Notes:** 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Required for PJM participants Note: Peco provides this field in the PTD*RT loop rather than this loop.
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	REF*LO*GS

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>X12 Attributes</b>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification LO Load Planning Number Load profile	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X AN 1/30</b>

**Segment:** **REF** Reference Identification (NH=LDC Rate Class)

**Position:** 030

**Loop:** PTD

**Level:** Detail

**Usage:** Optional

**Max Use:** 20

**Purpose:** To specify identifying information

**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Required for PJM participants. Note: Peco provides this field in the PTD*RT loop rather than this loop.
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	REF*NH*GS1

#### Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification NH LDC Rate Code	M ID 2/3
Must Use	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

**Segment:** **REF** Reference Identification (PR=LDC Rate Sub-Class)  
**Position:** 030  
**Loop:** PTD  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 20  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Conditional: If maintained by utility, must be sent for each meter that is used for billing purposes. This segment must also be sent when account has UNMETERED services available for generation service.
<b>NJ Use:</b>	Not Used
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Not Used
<b>Example:</b>	REF*PR*123

## Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification PR Price Quote Number LDC Rate Subclass – Used to provide further classification of a rate.	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

**Segment:** **REF** Reference Identification (BF=LDC Bill Cycle)  
**Position:** 030  
**Loop:** PTD  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 20  
**Purpose:** To specify identifying information  
**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Required for PJM participants
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	REF*BF*15

### Data Element Summary

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification BF LDC Bill Cycle	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	<b>X AN 1/30</b>

**Segment:** **REF** Reference Identification (SV=Service Voltage)

**Position:** 030

**Loop:** PTD

**Level:** Detail

**Usage:** Optional

**Max Use:** 20

**Purpose:** To specify identifying information

**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Request:	Not Used
	CE Accept Response:	Required for First Energy Companies; Optional for others
	All other Accept Responses:	Not Used
	Reject Response:	Not Used
<b>NJ Use:</b>	Not Used	
<b>DE Use:</b>	Not Used	
<b>MD Use:</b>	Same as PA	
<b>Example:</b>	REF*SV*SECONDARY	

### Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>X12 Attributes</u>
Must Use	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification SV Service Charge Number Service Voltage	M ID 2/3
Must Use	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier PRIMARY SECONDARY Actual service voltage transmission value (Ex: 34.5kV)	X AN 1/30

**Segment:** **REF** Reference Identification (MG=Meter Number)

**Position:** 030

**Loop:** PTD

**Level:** Detail

**Usage:** Optional

**Max Use:** 20

**Purpose:** To specify identifying information

**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Not Used
<b>NJ Use:</b>	Optional, same as MD
<b>DE Use:</b>	Optional, same as MD
<b>MD Use:</b>	Not used if EDC provides usage at the "METER" Level (PTD*PM level). Required if EDC provides usage at the "ACCOUNT" level (PTD*SU level)
<b>Example:</b>	REF*MG*1METER

### Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification MG Meter number	M ID 2/3
Must Use	REF02	127	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier 1METER - Only one meter on the account MULTIPLE - Multiple meters on the account UNMETERED - unmetered service only	X AN 1/30

<b>Segment:</b>	<b>REF</b> Reference Identification (KY=Special Meter Configuration)
<b>Position:</b>	030
<b>Loop:</b>	PTD
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	20
<b>Purpose:</b>	To specify identifying information
<b>Syntax Notes:</b>	<b>1</b> At least one of REF02 or REF03 is required. <b>2</b> If either C04003 or C04004 is present, then the other is required. <b>3</b> If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	<b>1</b> REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>	

<b>PA Use:</b>	Required when special meter configuration is present on an account.
<b>NJ Use:</b>	Same as PA Note: NJ LDCs to send 'NETMETER' in REF02
<b>DE Use:</b>	Same as PA
<b>MD Use:</b>	Same as PA
<b>Example:</b>	REF*KY* NSUN*0000026

## Data Element Summary

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>X12 Attributes</b>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b> Code qualifying the Reference Identification KY Site Specific Procedures, Terms, and Conditions Special Meter Configuration	<b>M ID 2/3</b>
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier ASUN Net Metering Solar AWIN Net Metering Wind AHYD Net Metering Hydro ABIO Net Metering Biomass AWST Net Metering Waste ACHP Net Metering Combined Heat and Power AMLT Net Metering Multiple Different Sources NSUN Non-Net Metering Solar NWIN Non-Net Metering Wind NHYD Non-Net Metering Hydro NBIO Non-Net Metering Biomass NWSN Non-Net Metering Waste NCHP Non-Net Metering Combined Heat and Power NFOS Non-Net Metering Fossil Fuel NMLT Non-Net Metering Multiple Different Sources NETMETER Net Meter (Used for EDCs who will not report the specific type of net meter)	<b>X AN 1/30</b>
<b>Optional</b>	<b>REF03</b>	<b>352</b>	<b>Description</b> A free-form description to clarify the related data elements and their content PPLEU: Used for the output rating of the generation equipment reporting in KW and reflects the maximum generation the equipment can produce at any one time	<b>X AN 1/80</b>

<b>Segment:</b>	<b>REF</b> Reference Identification (AN=Aggregate Net Energy Meter Role)
<b>Position:</b>	030
<b>Loop:</b>	PTD
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	20
<b>Purpose:</b>	To specify identifying information
<b>Syntax Notes:</b>	<b>1</b> At least one of REF02 or REF03 is required. <b>2</b> If either C04003 or C04004 is present, then the other is required. <b>3</b> If either C04005 or C04006 is present, then the other is required.
<b>Semantic Notes:</b>	<b>1</b> REF04 contains data relating to the value cited in REF02.
<b>Comments:</b>	

<b>PA Use:</b>	Conditional - Required when the customer account is part of an Aggregate Net Energy Meter family. (FirstEnergy & PECO only)
<b>NJ Use:</b>	Not Used
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Conditional - Required when the customer account is part of an Aggregate Net Energy Meter family or Community Solar program. NOTE: Community Solar requirement is for FirstEnergy (Potomac Edison) only.
<b>Example:</b>	REF*AN* PARENTHOST

## Data Element Summary

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>X12 Attributes</b>
	<b>Des.</b>	<b>Element</b>		
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			Code qualifying the Reference Identification	
			AN Aggregate Net Energy Meter Role	
			The role of the customer account in the Aggregate Net Energy Meter family	
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
			PARENTHOST BGE & FE: Host Account with Generation	
			PHI: Customer designated primary host (parent) with Generation	
			PARENT BGE & FE: Not Used	
			PHI: Host account with generation, not the primary	
			CHILD Child account, may or may not have its own generation. NOTE - The REF*KY segment is used to notify the account has its own generation.	
			GENERATOR FE: Community Solar Host Account with Generation	
			BGE & PHI: Not Used	
			SUBSCRIBER FE: Community Solar Child Account	
			BGE & PHI: Not Used	

**Segment:** **REF** Reference Identification (EA= Energy Assistance Customer)

**Position:** 030

**Loop:** PTD

**Level:** Detail

**Usage:** Optional

**Max Use:** 20

**Purpose:** To specify identifying information

**Syntax Notes:**

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:**

- 1 REF04 contains data relating to the value cited in REF02.

**Comments:**

<b>PA Use:</b>	Not Used
<b>NJ Use:</b>	Not Used
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Required
<b>Example:</b>	REF*EA*Y REF*EA*N

### Data Element Summary

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>X12 Attributes</b>
<b>Must Use</b>	<b>REF01</b>	<b>128</b>	<b>Reference Identification Qualifier</b>	<b>M ID 2/3</b>
			Code qualifying the Reference Identification	
			EA Energy Assistance Customer	
			Used to indicate customer's Energy Assistance status at the time of request	
<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Identification</b>	<b>X AN 1/30</b>
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
			Y Customer is on Energy Assistance	
			N Customer is not on Energy Assistance	

<b>Segment:</b>	<b>QTY</b> Quantity (KC=Peak Load Contribution)
<b>Position:</b>	110
<b>Loop:</b>	QTY
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify quantity information
<b>Syntax Notes:</b>	1 At least one of QTY02 or QTY04 is required. 2 Only one of QTY02 or QTY04 may be present.
<b>Semantic Notes:</b>	1 QTY04 is used when the quantity is non-numeric.
<b>Comments:</b>	

<b>Notes:</b>	Each QTY/MEA/DTM loop conveys consumption information about one metering period.
<b>PA Use:</b>	<p>Required for PJM participants. The QTY/DTM loop may be sent twice depending on the time of year the Historical Usage is being provided. (PLC is effective June 1 - May 31) One iteration will show the current PLC and a second iteration will show the PLC that will be effective in the period defined in the DTM segment. Currently the PA EDCs change the PLC effective June 1st. Once the EDCs are aware of what the next effective PLC will be (typically in December) they should begin providing it on transactions.</p> <p>For example, in February 2010 the PLC values would be reported as:  QTY*KC*476*K1  DTM*007****RD8*20090601-20100531  QTY*KC*450*K1  DTM*007****RD8*20100601-20110531</p> <p>Whereas in September 2010 the PLC value would include only one loop because the following year's PLC is undetermined:  QTY*KC*450*K1  DTM*007****RD8*20100601-20110531</p>
<b>NJ Use:</b>	<p>Required. For the Peak Load Contribution in effect when the transaction is requested. Required for the Future Peak Load Contribution for JCPL when calculated and available. See PA Notes for implementation.</p> <p><b>NJ Note:</b> PSE&amp;G sends Capacity Obligation to PJM and suppliers.</p>
<b>DE Use:</b>	Same as NJ
<b>MD Use:</b>	Required. This will be the Peak Load Contribution in effect when the transaction is requested. Potomac Edison – follows PA use of effective dates where Future Peak Load Contribution is sent when calculated and available.
<b>Example:</b>	QTY*KC*752*K1

## Data Element Summary

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>QTY01</b>	<b>673</b>	<b>Quantity Qualifier</b> Code specifying the type of quantity KC Net Quantity Decrease Peak Load Contribution: Peak load contributions provided to PJM for Installed Capacity calculation (coincident with PJM Peak).	<b>M ID 2/2</b>
<b>Must Use</b>	<b>QTY02</b>	<b>380</b>	<b>Quantity</b> Numeric value of quantity	<b>X R 1/15</b>
<b>Must Use</b>	<b>QTY03</b>	<b>355</b>	<b>Unit or Basis for Measurement Code</b> Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken K1 Kilowatt Demand Represents potential power load measured at predetermined intervals	<b>M ID 2/2</b>

**Segment:** **DTM** **Date/Time Reference (007=PLC Effective Date)**  
**Position:** 210  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:****Comments:**

<b>PA Use:</b>	<p>Required for PJM Participants</p> <p>The QTY/DTM loop may be sent twice depending on the time of year the Historical Usage is being provided. (PLC is effective June 1 - May 31) One iteration will show the current PLC and a second iteration will show the PLC that will be effective in the period defined in the DTM segment. Currently the PA EDCs change the PLC effective June 1st. Once the EDCs are aware of what the next effective PLC will be (typically in December) they should begin providing it on transactions.</p> <p>For example, in February 2010 the PLC values would be reported as:  QTY*KC*476*K1  DTM*007****RD8*20090601-20100531  QTY*KC*450*K1  DTM*007****RD8*20100601-20110531</p> <p>Whereas in September 2010 the PLC value would include only one loop because the following year's PLC is undetermined:  QTY*KC*450*K1  DTM*007****RD8*20100601-20110531</p>
<b>NJ Use:</b>	Required for JCPL. Optional for other NJ EDCs. See PA Notes for implementation.
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Required for Potomac Edison. Optional for other MD LDCs. See PA Notes for implementation.
<b>Example:</b>	DTM*007****RD8*20070601-20080531

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>		<b>Attributes</b>
	<b>Des.</b>	<b>Element</b>	<b>Name</b>	
<b>Must Use</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b> Code specifying type of date, or time, or both date and time 007 Effective PLC Effective Date	<b>M ID 3/3</b>
<b>Must Use</b>	<b>DTM05</b>	<b>1250</b>	<b>Date/Time Period Format Qualifier</b> Code indicating the date format, time format, or date and time format RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD	<b>X ID 2/3</b>
<b>Must Use</b>	<b>DTM06</b>	<b>1251</b>	<b>Date/Time Period</b> Expressed as CCYYMMDD-CCYYMMDD	<b>X AN 1/35</b>

**Segment:** **QTY** Quantity (KZ=Network Service Peak Load)  
**Position:** 110  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify quantity information  
**Syntax Notes:** 1 At least one of QTY02 or QTY04 is required.  
 2 Only one of QTY02 or QTY04 may be present.  
**Semantic Notes:** 1 QTY04 is used when the quantity is non-numeric.  
**Comments:**

<b>Notes:</b>	Each QTY/MEA/DTM loop conveys consumption information about one metering interval.
<b>PA Use:</b>	<p>Required for PJM participants. The QTY/DTM loop may be sent twice when the Utility is providing both the current NSPL and the NSPL that will be effective for a subsequent period. This will occur for short period of time between when the future value is sent via the 814C and the actual date the future value takes effect.</p> <p>For example, you may receive either two loops:            QTY*KZ*476*K1            DTM*007****RD8*20100101-20101231            QTY*KZ*450*K1            DTM*007****RD8*20110101-20111231</p> <p>Or just one:            QTY*KZ*450*K1            DTM*007****RD8*20110101-20111231</p> <p>The effective dates for PA EDC implementation is as follows: First Energy, PECO, &amp; PPLEU: must support NLT 5/10/2013. Duquesne: will support NLT 1/31/2014</p>
<b>NJ Use:</b>	<p>Required. This will be the Network Service Peak Load in effect when the transaction is requested.</p> <p><b>NJ Note:</b> PSE&amp;G sends Transmission Load to PJM and suppliers.</p>
<b>DE Use:</b>	Same as NJ
<b>MD Use:</b>	Required. This will be the Network Service Peak Load in effect when the transaction is requested. Potomac Edison – follows PA use where Future Network Service Peak Load is sent when calculated and available.
<b>Example:</b>	QTY*KZ*752*K1

## Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	QTY01	673	Quantity Qualifier Code specifying the type of quantity	M ID 2/2
			KZ	Corrective Action Requests - Written
				Network Service Peak Load: Customer's peak load contribution provided to PJM for the Transmission Service calculation (coincident with LDC peak).
Must Use	QTY02	380	Quantity Numeric value of quantity	X R 1/15
Must Use	QTY03	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	M ID 2/2
			K1	Kilowatt Demand
				Represents potential power load measured at predetermined intervals

**Segment:** **DTM** **Date/Time Reference (007=NSPL Effective Date)**  
**Position:** 210  
**Loop:** QTY  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** 10  
**Purpose:** To specify pertinent dates and times  
**Syntax Notes:**

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

**Semantic Notes:****Comments:**

<b>PA Use:</b>	<p>Required for PJM Participants</p> <p>NSPL is for January 1 - December 31</p> <p>The QTY/DTM loop may be sent twice when the Utility is providing both the current NSPL and the NSPL that will be effective for a subsequent period. This will occur for short period of time between when the future value is sent via the 814C and the effective date of the future value.</p> <p>For example, you may receive either two loops:</p> <p>QTY*KZ*476*K1  DTM*007****RD8*20100101-20101231  QTY*KZ*450*K1  DTM*007****RD8*20110101-20111231</p> <p>Or just one:</p> <p>QTY*KZ*450*K1  DTM*007****RD8*20110101-20111231</p>
<b>NJ Use:</b>	Optional. See PA Notes for implementation.
<b>DE Use:</b>	Not Used
<b>MD Use:</b>	Required for Potomac Edison. Optional for other MD LDCs. See PA Notes for implementation.
<b>Example:</b>	DTM*007****RD8*20070601-20080531

**Data Element Summary**

	<b>Ref. Des.</b>	<b>Data Element</b>	<b>Name</b>	<b>Attributes</b>
<b>Must Use</b>	<b>DTM01</b>	<b>374</b>	<b>Date/Time Qualifier</b> Code specifying type of date, or time, or both date and time 007 Effective NSPL Effective Date	<b>M ID 3/3</b>
<b>Must Use</b>	<b>DTM05</b>	<b>1250</b>	<b>Date/Time Period Format Qualifier</b> Code indicating the date format, time format, or date and time format RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD	<b>X ID 2/3</b>
<b>Must Use</b>	<b>DTM06</b>	<b>1251</b>	<b>Date/Time Period</b> Expressed as CCYYMMDD-CCYYMMDD	<b>X AN 1/35</b>

**Segment:** **SE** Transaction Set Trailer  
**Position:** 030  
**Loop:**  
**Level:** Summary  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

**Syntax Notes:****Semantic Notes:**

**Comments:** 1 SE is the last segment of each transaction set.

<b>PA Use:</b>	Required
<b>NJ Use:</b>	Required
<b>DE Use:</b>	Required
<b>MD Use:</b>	Required
<b>Example:</b>	SE*23*000000001

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Name</b>	<b>Attributes</b>
	<b><u>Des.</u></b>	<b><u>Element</u></b>		
<b>Must Use</b>	<b>SE01</b>	<b>96</b>	<b>Number of Included Segments</b>	<b>M N0 1/10</b>
			Total number of segments included in a transaction set including ST and SE segments	
<b>Must Use</b>	<b>SE02</b>	<b>329</b>	<b>Transaction Set Control Number</b>	<b>M AN 4/9</b>
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	

**Example: Historical Usage Summarized by Account****Heading:**

BPT*52*1999070112300001*19990701*DD	Transaction Set Purpose Code: <b>52</b> , <i>Response to Historical Inquiry</i> Reference Identification: <b>1999070112300001</b> , Transaction Date: <b>19990701</b> , Report Type Code: <b>DD</b> , <i>Usage</i>
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*JANE DOE	Customer name
REF*11*8645835	ESP Account Number
REF*12*519703123457	LDC Account Number
REF*45*451105687500	Old LDC Account Number

**Detail:**

Segment Contents	Element Description
PTD*SU	Summary Loop for kwh
QTY*QD*5210*KH	Quantity (kwh)
DTM*150*19990529	Service Period Start
DTM*151*19990630	Service Period End
QTY*QD*5210*KH	Quantity (kwh)
DTM*150*19990427	Service Period Start
DTM*151*19990529	Service Period End
QTY*QD*4850*KH	Quantity (kwh)
DTM*150*19990327	Service Period Start
DTM*151*19990427	Service Period End

PTD*SU	Summary loop for Demand
QTY*QD*21*K1	Quantity (Demand)
DTM*150*19990529	Service Period Start
DTM*151*19990630	Service Period End
QTY*QD*19*K1	Quantity (Demand)
DTM*150*19990427	Service Period Start
DTM*151*19990529	Service Period End
QTY*QD*23*K1	Quantity (Demand)
DTM*150*19990327	Service Period Start
DTM*151*19990427	Service Period End

PTD*FG	Scheduling Determinants Loop
REF*BF*01	Bill Cycle
REF*LO*RS	Load Profile
REF*NH*RESNH	LDC Rate Code
QTY*KC*752*K1	Peak Load Contribution
QTY*KZ*752*K1	Network Service Peak Load

**Example: Historical Usage Summarized by Rate****Heading:**

BPT*52*1999070112300001*19990701*DD	Transaction Set Purpose Code: <b>52</b> , <i>Response to Historical Inquiry</i> Reference Identification: <b>1999070112300001</b> , Transaction Date: <b>19990701</b> , Report Type Code: <b>DD</b> , <i>Usage</i>
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*JANE DOE	Customer name
REF*11*8645835	ESP Account Number
REF*12*519703123457	LDC Account Number
REF*45*451105687500	Old LDC Account Number

**Detail:**

Note: Rate loops (PTD\*RT) would be repeated for each rate on the account.

Segment Contents	Element Description
PTD*RT	Rate Loop for kwh
REF*LO*RS	Load Profile
REF*NH*RESNH	LDC Rate Code
QTY*QD*5210*KH	Quantity (kwh)
DTM*150*19990529	Service Period Start
DTM*151*19990630	Service Period End
QTY*QD*5210*KH	Quantity (kwh)
DTM*150*19990427	Service Period Start
DTM*151*19990529	Service Period End
QTY*QD*4850*KH	Quantity (kwh)
DTM*150*19990327	Service Period Start
DTM*151*19990427	Service Period End

PTD*RT	Rate loop for Demand
REF*LO*RS	Load Profile
REF*NH*RESNH	LDC Rate Code
QTY*QD*21*K1	Quantity (Demand)
DTM*150*19990529	Service Period Start
DTM*151*19990630	Service Period End
QTY*QD*19*K1	Quantity (Demand)
DTM*150*19990427	Service Period Start
DTM*151*19990529	Service Period End
QTY*QD*23*K1	Quantity (Demand)
DTM*150*19990327	Service Period Start
DTM*151*19990427	Service Period End

PTD*FG	Scheduling Determinants Loop
REF*BF*01	Bill Cycle
QTY*KC*752*K1	Peak Load Contribution
QTY*KZ*752*K1	Network Service Peak Load

**Example: Historical Usage Summarized by Meter****Heading:**

BPT*52*1999070112300001*19990701*DD	Transaction Set Purpose Code: <b>52</b> , <i>Response to Historical Inquiry</i> Reference Identification: <b>1999070112300001</b> , Transaction Date: <b>19990701</b> , Report Type Code: <b>DD</b> , <i>Usage</i>
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*JANE DOE	Customer name
REF*11*8645835	ESP Account Number
REF*12*519703123457	LDC Account Number
REF*45*451105687500	Old LDC Account Number

**Detail:**

Segment Contents	Element Description
PTD*PM	Summary Loop for kwh
REF*MG*M1234567	Meter Number
REF*MT*KHMON	Meter Type
REF*TU*42*KHMON	TOU Value
QTY*QD*5210*KH	Quantity (kwh)
MEA**PRQ*5210*KH***42	TOU indicator
DTM*150*19990529	Service Period Start
DTM*151*19990630	Service Period End
QTY*QD*5210*KH	Quantity (kwh)
MEA**PRQ*5210*KH***42	TOU indicator
DTM*150*19990427	Service Period Start
DTM*151*19990529	Service Period End
QTY*QD*4850*KH	Quantity (kwh)
MEA**PRQ*4850*KH***42	TOU indicator
DTM*150*19990327	Service Period Start
DTM*151*19990427	Service Period End

PTD*SU	Summary loop for Demand
REF*MG*M8884567	Meter Number
REF*MT*K1MON	Meter Type
REF*TU*42*K1MON	TOU Value
QTY*QD*21*K1	Quantity (Demand)
MEA**PRQ*21*K1***42	TOU indicator
DTM*150*19990529	Service Period Start
DTM*151*19990630	Service Period End
QTY*QD*19*K1	Quantity (Demand)
MEA**PRQ*19*K1***42	TOU indicator
DTM*150*19990427	Service Period Start
DTM*151*19990529	Service Period End
QTY*QD*23*K1	Quantity (Demand)
MEA**PRQ*23*K1***42	TOU indicator
DTM*150*19990327	Service Period Start
DTM*151*19990427	Service Period End

PTD*FG	Scheduling Determinants Loop
REF*BF*01	Bill Cycle
REF*LO*RS	Load Profile
REF*NH*RESNH	LDC Rate Code
REF*PR*RESNH7187	LDC Rate Sub-Class
QTY*KC*752*K1	Peak Load Contribution

QTY*KZ*752*K1	Network Service Peak Load
---------------	---------------------------

### Example: Historical Usage Requested by Renewable Energy Provider

This example only shows the first few segments to show N1\*G7 segment used by Renewable Energy Provider. Remaining segments would be identical to those used for an ESP transaction.

BPT*52*1999070112300001*19990701*DD	Transaction Set Purpose Code: <b>52</b> , <i>Response to Historical Inquiry</i> Reference Identification: <b>1999070112300001</b> , Transaction Date: <b>19990701</b> , Report Type Code: <b>DD</b> , <i>Usage</i>
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*G7*RENEWABLE COMPANY*9*007909422GPM1	Renewable Energy Provider Name and DUNS information
N1*8R*JANE DOE	Customer name
REF*12*519703123457	LDC Account Number
.....	

### Example: Pennsylvania, Maryland & New Jersey Net Metering / Customer Generation

#### Historical Usage Summarized by Account – with Net Metering (Excluding FirstEnergy in PA)

BPT*52*2012070112300001*20120701*DD	Transaction Set Purpose Code: <b>52</b> , <i>Response to Historical Inquiry</i> Reference Identification: <b>2012070112300001</b> , Transaction Date: <b>20120701</b> , Report Type Code: <b>DD</b> , <i>Usage</i>
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*JANE DOE	Customer name
REF*11*8645835	ESP Account Number
REF*12*519703123457	LDC Account Number
REF*45*451105687500	Old LDC Account Number
PTD*SU	Summary Loop for kwh
QTY*QD*1944*KH	Net Consumption Quantity (kwh)
DTM*150*20120529	Service Period Start
DTM*151*20120630	Service Period End
QTY*87*311*KH	Net Generation Quantity (kwh)
DTM*150*20120427	Service Period Start
DTM*151*20120529	Service Period End
QTY*87*871*KH	Net Generation Quantity (kwh)
DTM*150*20120327	Service Period Start
DTM*151*20120427	Service Period End
QTY*QD*2166*KH	Net Consumption Quantity (kwh)
DTM*150*20120227	Service Period Start
DTM*151*20120327	Service Period End
PTD*FG	Scheduling Determinants Loop
REF*BF*01	Bill Cycle
REF*KY*ASUN	Special Meter Configuration
REF*LF*2	Loss Factor (FE Only; optional others)
REF*LO*RS	Load Profile
REF*NH*RESNH	LDC Rate Code
REF*SV*SECONDARY	Service Voltage (FE Only; optional others)
QTY*KC*752*K1	Peak Load Contribution
QTY*KZ*752*K1	Network Service Peak Load

**Historical Usage Summarized by Rate – with Net Metering (PECO)**

BPT*52*2012070112300001*20120701*DD	Transaction Set Purpose Code: <b>52</b> , <i>Response to Historical Inquiry</i> Reference Identification: <b>2012070112300001</b> , Transaction Date: <b>20120701</b> , Report Type Code: <b>DD</b> , <i>Usage</i>
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*JANE DOE	Customer name
REF*11*8645835	ESP Account Number
REF*12*519703123457	LDC Account Number
REF*45*451105687500	Old LDC Account Number
<b>PTD*RT</b>	Rate Summary Loop for kwh
REF*LO*RS	Load Profile
REF*NH*RESNH	LDC Rate Code
QTY*QD*1944*KH	Net Consumption Quantity (kwh)
DTM*150*20120529	Service Period Start
DTM*151*20120630	Service Period End
QTY*87*311*KH	Net Generation Quantity (kwh)
DTM*150*20120427	Service Period Start
DTM*151*20120529	Service Period End
QTY*87*871*KH	Net Generation Quantity (kwh)
DTM*150*20120327	Service Period Start
DTM*151*20120427	Service Period End
QTY*QD*2166*KH	Net Consumption Quantity (kwh)
DTM*150*20120227	Service Period Start
DTM*151*20120327	Service Period End
<b>PTD*FG</b>	Scheduling Determinants Loop
REF*BF*01	Bill Cycle
REF*KY*ASUN	Special Meter Configuration
REF*LF*2	Loss Factor (FE Only; optional others)
REF*SV*SECONDARY	Service Voltage (FE Only; optional others)
QTY*KC*752*K1	Peak Load Contribution
QTY*KZ*752*K1	Network Service Peak Load

**Historical Usage Summarized by Meter – with Net Metering**

BPT*52*2012070112300001*20120701*DD	Transaction Set Purpose Code: <b>52</b> , <i>Response to Historical Inquiry</i> Reference Identification: <b>2012070112300001</b> , Transaction Date: <b>20120701</b> , Report Type Code: <b>DD</b> , <i>Usage</i>
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*JANE DOE	Customer name
REF*11*8645835	ESP Account Number
REF*12*519703123457	LDC Account Number
REF*45*451105687500	Old LDC Account Number
<b>PTD*PM</b>	Summary Loop for kwh
REF*MG*M1234567	Meter Number
REF*MT*KHMON	Meter Type
REF*TU*51*KHMON	TOU Value
QTY*QD*1944*KH	Net Consumption Quantity (kwh)
MEA**PRQ*1944*KH***51	TOU indicator
DTM*150*20120529	Service Period Start
DTM*151*20120630	Service Period End
QTY*87*311*KH	Net Generation Quantity (kwh)
MEA**PRQ*311*KH***51	TOU indicator
DTM*150*20120427	Service Period Start
DTM*151*20120529	Service Period End

QTY*87*871*KH	Net Generation Quantity (kwh)
MEA**PRQ*871*KH***51	TOU indicator
DTM*150*20120327	Service Period Start
DTM*151*20120427	Service Period End
QTY*QD*2166*KH	Net Consumption Quantity (kwh)
MEA**PRQ*2166*KH***51	TOU indicator
DTM*150*20120227	Service Period Start
DTM*151*20120327	Service Period End
<b>PTD*FG</b>	Scheduling Determinants Loop
REF*BF*01	Bill Cycle
REF*KY*ASUN	Special Meter Configuration
REF*LF*2	Loss Factor (FE Only; optional others)
REF*LO*RS	Load Profile
REF*NH*RESNH	LDC Rate Code
REF*SV*SECONDARY	Service Voltage (FE Only; optional others)
QTY*KC*752*K1	Peak Load Contribution
QTY*KZ*752*K1	Network Service Peak Load

**Historical Usage Summarized by Account – with Net Metering (PSE&G New Jersey)**

BPT*52*2012070112300001*20120701*DD	Transaction Set Purpose Code: <b>52</b> , <i>Response to Historical Inquiry</i> Reference Identification: <b>2012070112300001</b> , Transaction Date: <b>20120701</b> , Report Type Code: <b>DD</b> , <i>Usage</i>
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*JANE DOE	Customer name
REF*11*8645835	ESP Account Number
REF*12*519703123457	LDC Account Number
<b>PTD*SU</b>	Summary Loop for kwh
QTY*QD*1944*KH	Billed usage (kwh)
MEA**PRQ*2150*KH***51	Actual Consumption (kWh)
DTM*150*20120529	Service Period Start
DTM*151*20120630	Service Period End
QTY*QD*2011*KH	Billed usage (kwh)
MEA**PRQ*2243*KH***51	Actual Consumption (kWh)
DTM*150*20120427	Service Period Start
DTM*151*20120529	Service Period End
QTY*QD*1871*KH	Billed usage (kwh)
MEA**PRQ*2087*KH***51	Actual Consumption (kWh)
DTM*150*20120327	Service Period Start
DTM*151*20120427	Service Period End
QTY*QD*2166*KH	Billed usage (kwh)
MEA**PRQ*2180*KH***51	Actual Consumption (kWh)
DTM*150*20120227	Service Period Start
DTM*151*20120327	Service Period End
<b>PTD*FG</b>	Scheduling Determinants Loop
REF*BF*01	Bill Cycle
REF*NH*RESNH	LDC Rate Code
QTY*KC*752*K1	Peak Load Contribution
QTY*KZ*752*K1	Network Service Peak Load

## Historical Usage Summarized by Account – with Net Metering (FirstEnergy in PA &amp; NJ Only)

BPT*52*201903140404550002229777*20190314*DD	Transaction Set Purpose Code: <b>52</b> , <i>Response to Historical Inquiry</i> Reference Identification: <b>201903140404550002229777</b> , Transaction Date: <b>20190314</b> , Report Type Code: <b>DD</b> , <i>Usage</i>
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*JANE DOE	Customer name
REF*11*8645835	ESP Account Number
REF*12*519703123457	LDC Account Number
<b>PTD*SU</b>	Summary Loop for kwh
REF*6W*1	Channel Number
QTY*KA*37.0000000*KH	Billed usage (kwh)
DTM*150*20180309	Service Period Start
DTM*151*20180409	Service Period End
QTY*QD*998.0000000*KH	Billed usage (kwh)
DTM*150*20180410	Service Period Start
DTM*151*20180507	Service Period End
QTY*QD*753.0000000*KH	Billed usage (kwh)
DTM*150*20180508	Service Period Start
DTM*151*20180607	Service Period End
QTY*QD*1052.0000000*KH	Billed usage (kwh)
DTM*150*20180608	Service Period Start
DTM*151*20180709	Service Period End
<b>PTD*SU</b>	Summary Loop for kwh
REF*6W*2	Channel Number
QTY*9H*7.0000000*KH	Billed usage (kwh)
DTM*150*20180309	Service Period Start
DTM*151*20180409	Service Period End
QTY*87*98.0000000*KH	Billed usage (kwh)
DTM*150*20180410	Service Period Start
DTM*151*20180507	Service Period End
QTY*87*53.0000000*KH	Billed usage (kwh)
DTM*150*20180508	Service Period Start
DTM*151*20180607	Service Period End
QTY*87*105.0000000*KH	Billed usage (kwh)
DTM*150*20180608	Service Period Start
DTM*151*20180709	Service Period End
<b>PTD*FG</b>	Scheduling Determinants Loop
REF*BF*68	Bill Cycle
REF*LO*RESNH	LDC Load Profile
REF*NH*ME-RSD	LDC Rate Class
REF*SV*Secondary, voltage unknown	Service Voltage
REF*LF*1.071800	Loss Factor
QTY*KC*2.5369000*K1	Peak Load Contribution
DTM*007****RD8*20180601-20190531	Effective Date of Peak Load Contribution
QTY*KC*2.3475000*K1	Peak Load Contribution
DTM*007****RD8*20190601-20200531	Effective Date of Peak Load Contribution
QTY*KZ*3.3045000*K1	Network Service Peak Load
DTM*007****RD8*20190601-20200531	Effective Date of Network Service Peak Load

**Example: Pennsylvania Effective Dates for PLC/NSPL**

**Historical Usage Summarized by Account** – 867HU requested prior to new PLC value taking effect, both PLC values are in LDC system, sent with their applicable effective dates.

BPT*52*2012040112300001*20120401*DD	Transaction Set Purpose Code: <b>52</b> , <i>Response to Historical Inquiry</i> Reference Identification: <b>2012040112300001</b> , Transaction Date: <b>20120401</b> , Report Type Code: <b>DD</b> , <i>Usage</i>
N1*8S*LDC COMPANY*1*007909411	LDC Company
N1*SJ*ESP COMPANY*9*007909422ESP1	ESP Company
N1*8R*JANE DOE	Customer name
REF*11*8645835	ESP Account Number
REF*12*519703123457	LDC Account Number
REF*45*451105687500	Old LDC Account Number
PTD*SU	Summary Loop for kwh
QTY*QD*1944*KH	Consumption Quantity (kwh)
DTM*150*20120529	Service Period Start
DTM*151*20120630	Service Period End
QTY*QD*311*KH	Consumption Quantity (kwh))
DTM*150*20120427	Service Period Start
DTM*151*20120529	Service Period End
QTY*QD*871*KH	Consumption Quantity (kwh)
DTM*150*20120327	Service Period Start
DTM*151*20120427	Service Period End
QTY*QD*2166*KH	Consumption Quantity (kwh)
DTM*150*20120227	Service Period Start
DTM*151*20120327	Service Period End
PTD*FG	Scheduling Determinants Loop
REF*BF*01	Bill Cycle
REF*LF*2	Loss Factor (FE Only; optional others)
REF*KY*ASUN	Special Meter Configuration
REF*LO*RS	Load Profile
REF*NH*RESNH	LDC Rate Code
REF*SV*SECONDARY	Service Voltage (FE Only; optional others)
QTY*KC*752*K1	Peak Load Contribution - <b>CURRENT</b>
DTM*007****RD8*20110601-20120531	Effective Date of Peak Load Contribution
QTY*KC*787*K1	Peak Load Contribution - <b>FUTURE</b>
DTM*007****RD8*20120601-20130531	Effective Date of Peak Load Contribution
QTY*KZ*752*K1	Network Service Peak Load
DTM*007****RD8*20120101-20121231	Effective Date of Network Service Peak Load